MICROCOPY RESOLUTION TEST CHART

NATIONAL BUREAU OF STANDARDS-1963-A

FORCE AND PRESSURE MEASUREMENTS ON A RESEARCH MODEL

WITH A LOW-, MID-, AND T-TAIL

AT MACH NUMBERS OF 0.60 TO 0.90

VOLUME II - TABULATED DATA

R. A. Cox

GENERAL DYNAMICS
Fort Worth Division

Contract N00014-82-C-0340

December 1982

FINAL REPORT

Prepared For The
OFFICE OF NAVAL RESEARCH

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER General Dynamics Report No. FZA-540	2. GOVT ACCESSION NO. AD-4124 C6Y	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Force and Pressure Measurements on a Research Model with a Low-, Mid-, and T-Tail at Mach Numbers of 0.60 to 0.90; Volume II - Tabulated Data		5. TYPE OF REPORT & PERIOD COVERED Final Report 15 April 1982 - 14 Dec 1982
		6. PERFORMING ORG. REPORT NUMBER N/A
7. AUTHOR(s) Cox, Ronald A.		8. CONTRACT OR GRANT NUMBER(s) N00014-82-C-0340
9. PERFORMING ORGANIZATION NAME AND ADDRESS General Dynamics, Fort Worth Division P. O. Box 748 Fort Worth, Texas 76101		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS P.E. 62241N RF 41-411-801 NR 212-274
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research 800 N. Quincy Street Arlington, Virginia 22217		12. REPORT DATE December 1982
		13. NUMBER OF PAGES
14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION DOWNGRADING SCHEDULE

16. DISTRIBUTION STATEMENT (of this Report)

Approved for public release, distribution unlimited

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

An investigation of the effects of a low-, mid-, and T-Tail on configuration aerodynamics was carried out in the NASA/Ames Research Center 14-Foot Transonic Wind Tunnel. A baseline wing and a wing refined with the use of numerical optimization were tested alone and in conjunction with a horizontal tail in a low-, mid-, and T-Tail arrangement. Wing and horizontal tail pressure data and force data were obtained in the Mach number range 0.60 to 0.90 and at angles of attack from -6 to +28 deg. The all-flying horizontal tail was tested at angles of -10, 0, and +10 deg. This report presents the complete set of longitudinal aerodynamic data and static pressure data. Volume I presents an analysis and summary of these data.

DD FORM 1473 EDITION OF 1 NOV 65 IS OBSOLETE

SUMMARY

An investigation of the effects of a low-, mid-, and T-tail on configuration aerodynamics was carried out in the NASA/Ames Research Center 14-Foot Transonic Wind Tunnel. A baseline wing and a wing refined with the use of numerical optimization were tested alone and in conjunction with a horizontal tail in a low-, mid-, and T-tail arrangement. The refined wing airfoil sections were obtained by perturbing from the baseline wing sections in order to satisfy specified design criteria. Chordwise pressure distributions utilized in the numerical optimization were computed with the Bailey-Ballhaus transonic, small-disturbance code.

Wing and horizontal tail pressure data and force data were obtained in the Mach number range 0.60 to 0.90 and at angles of attack from -6 to +28 deg. The all-flying horizontal tail was tested at deflection angles of -10, 0, and +10 deg.

This report presents the complete set of longitudinal aerodynamic data in the stability axis system and the complete set of static pressure data. These data are intended for reference purposes and are presented here without analysis. Volume I presents an analysis and summary of these data.

PREFACE

The wind tunnel test outlined in this report was sponsored by the Office of Naval Research , the NASA/Ames Research Center, and the Naval Air Systems Command under Contract No. N00014-82-C-0340 and executed by General Dynamics Corporation. The contracted activity spans the period from 15 April 1982 through 14 December 1982. Tests were conducted in June and July of 1982 at the NASA/Ames Research Center 14-Foot Transonic Wind Tunnel. The research model, designated 603E, was manufactured in part under ONR Contract No. N00014-81-C-0680.

The program activities were monitored by Dr. Robert E. Whitehead of ONR. Additional support was provided by Ray M. Hicks of NASA/Ames Research Center. The program was managed by Ronald A. Cox of the Fort Worth Division and the tests were conducted by R. J. Cochi.

TABLE OF CONTENTS

Accession For

NTIS GRA&I

DTIC TAB

Unannounced

Justification

By

Distribution/

Availability Codes

Avail and/or

Dist   Special

A

LIST OF ILLUSTRATIONS

4

LIST OF TABLES

1 INTRODUCTION

Model 603E, shown in Figure 1, is used to research subsonic and transonic configuraton aerodynamics. The model is a trainer-type configuration with a two-man cockpit and side mounted flow-through nacelles. The model's baseline wing can be tested with the leading- and/or trailing-edge flaps deflected. The horizontal stabilizer can be located in a low-, mid-, or T-tail arrangement and used as an all-flying tail or with a deflected elevator.

The present study was undertaken to provide wind tunnel force and pressure data on the model configured with one of two wings designed for transonic flight and with the horizontal tail in one of three vertical positions. The data can then be used to evaluate the performance of the two research wings and for determining the influence of horizontal tail location on tail aerodynamics when it is positioned in the downwash field of a wing-body combination.

Volume I of this report presents an analysis and summary of the data obtained during the subject test. This volume contains a description of the model tested and a tabulation of the data obtained.

Figure 1. Three-quarter rear view of model 603E.

8

2 TEST AND MODEL DESCRIPTION

Model 603E is shown in Figures 1, 2, and 3, and is shown installed in the NASA/ARC 14-Foot Transonic Wind Tunnel in Figure 4.

2.1 MODEL DESCRIPTION

Model 603E is a trainer-type configuration that is used as an aerodynamic research model. The steel, aluminum, and fiberglass model can be equipped with an all flying low-, mid-, or T-tail at deflections of -10, 0, or +10 deg. Figure 5 shows the tail installed in the three positions.

A baseline (steel) wing and an alternate (aluminum) wing are interchangeable on the model. The baseline wing, designated W9, incorporates a NASA supercritical airfoil along linear element lines. The alternate wing, W10, is of identical planform but with chordwise airfoil sections optimized for transonic cruise. Wing W10 airfoil sections were obtained by using an optimization routine to perturb from the wing W9 sections in order to satisfy specified design criteria. Chordwise pressure distributions utilized in the numerical optimization were computed with the Bailey-Ballhaus transonic, small-disturbance code.

Wings W9 and W10 are attached to a wing plate embedded in the underside of the model Fuselage. The plate extends from F.S. = 84.666 cm to 103.26 cm and outboard to S.S. = 26.751 cm, and conforms to the lower surface of wing W9. For testing of W10, this region was filled with compound to fit the W10 geometry.

The wing and vertical tail planform geometries are shown in Figure 6; the horizontal tail in Figure 7. The configurations primary dimensions are listed in Table 2.1. Fuselage cross-sections are shown in Figure 8.

Figure 2. Top view of model 603E.

Figure 3. Three-quarter front view of model 603E.

Figure 4. Model 603E installed in the NASA/ARC 14-Foot Wind Tunnel.

12

Figure 5. Low-, mid-, and T-Tail positions.

13

Figure 6 Wing and vertical tail planform geometries.

Horizontal	Apex Location		
	F.S.	**S.S**	**W.L.**
H_7 (T)	141.24 cm (55.606 in.)	1.354 cm (.533 in.)	71.727 cm (28.239 in.)
H_{7a} (Mid)	128.99 cm (50.782 in.)	1.349 cm (.531 in.)	58.522 cm (23.040 in.)
H_{7b} (Low)	128.99 cm (50.782 in.)	14.046 cm (5.530 in.)	41.554 cm (16.360 in.)

Figure 7   Horizontal tail geometry and locations.

15

TABLE 2.1 GENERAL GEOMETRIC CHARACTERISTICS

Reference Wing Planform Geometry (W_9)

Wing area	0.2842 m^2 (440.53 in.^{2})
Wing apex location	
Fuselage station	74.922 cm (29.497 in.)
Span station	0.0 cm (0.0 in.)
Waterline	36.848 cm (14.507 in.)
Aspect ratio	4.900
Wing half span	58.992 cm (23.225 in.)
Leading-edge sweep	22.82°
Trailing-edge sweep	0°
Taper ratio	0.3200
Root chord ($\bullet$ $\mathbb{C}$)	36.502 cm (14.363 in.)
Tip chord	11.676 cm (4.596 in.)
Mean aerodynamic chord	26.208 cm (10.318 in.)
Leading-edge location (fuselage station)	85.202 cm (33.544 in.)
Lateral location (span station)	24.431 cm (9.618 in.)
Moment reference (0.30 C_{MAC})	
Fuselage station	93.053 cm (36.635 in.)
Span station	0.00 cm (0.00 in.)
Waterline	40.64 cm (16.000 in.)
Airfoil section	
Root	SC(2)–0414
Tip	SC(2)–0410
Twist (trailing-edge up, 0° $\bullet$ $\mathbb{C}$)	-3°
Dihedral (tip up)	1°
Incidence (trailing-edge down)	2°

Vertical Tail (V_3)
(exposed)

Area	578.1 cm^2 (89.61 in.^{2})
Apex location	
Fuselage station	117.9 cm (46.4 in.)
Span station	0.0 cm (0.0 in.)
Waterline	49.11 cm (19.333 in.)
Aspect ratio	1.770
Half Span	22.62 cm (8.906 in.)
Leading-edge sweep	47.25°
Trailing-edge sweep	18.45°
Taper ratio	0.5026
Root chord (W.L.= 49.11 cm)	34.018 cm (13.393 in.)
Tip chord	17.097 cm (6.731 in.)
Mean aerodynamic chord	26.491 cm (10.430 in.)
Leading-edge location (fuselage station)	128.74 cm (50.686 in.)
Waterline location	59.168 cm (23.295 in.)
Airfoil section	Upper surface of airfoil SC(2)–0410 (symmetric)

TABLE 2.1 GENERAL GEOMETRIC CHARACTERISTICS

(Continued)

Horizontal Tail Actuator Fairing (X_7)
(for use with H_7)

Forward extent (fuselage station)	140.29 cm (55.233 in.)
Rearward extent (fuselage station)	166.62 cm (65.6 in.)
Waterline location	71.727 cm (28.239 in.)

Horizontal Tail (H_7, H_{7a}, H_{7b},)

Area	669.3 cm^2 (103.74 in.^{2})
Aspect ratio	2.798
Half span	21.638 cm (8.519 in.)
Leading-edge sweep	35°
Trailing-edge sweep	11.35°
Taper ratio	0.4821
Root chord	20.87 cm (8.216 in.)
Tip chord	10.06 cm (3.961 in.)
Mean aerodynamic chord	16.09cm (6.336 in.)
Leading-edge location (from apex)	6.693 cm (2.635 in.)
Lateral location (from apex)	9.559 cm. (3.763 in.)
Airfoil section	64A010

Body (B_{3M})

Length (nose to nacelle aft end)	136.00 cm (53.544 in.)
Nose location (fuselage station)	13.546 cm (5.333 in.)

Nacelle (N_6)

Average lateral wing-body intersection (span station)	14.06 cm (5.534 in.)

Forward extent (fuselage station)
   nacelle face canted forward 5°
   about W.L. = 42.164 cm (16.600 in.)
	73.558 cm (28.960 in.)

Rearward extent (fuselage station)
   nacelle exit is canted in 2° and
   down 2° about WL = 41.554 cm (16.360 in.)
	149.55 cm (58.877 in.)

Inlet throat area (FS = 76.2 cm)	50.46 cm^2 (7.822 in^2)
Exit throat area (FS = 149.55 cm)	42.32 cm^2 (6.56 in.^{2})

1 Inch =

13.547 cm
(5.333 in.)

WL 33.867 cm
(13.333 in.)

40.640 cm
(16.000 in.)

67.733 cm
(26.667 in.)

WL 33.867 cm
(13.333 in.)

16.933 cm
(6.667 in.)

27.093 cm
(10.667 in.)

54.187 cm
(21.333 in.)

74.507 cm
(29.333 in.)

= 4 Model Inches

149.548 cm
(58.877 in.)

81.280 cm
(32.000 in.)

108.373 cm
(42.667 in.)

135.467 cm
(53.333 in.)

94.827 cm
(37.333 in.)

121.920 cm
(48.000 in.)

145.627 cm
(57.333 in.)

Figure 8. Fuselage cross-sections.

2.2 INSTRUMENTATION

Force and moments on the model were recorded with NASA/ARC's MK 20-A six component internal strain-gage balance. The load capacities of the 2.5 inch diameter balance are listed in Table 2.2.

TABLE 2.2 BALANCE MK 20-A MAXIMUM LOADS

Normal Force	$\pm$3,000 lbf per gage
Side Force	$\pm$1,500 lbf per gage
Rolling Moment	$\pm$4,000 in-lbf
Axial Force	$\pm$ 600 lbf

Model 603E is instrumented with 55 surface static pressures located in the wing and horizontal tail. The spanwise location of the pressure rows can be seen in Figures 6 and 7. Tables 2.3 and 2.4 list the location of the pressure taps in percent of chord.

Both the baseline and the alternate wing pressures are located at a non-dimensionalized span station of η =0.545. There are 17 upper surface pressures (on the port side) and 8 lower surface pressures (starboard).

The horizontal tail pressures are located at an exposed span station of η =0.628. There are 15 upper surface (port) pressures and 15 lower surface (starboard) pressures. The mid- and T-tail pressure lines are routed through the vertical tail and then through the nacelle/aft fuselage.

Two balance cavity pressures were located immediately aft of the balance-sting joint and one model base pressure orifice was installed 1.3 cm inside the model base. These pressures were measured by three $\pm$86.2 kpa differential pressure transducers. The wing and tail pressures were read by 24-port type scani-modules, each containing three $\pm$86.2 kpa differential transducers. The scani-modules were housed in the fuselage under the canopy section.

21

TABLE 2.3 WING ORIFICE LOCATIONS

(span station = 32.177 cm (12.668 in.))

UPPER SURFACE		LOWER SURFACE	
Orifice Number	Percent Chord Location	Orifice Number	Percent Chord Location
W-1	2	W-18	5
W-2	6	W-19	10
W-3	11	W-20	20
W-4	17	W-21	35
W-5	23	W-22	50
W-6	29	W-23	65
W-7	35	W-24	80
W-8	41	W-25	95
W-9	47		
W-10	53		
W-11	57		
W-12	65		
W-13	71		
W-14	77		
W-15	83		
W-16	89		
W-17	95		

TABLE 2.4 HORIZONTAL TAIL ORIFICE LOCATIONS

(span station (from apex) - 13.589 cm (5.35 in.))

UPPER SURFACE		LOWER SURFACE	
Orifice Number	Percent Chord Location	Orifice Number	Percent Chord Location
H-1	2	H-16	2
H-2	6	H-17	6
H-3	11	H-18	11
H-4	18	H-19	18
H-5	25	H-20	25
H-6	32	H-21	32
H-7	39	H-22	39
H-8	46	H-23	46
H-9	53	H-24	53
H-10	60	H-25	60
H-11	67	H-26	67
H-12	74	H-27	74
H-13	81	H-28	81
H-14	88	H-29	88
H-15	95	H-30	95

2.3 TEST PROCEDURES

The subject investigations were carried out in the NASA/ARC 14-Foot Transonic Wind Tunnel during the period 21 June 1982 through 2 July 1982. The test was designated ARC 441-14 and consisted of 92 runs, requiring 192.5 hours of occupancy time.

The model was supported from the aft end by a sting assembly that was supported by the tunnel vertical strut system downstream of the test section. The tests were conducted at Mach numbers varying from 0.60 to 0.90 which resulted in Reynolds numbers that ranged from approximately 11. to 13. x 10^6 per meter respectively (3.3 to 3.9 x 10^6 per foot). The configuration angle of attack (referenced to the body waterline) was varied from -6 to +28 deg and the horizontal tail was tested at -10, 0, and +10 deg. The wing is at an incidence of +2 deg to the body.

Yaw and inverted runs were not performed. Flow angularity data was available from previous tunnel calibrations and was incorporated into the tunnel data reduction procedures. Table 2.5 lists the calibrated flow angularity versus Mach number. Nacelle internal-drag measurements were not made.

TABLE 2.5 NASA/ARC 14-FOOT TUNNEL FLOW ANGULARITY

Mach Number	Flow Angularity (Degrees)
0.60	-0.006
0.70	+0.091
0.75	+0.035
0.78	+0.002
0.80	-0.020
0.82	+0.003
0.85	+0.038
0.90	+0.099

Boundary layer transition was forced on the model with transition strips of carborundum grit. The location of the strips and the grit sizes employed appear in Figure 9.

CARBORUNDUM GRIT PARTICLES

Component	Grit Size	Mean Grit Diameter (cm)
Nose	#100	0.0122
Nacelle	#120	0.0102
Wing	#150	0.0089
Horizontal Tail	#150	0.0089
Vertical Tail	#150	0.0089

Figure 9. Boundary layer trip locations.

3 PRESENTATION OF RESULTS

The model geometry, test Mach numbers, and pitch schedules run during test ARC 441-14 are listed in the test run schedule presented in Table 3.1. Force, pressure and oil flow visualization data were obtained.

The complete set of longitudinal aerodynamic data in the stability axis system and static pressure data are presented in a tabulated format in the following tables:

Tabulated Data	Table	Pages
Wing and Horizontal Tail Pressure Data	Table 3.3	27-746
Force Data (Stability-Axis)	Table 3.4	748-845

These data are intended for reference purposes and are presented without analysis. Oil flow visualization photographs and data analysis is presented in Volume I of this report.

Pressure leaks that developed during the test are listed in Table 3.2 along with the severity of the leak. Leaks designated as "very slow" amount to a scani-valve pressure drop of approximately one count in 300, per minute. Pressure coefficient data for taps with very slow or slow leaks is considered acceptable. The accuracy of wing W9 orifices W8 and W20 is questionable.

TABLE 3.2 PRESSURE ORIFICE LEAKS

Model Component	Orifice	Leak Type	Run Series
Wing W9	W20	Wide Open	1-26
Wing W9	W8	Questionable	1-26
Wing W10	W3, W11	Very Slow Leak	27-43
Wing W10	W10	Slow Leak	27-43
Horiz. H_{7b}	H8	Very Slow Leak	1-9
Horiz. H_{7a}	H30	Slow Leak	18-20

Table 3.1   NASA/ARC Test 441-14 Run Schedule

CONFIGURATION						MACH / RUN NUMBER								REMARKS
COMPONENTS	NO.	α SCH	β deg	ϕ deg	δ_H deg	0.60	0.70	0.75	0.78	0.80	0.82	0.85	0.90	
B N V R W H 3m 6 3 2 9 7b	1	A	●	●	●	1			2			3		PRESSURE PHASE
	1	B				-10	4			5			6		
	1	C				+10	7			8			9		
B N V R W 3m 6 3 2 9	2	D				OFF	10	11	12	13	14	15	16	17	
B N V R W H 3m 6 3 2 9 7a	3	A				●	18			19			20		
	3	A				-10	21			22			23		
B N V R W H 3m 6 3 2 9 7	4	E				●	24			25			26		
B N V R W H 3m 6 3 2 10 7	5	E				●	27			28			29		
B N V R W 3m 6 3 2 10	6	D				OFF	30	31	37	32	33	34	35	36	
B N V R W H 3m 6 3 2 10 7b	7	A				●	38			39			40		
	7	A				-10	41			42			43		
	7	A				-10	44			45			46		FORCE PHASE
	7	A				●	47			48			49		
B N V R W H 3m 6 3 2 10 7	5	E				●	50			51			52		
B N V R W 3m 6 3 2 10	6	D				OFF	53	54	55	56	57	58	59	60	
	6	F				OFF				61					**
	6	G				OFF				62					**
B N V R W 3m 6 3 2 9	2	D				OFF	63	64	65	66	67	68	69	70	
	2	H				OFF				71					**
B N V R W H 3m 6 3 2 9 7b	1	A				●	72			73			74		
	1	A				-10	75			76			77		
	1	C				+10	78			79			80		
B N V R W H 3m 6 3 2 9 7	4	E				●	81			82			83		
	4	A				-10	84			85			86		
B N V R W H 3m 6 3 2 9 7a	3	A				●	87			88			89		
	3	A				-10	90			91			92		

** = Oil Flow

α SCHEDULES (degrees)

A   -6 to +20   ($\Delta\alpha$ = 2)
B   -6 to +26   ($\Delta\alpha$ = 2)
C   -6 to +10   ($\Delta\alpha$ = 2)
D   -6 to +8   ($\Delta\alpha$ = 1), +10 to +18   ($\Delta\alpha$ = 2)

E   -6 to +16   ($\Delta\alpha$ = 2), +17
F   +2, +3, +4
G   +2, +3, +6
H   +2, +3, +6

26

TABLE 3.3

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
1	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
21	0.6003	-6.44	0.00	19.99	101.12	79.26	11.20	303.23
				417.6	2111.9	1655.3	3.41	86.15

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.52137	0.05	-1.89567
	0.06	0.12243	0.10	-1.03756
	0.11	0.03154	0.20	-0.86919
	0.17	-0.04440	0.35	-0.69243
	0.23	-0.08502	0.50	-0.56173
	0.29	-0.12681	0.65	-0.18546
	0.35	-0.16118	0.80	0.04806
	0.41	-0.18646	0.95	0.16078
	0.47	-0.21522		
	0.53	-0.22309		
	0.57	-0.21449		
	0.65	-0.23464		
	0.71	-0.21071		
	0.77	-0.17578		
	0.83	-0.13652		
	0.89	-0.07652		
	0.95	-0.00521		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.46851	0.02	-1.30893
	0.06	0.26018	0.06	-0.62160
	0.11	0.13065	0.11	-0.59598
	0.18	0.02374	0.18	-0.53696
	0.25	-0.04297	0.25	-0.49212
	0.32	-0.10872	0.32	-0.45834
	0.39	-0.14546	0.39	-0.40178
	0.46	-0.14475	0.46	-0.34396
	0.53	-0.13351	0.53	-0.27951
	0.60	-0.09392	0.60	-0.19799
	0.67	-0.06566	0.67	-0.11939
	0.74	-0.02065	0.74	-0.04610
	0.81	0.03149	0.81	0.01970
	0.88	0.06619	0.88	0.06888
	0.95	0.11581	0.95	0.13671

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
1	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
22	0.6014	-4.20	0.00	20.05 418.7	101.12 2111.9	79.19 1653.9	11.17 3.40	304.15 87.80

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.23238	0.05	-1.00607
	0.06	-0.12459	0.10	-0.79649
	0.11	-0.11997	0.20	-0.68945
	0.17	-0.18780	0.35	-0.60023
	0.23	-0.21042	0.50	-0.51669
	0.29	-0.24112	0.65	-0.17649
	0.35	-0.26593	0.80	0.12185
	0.41	-0.26997	0.95	0.22432
	0.47	-0.27750		
	0.53	-0.30399		
	0.57	-0.27795		
	0.65	-0.28150		
	0.71	-0.25725		
	0.77	-0.21175		
	0.83	-0.15902		
	0.89	-0.09498		
	0.95	-0.00750		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.39532	0.02	-0.94574
	0.06	0.20134	0.06	-0.50217
	0.11	0.07549	0.11	-0.51079
	0.18	-0.03655	0.18	-0.48463
	0.25	-0.09831	0.25	-0.44062
	0.32	-0.15735	0.32	-0.40799
	0.39	-0.18880	0.39	-0.37278
	0.46	-0.17782	0.46	-0.31421
	0.53	-0.16369	0.53	-0.25647
	0.60	-0.11701	0.60	-0.18780
	0.67	-0.07004	0.67	-0.10397
	0.74	-0.01784	0.74	-0.03820
	0.81	0.02644	0.81	0.00930
	0.88	0.07107	0.88	0.06838
	0.95	0.12588	0.95	0.13730

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
1	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
23	0.6008	-2.00	-0.01	20.02 418.1	101.12 2111.9	79.22 1654.6	11.13 3.39	304.82 89.01

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.11782	0.05	-0.55783
0.06	-0.47198	0.10	-0.52382
0.11	-0.38119	0.20	-0.51593
0.17	-0.38347	0.35	-0.49172
0.23	-0.37643	0.50	-0.44696
0.29	-0.37819	0.65	-0.15637
0.35	-0.37946	0.80	0.15549
0.41	-0.37776	0.95	0.25909
0.47	-0.37351		
0.53	-0.37846		
0.57	-0.34713		
0.65	-0.33645		
0.71	-0.28723		
0.77	-0.23560		
0.83	-0.18318		
0.89	-0.11280		
0.95	-0.02120		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.30247	0.02	-0.67085
0.06	0.13326	0.06	-0.45866
0.11	0.02776	0.11	-0.40724
0.18	-0.08874	0.18	-0.41087
0.25	-0.14272	0.25	-0.39175
0.32	-0.20455	0.32	-0.37618
0.39	-0.22107	0.39	-0.34738
0.46	-0.21030	0.46	-0.29953
0.53	-0.18652	0.53	-0.24930
0.60	-0.13486	0.60	-0.18565
0.67	-0.08778	0.67	-0.10709
0.74	-0.03058	0.74	-0.04027
0.81	0.02205	0.81	0.02004
0.88	0.06706	0.88	0.06908
0.95	0.12792	0.95	0.13532

29

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
1	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
24	0.6019	0.22	-0.01	20.08 419.3	101.12 2111.9	79.16 1653.2	11.13 3.39	305.14 89.59

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.70202	0.05	-0.19414
	0.06	-0.86388	0.10	-0.26662
	0.11	-0.64937	0.20	-0.31625
	0.17	-0.56310	0.35	-0.36585
	0.23	-0.52721	0.50	-0.37522
	0.29	-0.51893	0.65	-0.12884
	0.35	-0.50947	0.80	0.18348
	0.41	-0.47281	0.95	0.28013
	0.47	-0.46036		
	0.53	-0.44418		
	0.57	-0.40315		
	0.65	-0.38149		
	0.71	-0.33158		
	0.77	-0.26782		
	0.83	-0.20046		
	0.89	-0.12238		
	0.95	-0.02469		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.19969	0.02	-0.43085
	0.06	0.05515	0.06	-0.34146
	0.11	-0.03740	0.11	-0.33723
	0.18	-0.13970	0.18	-0.36822
	0.25	-0.17826	0.25	-0.36202
	0.32	-0.23074	0.32	-0.35121
	0.39	-0.24597	0.39	-0.32225
	0.46	-0.22072	0.46	-0.27744
	0.53	-0.19347	0.53	-0.23008
	0.60	-0.14237	0.60	-0.16968
	0.67	-0.09335	0.67	-0.09435
	0.74	-0.03374	0.74	-0.03107
	0.81	0.02003	0.81	0.02908
	0.88	0.06787	0.88	0.07389
	0.95	0.13122	0.95	0.13658

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
1	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
25	0.6008	2.49	-0.01	20.02 418.1	101.12 2111.9	79.22 1654.6	11.08 3.38	305.98 91.10

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.45006	0.05	0.11520
	0.06	-1.31207	0.10	-0.08997
	0.11	-0.92090	0.20	-0.18271
	0.17	-0.79163	0.35	-0.26979
	0.23	-0.69618	0.50	-0.31581
	0.29	-0.64425	0.65	-0.10864
	0.35	-0.60666	0.80	0.20218
	0.41	-0.55505	0.95	0.28883
	0.47	-0.53238		
	0.53	-0.50413		
	0.57	-0.46029		
	0.65	-0.42252		
	0.71	-0.35870		
	0.77	-0.28547		
	0.83	-0.21419		
	0.89	-0.13420		
	0.95	-0.02990		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.04540	0.02	-0.28163
	0.06	-0.03824	0.06	-0.24943
	0.11	-0.11572	0.11	-0.27783
	0.18	-0.20457	0.18	-0.30006
	0.25	-0.24443	0.25	-0.30815
	0.32	-0.28721	0.32	-0.31199
	0.39	-0.28230	0.39	-0.29738
	0.46	-0.26011	0.46	-0.26111
	0.53	-0.22759	0.53	-0.22022
	0.60	-0.15832	0.60	-0.15900
	0.67	-0.10497	0.67	-0.08762
	0.74	-0.04137	0.74	-0.02965
	0.81	0.01101	0.81	0.02619
	0.88	0.06453	0.88	0.06891
	0.95	0.13037	0.95	0.13104

31

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
1	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
26	0.6008	4.70	0.00	20.02 418.1	101.12 2111.9	79.22 1654.6	10.98 3.35	308.08 94.87

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-2.18221	0.05	0.32268
	0.06	-2.09974	0.10	0.12961
	0.11	-1.13878	0.20	-0.02647
	0.17	-0.96626	0.35	-0.15802
	0.23	-0.85053	0.50	-0.22867
	0.29	-0.76903	0.65	-0.07201
	0.35	-0.71371	0.80	0.22863
	0.41	-0.65075	0.95	0.29667
	0.47	-0.60519		
	0.53	-0.56506		
	0.57	-0.51279		
	0.65	-0.45202		
	0.71	-0.36964		
	0.77	-0.28708		
	0.83	-0.20774		
	0.89	-0.11910		
	0.95	-0.02946		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.06298	0.02	-0.12444
	0.06	-0.12320	0.06	-0.16509
	0.11	-0.19073	0.11	-0.21142
	0.18	-0.25940	0.18	-0.25405
	0.25	-0.29074	0.25	-0.26847
	0.32	-0.33388	0.32	-0.27916
	0.39	-0.31752	0.39	-0.27443
	0.46	-0.28609	0.46	-0.24620
	0.53	-0.24445	0.53	-0.21041
	0.60	-0.17455	0.60	-0.15150
	0.67	-0.11722	0.67	-0.08730
	0.74	-0.04924	0.74	-0.02821
	0.81	0.00928	0.81	0.02374
	0.88	0.06327	0.88	0.06495
	0.95	0.13054	0.95	0.12819

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
1	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
27	0.5992	6.88	0.00	19.94 416.4	101.12 2111.9	79.33 1656.8	10.95 3.34	308.16 95.01

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-2.55922	0.05	0.46624
0.06	-2.43187	0.10	0.27499
0.11	-1.91168	0.20	0.08251
0.17	-1.44952	0.35	-0.07640
0.23	-1.10086	0.50	-0.17742
0.29	-0.87762	0.65	-0.06649
0.35	-0.77270	0.80	0.23117
0.41	-0.67982	0.95	0.29896
0.47	-0.61222		
0.53	-0.55895		
0.57	-0.50559		
0.65	-0.41830		
0.71	-0.35057		
0.77	-0.27283		
0.83	-0.20625		
0.89	-0.13681		
0.95	-0.08455		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-0.21768	0.02	0.01264
0.06	-0.21598	0.06	-0.07050
0.11	-0.25322	0.11	-0.14116
0.18	-0.31164	0.18	-0.20762
0.25	-0.33503	0.25	-0.23270
0.32	-0.36998	0.32	-0.24584
0.39	-0.35694	0.39	-0.24084
0.46	-0.31864	0.46	-0.22200
0.53	-0.27235	0.53	-0.19149
0.60	-0.19587	0.60	-0.14017
0.67	-0.13705	0.67	-0.07953
0.74	-0.06701	0.74	-0.02742
0.81	0.00420	0.81	0.02547
0.88	0.05584	0.88	0.05820
0.95	0.12647	0.95	0.11971

33

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
1	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
28	0.5991	8.91	-0.01	19.94 416.4	101.15 2112.6	79.36 1657.5	10.93 3.33	308.73 96.05

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.21728	0.05	0.54673
0.06	-1.35028	0.10	0.32536
0.11	-1.24906	0.20	0.12247
0.17	-1.16274	0.35	-0.05743
0.23	-1.15809	0.50	-0.18599
0.29	-1.03787	0.65	-0.10923
0.35	-0.90107	0.80	0.18411
0.41	-0.82635	0.95	0.18698
0.47	-0.71406		
0.53	-0.65746		
0.57	-0.62817		
0.65	-0.56335		
0.71	-0.48514		
0.77	-0.42332		
0.83	-0.42735		
0.89	-0.38241		
0.95	-0.33106		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.19870	0.02	-0.03775
0.06	-0.21681	0.06	-0.04661
0.11	-0.25626	0.11	-0.07347
0.18	-0.27600	0.18	-0.12040
0.25	-0.29542	0.25	-0.13055
0.32	-0.30538	0.32	-0.11390
0.39	-0.30879	0.39	-0.12408
0.46	-0.27544	0.46	-0.10990
0.53	-0.23253	0.53	-0.09285
0.60	-0.16792	0.60	-0.08594
0.67	-0.12122	0.67	-0.04728
0.74	-0.07447	0.74	-0.01165
0.81	-0.02738	0.81	0.01965
0.88	0.01254	0.88	0.04011
0.95	0.05629	0.95	0.07681

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
1	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
29	0.5969	10.88	-0.01	19.83 414.1	101.15 2112.6	79.50 1660.3	10.90 3.32	308.86 96.28

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.80731	0.05	0.56919
	0.06	-0.78640	0.10	0.35682
	0.11	-0.70107	0.20	0.14968
	0.17	-0.70168	0.35	-0.05407
	0.23	-0.64719	0.50	-0.19979
	0.29	-0.65539	0.65	-0.16064
	0.35	-0.69596	0.80	0.12688
	0.41	-0.63849	0.95	0.11245
	0.47	-0.63489		
	0.53	-0.68385		
	0.57	-0.65890		
	0.65	-0.63758		
	0.71	-0.61287		
	0.77	-0.62510		
	0.83	-0.58954		
	0.89	-0.55703		
	0.95	-0.50129		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.60547	0.02	0.18657
	0.06	-0.45243	0.06	0.17231
	0.11	-0.34297	0.11	0.12383
	0.18	-0.28927	0.18	0.10331
	0.25	-0.25902	0.25	0.06288
	0.32	-0.23816	0.32	0.02678
	0.39	-0.21358	0.39	0.02884
	0.46	-0.18741	0.46	0.00580
	0.53	-0.15418	0.53	-0.00433
	0.60	-0.12948	0.60	-0.01007
	0.67	-0.10308	0.67	0.01087
	0.74	-0.06448	0.74	0.02205
	0.81	-0.03058	0.81	0.03223
	0.88	-0.00501	0.88	0.03552
	0.95	0.01664	0.95	0.04640

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
1	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
30	0.6007	12.91	0.01	20.02	101.15	79.26	10.95	308.66
				418.2	2112.6	1655.3	3.34	95.91

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.52084	0.05	0.59398
0.06	-0.51600	0.10	0.38948
0.11	-0.51715	0.20	0.17604
0.17	-0.51683	0.35	-0.03784
0.23	-0.53691	0.50	-0.20765
0.29	-0.54313	0.65	-0.19937
0.35	-0.56520	0.80	0.09675
0.41	-0.57242	0.95	0.07973
0.47	-0.57843		
0.53	-0.59788		
0.57	-0.58437		
0.65	-0.59675		
0.71	-0.60389		
0.77	-0.60594		
0.83	-0.61407		
0.89	-0.59388		
0.95	-0.56777		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.58387	0.02	0.48681
0.06	-0.43501	0.06	0.47418
0.11	-0.38491	0.11	0.38845
0.18	-0.33239	0.18	0.31364
0.25	-0.29097	0.25	0.22830
0.32	-0.25068	0.32	0.15442
0.39	-0.22533	0.39	0.09516
0.46	-0.19505	0.46	0.05277
0.53	-0.17074	0.53	0.02298
0.60	-0.15128	0.60	0.00757
0.67	-0.12104	0.67	0.01793
0.74	-0.11745	0.74	0.01996
0.81	-0.11893	0.81	0.02872
0.88	-0.09781	0.88	0.02061
0.95	-0.07581	0.95	0.00421

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
1	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
31	0.6002	15.03	-0.05	19.99 417.6	101.15 2112.6	79.29 1656.0	10.96 3.34	308.45 95.54

WING   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-0.53491	0.05	0.68460
0.06	-0.52153	0.10	0.47101
0.11	-0.51982	0.20	0.25158
0.17	-0.53289	0.35	0.03555
0.23	-0.54287	0.50	-0.14413
0.29	-0.55665	0.65	-0.16204
0.35	-0.55269	0.80	0.10834
0.41	-0.57355	0.95	0.04710
0.47	-0.58309		
0.53	-0.59394		
0.57	-0.59556		
0.65	-0.61255		
0.71	-0.62346		
0.77	-0.63024		
0.83	-0.64067		
0.89	-0.62916		
0.95	-0.61824		

HORIZ. TAIL   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-0.45172	0.02	0.57564
0.06	-0.35346	0.06	0.57470
0.11	-0.34239	0.11	0.51375
0.18	-0.33163	0.18	0.35660
0.25	-0.30643	0.25	0.23340
0.32	-0.29586	0.32	0.15148
0.39	-0.28736	0.39	0.08322
0.46	-0.26475	0.46	0.03886
0.53	-0.24430	0.53	-0.00286
0.60	-0.22765	0.60	-0.02169
0.67	-0.20839	0.67	-0.01230
0.74	-0.20413	0.74	-0.01398
0.81	-0.18069	0.81	-0.01700
0.88	-0.16937	0.88	-0.04632
0.95	-0.15056	0.95	-0.08461

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
1	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
32	0.5985	17.12	-0.06	19.91	101.15	79.40	10.90	309.18
				415.8	2112.6	1658.2	3.32	96.86

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.55167	0.05	0.73658
0.06	-0.53866	0.10	0.54007
0.11	-0.53838	0.20	0.32718
0.17	-0.54999	0.35	0.10189
0.23	-0.55035	0.50	-0.09425
0.29	-0.55278	0.65	-0.12548
0.35	-0.57080	0.80	0.11908
0.41	-0.57905	0.95	0.04841
0.47	-0.59564		
0.53	-0.60470		
0.57	-0.60408		
0.65	-0.62310		
0.71	-0.62114		
0.77	-0.62811		
0.83	-0.63080		
0.89	-0.62886		
0.95	-0.63211		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.32480	0.02	0.74268
0.06	-0.32373	0.06	0.64988
0.11	-0.29663	0.11	0.53906
0.18	-0.30970	0.18	0.39014
0.25	-0.30037	0.25	0.28676
0.32	-0.29161	0.32	0.19829
0.39	-0.28352	0.39	0.11864
0.46	-0.27901	0.46	0.06443
0.53	-0.27319	0.53	0.02572
0.60	-0.25164	0.60	-0.00123
0.67	-0.24630	0.67	-0.00395
0.74	-0.23468	0.74	-0.01369
0.81	-0.22211	0.81	-0.02545
0.88	-0.21726	0.88	-0.06507
0.95	-0.20020	0.95	-0.11079

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
1	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
33	0.6007	19.21	0.04	20.02	101.15	79.26	10.95	308.83
				418.2	2112.6	1655.3	3.34	96.22

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.55722	0.05	0.76122
	0.06	-0.55057	0.10	0.58170
	0.11	-0.55415	0.20	0.36049
	0.17	-0.56887	0.35	0.14406
	0.23	-0.57571	0.50	-0.05883
	0.29	-0.57610	0.65	-0.09095
	0.35	-0.57753	0.80	0.13202
	0.41	-0.59160	0.95	0.07017
	0.47	-0.60070		
	0.53	-0.61848		
	0.57	-0.62204		
	0.65	-0.63062		
	0.71	-0.64811		
	0.77	-0.64785		
	0.83	-0.65190		
	0.89	-0.65377		
	0.95	-0.64156		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.30186	0.02	0.63295
	0.06	-0.29710	0.06	0.66440
	0.11	-0.29482	0.11	0.55874
	0.18	-0.29088	0.18	0.45574
	0.25	-0.29048	0.25	0.35615
	0.32	-0.30047	0.32	0.26924
	0.39	-0.30519	0.39	0.14990
	0.46	-0.30372	0.46	0.10032
	0.53	-0.29881	0.53	0.06910
	0.60	-0.28988	0.60	0.02428
	0.67	-0.28717	0.67	0.01115
	0.74	-0.27820	0.74	-0.00119
	0.81	-0.26924	0.81	-0.02653
	0.88	-0.25938	0.88	-0.08036
	0.95	-0.25193	0.95	-0.13789

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
1	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
34	0.5984	21.23	0.03	19.91	101.19	79.43	10.90	309.37
				415.8	2113.3	1658.9	3.32	97.19

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.58034	0.05	0.79768
0.06	-0.56191	0.10	0.64084
0.11	-0.56456	0.20	0.42936
0.17	-0.57500	0.35	0.18941
0.23	-0.59647	0.50	-0.01132
0.29	-0.58623	0.65	-0.05649
0.35	-0.59570	0.80	0.14577
0.41	-0.61973	0.95	0.07569
0.47	-0.63526		
0.53	-0.62041		
0.57	-0.61807		
0.65	-0.62992		
0.71	-0.65214		
0.77	-0.64930		
0.83	-0.66360		
0.89	-0.67718		
0.95	-0.65429		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.30485	0.02	0.55382
0.06	-0.30704	0.06	0.63361
0.11	-0.29944	0.11	0.57478
0.18	-0.30985	0.18	0.46545
0.25	-0.32133	0.25	0.36933
0.32	-0.32612	0.32	0.28172
0.39	-0.30752	0.39	0.19161
0.46	-0.31302	0.46	0.12819
0.53	-0.31211	0.53	0.08199
0.60	-0.31586	0.60	0.03906
0.67	-0.30837	0.67	0.01650
0.74	-0.30844	0.74	-0.00798
0.81	-0.30351	0.81	-0.02868
0.88	-0.28710	0.88	-0.08640
0.95	-0.27676	0.95	-0.16338

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
1	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
35	0.6007	-1.97	0.00	20.02 418.2	101.15 2112.6	79.26 1655.3	10.94 3.33	309.14 96.79

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.13586	0.05	-0.55844
0.06	-0.47291	0.10	-0.52258
0.11	-0.36220	0.20	-0.51086
0.17	-0.37718	0.35	-0.47921
0.23	-0.38003	0.50	-0.45406
0.29	-0.38861	0.65	-0.14200
0.35	-0.38253	0.80	0.15872
0.41	-0.37470	0.95	0.25043
0.47	-0.37524		
0.53	-0.37384		
0.57	-0.34141		
0.65	-0.32811		
0.71	-0.29262		
0.77	-0.23821		
0.83	-0.17767		
0.89	-0.11213		
0.95	-0.01882		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.28944	0.02	-0.68803
0.06	0.11983	0.06	-0.46558
0.11	0.02245	0.11	-0.41670
0.18	-0.08205	0.18	-0.41596
0.25	-0.13634	0.25	-0.38902
0.32	-0.19572	0.32	-0.36923
0.39	-0.21240	0.39	-0.34276
0.46	-0.19526	0.46	-0.29514
0.53	-0.17299	0.53	-0.24687
0.60	-0.13218	0.60	-0.18499
0.67	-0.07741	0.67	-0.10604
0.74	-0.01988	0.74	-0.04027
0.81	0.02443	0.81	0.01468
0.88	0.07447	0.88	0.06943
0.95	0.13550	0.95	0.13685

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
2	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7782	-6.70	-0.01	28.70	101.02	67.71	12.47	315.65
				599.4	2109.8	1414.1	3.80	108.50

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.45995	0.05	-1.32380
	0.06	0.03225	0.10	-1.28944
	0.11	0.00103	0.20	-1.30110
	0.17	-0.07960	0.35	-0.72955
	0.23	-0.13996	0.50	-0.51372
	0.29	-0.19038	0.65	-0.33953
	0.35	-0.23895	0.80	-0.19832
	0.41	-0.26463	0.95	-0.05062
	0.47	-0.30919		
	0.53	-0.34549		
	0.57	-0.32860		
	0.65	-0.37104		
	0.71	-0.34596		
	0.77	-0.30860		
	0.83	-0.27441		
	0.89	-0.22072		
	0.95	-0.16415		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.46512	0.02	-1.30369
	0.06	0.26984	0.06	-1.06548
	0.11	0.15822	0.11	-0.59978
	0.18	0.02737	0.18	-0.60344
	0.25	-0.05227	0.25	-0.54352
	0.32	-0.13717	0.32	-0.49708
	0.39	-0.18287	0.39	-0.42610
	0.46	-0.18183	0.46	-0.34186
	0.53	-0.15817	0.53	-0.26647
	0.60	-0.12259	0.60	-0.18334
	0.67	-0.07646	0.67	-0.09135
	0.74	-0.01860	0.74	-0.01346
	0.81	0.03677	0.81	0.05722
	0.88	0.07874	0.88	0.11090
	0.95	0.13425	0.95	0.17607

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
2	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.7816	-4.42	-0.01	28.87	101.05	67.50	12.49	315.89
				602.9	2110.5	1409.8	3.81	108.94

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.25223	0.05	-1.09072
	0.06	-0.17489	0.10	-1.00144
	0.11	-0.17277	0.20	-0.92423
	0.17	-0.24037	0.35	-0.99835
	0.23	-0.27176	0.50	-0.38910
	0.29	-0.30669	0.65	-0.13373
	0.35	-0.31497	0.80	-0.02794
	0.41	-0.32633	0.95	0.11124
	0.47	-0.35961		
	0.53	-0.40118		
	0.57	-0.36979		
	0.65	-0.36286		
	0.71	-0.30939		
	0.77	-0.24078		
	0.83	-0.17648		
	0.89	-0.09885		
	0.95	0.00110		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.35091	0.02	-0.91755
	0.06	0.16141	0.06	-0.44101
	0.11	0.03918	0.11	-0.50583
	0.18	-0.08142	0.18	-0.51831
	0.25	-0.15130	0.25	-0.48332
	0.32	-0.22917	0.32	-0.45477
	0.39	-0.26500	0.39	-0.39723
	0.46	-0.25280	0.46	-0.32818
	0.53	-0.22313	0.53	-0.26073
	0.60	-0.14416	0.60	-0.17809
	0.67	-0.08633	0.67	-0.08818
	0.74	-0.02213	0.74	-0.01285
	0.81	0.04226	0.81	0.05559
	0.88	0.09421	0.88	0.10867
	0.95	0.15741	0.95	0.17516

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
2	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.7794	-2.03	-0.01	28.77	101.08	67.67	12.44	316.55
				600.9	2111.2	1413.3	3.79	110.12

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.11095	0.05	-0.55591
	0.06	-0.55561	0.10	-0.52365
	0.11	-0.43237	0.20	-0.67594
	0.17	-0.44004	0.35	-0.76390
	0.23	-0.45846	0.50	-0.51014
	0.29	-0.47145	0.65	-0.09098
	0.35	-0.47707	0.80	0.10154
	0.41	-0.46217	0.95	0.23986
	0.47	-0.45912		
	0.53	-0.46612		
	0.57	-0.42021		
	0.65	-0.39026		
	0.71	-0.32662		
	0.77	-0.24469		
	0.83	-0.15760		
	0.89	-0.06927		
	0.95	0.04155		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.27853	0.02	-0.63917
	0.06	0.10918	0.06	-0.45684
	0.11	0.00154	0.11	-0.42888
	0.18	-0.12283	0.18	-0.46077
	0.25	-0.19369	0.25	-0.45220
	0.32	-0.27556	0.32	-0.13492
	0.39	-0.29075	0.39	-0.38438
	0.46	-0.26973	0.46	-0.32051
	0.53	-0.23414	0.53	-0.25439
	0.60	-0.15963	0.60	-0.17127
	0.67	-0.10002	0.67	-0.08541
	0.74	-0.02731	0.74	-0.00917
	0.81	0.03903	0.81	0.05966
	0.88	0.09187	0.88	0.11246
	0.95	0.16032	0.95	0.18187

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
2	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.7785	0.35	-0.01	28.72	101.05	67.70	12.43	316.62
				599.9	2110.5	1414.0	3.79	110.25

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.58047	0.05	-0.19637
	0.06	-0.89068	0.10	-0.29695
	0.11	-0.90609	0.20	-0.42674
	0.17	-0.80896	0.35	-0.54087
	0.23	-0.77376	0.50	-0.52078
	0.29	-0.65190	0.65	-0.10291
	0.35	-0.63992	0.80	0.17889
	0.41	-0.56847	0.95	0.29101
	0.47	-0.55763		
	0.53	-0.56065		
	0.57	-0.49424		
	0.65	-0.43100		
	0.71	-0.34428		
	0.77	-0.25508		
	0.83	-0.16844		
	0.89	-0.07801		
	0.95	0.02984		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.20280	0.02	-0.46809
	0.06	0.04903	0.06	-0.37246
	0.11	-0.05740	0.11	-0.38585
	0.18	-0.17827	0.18	-0.43241
	0.25	-0.23977	0.25	-0.42720
	0.32	-0.32207	0.32	-0.42146
	0.39	-0.33355	0.39	-0.38415
	0.46	-0.29915	0.46	-0.32421
	0.53	-0.25247	0.53	-0.26411
	0.60	-0.17897	0.60	-0.18014
	0.67	-0.10500	0.67	-0.08621
	0.74	-0.02854	0.74	-0.01271
	0.81	0.03600	0.81	0.04515
	0.88	0.09750	0.88	0.10242
	0.95	0.16740	0.95	0.17678

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
2	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.7787	2.78	0.00	28.72	101.02	67.67	12.41	316.96
				599.9	2109.8	1413.3	3.78	110.86

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.90663	0.05	0.08418
	0.06	-1.28574	0.10	-0.07979
	0.11	-1.18602	0.20	-0.23984
	0.17	-1.20842	0.35	-0.37376
	0.23	-1.20228	0.50	-0.42038
	0.29	-1.19599	0.65	-0.08841
	0.35	-1.20284	0.80	0.22964
	0.41	-1.07952	0.95	0.31687
	0.47	-1.02088		
	0.53	-0.51726		
	0.57	-0.40838		
	0.65	-0.33920		
	0.71	-0.27448		
	0.77	-0.19800		
	0.83	-0.13045		
	0.89	-0.05493		
	0.95	0.02953		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.13500	0.02	-0.33953
	0.06	-0.00056	0.06	-0.28631
	0.11	-0.10146	0.11	-0.31717
	0.18	-0.21500	0.18	-0.38065
	0.25	-0.27776	0.25	-0.38549
	0.32	-0.35265	0.32	-0.37933
	0.39	-0.36369	0.39	-0.35486
	0.46	-0.32492	0.46	-0.30203
	0.53	-0.26985	0.53	-0.24573
	0.60	-0.18573	0.60	-0.16807
	0.67	-0.11015	0.67	-0.08009
	0.74	-0.03095	0.74	-0.00938
	0.81	0.03706	0.81	0.04945
	0.88	0.09696	0.88	0.10093
	0.95	0.16963	0.95	0.17150

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
2	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.7775	4.96	0.00	28.68	101.05	67.77	12.40	317.17
				598.9	2110.5	1415.5	3.78	111.23

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.12143	0.05	0.24637
	0.06	-1.41684	0.10	0.04938
	0.11	-1.38288	0.20	-0.12972
	0.17	-1.37224	0.35	-0.29633
	0.23	-1.28473	0.50	-0.43598
	0.29	-0.88795	0.65	-0.17220
	0.35	-0.73321	0.80	0.17670
	0.41	-0.69991	0.95	0.23577
	0.47	-0.67148		
	0.53	-0.61749		
	0.57	-0.56270		
	0.65	-0.48810		
	0.71	-0.44671		
	0.77	-0.40042		
	0.83	-0.34503		
	0.89	-0.30113		
	0.95	-0.24835		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.05713	0.02	-0.32819
	0.06	-0.06216	0.06	-0.23024
	0.11	-0.15302	0.11	-0.24273
	0.18	-0.25727	0.18	-0.25703
	0.25	-0.30639	0.25	-0.24580
	0.32	-0.36879	0.32	-0.22968
	0.39	-0.36505	0.39	-0.23837
	0.46	-0.31916	0.46	-0.20494
	0.53	-0.26720	0.53	-0.15861
	0.60	-0.18237	0.60	-0.11822
	0.67	-0.11463	0.67	-0.05659
	0.74	-0.04350	0.74	-0.00669
	0.81	0.01393	0.81	0.03670
	0.88	0.06827	0.88	0.07483
	0.95	0.13495	0.95	0.12604

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
2	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.7790	7.13	-0.01	28.75	101.05	67.67	12.38	317.74
				600.4	2110.5	1413.3	3.77	112.27

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.03494	0.05	0.37472
	0.06	-1.40673	0.10	0.16510
	0.11	-1.44442	0.20	-0.02722
	0.17	-1.16914	0.35	-0.21165
	0.23	-0.89586	0.50	-0.38415
	0.29	-0.81712	0.65	-0.20275
	0.35	-0.69582	0.80	0.16252
	0.41	-0.45182	0.95	0.20535
	0.47	-0.46470		
	0.53	-0.52208		
	0.57	-0.53485		
	0.65	-0.54596		
	0.71	-0.56511		
	0.77	-0.53948		
	0.83	-0.51021		
	0.89	-0.41206		
	0.95	-0.36903		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.04387	0.02	-0.05108
	0.06	-0.04942	0.06	-0.02352
	0.11	-0.18890	0.11	-0.02987
	0.18	-0.24250	0.18	-0.09713
	0.25	-0.26219	0.25	-0.09660
	0.32	-0.30057	0.32	-0.09092
	0.39	-0.29460	0.39	-0.09993
	0.46	-0.25941	0.46	-0.09105
	0.53	-0.22372	0.53	-0.07560
	0.60	-0.15528	0.60	-0.05364
	0.67	-0.10839	0.67	-0.01589
	0.74	-0.05517	0.74	0.01389
	0.81	-0.00549	0.81	0.03895
	0.88	0.04188	0.88	0.06709
	0.95	0.09405	0.95	0.10036

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
2	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.7787	9.18	-0.04	28.72	101.02	67.67	12.39	317.46
				599.9	2109.8	1413.3	3.78	111.76

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.54741	0.05	0.46994
	0.06	-0.54951	0.10	0.26311
	0.11	-0.52067	0.20	0.05442
	0.17	-0.52875	0.35	-0.15472
	0.23	-0.51656	0.50	-0.34455
	0.29	-0.52346	0.65	-0.22356
	0.35	-0.54974	0.80	0.15195
	0.41	-0.56923	0.95	0.17912
	0.47	-0.61611		
	0.53	-0.57725		
	0.57	-0.57758		
	0.65	-0.61029		
	0.71	-0.59684		
	0.77	-0.56273		
	0.83	-0.57142		
	0.89	-0.58285		
	0.95	-0.53234		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.34828	0.02	0.09348
	0.06	-0.23795	0.06	0.15089
	0.11	-0.23341	0.11	0.13039
	0.18	-0.24008	0.18	0.13501
	0.25	-0.24120	0.25	0.05723
	0.32	-0.23923	0.32	0.01603
	0.39	-0.21117	0.39	-0.01973
	0.46	-0.19596	0.46	-0.03403
	0.53	-0.16473	0.53	-0.03926
	0.60	-0.11790	0.60	-0.03302
	0.67	-0.07416	0.67	-0.00573
	0.74	-0.03600	0.74	0.01533
	0.81	-0.01927	0.81	0.02732
	0.88	0.01040	0.88	0.04014
	0.95	0.04697	0.95	0.06220

49

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
2	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.7790	11.25	-0.07	28.75	101.05	67.67	12.39	317.48
				600.4	2110.5	1413.3	3.78	111.80

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.54163	0.05	0.54929
0.06	-0.51147	0.10	0.34610
0.11	-0.51018	0.20	0.13180
0.17	-0.50513	0.35	-0.09375
0.23	-0.51656	0.50	-0.29611
0.29	-0.52899	0.65	-0.22342
0.35	-0.53814	0.80	0.14622
0.41	-0.54409	0.95	0.15754
0.47	-0.54293		
0.53	-0.59162		
0.57	-0.57000		
0.65	-0.58102		
0.71	-0.58929		
0.77	-0.58180		
0.83	-0.58984		
0.89	-0.61068		
0.95	-0.59290		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.36540	0.02	0.61372
0.06	-0.32221	0.06	0.47927
0.11	-0.27328	0.11	0.43590
0.18	-0.24264	0.18	0.28457
0.25	-0.21278	0.25	0.19438
0.32	-0.20314	0.32	0.11910
0.39	-0.16289	0.39	0.04525
0.46	-0.14083	0.46	0.00384
0.53	-0.13579	0.53	-0.02802
0.60	-0.11453	0.60	-0.03130
0.67	-0.11561	0.67	-0.01844
0.74	-0.09653	0.74	-0.00642
0.81	-0.08105	0.81	0.00993
0.88	-0.06124	0.88	0.01084
0.95	-0.05032	0.95	-0.00712

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
2	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.7795	13.34	-0.06	28.77 600.9	101.05 2110.5	67.64 1412.6	12.36 3.77	318.14 112.98

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.52815	0.05	0.64304
	0.06	-0.51961	0.10	0.42686
	0.11	-0.51944	0.20	0.20870
	0.17	-0.50078	0.35	-0.01912
	0.23	-0.51753	0.50	-0.22623
	0.29	-0.53055	0.65	-0.19622
	0.35	-0.53649	0.80	0.16270
	0.41	-0.54014	0.95	0.16297
	0.47	-0.56040		
	0.53	-0.57360		
	0.57	-0.58050		
	0.65	-0.57266		
	0.71	-0.59957		
	0.77	-0.60680		
	0.83	-0.59465		
	0.89	-0.61951		
	0.95	-0.60149		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.29997	0.02	0.76121
	0.06	-0.26864	0.06	0.69341
	0.11	-0.26928	0.11	0.55243
	0.18	-0.25035	0.18	0.42219
	0.25	-0.24581	0.25	0.29437
	0.32	-0.23272	0.32	0.19788
	0.39	-0.21974	0.39	0.10487
	0.46	-0.20890	0.46	0.04364
	0.53	-0.19453	0.53	0.00057
	0.60	-0.18171	0.60	-0.01892
	0.67	-0.16784	0.67	-0.01814
	0.74	-0.14941	0.74	-0.02051
	0.81	-0.14971	0.81	-0.03005
	0.88	-0.14339	0.88	-0.05044
	0.95	-0.13228	0.95	-0.08669

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
2	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.7806	15.46	-0.08	28.82	101.05	67.57	12.37	318.23
				601.9	2110.5	1411.2	3.77	113.14

WING		UPPER SURFACE			LOWER SURFACE	
	X/C	CP		X/C	CP	
	0.02	-0.51785		0.05	0.70594	
	0.06	-0.51200		0.10	0.50952	
	0.11	-0.51621		0.20	0.29569	
	0.17	-0.50582		0.35	0.06037	
	0.23	-0.52028		0.50	-0.15068	
	0.29	-0.52244		0.65	-0.15129	
	0.35	-0.52711		0.80	0.18149	
	0.41	-0.53225		0.95	0.17313	
	0.47	-0.53306				
	0.53	-0.55071				
	0.57	-0.55343				
	0.65	-0.56309				
	0.71	-0.57176				
	0.77	-0.57829				
	0.83	-0.57071				
	0.89	-0.57569				
	0.95	-0.56793				

HORIZ. TAIL		UPPER SURFACE			LOWER SURFACE	
	X/C	CP		X/C	CP	
	0.02	-0.30060		0.02	0.78980	
	0.06	-0.28020		0.06	0.73711	
	0.11	-0.26841		0.11	0.61574	
	0.18	-0.26844		0.18	0.46994	
	0.25	-0.26754		0.25	0.32171	
	0.32	-0.26102		0.32	0.22659	
	0.39	-0.24299		0.39	0.14054	
	0.46	-0.24360		0.46	0.07567	
	0.53	-0.23816		0.53	0.02620	
	0.60	-0.23374		0.60	-0.00816	
	0.67	-0.22265		0.67	-0.01249	
	0.74	-0.20190		0.74	-0.01900	
	0.81	-0.19533		0.81	-0.02505	
	0.88	-0.19111		0.88	-0.05807	
	0.95	-0.17742		0.95	-0.10121	

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
2	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.7801	17.64	-0.09	28.80 601.4	101.05 2110.5	67.60 1411.9	12.35 3.76	318.57 113.75

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.51684	0.05	0.77690
	0.06	-0.51730	0.10	0.60103
	0.11	-0.50935	0.20	0.39100
	0.17	-0.52352	0.35	0.14828
	0.23	-0.51157	0.50	-0.06389
	0.29	-0.51878	0.65	-0.08283
	0.35	-0.53297	0.80	0.21170
	0.41	-0.52762	0.95	0.19373
	0.47	-0.54200		
	0.53	-0.54979		
	0.57	-0.54733		
	0.65	-0.56039		
	0.71	-0.58412		
	0.77	-0.58906		
	0.83	-0.56844		
	0.89	-0.56868		
	0.95	-0.54917		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.30718	0.02	0.77188
	0.06	-0.30156	0.06	0.74736
	0.11	-0.29667	0.11	0.62947
	0.18	-0.30119	0.18	0.49092
	0.25	-0.28367	0.25	0.35906
	0.32	-0.28908	0.32	0.26540
	0.39	-0.29636	0.39	0.16938
	0.46	-0.29330	0.46	0.09411
	0.53	-0.29069	0.53	0.03997
	0.60	-0.27355	0.60	0.00526
	0.67	-0.27565	0.67	-0.00992
	0.74	-0.27023	0.74	-0.01731
	0.81	-0.25926	0.81	-0.03279
	0.88	-0.24309	0.88	-0.07481
	0.95	-0.23505	0.95	-0.13457

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
2	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.7787	19.79	0.10	28.72	101.02	67.67	12.30	319.24
				599.9	2109.8	1413.3	3.75	114.96

WING		UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP	
	0.02	-0.54528	0.05	0.81452	
	0.06	-0.54009	0.10	0.65224	
	0.11	-0.54090	0.20	0.43631	
	0.17	-0.53598	0.35	0.20826	
	0.23	-0.54009	0.50	-0.01223	
	0.29	-0.54902	0.65	-0.04616	
	0.35	-0.55853	0.80	0.22625	
	0.41	-0.56807	0.95	0.20664	
	0.47	-0.57270			
	0.53	-0.56341			
	0.57	-0.57293			
	0.65	-0.58616			
	0.71	-0.58573			
	0.77	-0.60160			
	0.83	-0.58825			
	0.89	-0.59642			
	0.95	-0.57940			

HORIZ. TAIL		UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP	
	0.02	-0.31048	0.02	0.60242	
	0.06	-0.31509	0.06	0.65173	
	0.11	-0.31090	0.11	0.57692	
	0.18	-0.31560	0.18	0.46511	
	0.25	-0.31625	0.25	0.35205	
	0.32	-0.32158	0.32	0.26340	
	0.39	-0.32629	0.39	0.18138	
	0.46	-0.32851	0.46	0.11049	
	0.53	-0.31926	0.53	0.05968	
	0.60	-0.31141	0.60	0.02420	
	0.67	-0.30908	0.67	-0.00223	
	0.74	-0.29837	0.74	-0.02149	
	0.81	-0.30235	0.81	-0.03431	
	0.88	-0.29868	0.88	-0.08825	
	0.95	-0.29327	0.95	-0.16005	

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
2	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.7785	-2.04	-0.01	28.72	101.05	67.70	12.29	319.47
				599.9	2110.5	1414.0	3.75	115.37

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.15041	0.05	-0.55894
	0.06	-0.55759	0.10	-0.54892
	0.11	-0.40425	0.20	-0.68302
	0.17	-0.45494	0.35	-0.77308
	0.23	-0.46271	0.50	-0.52333
	0.29	-0.46952	0.65	-0.09061
	0.35	-0.47006	0.80	0.10719
	0.41	-0.45346	0.95	0.24004
	0.47	-0.45396		
	0.53	-0.47308		
	0.57	-0.41990		
	0.65	-0.39310		
	0.71	-0.31884		
	0.77	-0.23755		
	0.83	-0.15388		
	0.89	-0.06782		
	0.95	0.04355		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.26532	0.02	-0.65245
	0.06	0.10194	0.06	-0.45947
	0.11	-0.00709	0.11	-0.42980
	0.18	-0.12482	0.18	-0.48169
	0.25	-0.19983	0.25	-0.46040
	0.32	-0.27814	0.32	-0.44374
	0.39	-0.30814	0.39	-0.39399
	0.46	-0.28083	0.46	-0.32965
	0.53	-0.23982	0.53	-0.26049
	0.60	-0.17181	0.60	-0.17949
	0.67	-0.10727	0.67	-0.08598
	0.74	-0.02753	0.74	-0.00895
	0.81	0.04201	0.81	0.04739
	0.88	0.09704	0.88	0.10358
	0.95	0.16798	0.95	0.17756

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
3	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8511	-6.50	-0.01	31.90 666.2	101.02 2109.8	62.91 1313.9	12.74 3.88	321.07 118.26

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.39904	0.05	-1.02616
	0.06	-0.02753	0.10	-1.00949
	0.11	-0.03728	0.20	-1.04533
	0.17	-0.11877	0.35	-0.48915
	0.23	-0.17648	0.50	-0.43534
	0.29	-0.23187	0.65	-0.39312
	0.35	-0.28336	0.80	-0.34929
	0.41	-0.31227	0.95	-0.31128
	0.47	-0.36502		
	0.53	-0.45424		
	0.57	-0.43302		
	0.65	-0.55038		
	0.71	-0.61252		
	0.77	-0.63942		
	0.83	-0.65397		
	0.89	-0.67676		
	0.95	-0.42780		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.51543	0.02	-1.28555
	0.06	0.31632	0.06	-1.11594
	0.11	0.18768	0.11	-1.04188
	0.18	0.06002	0.18	-0.67928
	0.25	-0.03839	0.25	-0.63879
	0.32	-0.14254	0.32	-0.66571
	0.39	-0.17986	0.39	-0.42296
	0.46	-0.19444	0.46	-0.28281
	0.53	-0.18616	0.53	-0.20964
	0.60	-0.13725	0.60	-0.12801
	0.67	-0.08623	0.67	-0.04236
	0.74	-0.01778	0.74	0.02727
	0.81	0.03911	0.81	0.08643
	0.88	0.08586	0.88	0.13920
	0.95	0.14378	0.95	0.19359

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
3	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.8491	-4.25	-0.01	31.82 664.5	101.02 2109.8	63.04 1316.7	12.72 3.88	321.29 118.66

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.15009	0.05	-0.79806
0.06	-0.25867	0.10	-0.73594
0.11	-0.20583	0.20	-0.85686
0.17	-0.30032	0.35	-0.90589
0.23	-0.33205	0.50	-0.34067
0.29	-0.38310	0.65	-0.28292
0.35	-0.41169	0.80	-0.25199
0.41	-0.42844	0.95	-0.17613
0.47	-0.46366		
0.53	-0.54618		
0.57	-0.51856		
0.65	-0.63443		
0.71	-0.69265		
0.77	-0.72283		
0.83	-0.61722		
0.89	-0.25598		
0.95	-0.18925		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.38881	0.02	-1.00093
0.06	0.20445	0.06	-0.77908
0.11	0.08402	0.11	-0.51527
0.18	-0.06223	0.18	-0.59157
0.25	-0.15245	0.25	-0.59006
0.32	-0.25094	0.32	-0.59457
0.39	-0.30200	0.39	-0.42851
0.46	-0.29296	0.46	-0.32076
0.53	-0.25429	0.53	-0.24213
0.60	-0.17214	0.60	-0.15070
0.67	-0.10394	0.67	-0.05899
0.74	-0.02164	0.74	0.01728
0.81	0.04712	0.81	0.08327
0.88	0.10400	0.88	0.13777
0.95	0.17292	0.95	0.20354

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
3	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.8501	-1.92	-0.02	31.86	101.02	62.98	12.70	321.82
				665.4	2109.8	1315.3	3.87	119.61

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.12793	0.05	-0.41473
0.06	-0.52405	0.10	-0.44197
0.11	-0.47351	0.20	-0.64807
0.17	-0.53215	0.35	-0.71387
0.23	-0.54706	0.50	-0.62485
0.29	-0.59170	0.65	-0.22581
0.35	-0.60320	0.80	-0.18780
0.41	-0.59976	0.95	-0.07517
0.47	-0.60177		
0.53	-0.66227		
0.57	-0.63992		
0.65	-0.71240		
0.71	-0.77010		
0.77	-0.34230		
0.83	-0.19074		
0.89	-0.10796		
0.95	-0.03737		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.28605	0.02	-0.70178
0.06	0.10943	0.06	-0.47155
0.11	-0.00097	0.11	-0.44853
0.18	-0.13907	0.18	-0.51533
0.25	-0.22643	0.25	-0.52426
0.32	-0.34798	0.32	-0.53061
0.39	-0.38459	0.39	-0.42201
0.46	-0.35234	0.46	-0.33394
0.53	-0.29193	0.53	-0.25540
0.60	-0.18237	0.60	-0.16219
0.67	-0.10597	0.67	-0.06581
0.74	-0.01944	0.74	0.01108
0.81	0.04874	0.81	0.07010
0.88	0.10922	0.88	0.12759
0.95	0.18182	0.95	0.19852

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
3	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.8486	0.33	-0.01	31.80 664.1	101.02 2109.8	63.08 1317.4	12.67 3.86	322.18 120.25

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.40737	0.05	-0.17762
0.06	-0.73461	0.10	-0.28959
0.11	-0.75375	0.20	-0.43511
0.17	-0.78046	0.35	-0.58200
0.23	-0.80514	0.50	-0.76343
0.29	-0.77579	0.65	-0.23231
0.35	-0.79813	0.80	-0.14088
0.41	-0.77960	0.95	0.05841
0.47	-0.81106		
0.53	-0.88457		
0.57	-0.85914		
0.65	-0.44385		
0.71	-0.28539		
0.77	-0.20719		
0.83	-0.12030		
0.89	-0.04921		
0.95	0.04014		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.17839	0.02	-0.39433
0.06	0.03528	0.06	-0.33905
0.11	-0.07999	0.11	-0.36553
0.18	-0.20694	0.18	-0.45868
0.25	-0.28756	0.25	-0.45185
0.32	-0.41823	0.32	-0.46883
0.39	-0.47299	0.39	-0.39601
0.46	-0.37169	0.46	-0.32481
0.53	-0.28764	0.53	-0.25047
0.60	-0.18149	0.60	-0.15563
0.67	-0.10171	0.67	-0.05922
0.74	-0.01322	0.74	0.01607
0.81	0.06074	0.81	0.07491
0.88	0.12020	0.88	0.12738
0.95	0.19170	0.95	0.19614

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
3	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.8501	2.73	-0.01	31.86 665.4	101.02 2109.8	62.98 1315.3	12.67 3.86	322.36 120.58

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.64893	0.05	0.02123
	0.06	-0.96253	0.10	-0.12294
	0.11	-0.96182	0.20	-0.27964
	0.17	-0.97702	0.35	-0.47950
	0.23	-0.98889	0.50	-0.68006
	0.29	-0.98301	0.65	-0.26960
	0.35	-0.92423	0.80	-0.13696
	0.41	-0.62548	0.95	0.07903
	0.47	-0.43878		
	0.53	-0.42390		
	0.57	-0.40768		
	0.65	-0.38610		
	0.71	-0.36291		
	0.77	-0.33341		
	0.83	-0.30907		
	0.89	-0.27247		
	0.95	-0.22838		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.12643	0.02	-0.36732
	0.06	-0.01225	0.06	-0.29386
	0.11	-0.12521	0.11	-0.32775
	0.18	-0.26364	0.18	-0.35323
	0.25	-0.35035	0.25	-0.33885
	0.32	-0.47761	0.32	-0.33237
	0.39	-0.57364	0.39	-0.30717
	0.46	-0.35893	0.46	-0.25097
	0.53	-0.27738	0.53	-0.19762
	0.60	-0.17993	0.60	-0.13156
	0.67	-0.10389	0.67	-0.05577
	0.74	-0.02027	0.74	0.00580
	0.81	0.04856	0.81	0.05956
	0.88	0.10484	0.88	0.10209
	0.95	0.16532	0.95	0.16637

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
3	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.8501	4.90	0.00	31.86 665.4	101.02 2109.8	62.98 1315.3	12.64 3.85	322.91 121.56

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.80043	0.05	0.19215
	0.06	-1.11717	0.10	0.02337
	0.11	-1.08314	0.20	-0.16075
	0.17	-1.10554	0.35	-0.37750
	0.23	-0.92099	0.50	-0.61034
	0.29	-0.65455	0.65	-0.27055
	0.35	-0.57018	0.80	-0.05091
	0.41	-0.54558	0.95	0.15265
	0.47	-0.53323		
	0.53	-0.50857		
	0.57	-0.49475		
	0.65	-0.48727		
	0.71	-0.47030		
	0.77	-0.45020		
	0.83	-0.42304		
	0.89	-0.39712		
	0.95	-0.37345		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.02135	0.02	-0.13532
	0.06	-0.10616	0.06	-0.06349
	0.11	-0.19342	0.11	-0.08029
	0.18	-0.28294	0.18	-0.10105
	0.25	-0.32681	0.25	-0.12456
	0.32	-0.37225	0.32	-0.13780
	0.39	-0.37651	0.39	-0.13659
	0.46	-0.30610	0.46	-0.11912
	0.53	-0.24191	0.53	-0.09939
	0.60	-0.16897	0.60	-0.06530
	0.67	-0.10260	0.67	-0.01748
	0.74	-0.03664	0.74	0.01489
	0.81	0.02189	0.81	0.04918
	0.88	0.06617	0.88	0.08158
	0.95	0.11799	0.95	0.12010

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
3	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.8493	7.16	0.01	31.81	100.98	63.01	12.64	322.70
				664.4	2109.1	1316.0	3.85	121.19

WING	UPPER SURFACE			LOWER SURFACE	
	X/C	CP		X/C	CP
	0.02	-0.99399		0.05	0.34296
	0.06	-1.22295		0.10	0.13918
	0.11	-1.20817		0.20	-0.04422
	0.17	-1.05225		0.35	-0.26168
	0.23	-0.81331		0.50	-0.53552
	0.29	-0.70763		0.65	-0.25302
	0.35	-0.66654		0.80	0.10519
	0.41	-0.63129		0.95	0.18637
	0.47	-0.60475			
	0.53	-0.59146			
	0.57	-0.57208			
	0.65	-0.54428			
	0.71	-0.53720			
	0.77	-0.52145			
	0.83	-0.51111			
	0.89	-0.48799			
	0.95	-0.46935			

HORIZ. TAIL	UPPER SURFACE			LOWER SURFACE	
	X/C	CP		X/C	CP
	0.02	-0.19944		0.02	0.12839
	0.06	-0.17059		0.06	0.13065
	0.11	-0.21297		0.11	0.09610
	0.18	-0.24655		0.18	0.04988
	0.25	-0.26432		0.25	0.01218
	0.32	-0.27869		0.32	-0.01330
	0.39	-0.25539		0.39	-0.03666
	0.46	-0.21829		0.46	-0.03627
	0.53	-0.17812		0.53	-0.03367
	0.60	-0.12731		0.60	-0.02194
	0.67	-0.08146		0.67	0.00500
	0.74	-0.02716		0.74	0.03058
	0.81	0.00735		0.81	0.06046
	0.88	0.04808		0.88	0.07764
	0.95	0.09230		0.95	0.09885

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
3	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.8478	9.31	-0.04	31.75 663.1	100.98 2109.1	63.11 1318.0	12.61 3.84	323.21 122.10

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.79780	0.05	0.46664
	0.06	-0.86469	0.10	0.26207
	0.11	-0.80691	0.20	0.07297
	0.17	-0.83579	0.35	-0.17220
	0.23	-1.01253	0.50	-0.43231
	0.29	-0.71425	0.65	-0.20846
	0.35	-0.71044	0.80	0.16690
	0.41	-0.71644	0.95	0.21196
	0.47	-0.63318		
	0.53	-0.64861		
	0.57	-0.63496		
	0.65	-0.63971		
	0.71	-0.62624		
	0.77	-0.63076		
	0.83	-0.60938		
	0.89	-0.59417		
	0.95	-0.55642		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.21623	0.02	0.54319
	0.06	-0.17675	0.06	0.46720
	0.11	-0.17472	0.11	0.36404
	0.18	-0.18753	0.18	0.23447
	0.25	-0.18998	0.25	0.17874
	0.32	-0.20210	0.32	0.09970
	0.39	-0.19724	0.39	0.02278
	0.46	-0.17801	0.46	0.01829
	0.53	-0.15809	0.53	0.01469
	0.60	-0.10439	0.60	0.01153
	0.67	-0.06566	0.67	0.03631
	0.74	-0.03194	0.74	0.04522
	0.81	-0.00795	0.81	0.01875
	0.88	0.02020	0.88	0.01151
	0.95	0.05370	0.95	0.03038

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
3	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.8506	11.43	-0.02	31.88 665.8	101.02 2109.8	62.94 1314.6	12.60 3.84	323.92 123.38

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.26250	0.05	0.56052
	0.06	-1.34040	0.10	0.36319
	0.11	-1.24178	0.20	0.15128
	0.17	-1.10078	0.35	-0.08552
	0.23	-1.06736	0.50	-0.35254
	0.29	-1.00300	0.65	-0.19468
	0.35	-0.69273	0.80	0.18988
	0.41	-0.53775	0.95	0.22177
	0.47	-0.50746		
	0.53	-0.51551		
	0.57	-0.51586		
	0.65	-0.51666		
	0.71	-0.54190		
	0.77	-0.55838		
	0.83	-0.55931		
	0.89	-0.59281		
	0.95	-0.61966		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.36469	0.02	0.66734
	0.06	-0.28951	0.06	0.62817
	0.11	-0.27328	0.11	0.52201
	0.18	-0.25639	0.18	0.38343
	0.25	-0.23657	0.25	0.28149
	0.32	-0.21097	0.32	0.18462
	0.39	-0.17742	0.39	0.10647
	0.46	-0.16717	0.46	0.03958
	0.53	-0.15159	0.53	0.00003
	0.60	-0.13028	0.60	-0.02052
	0.67	-0.12569	0.67	-0.01731
	0.74	-0.09931	0.74	-0.01150
	0.81	-0.10410	0.81	-0.00502
	0.88	-0.07692	0.88	-0.02481
	0.95	-0.07192	0.95	-0.04370

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
3	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.8478	13.61	-0.02	31.75 663.1	100.98 2109.1	63.11 1318.0	12.58 3.83	323.77 123.11

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.37880	0.05	0.66004
	0.06	-1.35400	0.10	0.46167
	0.11	-1.33859	0.20	0.24709
	0.17	-1.24428	0.35	0.00578
	0.23	-1.26696	0.50	-0.22870
	0.29	-1.16768	0.65	-0.14907
	0.35	-0.53188	0.80	0.21087
	0.41	-0.49220	0.95	0.23680
	0.47	-0.51078		
	0.53	-0.51185		
	0.57	-0.52261		
	0.65	-0.52762		
	0.71	-0.53441		
	0.77	-0.55575		
	0.83	-0.57434		
	0.89	-0.58290		
	0.95	-0.59518		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.29448	0.02	0.70775
	0.06	-0.26673	0.06	0.70201
	0.11	-0.24705	0.11	0.59818
	0.18	-0.23777	0.18	0.48925
	0.25	-0.23276	0.25	0.36437
	0.32	-0.22306	0.32	0.25960
	0.39	-0.22069	0.39	0.15025
	0.46	-0.19983	0.46	0.08240
	0.53	-0.21043	0.53	0.02315
	0.60	-0.20150	0.60	-0.01239
	0.67	-0.19899	0.67	-0.02050
	0.74	-0.17275	0.74	-0.02605
	0.81	-0.17367	0.81	-0.02841
	0.88	-0.16522	0.88	-0.05679
	0.95	-0.14749	0.95	-0.09950

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
3	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.8508	15.83	0.01	31.87 665.7	100.98 2109.1	62.91 1313.9	12.57 3.83	324.34 124.15

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.43054	0.05	0.74380
0.06	-1.30427	0.10	0.55752
0.11	-1.35034	0.20	0.34619
0.17	-1.32264	0.35	0.10734
0.23	-1.35533	0.50	-0.13018
0.29	-1.23367	0.65	-0.09541
0.35	-0.70548	0.80	0.24085
0.41	-0.58318	0.95	0.25571
0.47	-0.55713		
0.53	-0.56434		
0.57	-0.56121		
0.65	-0.56741		
0.71	-0.58432		
0.77	-0.60453		
0.83	-0.59909		
0.89	-0.60872		
0.95	-0.61332		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.28331	0.02	0.72684
0.06	-0.26491	0.06	0.73987
0.11	-0.25285	0.11	0.63840
0.18	-0.25534	0.18	0.50758
0.25	-0.25005	0.25	0.38020
0.32	-0.24487	0.32	0.27549
0.39	-0.23535	0.39	0.17571
0.46	-0.24105	0.46	0.10036
0.53	-0.23480	0.53	0.03489
0.60	-0.23283	0.60	0.00322
0.67	-0.22975	0.67	-0.01631
0.74	-0.21822	0.74	-0.02999
0.81	-0.20380	0.81	-0.03742
0.88	-0.19732	0.88	-0.08014
0.95	-0.18696	0.95	-0.13533

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
3	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.8493	17.91	-0.30	31.81	100.98	63.01	12.55	324.55
				664.4	2109.1	1316.0	3.83	124.52

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.54525	0.05	0.79791
	0.06	-0.53513	0.10	0.62209
	0.11	-0.53181	0.20	0.41944
	0.17	-0.52975	0.35	0.18012
	0.23	-0.52763	0.50	-0.04322
	0.29	-0.52868	0.65	-0.03341
	0.35	-0.52933	0.80	0.26516
	0.41	-0.53721	0.95	0.26959
	0.47	-0.55481		
	0.53	-0.53771		
	0.57	-0.53888		
	0.65	-0.54624		
	0.71	-0.54504		
	0.77	-0.54097		
	0.83	-0.55189		
	0.89	-0.54190		
	0.95	-0.54534		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.31289	0.02	0.72624
	0.06	-0.30668	0.06	0.73964
	0.11	-0.29929	0.11	0.63857
	0.18	-0.29466	0.18	0.49728
	0.25	-0.29709	0.25	0.37568
	0.32	-0.30828	0.32	0.26600
	0.39	-0.31100	0.39	0.17662
	0.46	-0.31502	0.46	0.09987
	0.53	-0.31058	0.53	0.04351
	0.60	-0.30241	0.60	-0.00572
	0.67	-0.30272	0.67	-0.01736
	0.74	-0.28904	0.74	-0.02996
	0.81	-0.27098	0.81	-0.05056
	0.88	-0.26061	0.88	-0.09615
	0.95	-0.25412	0.95	-0.15208

67

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
3	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.8481	19.99	-0.07	31.77 663.6	101.02 2109.8	63.11 1318.0	12.54 3.82	324.72 124.82

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.56775	0.05	0.84869
	0.06	-0.55956	0.10	0.68764
	0.11	-0.56039	0.20	0.48350
	0.17	-0.57490	0.35	0.25218
	0.23	-0.55789	0.50	0.03076
	0.29	-0.56144	0.65	0.02350
	0.35	-0.55975	0.80	0.28772
	0.41	-0.55412	0.95	0.28114
	0.47	-0.56060		
	0.53	-0.55743		
	0.57	-0.56333		
	0.65	-0.55913		
	0.71	-0.55848		
	0.77	-0.57003		
	0.83	-0.57951		
	0.89	-0.57090		
	0.95	-0.56375		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.33027	0.02	0.59676
	0.06	-0.32048	0.06	0.66586
	0.11	-0.32588	0.11	0.57794
	0.18	-0.32501	0.18	0.47475
	0.25	-0.32404	0.25	0.36158
	0.32	-0.33953	0.32	0.26255
	0.39	-0.33975	0.39	0.17904
	0.46	-0.34309	0.46	0.10823
	0.53	-0.34185	0.53	0.05208
	0.60	-0.33785	0.60	0.01381
	0.67	-0.33199	0.67	0.00025
	0.74	-0.31852	0.74	-0.02202
	0.81	-0.31701	0.81	-0.04943
	0.88	-0.31169	0.88	-0.10024
	0.95	-0.30066	0.95	-0.17773

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
3	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.8486	-1.93	-0.01	31.80	101.02	63.08	12.60	323.43
				664.1	2109.8	1317.4	3.84	122.50

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	5.40330	0.05	1.92773
	0.06	1.50183	0.10	4.94913
	0.11	1.56981	0.20	0.54765
	0.17	5.48770	0.35	0.45294
	0.23	1.49389	0.50	0.37729
	0.29	1.57317	0.65	-0.35585
	0.35	6.23125	0.80	-0.37797
	0.41	1.56269	0.95	-2.63323
	0.47	1.86947		
	0.53	6.99891		
	0.57	0.75087		
	0.65	0.47479		
	0.71	0.99022		
	0.77	0.07399		
	0.83	1.13180		
	0.89	4.28797		
	0.95	1.66112		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	1.31577	0.02	5.04961
	0.06	0.55400	0.06	1.36317
	0.11	0.89544	0.11	1.43427
	0.18	3.61275	0.18	3.98251
	0.25	0.88370	0.25	0.83395
	0.32	0.76437	0.32	0.66859
	0.39	1.69960	0.39	1.52879
	0.46	0.26134	0.46	0.16661
	0.53	0.05750	0.53	-0.02501
	0.60	-0.50200	0.60	-0.71835
	0.67	-0.27786	0.67	-0.32647
	0.74	-0.48340	0.74	-0.53020
	0.81	6.68140	0.81	-0.01469
	0.88	1.19118	0.88	0.00308
	0.95	1.21582	0.95	0.00261

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
4	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.6004	-6.59	-0.01	19.99 417.5	101.08 2111.2	79.22 1654.6	11.18 3.41	303.57 86.76

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.54803	0.05	-1.91065
	0.06	0.16594	0.10	-1.02282
	0.11	0.06378	0.20	-0.86568
	0.17	-0.01092	0.35	-0.68961
	0.23	-0.07244	0.50	-0.55938
	0.29	-0.10461	0.65	-0.17210
	0.35	-0.13157	0.80	0.07189
	0.41	-0.15237	0.95	0.16694
	0.47	-0.17681		
	0.53	-0.22163		
	0.57	-0.20554		
	0.65	-0.22315		
	0.71	-0.19475		
	0.77	-0.16140		
	0.83	-0.12207		
	0.89	-0.06603		
	0.95	0.00629		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.73605	0.02	-0.83328
	0.06	0.58042	0.06	-0.73894
	0.11	0.44814	0.11	-0.72319
	0.18	0.30321	0.18	-0.70356
	0.25	0.20442	0.25	-0.68510
	0.32	0.10164	0.32	-0.65905
	0.39	0.02762	0.39	-0.64844
	0.46	-0.00721	0.46	-0.62256
	0.53	-0.03543	0.53	-0.59927
	0.60	-0.04217	0.60	-0.55434
	0.67	-0.04435	0.67	-0.51688
	0.74	-0.04618	0.74	-0.48174
	0.81	-0.05225	0.81	-0.44815
	0.88	-0.07946	0.88	-0.40184
	0.95	-0.14256	0.95	-0.35144

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
4	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.6000	-4.28	-0.01	19.96	101.05	79.22	11.07	305.67
				416.9	2110.5	1654.6	3.38	90.53

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.22616	0.05	-1.00485
	0.06	-0.12664	0.10	-0.80639
	0.11	-0.14379	0.20	-0.70786
	0.17	-0.18156	0.35	-0.60327
	0.23	-0.20433	0.50	-0.51610
	0.29	-0.23984	0.65	-0.16299
	0.35	-0.25530	0.80	0.13020
	0.41	-0.25569	0.95	0.22785
	0.47	-0.27899		
	0.53	-0.29017		
	0.57	-0.25569		
	0.65	-0.26594		
	0.71	-0.24324		
	0.77	-0.19567		
	0.83	-0.14848		
	0.89	-0.09172		
	0.95	-0.00959		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.74255	0.02	-0.82717
	0.06	0.55953	0.06	-0.79756
	0.11	0.42530	0.11	-0.78465
	0.18	0.27844	0.18	-0.78158
	0.25	0.17383	0.25	-0.73854
	0.32	0.07361	0.32	-0.69965
	0.39	0.02649	0.39	-0.64415
	0.46	-0.00892	0.46	-0.60316
	0.53	-0.03235	0.53	-0.55976
	0.60	-0.04848	0.60	-0.52816
	0.67	-0.04861	0.67	-0.47611
	0.74	-0.03837	0.74	-0.43929
	0.81	-0.04245	0.81	-0.38469
	0.88	-0.06261	0.88	-0.32872
	0.95	-0.11033	0.95	-0.27665

71

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
4	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.5989	-2.09	-0.01	19.91 / 415.8	101.05 / 2110.5	79.29 / 1656.1	11.03 / 3.36	306.27 / 91.61

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.14525	0.05	-0.60279
0.06	-0.41268	0.10	-0.52015
0.11	-0.34246	0.20	-0.51662
0.17	-0.35804	0.35	-0.48738
0.23	-0.36055	0.50	-0.46410
0.29	-0.36258	0.65	-0.14867
0.35	-0.36610	0.80	0.15346
0.41	-0.34518	0.95	0.25646
0.47	-0.34883		
0.53	-0.36777		
0.57	-0.33348		
0.65	-0.32669		
0.71	-0.27782		
0.77	-0.22888		
0.83	-0.17404		
0.89	-0.10363		
0.95	-0.01533		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.72824	0.02	-0.88633
0.06	0.54385	0.06	-0.87988
0.11	0.40539	0.11	-0.87621
0.18	0.26389	0.18	-0.83128
0.25	0.16270	0.25	-0.76726
0.32	0.06734	0.32	-0.69941
0.39	0.00655	0.39	-0.63661
0.46	-0.03004	0.46	-0.57510
0.53	-0.04756	0.53	-0.52228
0.60	-0.03818	0.60	-0.47148
0.67	-0.02569	0.67	-0.41636
0.74	-0.01032	0.74	-0.35587
0.81	-0.00324	0.81	-0.31172
0.88	-0.00426	0.88	-0.25896
0.95	-0.01737	0.95	-0.19451

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
4	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.6005	0.12	-0.01	19.99 417.5	101.05 2110.5	79.19 1653.9	11.02 3.36	306.90 92.75

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.68141	0.05	-0.19198
	0.06	-0.77575	0.10	-0.31364
	0.11	-0.61638	0.20	-0.37707
	0.17	-0.56304	0.35	-0.41966
	0.23	-0.52434	0.50	-0.39566
	0.29	-0.49855	0.65	-0.12897
	0.35	-0.46835	0.80	0.17674
	0.41	-0.45402	0.95	0.27425
	0.47	-0.44562		
	0.53	-0.42501		
	0.57	-0.38569		
	0.65	-0.37106		
	0.71	-0.31598		
	0.77	-0.25667		
	0.83	-0.19164		
	0.89	-0.12393		
	0.95	-0.02714		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.72347	0.02	-0.98448
	0.06	0.51368	0.06	-0.98604
	0.11	0.37208	0.11	-0.97189
	0.18	0.22359	0.18	-0.91113
	0.25	0.12367	0.25	-0.82352
	0.32	0.02830	0.32	-0.73655
	0.39	-0.02557	0.39	-0.64673
	0.46	-0.05202	0.46	-0.56878
	0.53	-0.06415	0.53	-0.50054
	0.60	-0.05558	0.60	-0.42601
	0.67	-0.03809	0.67	-0.36181
	0.74	-0.01422	0.74	-0.30049
	0.81	0.01224	0.81	-0.23829
	0.88	0.01722	0.88	-0.16844
	0.95	0.01489	0.95	-0.11475

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
4	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.5999	2.35	-0.01	19.97 417.0	101.08 2111.2	79.26 1655.3	11.00 3.35	307.31 93.49

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.43667	0.05	0.08620
0.06	-1.24623	0.10	-0.04696
0.11	-0.88648	0.20	-0.17585
0.17	-0.76887	0.35	-0.26491
0.23	-0.67811	0.50	-0.30787
0.29	-0.63745	0.65	-0.10034
0.35	-0.59149	0.80	0.20515
0.41	-0.54074	0.95	0.29127
0.47	-0.51895		
0.53	-0.50162		
0.57	-0.45093		
0.65	-0.41580		
0.71	-0.34996		
0.77	-0.28295		
0.83	-0.21284		
0.89	-0.12079		
0.95	-0.02417		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.70672	0.02	-1.05918
0.06	0.48730	0.06	-1.05730
0.11	0.34595	0.11	-1.01166
0.18	0.20555	0.18	-0.96330
0.25	0.10626	0.25	-0.86604
0.32	0.01059	0.32	-0.74828
0.39	-0.04095	0.39	-0.63558
0.46	-0.06475	0.46	-0.53342
0.53	-0.06930	0.53	-0.43950
0.60	-0.06500	0.60	-0.33960
0.67	-0.04080	0.67	-0.25634
0.74	-0.01055	0.74	-0.19415
0.81	0.01194	0.81	-0.12647
0.88	0.03038	0.88	-0.06076
0.95	0.04487	0.95	-0.00251

74

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
4	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.5993	4.63	0.00	19.94	101.08	79.29	10.99	307.39
				416.4	2111.2	1656.1	3.35	93.63

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-2.17106	0.05	0.29459
0.06	-2.08039	0.10	0.10842
0.11	-1.07333	0.20	-0.04869
0.17	-0.96044	0.35	-0.17265
0.23	-0.84235	0.50	-0.24333
0.29	-0.76240	0.65	-0.07838
0.35	-0.69593	0.80	0.22182
0.41	-0.63118	0.95	0.29294
0.47	-0.58668		
0.53	-0.55109		
0.57	-0.50274		
0.65	-0.44611		
0.71	-0.37274		
0.77	-0.29290		
0.83	-0.21014		
0.89	-0.12230		
0.95	-0.03068		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.69066	0.02	-1.43115
0.06	0.45536	0.06	-1.41283
0.11	0.30942	0.11	-1.29223
0.18	0.16611	0.18	-1.04694
0.25	0.07116	0.25	-0.74828
0.32	-0.02103	0.32	-0.57061
0.39	-0.07134	0.39	-0.46426
0.46	-0.09106	0.46	-0.37530
0.53	-0.09634	0.53	-0.29482
0.60	-0.07805	0.60	-0.21684
0.67	-0.04769	0.67	-0.13943
0.74	-0.01233	0.74	-0.08195
0.81	0.01633	0.81	-0.01703
0.88	0.04423	0.88	0.03379
0.95	0.07627	0.95	0.09109

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
4	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.5994	6.78	0.00	19.94 416.4	101.05 2110.5	79.26 1655.3	10.97 3.34	307.71 94.20

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-2.53889	0.05	0.46102
	0.06	-2.40703	0.10	0.24102
	0.11	-1.83157	0.20	0.05368
	0.17	-1.36545	0.35	-0.09503
	0.23	-1.02350	0.50	-0.18396
	0.29	-0.85127	0.65	-0.06267
	0.35	-0.77974	0.80	0.23042
	0.41	-0.66986	0.95	0.29634
	0.47	-0.60544		
	0.53	-0.55544		
	0.57	-0.50138		
	0.65	-0.42593		
	0.71	-0.34992		
	0.77	-0.27152		
	0.83	-0.20086		
	0.89	-0.12026		
	0.95	-0.04399		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.67754	0.02	-1.61355
	0.06	0.43115	0.06	-1.48857
	0.11	0.27964	0.11	-1.07935
	0.18	0.13948	0.18	-0.68284
	0.25	0.04021	0.25	-0.55710
	0.32	-0.04948	0.32	-0.48454
	0.39	-0.10484	0.39	-0.40524
	0.46	-0.12039	0.46	-0.33624
	0.53	-0.12316	0.53	-0.26517
	0.60	-0.09143	0.60	-0.18966
	0.67	-0.06033	0.67	-0.11204
	0.74	-0.02235	0.74	-0.04144
	0.81	0.02141	0.81	0.01230
	0.88	0.05233	0.88	0.06378
	0.95	0.09489	0.95	0.12186

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
4	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.5989	8.89	-0.01	19.91	101.05	79.29	10.95	307.98
				415.8	2110.5	1656.1	3.34	94.70

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-1.48511	0.05	0.53575
0.06	-1.33330	0.10	0.33141
0.11	-1.16905	0.20	0.12758
0.17	-1.08366	0.35	-0.07034
0.23	-1.02093	0.50	-0.18670
0.29	-0.95011	0.65	-0.11589
0.35	-0.86563	0.80	0.17968
0.41	-0.78039	0.95	0.20904
0.47	-0.72648		
0.53	-0.65634		
0.57	-0.62003		
0.65	-0.55012		
0.71	-0.51289		
0.77	-0.51746		
0.83	-0.45558		
0.89	-0.37785		
0.95	-0.34173		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.48521	0.02	-1.36820
0.06	0.34676	0.06	-0.84988
0.11	0.22052	0.11	-0.65708
0.18	0.10459	0.18	-0.49442
0.25	0.02777	0.25	-0.40855
0.32	-0.03882	0.32	-0.33655
0.39	-0.08793	0.39	-0.29487
0.46	-0.09752	0.46	-0.24218
0.53	-0.09414	0.53	-0.20311
0.60	-0.07516	0.60	-0.14806
0.67	-0.05175	0.67	-0.09551
0.74	-0.01837	0.74	-0.04486
0.81	0.00454	0.81	-0.00290
0.88	0.02676	0.88	0.03249
0.95	0.05919	0.95	0.08147

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
4	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.5993	10.85	-0.02	19.94 416.4	101.08 2111.2	79.29 1656.1	10.95 3.34	308.09 94.90

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.78078	0.05	0.56082
0.06	-0.73919	0.10	0.34632
0.11	-0.67811	0.20	0.13727
0.17	-0.64189	0.35	-0.06775
0.23	-0.63177	0.50	-0.21077
0.29	-0.73787	0.65	-0.16964
0.35	-0.64660	0.80	0.12215
0.41	-0.61738	0.95	0.11623
0.47	-0.62910		
0.53	-0.64425		
0.57	-0.63947		
0.65	-0.62977		
0.71	-0.61364		
0.77	-0.59028		
0.83	-0.56531		
0.89	-0.55412		
0.95	-0.51398		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.06751	0.02	-0.50200
0.06	0.00690	0.06	-0.34800
0.11	0.01130	0.11	-0.30579
0.18	-0.00119	0.18	-0.24776
0.25	-0.02909	0.25	-0.18604
0.32	-0.05835	0.32	-0.19466
0.39	-0.06112	0.39	-0.18756
0.46	-0.05419	0.46	-0.16763
0.53	-0.06238	0.53	-0.13758
0.60	-0.03691	0.60	-0.10786
0.67	-0.02541	0.67	-0.06958
0.74	-0.00391	0.74	-0.03653
0.81	0.00863	0.81	-0.00660
0.88	0.02716	0.88	0.02041
0.95	0.04882	0.95	0.05118

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
4	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.6003	12.92	-0.03	19.99 417.6	101.12 2111.9	79.26 1655.3	10.97 3.34	308.08 94.87

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.51688	0.05	0.63649
	0.06	-0.49479	0.10	0.41809
	0.11	-0.50621	0.20	0.20054
	0.17	-0.49916	0.35	-0.02126
	0.23	-0.52007	0.50	-0.18983
	0.29	-0.53658	0.65	-0.18783
	0.35	-0.52692	0.80	0.09659
	0.41	-0.54934	0.95	0.07824
	0.47	-0.54526		
	0.53	-0.57908		
	0.57	-0.56064		
	0.65	-0.56862		
	0.71	-0.58644		
	0.77	-0.57794		
	0.83	-0.58130		
	0.89	-0.56805		
	0.95	-0.54934		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.39248	0.02	-0.08047
	0.06	-0.23373	0.06	-0.05048
	0.11	-0.16277	0.11	-0.07833
	0.18	-0.14167	0.18	-0.11425
	0.25	-0.12864	0.25	-0.13429
	0.32	-0.10270	0.32	-0.13741
	0.39	-0.07579	0.39	-0.14301
	0.46	-0.05481	0.46	-0.11866
	0.53	-0.05697	0.53	-0.10370
	0.60	-0.03533	0.60	-0.08683
	0.67	-0.01889	0.67	-0.04982
	0.74	-0.00756	0.74	-0.01692
	0.81	-0.00857	0.81	-0.00756
	0.88	0.00922	0.88	0.01291
	0.95	0.02167	0.95	0.03477

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
4	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.6004	14.86	-0.01	19.99 417.5	101.08 2111.2	79.22 1654.6	10.95 3.34	308.51 95.64

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.50836	0.05	0.63928
	0.06	-0.49777	0.10	0.44322
	0.11	-0.50015	0.20	0.22978
	0.17	-0.50201	0.35	0.00758
	0.23	-0.50841	0.50	-0.17437
	0.29	-0.52553	0.65	-0.19113
	0.35	-0.53477	0.80	0.09667
	0.41	-0.54366	0.95	0.07521
	0.47	-0.55292		
	0.53	-0.56720		
	0.57	-0.56561		
	0.65	-0.58231		
	0.71	-0.57923		
	0.77	-0.57692		
	0.83	-0.57763		
	0.89	-0.58726		
	0.95	-0.58158		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.45052	0.02	0.32548
	0.06	-0.30088	0.06	0.25462
	0.11	-0.24333	0.11	0.16122
	0.18	-0.19677	0.18	0.07151
	0.25	-0.17250	0.25	0.00320
	0.32	-0.13111	0.32	-0.05864
	0.39	-0.12088	0.39	-0.08979
	0.46	-0.09701	0.46	-0.09568
	0.53	-0.08703	0.53	-0.10206
	0.60	-0.07775	0.60	-0.10450
	0.67	-0.05277	0.67	-0.07506
	0.74	-0.04228	0.74	-0.05063
	0.81	-0.04432	0.81	-0.02961
	0.88	-0.02218	0.88	-0.02284
	0.95	-0.00452	0.95	-0.02424

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
4	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.5993	17.00	-0.14	19.94 416.4	101.08 2111.2	79.29 1656.1	10.94 3.33	308.53 95.68

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.51210	0.05	0.74022
	0.06	-0.50579	0.10	0.55352
	0.11	-0.52324	0.20	0.32695
	0.17	-0.50976	0.35	0.09501
	0.23	-0.51577	0.50	-0.09720
	0.29	-0.52993	0.65	-0.13572
	0.35	-0.54788	0.80	0.11283
	0.41	-0.55371	0.95	0.05026
	0.47	-0.56034		
	0.53	-0.56794		
	0.57	-0.57101		
	0.65	-0.58774		
	0.71	-0.60170		
	0.77	-0.60429		
	0.83	-0.61047		
	0.89	-0.58599		
	0.95	-0.58000		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.46028	0.02	0.54780
	0.06	-0.35237	0.06	0.32863
	0.11	-0.31705	0.11	0.19525
	0.18	-0.26202	0.18	0.09097
	0.25	-0.24588	0.25	0.01289
	0.32	-0.21011	0.32	-0.02898
	0.39	-0.18279	0.39	-0.10021
	0.46	-0.16334	0.46	-0.10843
	0.53	-0.16166	0.53	-0.12122
	0.60	-0.12428	0.60	-0.10489
	0.67	-0.11076	0.67	-0.06950
	0.74	-0.11520	0.74	-0.04904
	0.81	-0.09486	0.81	-0.02832
	0.88	-0.09712	0.88	-0.02024
	0.95	-0.07076	0.95	-0.00659

81

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
4	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.6000	19.08	-0.04	19.96 / 416.9	101.05 / 2110.5	79.22 / 1654.6	10.93 / 3.33	308.90 / 96.35

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.53658	0.05	0.75297
	0.06	-0.54418	0.10	0.57354
	0.11	-0.54322	0.20	0.35702
	0.17	-0.53591	0.35	0.13799
	0.23	-0.54618	0.50	-0.07427
	0.29	-0.55327	0.65	-0.12360
	0.35	-0.55065	0.80	0.11608
	0.41	-0.55351	0.95	0.07163
	0.47	-0.57302		
	0.53	-0.57075		
	0.57	-0.58917		
	0.65	-0.60515		
	0.71	-0.59152		
	0.77	-0.60550		
	0.83	-0.60047		
	0.89	-0.59487		
	0.95	-0.60183		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.45618	0.02	0.46197
	0.06	-0.41554	0.06	0.38864
	0.11	-0.38856	0.11	0.25930
	0.18	-0.34295	0.18	0.15961
	0.25	-0.28556	0.25	0.06742
	0.32	-0.25734	0.32	0.00859
	0.39	-0.23843	0.39	-0.05685
	0.46	-0.21458	0.46	-0.08361
	0.53	-0.18871	0.53	-0.10201
	0.60	-0.17243	0.60	-0.11447
	0.67	-0.16826	0.67	-0.09427
	0.74	-0.15825	0.74	-0.06987
	0.81	-0.13658	0.81	-0.07662
	0.88	-0.14893	0.88	-0.06328
	0.95	-0.13147	0.95	-0.09565

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
4	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
16	0.5982	21.13	-0.01	19.88 415.2	101.08 2111.2	79.36 1657.5	10.90 3.32	309.07 96.65

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.55216	0.05	0.78826
0.06	-0.55200	0.10	0.63391
0.11	-0.54339	0.20	0.42059
0.17	-0.55853	0.35	0.18432
0.23	-0.54000	0.50	-0.01840
0.29	-0.55678	0.65	-0.07635
0.35	-0.58567	0.80	0.14289
0.41	-0.57499	0.95	0.07797
0.47	-0.57284		
0.53	-0.60443		
0.57	-0.60166		
0.65	-0.61065		
0.71	-0.61214		
0.77	-0.60066		
0.83	-0.61099		
0.89	-0.62855		
0.95	-0.61599		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.47442	0.02	0.52636
0.06	-0.46133	0.06	0.44784
0.11	-0.46777	0.11	0.31266
0.18	-0.45097	0.18	0.18990
0.25	-0.42734	0.25	0.09595
0.32	-0.35501	0.32	0.02669
0.39	-0.32901	0.39	-0.03951
0.46	-0.28167	0.46	-0.07335
0.53	-0.25697	0.53	-0.10171
0.60	-0.22916	0.60	-0.10820
0.67	-0.20801	0.67	-0.09802
0.74	-0.20242	0.74	-0.08698
0.81	-0.19599	0.81	-0.08441
0.88	-0.18535	0.88	-0.10735
0.95	-0.17131	0.95	-0.13383

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
4	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
17	0.5988	23.22	-0.01	19.91	101.08	79.33	10.91	309.07
				415.8	2111.2	1656.8	3.32	96.65

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.55737	0.05	0.83121
0.06	-0.54281	0.10	0.68499
0.11	-0.55578	0.20	0.48432
0.17	-0.54629	0.35	0.25645
0.23	-0.56018	0.50	0.03864
0.29	-0.55914	0.65	-0.03034
0.35	-0.56710	0.80	0.15920
0.41	-0.57655	0.95	0.09537
0.47	-0.59369		
0.53	-0.59630		
0.57	-0.60294		
0.65	-0.59671		
0.71	-0.60804		
0.77	-0.61162		
0.83	-0.61483		
0.89	-0.60704		
0.95	-0.59091		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.53790	0.02	0.52560
0.06	-0.52944	0.06	0.44419
0.11	-0.53800	0.11	0.33379
0.18	-0.56173	0.18	0.20344
0.25	-0.53145	0.25	0.10837
0.32	-0.51015	0.32	0.03560
0.39	-0.42010	0.39	-0.02743
0.46	-0.39147	0.46	-0.07243
0.53	-0.33739	0.53	-0.09518
0.60	-0.30699	0.60	-0.10831
0.67	-0.27421	0.67	-0.10751
0.74	-0.26426	0.74	-0.09719
0.81	-0.24826	0.81	-0.11032
0.88	-0.23646	0.88	-0.12956
0.95	-0.21327	0.95	-0.15759

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
4	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
18	0.6004	25.27	0.00	19.99 417.5	101.08 2111.2	79.22 1654.6	10.91 3.33	309.44 97.33

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.57677	0.05	0.85309
	0.06	-0.56848	0.10	0.74094
	0.11	-0.55763	0.20	0.54614
	0.17	-0.56841	0.35	0.30611
	0.23	-0.58745	0.50	0.09884
	0.29	-0.58468	0.65	0.01460
	0.35	-0.59953	0.80	0.18844
	0.41	-0.61739	0.95	0.11164
	0.47	-0.62409		
	0.53	-0.60555		
	0.57	-0.61373		
	0.65	-0.61039		
	0.71	-0.60923		
	0.77	-0.63169		
	0.83	-0.63243		
	0.89	-0.63098		
	0.95	-0.62238		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.67616	0.02	0.51030
	0.06	-0.65132	0.06	0.45313
	0.11	-0.63811	0.11	0.33704
	0.18	-0.60790	0.18	0.21332
	0.25	-0.60474	0.25	0.11164
	0.32	-0.65381	0.32	0.02842
	0.39	-0.54766	0.39	-0.03802
	0.46	-0.49363	0.46	-0.07511
	0.53	-0.42537	0.53	-0.10576
	0.60	-0.35056	0.60	-0.12837
	0.67	-0.32862	0.67	-0.12302
	0.74	-0.30581	0.74	-0.11210
	0.81	-0.28564	0.81	-0.12669
	0.88	-0.27206	0.88	-0.16028
	0.95	-0.26439	0.95	-0.20895

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
4	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.6010	27.37	0.00	20.02 418.1	101.08 2111.2	79.19 1653.9	10.92 3.33	309.44 97.33

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.60566	0.05	0.86433
	0.06	-0.58062	0.10	0.78280
	0.11	-0.58484	0.20	0.60005
	0.17	-0.59931	0.35	0.37049
	0.23	-0.60122	0.50	0.16250
	0.29	-0.59718	0.65	0.06657
	0.35	-0.60031	0.80	0.21337
	0.41	-0.60454	0.95	0.11613
	0.47	-0.60518		
	0.53	-0.62069		
	0.57	-0.63179		
	0.65	-0.62653		
	0.71	-0.64840		
	0.77	-0.65504		
	0.83	-0.66822		
	0.89	-0.63171		
	0.95	-0.62713		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.65575	0.02	0.50189
	0.06	-0.77265	0.06	0.45653
	0.11	-0.74159	0.11	0.34967
	0.18	-0.69516	0.18	0.24147
	0.25	-0.73544	0.25	0.13464
	0.32	-0.65688	0.32	0.04820
	0.39	-0.63204	0.39	-0.01589
	0.46	-0.56468	0.46	-0.06170
	0.53	-0.49813	0.53	-0.10526
	0.60	-0.45805	0.60	-0.11374
	0.67	-0.39990	0.67	-0.12083
	0.74	-0.35672	0.74	-0.12527
	0.81	-0.35652	0.81	-0.14480
	0.88	-0.33179	0.88	-0.19060
	0.95	-0.31703	0.95	-0.23633

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
4	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
20	0.6008	-2.06	-0.01	20.02 418.1	101.12 2111.9	79.22 1654.6	10.94 3.33	309.01 96.55

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.09173	0.05	-0.61526
	0.06	-0.43451	0.10	-0.53372
	0.11	-0.38067	0.20	-0.51461
	0.17	-0.36731	0.35	-0.49298
	0.23	-0.36202	0.50	-0.46083
	0.29	-0.36073	0.65	-0.14124
	0.35	-0.35999	0.80	0.15436
	0.41	-0.34183	0.95	0.25637
	0.47	-0.35076		
	0.53	-0.36065		
	0.57	-0.32329		
	0.65	-0.31887		
	0.71	-0.28211		
	0.77	-0.22962		
	0.83	-0.17200		
	0.89	-0.10671		
	0.95	-0.01514		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.72588	0.02	-0.87254
	0.06	0.53935	0.06	-0.86049
	0.11	0.40456	0.11	-0.86048
	0.18	0.26173	0.18	-0.84558
	0.25	0.15851	0.25	-0.77907
	0.32	0.06840	0.32	-0.71062
	0.39	0.00453	0.39	-0.64389
	0.46	-0.02606	0.46	-0.58014
	0.53	-0.04374	0.53	-0.52554
	0.60	-0.04247	0.60	-0.46483
	0.67	-0.03036	0.67	-0.42193
	0.74	-0.01683	0.74	-0.36605
	0.81	0.00152	0.81	-0.32171
	0.88	-0.00017	0.88	-0.27099
	0.95	-0.01517	0.95	-0.21254

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
5	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7795	-6.65	-0.01	28.74 600.3	100.95 2108.4	67.57 1411.2	12.48 3.80	315.54 108.30

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.46645	0.05	-1.30624
	0.06	0.10173	0.10	-1.29232
	0.11	0.01416	0.20	-1.30012
	0.17	-0.07126	0.35	-0.74803
	0.23	-0.11927	0.50	-0.49866
	0.29	-0.17216	0.65	-0.34142
	0.35	-0.21915	0.80	-0.19144
	0.41	-0.25048	0.95	-0.01917
	0.47	-0.29477		
	0.53	-0.34147		
	0.57	-0.32522		
	0.65	-0.36350		
	0.71	-0.35240		
	0.77	-0.31157		
	0.83	-0.27480		
	0.89	-0.22148		
	0.95	-0.18384		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.75986	0.02	-0.74748
	0.06	0.60107	0.06	-0.71953
	0.11	0.47814	0.11	-0.72829
	0.18	0.33004	0.18	-0.66191
	0.25	0.22505	0.25	-0.63114
	0.32	0.10649	0.32	-0.61869
	0.39	0.03219	0.39	-0.58912
	0.46	-0.01676	0.46	-0.57791
	0.53	-0.05746	0.53	-0.55321
	0.60	-0.06661	0.60	-0.52680
	0.67	-0.07045	0.67	-0.50201
	0.74	-0.07394	0.74	-0.47890
	0.81	-0.08149	0.81	-0.44053
	0.88	-0.11719	0.88	-0.40274
	0.95	-0.19492	0.95	-0.35514

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
5	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.7813	-4.52	-0.02	28.84	101.02	67.50	12.46	316.49
				602.4	2109.8	1409.8	3.80	110.01

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.23633	0.05	-1.10135
	0.06	-0.13367	0.10	-0.95914
	0.11	-0.18258	0.20	-0.92662
	0.17	-0.22436	0.35	-1.03789
	0.23	-0.25664	0.50	-0.40179
	0.29	-0.28912	0.65	-0.12606
	0.35	-0.31621	0.80	-0.02278
	0.41	-0.32262	0.95	0.12268
	0.47	-0.35189		
	0.53	-0.37628		
	0.57	-0.34154		
	0.65	-0.34934		
	0.71	-0.29371		
	0.77	-0.22849		
	0.83	-0.16151		
	0.89	-0.08845		
	0.95	0.00621		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.74018	0.02	-0.74251
	0.06	0.55575	0.06	-0.75405
	0.11	0.42074	0.11	-0.73982
	0.18	0.27624	0.18	-0.70354
	0.25	0.16688	0.25	-0.67423
	0.32	0.05495	0.32	-0.63328
	0.39	-0.02304	0.39	-0.60381
	0.46	-0.06861	0.46	-0.56625
	0.53	-0.09712	0.53	-0.52605
	0.60	-0.08752	0.60	-0.49202
	0.67	-0.07968	0.67	-0.45851
	0.74	-0.06864	0.74	-0.41789
	0.81	-0.06804	0.81	-0.37280
	0.88	-0.09145	0.88	-0.32654
	0.95	-0.15132	0.95	-0.28472

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
5	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.7792	-2.18	-0.01	28.75 600.4	101.02 2109.8	67.64 1412.6	12.47 3.80	315.82 108.80

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.08916	0.05	-0.55634
0.06	-0.45943	0.10	-0.59060
0.11	-0.40500	0.20	-0.72180
0.17	-0.41599	0.35	-0.75960
0.23	-0.42533	0.50	-0.51414
0.29	-0.43108	0.65	-0.08594
0.35	-0.45656	0.80	0.10067
0.41	-0.43507	0.95	0.23586
0.47	-0.42619		
0.53	-0.44560		
0.57	-0.39726		
0.65	-0.37333		
0.71	-0.30153		
0.77	-0.22606		
0.83	-0.14702		
0.89	-0.05909		
0.95	0.04859		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.74111	0.02	-0.74143
0.06	0.54168	0.06	-0.74824
0.11	0.40184	0.11	-0.76612
0.18	0.24900	0.18	-0.73071
0.25	0.13920	0.25	-0.69234
0.32	0.02942	0.32	-0.65250
0.39	-0.03857	0.39	-0.60692
0.46	-0.07829	0.46	-0.56243
0.53	-0.10279	0.53	-0.51303
0.60	-0.09569	0.60	-0.46448
0.67	-0.08455	0.67	-0.42185
0.74	-0.06996	0.74	-0.37636
0.81	-0.06259	0.81	-0.33580
0.88	-0.07527	0.88	-0.29333
0.95	-0.12072	0.95	-0.24691

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
5	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.7773	0.23	-0.01	28.65 598.3	100.98 2109.1	67.74 1414.8	12.38 3.77	317.22 111.33

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.58819	0.05	-0.20491
	0.06	-0.85338	0.10	-0.32711
	0.11	-0.82007	0.20	-0.45082
	0.17	-0.81238	0.35	-0.54817
	0.23	-0.77278	0.50	-0.52561
	0.29	-0.63328	0.65	-0.08984
	0.35	-0.61925	0.80	0.17331
	0.41	-0.55791	0.95	0.29262
	0.47	-0.53930		
	0.53	-0.53051		
	0.57	-0.46429		
	0.65	-0.41105		
	0.71	-0.33037		
	0.77	-0.24315		
	0.83	-0.15827		
	0.89	-0.06765		
	0.95	0.03665		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.72357	0.02	-0.81401
	0.06	0.51306	0.06	-0.82016
	0.11	0.36862	0.11	-0.79698
	0.18	0.21696	0.18	-0.75610
	0.25	0.10675	0.25	-0.70262
	0.32	-0.01183	0.32	-0.65963
	0.39	-0.07022	0.39	-0.59753
	0.46	-0.10796	0.46	-0.54885
	0.53	-0.12842	0.53	-0.50106
	0.60	-0.11740	0.60	-0.45228
	0.67	-0.09727	0.67	-0.39507
	0.74	-0.07898	0.74	-0.35602
	0.81	-0.05995	0.81	-0.31730
	0.88	-0.06475	0.88	-0.26011
	0.95	-0.09811	0.95	-0.20957

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
5	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.7792	2.63	-0.01	28.75 600.4	101.02 2109.8	67.64 1412.6	12.42 3.79	316.87 110.69

WING		UPPER SURFACE		LOWER SURFACE	
	X/C	CP		X/C	CP
	0.02	-0.91573		0.05	0.06418
	0.06	-1.20814		0.10	-0.09538
	0.11	-1.21069		0.20	-0.23635
	0.17	-1.19540		0.35	-0.36869
	0.23	-1.21372		0.50	-0.44275
	0.29	-1.20487		0.65	-0.08910
	0.35	-1.17369		0.80	0.21577
	0.41	-1.03232		0.95	0.31841
	0.47	-0.70833			
	0.53	-0.47450			
	0.57	-0.39940			
	0.65	-0.34211			
	0.71	-0.27164			
	0.77	-0.20570			
	0.83	-0.14024			
	0.89	-0.05709			
	0.95	0.03411			

HORIZ. TAIL		UPPER SURFACE		LOWER SURFACE	
	X/C	CP		X/C	CP
	0.02	0.72290		0.02	-0.86063
	0.06	0.50811		0.06	-0.85510
	0.11	0.36666		0.11	-0.82419
	0.18	0.20143		0.18	-0.76725
	0.25	0.09224		0.25	-0.70413
	0.32	-0.01669		0.32	-0.65052
	0.39	-0.08884		0.39	-0.59777
	0.46	-0.12440		0.46	-0.53040
	0.53	-0.13907		0.53	-0.47802
	0.60	-0.12199		0.60	-0.42875
	0.67	-0.09607		0.67	-0.37896
	0.74	-0.06727		0.74	-0.32906
	0.81	-0.06130		0.81	-0.28471
	0.88	-0.06146		0.88	-0.23217
	0.95	-0.07426		0.95	-0.18080

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
5	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.7788	4.84	0.01	28.72 599.8	100.98 2109.1	67.64 1412.6	12.38 3.77	317.54 111.90

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-1.12449	0.05	0.22242
0.06	-1.40848	0.10	0.03921
0.11	-1.39842	0.20	-0.12944
0.17	-1.39580	0.35	-0.29301
0.23	-1.36424	0.50	-0.43861
0.29	-1.01818	0.65	-0.17065
0.35	-0.77898	0.80	0.17725
0.41	-0.72460	0.95	0.23636
0.47	-0.68609		
0.53	-0.63080		
0.57	-0.58605		
0.65	-0.50521		
0.71	-0.43300		
0.77	-0.36508		
0.83	-0.29768		
0.89	-0.25181		
0.95	-0.20581		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.68670	0.02	-1.09101
0.06	0.46989	0.06	-1.07015
0.11	0.33087	0.11	-1.01047
0.18	0.17912	0.18	-0.92458
0.25	0.07460	0.25	-0.77396
0.32	-0.02986	0.32	-0.67114
0.39	-0.09755	0.39	-0.46389
0.46	-0.12851	0.46	-0.34645
0.53	-0.13876	0.53	-0.31147
0.60	-0.11066	0.60	-0.21623
0.67	-0.08194	0.67	-0.14620
0.74	-0.04505	0.74	-0.07800
0.81	-0.00742	0.81	-0.03551
0.88	0.00879	0.88	-0.01488
0.95	0.01822	0.95	0.04363

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
5	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.7792	7.00	0.01	28.75 600.4	101.02 2109.8	67.64 1412.6	12.39 3.78	317.50 111.83

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.27491	0.05	0.36827
0.06	-1.35784	0.10	0.17579
0.11	-1.21610	0.20	-0.01474
0.17	-1.25279	0.35	-0.21275
0.23	-1.01205	0.50	-0.27936
0.29	-0.80830	0.65	-0.18937
0.35	-0.78930	0.80	0.17226
0.41	-0.74107	0.95	0.20881
0.47	-0.67655		
0.53	-0.55628		
0.57	-0.60905		
0.65	-0.57501		
0.71	-0.54883		
0.77	-0.49788		
0.83	-0.49159		
0.89	-0.43546		
0.95	-0.34872		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.48427	0.02	-0.99486
0.06	0.38137	0.06	-0.77395
0.11	0.27190	0.11	-0.72604
0.18	0.16361	0.18	-0.52695
0.25	0.07374	0.25	-0.43187
0.32	-0.00944	0.32	-0.34241
0.39	-0.06183	0.39	-0.26832
0.46	-0.08399	0.46	-0.21300
0.53	-0.09378	0.53	-0.16163
0.60	-0.07370	0.60	-0.11723
0.67	-0.04763	0.67	-0.06732
0.74	-0.01408	0.74	-0.02384
0.81	0.01042	0.81	0.00901
0.88	0.03353	0.88	0.03914
0.95	0.05741	0.95	0.07426

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
5	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.7778	9.07	-0.02	28.67	100.98	67.71	12.35	317.97
				598.8	2109.1	1414.1	3.76	112.67

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.92475	0.05	0.47733
	0.06	-0.80086	0.10	0.26125
	0.11	-0.74411	0.20	0.05722
	0.17	-0.72653	0.35	-0.15266
	0.23	-0.72965	0.50	-0.35459
	0.29	-0.71105	0.65	-0.23024
	0.35	-0.68992	0.80	0.14003
	0.41	-0.67143	0.95	0.17631
	0.47	-0.65889		
	0.53	-0.64212		
	0.57	-0.63083		
	0.65	-0.61767		
	0.71	-0.59735		
	0.77	-0.58653		
	0.83	-0.55946		
	0.89	-0.53392		
	0.95	-0.49931		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.15167	0.02	-0.59595
	0.06	0.13003	0.06	-0.43367
	0.11	0.09479	0.11	-0.32148
	0.18	0.05406	0.18	-0.31845
	0.25	0.01929	0.25	-0.23998
	0.32	-0.02040	0.32	-0.21972
	0.39	-0.02905	0.39	-0.20208
	0.46	-0.03215	0.46	-0.16993
	0.53	-0.02622	0.53	-0.13240
	0.60	-0.03022	0.60	-0.09691
	0.67	-0.00919	0.67	-0.05210
	0.74	0.00760	0.74	-0.01923
	0.81	0.02426	0.81	0.01418
	0.88	0.04996	0.88	0.03849
	0.95	0.06901	0.95	0.06456

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
5	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.7780	11.06	-0.02	28.67 598.8	100.95 2108.4	67.67 1413.3	12.35 3.77	317.82 112.40

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.53170	0.05	0.55046
	0.06	-0.51891	0.10	0.33461
	0.11	-0.50963	0.20	0.12580
	0.17	-0.51160	0.35	-0.10743
	0.23	-0.52147	0.50	-0.32283
	0.29	-0.52549	0.65	-0.23538
	0.35	-0.54128	0.80	0.13668
	0.41	-0.55191	0.95	0.15900
	0.47	-0.56722		
	0.53	-0.56955		
	0.57	-0.57562		
	0.65	-0.59287		
	0.71	-0.59408		
	0.77	-0.59607		
	0.83	-0.59823		
	0.89	-0.59665		
	0.95	-0.58491		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.27984	0.02	-0.09853
	0.06	-0.16125	0.06	-0.01762
	0.11	-0.11932	0.11	-0.03679
	0.18	-0.07190	0.18	-0.09386
	0.25	-0.05690	0.25	-0.11174
	0.32	-0.05078	0.32	-0.11746
	0.39	-0.04433	0.39	-0.12337
	0.46	-0.04017	0.46	-0.11755
	0.53	-0.03119	0.53	-0.10184
	0.60	-0.00508	0.60	-0.08545
	0.67	0.00641	0.67	-0.05318
	0.74	0.02003	0.74	-0.02000
	0.81	0.02594	0.81	0.00855
	0.88	0.04675	0.88	0.02846
	0.95	0.06275	0.95	0.05007

MICROCOPY RESOLUTION TEST CHART

NATIONAL BUREAU OF STANDARDS-1963-A

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
5	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.7783	13.15	-0.01	28.69 599.3	100.98 2109.1	67.67 1413.3	12.36 3.77	317.93 112.61

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.49231	0.05	0.61761
0.06	-0.49501	0.10	0.41063
0.11	-0.50184	0.20	0.19351
0.17	-0.49044	0.35	-0.04205
0.23	-0.49037	0.50	-0.25264
0.29	-0.50650	0.65	-0.21429
0.35	-0.53008	0.80	0.14938
0.41	-0.55115	0.95	0.16572
0.47	-0.56004		
0.53	-0.54873		
0.57	-0.55510		
0.65	-0.56749		
0.71	-0.57391		
0.77	-0.57830		
0.83	-0.57843		
0.89	-0.57064		
0.95	-0.56600		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.31792	0.02	0.24219
0.06	-0.23772	0.06	0.18649
0.11	-0.18499	0.11	0.10884
0.18	-0.15168	0.18	0.02497
0.25	-0.12705	0.25	-0.04168
0.32	-0.11981	0.32	-0.07697
0.39	-0.09643	0.39	-0.10995
0.46	-0.06813	0.46	-0.11476
0.53	-0.06347	0.53	-0.11259
0.60	-0.06006	0.60	-0.10109
0.67	-0.04214	0.67	-0.06697
0.74	-0.03087	0.74	-0.03972
0.81	-0.00784	0.81	-0.02509
0.88	-0.00456	0.88	-0.01894
0.95	0.01697	0.95	-0.00620

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
5	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.7782	15.32	-0.16	28.70 599.4	101.02 2109.8	67.71 1414.1	12.34 3.76	318.34 113.35

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.49401	0.05	0.70731
0.06	-0.49244	0.10	0.51224
0.11	-0.48300	0.20	0.29944
0.17	-0.49471	0.35	0.05819
0.23	-0.50521	0.50	-0.15717
0.29	-0.51186	0.65	-0.15499
0.35	-0.53343	0.80	0.17396
0.41	-0.54582	0.95	0.17518
0.47	-0.55097		
0.53	-0.55490		
0.57	-0.56021		
0.65	-0.57379		
0.71	-0.57612		
0.77	-0.58017		
0.83	-0.58193		
0.89	-0.58172		
0.95	-0.58458		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.37061	0.02	0.50449
0.06	-0.29401	0.06	0.31186
0.11	-0.25253	0.11	0.17185
0.18	-0.22365	0.18	0.04233
0.25	-0.21882	0.25	-0.06982
0.32	-0.19875	0.32	-0.12007
0.39	-0.19659	0.39	-0.16020
0.46	-0.17611	0.46	-0.16242
0.53	-0.14638	0.53	-0.16640
0.60	-0.13454	0.60	-0.15203
0.67	-0.13550	0.67	-0.10533
0.74	-0.11984	0.74	-0.06746
0.81	-0.11191	0.81	-0.04100
0.88	-0.09233	0.88	-0.02781
0.95	-0.08119	0.95	-0.00716

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
5	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.7778	17.49	-0.23	28.67	100.98	67.71	12.29	319.18
				598.8	2109.1	1414.1	3.75	114.86

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.51530	0.05	0.76289
	0.06	-0.49947	0.10	0.60021
	0.11	-0.49229	0.20	0.38536
	0.17	-0.51273	0.35	0.14565
	0.23	-0.50598	0.50	-0.07913
	0.29	-0.51095	0.65	-0.09962
	0.35	-0.51273	0.80	0.19871
	0.41	-0.52479	0.95	0.18250
	0.47	-0.53661		
	0.53	-0.53843		
	0.57	-0.51364		
	0.65	-0.54081		
	0.71	-0.55104		
	0.77	-0.55639		
	0.83	-0.55853		
	0.89	-0.54824		
	0.95	-0.54570		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.34429	0.02	0.41098
	0.06	-0.29455	0.06	0.30211
	0.11	-0.27189	0.11	0.20458
	0.18	-0.25084	0.18	0.09787
	0.25	-0.24460	0.25	0.00923
	0.32	-0.23457	0.32	-0.06384
	0.39	-0.24126	0.39	-0.12585
	0.46	-0.23461	0.46	-0.16560
	0.53	-0.23084	0.53	-0.17253
	0.60	-0.20061	0.60	-0.16463
	0.67	-0.20533	0.67	-0.12936
	0.74	-0.20355	0.74	-0.09719
	0.81	-0.17912	0.81	-0.07212
	0.88	-0.15956	0.88	-0.07011
	0.95	-0.15340	0.95	-0.06501

99

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
5	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.7783	19.57	-0.07	28.69	100.98	67.67	12.29	319.20
				599.3	2109.1	1413.3	3.75	114.89

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.51510	0.05	0.80924
	0.06	-0.50696	0.10	0.64593
	0.11	-0.50477	0.20	0.42744
	0.17	-0.50441	0.35	0.19620
	0.23	-0.51620	0.50	-0.01802
	0.29	-0.53236	0.65	-0.04242
	0.35	-0.52741	0.80	0.22375
	0.41	-0.53377	0.95	0.20704
	0.47	-0.54303		
	0.53	-0.52927		
	0.57	-0.52729		
	0.65	-0.54512		
	0.71	-0.54577		
	0.77	-0.54024		
	0.83	-0.54883		
	0.89	-0.54461		
	0.95	-0.53053		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.33802	0.02	0.48553
	0.06	-0.31213	0.06	0.35443
	0.11	-0.30370	0.11	0.24616
	0.18	-0.28806	0.18	0.11562
	0.25	-0.27261	0.25	0.01597
	0.32	-0.26822	0.32	-0.05834
	0.39	-0.25761	0.39	-0.13584
	0.46	-0.24557	0.46	-0.17000
	0.53	-0.24271	0.53	-0.17545
	0.60	-0.23902	0.60	-0.18883
	0.67	-0.23794	0.67	-0.16561
	0.74	-0.23204	0.74	-0.14577
	0.81	-0.24623	0.81	-0.13166
	0.88	-0.22500	0.88	-0.15336
	0.95	-0.21210	0.95	-0.17870

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
5	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.7799	21.71	-0.08	28.77 600.8	100.98 2109.1	67.57 1411.2	12.28 3.74	319.69 115.77

WING

	UPPER SURFACE		LOWER SURFACE	
X/C	CP		X/C	CP
0.02	-0.51605		0.05	0.86299
0.06	-0.50252		0.10	0.71187
0.11	-0.50564		0.20	0.51341
0.17	-0.49979		0.35	0.27435
0.23	-0.51338		0.50	0.05927
0.29	-0.51746		0.65	0.01969
0.35	-0.52976		0.80	0.25568
0.41	-0.53210		0.95	0.22411
0.47	-0.52952			
0.53	-0.55649			
0.57	-0.54897			
0.65	-0.54737			
0.71	-0.53697			
0.77	-0.54296			
0.83	-0.54088			
0.89	-0.54092			
0.95	-0.53095			

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE	
X/C	CP		X/C	CP
0.02	-0.45819		0.02	0.49301
0.06	-0.44014		0.06	0.39190
0.11	-0.42958		0.11	0.24961
0.18	-0.41683		0.18	0.13549
0.25	-0.37151		0.25	0.01782
0.32	-0.35423		0.32	-0.05952
0.39	-0.31922		0.39	-0.12309
0.46	-0.32229		0.46	-0.15800
0.53	-0.30600		0.53	-0.18149
0.60	-0.28901		0.60	-0.20466
0.67	-0.28324		0.67	-0.19058
0.74	-0.27702		0.74	-0.16270
0.81	-0.27275		0.81	-0.17933
0.88	-0.27146		0.88	-0.20306
0.95	-0.26102		0.95	-0.22809

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
5	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.7783	23.83	-0.07	28.69 599.3	100.98 2109.1	67.67 1413.3	12.26 3.74	319.88 116.11

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.53262	0.05	0.88765
	0.06	-0.54841	0.10	0.76108
	0.11	-0.54737	0.20	0.57050
	0.17	-0.53121	0.35	0.33635
	0.23	-0.53518	0.50	0.12880
	0.29	-0.53293	0.65	0.06333
	0.35	-0.54499	0.80	0.27116
	0.41	-0.53541	0.95	0.23191
	0.47	-0.54551		
	0.53	-0.55129		
	0.57	-0.55421		
	0.65	-0.57090		
	0.71	-0.56366		
	0.77	-0.56048		
	0.83	-0.56391		
	0.89	-0.57627		
	0.95	-0.55560		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.50997	0.02	0.49920
	0.06	-0.49711	0.06	0.38262
	0.11	-0.46980	0.11	0.25709
	0.18	-0.47402	0.18	0.12880
	0.25	-0.46067	0.25	0.03077
	0.32	-0.47260	0.32	-0.04560
	0.39	-0.45652	0.39	-0.11315
	0.46	-0.39754	0.46	-0.16034
	0.53	-0.36614	0.53	-0.20377
	0.60	-0.33980	0.60	-0.20465
	0.67	-0.32466	0.67	-0.20374
	0.74	-0.31209	0.74	-0.19306
	0.81	-0.30199	0.81	-0.17384
	0.88	-0.29774	0.88	-0.21233
	0.95	-0.28810	0.95	-0.25059

TABLE 3.3. (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
5	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
16	0.7820	26.02	-0.04	28.86 602.8	100.98 2109.1	67.43 1408.3	12.30 3.75	319.73 115.84

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.55514	0.05	0.91364
	0.06	-0.54606	0.10	0.80948
	0.11	-0.53880	0.20	0.63262
	0.17	-0.54866	0.35	0.40329
	0.23	-0.55388	0.50	0.19140
	0.29	-0.55358	0.65	0.11862
	0.35	-0.57691	0.80	0.30145
	0.41	-0.58519	0.95	0.24825
	0.47	-0.58823		
	0.53	-0.57922		
	0.57	-0.57576		
	0.65	-0.56698		
	0.71	-0.58663		
	0.77	-0.60016		
	0.83	-0.57552		
	0.89	-0.56463		
	0.95	-0.54836		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.56695	0.02	0.48332
	0.06	-0.56355	0.06	0.38864
	0.11	-0.64736	0.11	0.27378
	0.18	-0.61928	0.18	0.13829
	0.25	-0.67222	0.25	0.03241
	0.32	-0.56628	0.32	-0.04682
	0.39	-0.52249	0.39	-0.11036
	0.46	-0.50646	0.46	-0.16664
	0.53	-0.48267	0.53	-0.19511
	0.60	-0.42571	0.60	-0.21154
	0.67	-0.39917	0.67	-0.21176
	0.74	-0.37665	0.74	-0.20157
	0.81	-0.34722	0.81	-0.21941
	0.88	-0.33862	0.88	-0.24515
	0.95	-0.33138	0.95	-0.28472

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
5	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
17	0.7788	28.13	-0.06	28.72 599.8	100.98 2109.1	67.64 1412.6	12.24 3.73	320.31 116.88

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.60492	0.05	0.92080
	0.06	-0.59088	0.10	0.84700
	0.11	-0.57104	0.20	0.68409
	0.17	-0.56825	0.35	0.46825
	0.23	-0.57981	0.50	0.25718
	0.29	-0.58423	0.65	0.17173
	0.35	-0.57892	0.80	0.33286
	0.41	-0.57519	0.95	0.25951
	0.47	-0.57404		
	0.53	-0.56732		
	0.57	-0.58257		
	0.65	-0.57289		
	0.71	-0.55734		
	0.77	-0.58004		
	0.83	-0.58192		
	0.89	-0.59238		
	0.95	-0.58188		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.37517	0.02	0.48508
	0.06	-0.38529	0.06	0.38739
	0.11	-0.36454	0.11	0.27647
	0.18	-0.38144	0.18	0.14790
	0.25	-0.37260	0.25	0.05039
	0.32	-0.37033	0.32	-0.01220
	0.39	-0.36798	0.39	-0.08625
	0.46	-0.39775	0.46	-0.12247
	0.53	-0.51548	0.53	-0.16753
	0.60	-0.37053	0.60	-0.21087
	0.67	-0.36521	0.67	-0.21592
	0.74	-0.37936	0.74	-0.20689
	0.81	-0.36914	0.81	-0.21830
	0.88	-0.36406	0.88	-0.26138
	0.95	-0.35852	0.95	-0.31592

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
5	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
18	0.7773	-2.15	-0.01	28.65 / 598.3	100.98 / 2109.1	67.74 / 1414.8	12.29 / 3.74	319.17 / 114.83

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.13515	0.05	-0.57532
	0.06	-0.48658	0.10	-0.58355
	0.11	-0.45245	0.20	-0.70819
	0.17	-0.43095	0.35	-0.75774
	0.23	-0.44081	0.50	-0.53119
	0.29	-0.44800	0.65	-0.09147
	0.35	-0.43377	0.80	0.10583
	0.41	-0.42797	0.95	0.24245
	0.47	-0.43276		
	0.53	-0.43870		
	0.57	-0.39061		
	0.65	-0.36570		
	0.71	-0.30089		
	0.77	-0.22644		
	0.83	-0.14811		
	0.89	-0.06448		
	0.95	0.04463		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.73638	0.02	-0.74835
	0.06	0.54217	0.06	-0.76260
	0.11	0.40275	0.11	-0.75750
	0.18	0.25142	0.18	-0.73708
	0.25	0.14716	0.25	-0.70072
	0.32	0.03502	0.32	-0.66020
	0.39	-0.03936	0.39	-0.60092
	0.46	-0.08236	0.46	-0.54823
	0.53	-0.10567	0.53	-0.50333
	0.60	-0.10369	0.60	-0.45724
	0.67	-0.09170	0.67	-0.41676
	0.74	-0.07496	0.74	-0.37742
	0.81	-0.06472	0.81	-0.32554
	0.88	-0.08190	0.88	-0.28226
	0.95	-0.12654	0.95	-0.24354

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
6	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8520	-6.57	-0.02	31.92	100.95	62.81	12.66	322.53
				666.6	2108.4	1311.9	3.86	120.89

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.41208	0.05	-0.99916
	0.06	0.04691	0.10	-1.02534
	0.11	-0.02243	0.20	-1.00527
	0.17	-0.11894	0.35	-0.47207
	0.23	-0.17146	0.50	-0.42345
	0.29	-0.22799	0.65	-0.37543
	0.35	-0.27623	0.80	-0.34396
	0.41	-0.30285	0.95	-0.30160
	0.47	-0.35338		
	0.53	-0.45659		
	0.57	-0.43174		
	0.65	-0.55057		
	0.71	-0.59479		
	0.77	-0.61944		
	0.83	-0.63953		
	0.89	-0.63925		
	0.95	-0.47074		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.78706	0.02	-0.69147
	0.06	0.64640	0.06	-0.65969
	0.11	0.52276	0.11	-0.65481
	0.18	0.38191	0.18	-0.55494
	0.25	0.26645	0.25	-0.52058
	0.32	0.14368	0.32	-0.51833
	0.39	0.06285	0.39	-0.53083
	0.46	0.00102	0.46	-0.51391
	0.53	-0.04797	0.53	-0.51331
	0.6	.07029	0.60	-0.50985
	0.6,	J.07845	0.67	-0.49869
	0.74	-0.08083	0.74	-0.47898
	0.81	-0.07427	0.81	-0.46246
	0.88	-0.11056	0.88	-0.43320
	0.95	-0.20182	0.95	-0.40362

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
6	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.8528	-4.29	-0.02	31.96	100.98	62.78	12.70	322.03
				667.5	2109.1	1311.2	3.87	119.98

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.16647	0.05	-0.79075
0.06	-0.18912	0.10	-0.74542
0.11	-0.21589	0.20	-0.86480
0.17	-0.29009	0.35	-0.89321
0.23	-0.33042	0.50	-0.32906
0.29	-0.37252	0.65	-0.27999
0.35	-0.39758	0.80	-0.24120
0.41	-0.39983	0.95	-0.16395
0.47	-0.44864		
0.53	-0.52268		
0.57	-0.50028		
0.65	-0.61844		
0.71	-0.67669		
0.77	-0.70411		
0.83	-0.47039		
0.89	-0.24797		
0.95	-0.17787		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.76587	0.02	-0.65699
0.06	0.59394	0.06	-0.65826
0.11	0.46238	0.11	-0.66842
0.18	0.31553	0.18	-0.66642
0.25	0.20374	0.25	-0.64200
0.32	0.08348	0.32	-0.60798
0.39	0.00328	0.39	-0.57318
0.46	-0.05469	0.46	-0.53363
0.53	-0.09252	0.53	-0.50175
0.60	-0.10465	0.60	-0.48307
0.67	-0.09658	0.67	-0.45631
0.74	-0.08669	0.74	-0.42103
0.81	-0.082b5	0.81	-0.39297
0.88	-0.10638	0.88	-0.36044
0.95	-0.17930	0.95	-0.32840

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
6	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.8525	-2.04	-0.02	31.94 667.0	100.95 2108.4	62.78 1311.2	12.64 3.85	323.09 121.89

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.11231	0.05	-0.41862
	0.06	-0.46785	0.10	-0.46017
	0.11	-0.44835	0.20	-0.64957
	0.17	-0.52479	0.35	-0.70380
	0.23	-0.55631	0.50	-0.57724
	0.29	-0.58927	0.65	-0.22457
	0.35	-0.56885	0.80	-0.18872
	0.41	-0.58469	0.95	-0.06091
	0.47	-0.58403		
	0.53	-0.65613		
	0.57	-0.63935		
	0.65	-0.73311		
	0.71	-0.76019		
	0.77	-0.35935		
	0.83	-0.18139		
	0.89	-0.09826		
	0.95	-0.02302		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.75400	0.02	-0.66662
	0.06	0.56240	0.06	-0.65750
	0.11	0.42569	0.11	-0.66066
	0.18	0.27542	0.18	-0.65361
	0.25	0.16503	0.25	-0.63184
	0.32	0.04293	0.32	-0.60288
	0.39	-0.04853	0.39	-0.56612
	0.46	-0.09583	0.46	-0.53252
	0.53	-0.13009	0.53	-0.49735
	0.60	-0.13246	0.60	-0.46059
	0.67	-0.11712	0.67	-0.43112
	0.74	-0.10162	0.74	-0.40103
	0.81	-0.08756	0.81	-0.37184
	0.88	-0.10272	0.88	-0.33348
	0.95	-0.16024	0.95	-0.29299

108

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
6	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.8510	0.21	-0.01	31.87 665.7	100.95 2108.4	62.88 1313.2	12.65 3.86	322.68 121.15

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.40717	0.05	-0.18089
	0.06	-0.68834	0.10	-0.30874
	0.11	-0.75402	0.20	-0.45491
	0.17	-0.77356	0.35	-0.59369
	0.23	-0.79626	0.50	-0.75926
	0.29	-0.77060	0.65	-0.22316
	0.35	-0.77272	0.80	-0.14164
	0.41	-0.78790	0.95	0.03961
	0.47	-0.81803		
	0.53	-0.83392		
	0.57	-0.81174		
	0.65	-0.47532		
	0.71	-0.27992		
	0.77	-0.19263		
	0.83	-0.11751		
	0.89	-0.02816		
	0.95	0.04351		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.72084	0.02	-0.72224
	0.06	0.51175	0.06	-0.72264
	0.11	0.37226	0.11	-0.69022
	0.18	0.21822	0.18	-0.64484
	0.25	0.10896	0.25	-0.59965
	0.32	-0.00607	0.32	-0.56431
	0.39	-0.09000	0.39	-0.53253
	0.46	-0.14013	0.46	-0.49214
	0.53	-0.16871	0.53	-0.46063
	0.60	-0.16319	0.60	-0.43115
	0.67	-0.13845	0.67	-0.39677
	0.74	-0.10576	0.74	-0.36410
	0.81	-0.07759	0.81	-0.33419
	0.88	-0.08428	0.88	-0.29428
	0.95	-0.13010	0.95	-0.25665

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
6	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.8508	2.44	-0.01	31.87 665.7	100.98 2109.1	62.91 1313.9	12.61 3.85	323.41 122.47

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.60827	0.05	0.02920
0.06	-0.91255	0.10	-0.13348
0.11	-0.95092	0.20	-0.29328
0.17	-0.97435	0.35	-0.48457
0.23	-0.97532	0.50	-0.67429
0.29	-0.99185	0.65	-0.24307
0.35	-1.00862	0.80	-0.11077
0.41	-0.66087	0.95	0.07939
0.47	-0.45099		
0.53	-0.42365		
0.57	-0.40688		
0.65	-0.37732		
0.71	-0.34648		
0.77	-0.31462		
0.83	-0.27742		
0.89	-0.23945		
0.95	-0.19767		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.69802	0.02	-0.68375
0.06	0.47769	0.06	-0.70731
0.11	0.33322	0.11	-0.65625
0.18	0.18687	0.18	-0.63960
0.25	0.07142	0.25	-0.59873
0.32	-0.05054	0.32	-0.57902
0.39	-0.12654	0.39	-0.50965
0.46	-0.16336	0.46	-0.46713
0.53	-0.17878	0.53	-0.39495
0.60	-0.14651	0.60	-0.38496
0.67	-0.11670	0.67	-0.31399
0.74	-0.08412	0.74	-0.23083
0.81	-0.04643	0.81	-0.19887
0.88	-0.02946	0.88	-0.17424
0.95	-0.02682	0.95	-0.11560

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
6	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.8508	4.69	0.00	31.87 665.7	100.98 2109.1	62.91 1313.9	12.58 3.84	324.10 123.71

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.79854	0.05	0.19559
	0.06	-1.09234	0.10	0.01760
	0.11	-1.10185	0.20	-0.16275
	0.17	-1.11126	0.35	-0.38025
	0.23	-0.95858	0.50	-0.60688
	0.29	-0.71714	0.65	-0.28229
	0.35	-0.56863	0.80	-0.06686
	0.41	-0.55189	0.95	0.14723
	0.47	-0.53464		
	0.53	-0.52912		
	0.57	-0.50215		
	0.65	-0.48304		
	0.71	-0.45010		
	0.77	-0.43276		
	0.83	-0.40542		
	0.89	-0.38453		
	0.95	-0.34958		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.60208	0.02	-1.05830
	0.06	0.44386	0.06	-0.89714
	0.11	0.33200	0.11	-0.74252
	0.18	0.18931	0.18	-0.62810
	0.25	0.08907	0.25	-0.48543
	0.32	-0.01085	0.32	-0.37039
	0.39	-0.07812	0.39	-0.29101
	0.46	-0.11447	0.46	-0.22168
	0.53	-0.13273	0.53	-0.16587
	0.60	-0.10208	0.60	-0.11007
	0.67	-0.07434	0.67	-0.06578
	0.74	-0.03749	0.74	-0.03330
	0.81	0.00851	0.81	0.01443
	0.88	0.03085	0.88	0.04899
	0.95	0.04989	0.95	0.07987

111

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
6	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.8505	7.03	0.02	31.85 665.2	100.95 2108.4	62.91 1313.9	12.61 3.84	323.37 122.40

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.98025	0.05	0.32741
	0.06	-1.20053	0.10	0.15643
	0.11	-1.17569	0.20	-0.03858
	0.17	-1.15022	0.35	-0.27012
	0.23	-0.86626	0.50	-0.53644
	0.29	-0.71774	0.65	-0.26093
	0.35	-0.64665	0.80	0.08514
	0.41	-0.61703	0.95	0.18129
	0.47	-0.59424		
	0.53	-0.56769		
	0.57	-0.56160		
	0.65	-0.54851		
	0.71	-0.55586		
	0.77	-0.53683		
	0.83	-0.51816		
	0.89	-0.50815		
	0.95	-0.48644		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.34976	0.02	-0.57022
	0.06	0.29379	0.06	-0.41463
	0.11	0.21497	0.11	-0.37128
	0.18	0.12754	0.18	-0.29553
	0.25	0.06280	0.25	-0.25359
	0.32	-0.00352	0.32	-0.23303
	0.39	-0.04301	0.39	-0.19820
	0.46	-0.06545	0.46	-0.16330
	0.53	-0.06527	0.53	-0.12386
	0.60	-0.05695	0.60	-0.08355
	0.67	-0.03585	0.67	-0.04173
	0.74	-0.00521	0.74	-0.00373
	0.81	0.02238	0.81	0.03513
	0.88	0.04415	0.88	0.06025
	0.95	0.07050	0.95	0.08981

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
6	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.8548	9.30	-0.01	32.04 669.2	100.98 2109.1	62.65 1308.5	12.61 3.85	323.93 123.41

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.92152	0.05	0.47868
0.06	-0.66452	0.10	0.27080
0.11	-1.03944	0.20	0.06335
0.17	-1.28799	0.35	-0.16474
0.23	-1.18784	0.50	-0.45336
0.29	-0.85385	0.65	-0.21667
0.35	-0.60684	0.80	0.15359
0.41	-0.67388	0.95	0.21134
0.47	-0.55637		
0.53	-0.58951		
0.57	-0.60422		
0.65	-0.61127		
0.71	-0.56215		
0.77	-0.58052		
0.83	-0.58413		
0.89	-0.59055		
0.95	-0.59653		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.10461	0.02	-0.25457
0.06	0.18779	0.06	-0.24183
0.11	0.23344	0.11	-0.21463
0.18	0.14054	0.18	-0.21030
0.25	0.09734	0.25	-0.17904
0.32	0.04179	0.32	-0.15451
0.39	-0.00420	0.39	-0.14703
0.46	-0.02206	0.46	-0.11479
0.53	-0.02007	0.53	-0.08416
0.60	-0.01381	0.60	-0.06351
0.67	-0.00709	0.67	-0.02414
0.74	0.01216	0.74	0.00796
0.81	0.02603	0.81	0.02246
0.88	0.04068	0.88	0.04467
0.95	0.05692	0.95	0.07331

113

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
6	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.8510	11.25	-0.04	31.87	100.95	62.88	12.61	323.44
				665.7	2108.4	1313.2	3.84	122.53

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.51161	0.05	0.55452
	0.06	-0.49492	0.10	0.35344
	0.11	-0.47939	0.20	0.14261
	0.17	-0.49008	0.35	-0.10171
	0.23	-0.50646	0.50	-0.36702
	0.29	-0.50825	0.65	-0.21743
	0.35	-0.50232	0.80	0.17688
	0.41	-0.50856	0.95	0.21794
	0.47	-0.52152		
	0.53	-0.53187		
	0.57	-0.55117		
	0.65	-0.56155		
	0.71	-0.58105		
	0.77	-0.58035		
	0.83	-0.59167		
	0.89	-0.58169		
	0.95	-0.58853		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.27310	0.02	0.36278
	0.06	-0.19938	0.06	0.19642
	0.11	-0.16427	0.11	0.02463
	0.18	-0.12872	0.18	-0.05907
	0.25	-0.10072	0.25	-0.10681
	0.32	-0.09012	0.32	-0.10087
	0.39	-0.06498	0.39	-0.13759
	0.46	-0.06504	0.46	-0.12192
	0.53	-0.05663	0.53	-0.10676
	0.60	-0.04936	0.60	-0.06920
	0.67	-0.04195	0.67	-0.03985
	0.74	-0.02272	0.74	-0.01408
	0.81	0.00046	0.81	0.01533
	0.88	0.01635	0.88	0.02398
	0.95	0.03905	0.95	0.03948

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
6	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.8505	13.36	0.00	31.85	100.95	62.91	12.58	323.95
				665.2	2108.4	1313.9	3.84	123.44

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.47956	0.05	0.64935
	0.06	-0.50055	0.10	0.46227
	0.11	-0.49205	0.20	0.24287
	0.17	-0.49904	0.35	-0.00680
	0.23	-0.49451	0.50	-0.25461
	0.29	-0.51819	0.65	-0.16900
	0.35	-0.51014	0.80	0.21097
	0.41	-0.50784	0.95	0.23929
	0.47	-0.52049		
	0.53	-0.55141		
	0.57	-0.54408		
	0.65	-0.55227		
	0.71	-0.57759		
	0.77	-0.56824		
	0.83	-0.57819		
	0.89	-0.58618		
	0.95	-0.59594		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.31221	0.02	0.16553
	0.06	-0.24398	0.06	0.13609
	0.11	-0.21148	0.11	0.07143
	0.18	-0.19261	0.18	0.01147
	0.25	-0.17983	0.25	-0.02135
	0.32	-0.14332	0.32	-0.05698
	0.39	-0.12411	0.39	-0.11406
	0.46	-0.11048	0.46	-0.11611
	0.53	-0 12284	0.53	-0.12179
	0.60	-0.08055	0.60	-0.10631
	0.67	-0.08154	0.67	-0.07737
	0.74	-0.07308	0.74	-0.05572
	0.81	-0.07154	0.81	-0.05017
	0.88	-0.05800	0.88	-0.04509
	0.95	-0.04569	0.95	-0.03733

115

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
6	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.8505	15.48	-0.04	31.85 665.2	100.95 2108.4	62.91 1313.9	12.58 3.83	324.12 123.75

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.50990	0.05	0.71875
0.06	-0.49215	0.10	0.52291
0.11	-0.47916	0.20	0.31887
0.17	-0.49564	0.35	0.07862
0.23	-0.48443	0.50	-0.14853
0.29	-0.49694	0.65	-0.11792
0.35	-0.49543	0.80	0.22770
0.41	-0.50674	0.95	0.25506
0.47	-0.51618		
0.53	-0.51031		
0.57	-0.51341		
0.65	-0.53543		
0.71	-0.54595		
0.77	-0.55427		
0.83	-0.56932		
0.89	-0.54008		
0.95	-0.54969		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.33068	0.02	0.26919
0.06	-0.29701	0.06	0.20713
0.11	-0.26914	0.11	0.12747
0.18	-0.23238	0.18	0.03888
0.25	-0.23071	0.25	-0.07789
0.32	-0.22437	0.32	-0.16371
0.39	-0.22420	0.39	-0.14644
0.46	-0.23029	0.46	-0.17379
0.53	-0.20869	0.53	-0.17605
0.60	-0.19758	0.60	-0.17431
0.67	-0.19006	0.67	-0.15211
0.74	-0.17982	0.74	-0.11664
0.81	-0.16866	0.81	-0.10703
0.88	-0.14711	0.88	-0.10458
0.95	-0.12397	0.95	-0.10891

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
6	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.8522	17.67	-0.13	31.91 / 666.5	100.92 / 2107.7	62.78 / 1311.2	12.61 / 3.84	323.54 / 122.70

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.48078	0.05	0.79584
	0.06	-0.50079	0.10	0.61484
	0.11	-0.51224	0.20	0.40502
	0.17	-0.49541	0.35	0.17192
	0.23	-0.49622	0.50	-0.05442
	0.29	-0.48095	0.65	-0.04727
	0.35	-0.49750	0.80	0.26159
	0.41	-0.51243	0.95	0.27332
	0.47	-0.51766		
	0.53	-0.50294		
	0.57	-0.49664		
	0.65	-0.50556		
	0.71	-0.51882		
	0.77	-0.51555		
	0.83	-0.52809		
	0.89	-0.51966		
	0.95	-0.51285		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.34368	0.02	0.37363
	0.06	-0.30375	0.06	0.28649
	0.11	-0.26482	0.11	0.17423
	0.18	-0.26509	0.18	0.04284
	0.25	-0.26260	0.25	-0.05226
	0.32	-0.25981	0.32	-0.12921
	0.39	-0.26133	0.39	-0.15265
	0.46	-0.25075	0.46	-0.19900
	0.53	-0.25251	0.53	-0.21746
	0.60	-0.24795	0.60	-0.23291
	0.67	-0.24223	0.67	-0.19817
	0.74	-0.23311	0.74	-0.17219
	0.81	-0.22204	0.81	-0.15704
	0.88	-0.21459	0.88	-0.16491
	0.95	-0.20056	0.95	-0.17511

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
7	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.6003	-6.17	-0.01	19.96 416.9	100.95 2108.4	79.12 1652.5	10.91 3.32	309.20 96.89

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.53067	0.05	-1.72002
	0.06	0.15708	0.10	-1.01378
	0.11	0.02981	0.20	-0.85306
	0.17	-0.06274	0.35	-0.68545
	0.23	-0.09210	0.50	-0.54311
	0.29	-0.13925	0.65	-0.15534
	0.35	-0.15206	0.80	0.08129
	0.41	-0.17532	0.95	0.18263
	0.47	-0.20142		
	0.53	-0.23937		
	0.57	-0.21593		
	0.65	-0.23619		
	0.71	-0.21026		
	0.77	-0.17532		
	0.83	-0.13557		
	0.89	-0.08147		
	0.95	0.00119		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.91778	0.02	0.40815
	0.06	-0.61538	0.06	0.20647
	0.11	-0.48422	0.11	0.07860
	0.18	-0.47487	0.18	-0.02360
	0.25	-0.44927	0.25	-0.08311
	0.32	-0.44812	0.32	-0.12855
	0.39	-0.40362	0.39	-0.15440
	0.46	-0.34175	0.46	-0.14769
	0.53	-0.27630	0.53	-0.13156
	0.60	-0.19856	0.60	-0.10255
	0.67	-0.12339	0.67	-0.04949
	0.74	-0.05234	0.74	-0.00283
	0.81	0.01231	0.81	0.03453
	0.88	0.07611	0.88	0.06805
	0.95	0.14623	0.95	0.12369

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
7	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.6013	-3.93	-0.01	20.02 418.1	100.98 2109.1	79.09 1651.8	10.91 3.33	309.46 97.36

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.19406	0.05	-0.92296
0.06	-0.11216	0.10	-0.74030
0.11	-0.18455	0.20	-0.65769
0.17	-0.20241	0.35	-0.57140
0.23	-0.22683	0.50	-0.50135
0.29	-0.26379	0.65	-0.14265
0.35	-0.26573	0.80	0.13731
0.41	-0.27158	0.95	0.24269
0.47	-0.28043		
0.53	-0.30805		
0.57	-0.27423		
0.65	-0.28343		
0.71	-0.25073		
0.77	-0.20960		
0.83	-0.16491		
0.89	-0.08943		
0.95	-0.00378		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-1.22253	0.02	0.49921
0.06	-0.64178	0.06	0.28758
0.11	-0.57839	0.11	0.14267
0.18	-0.53801	0.18	0.03143
0.25	-0.49695	0.25	-0.04090
0.32	-0.48784	0.32	-0.09600
0.39	-0.42136	0.39	-0.12142
0.46	-0.35145	0.46	-0.12078
0.53	-0.28210	0.53	-0.11398
0.60	-0.20207	0.60	-0.09143
0.67	-0.12508	0.67	-0.03958
0.74	-0.05039	0.74	0.00728
0.81	0.01735	0.81	0.04116
0.88	0.07884	0.88	0.07182
0.95	0.14803	0.95	0.12089

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
7	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.5997	-1.70	-0.01	19.93 416.3	100.98 2109.1	79.19 1653.9	10.86 3.31	310.12 98.54

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.21956	0.05	-0.49919
0.06	-0.39590	0.10	-0.48593
0.11	-0.40658	0.20	-0.48779
0.17	-0.40699	0.35	-0.47134
0.23	-0.40392	0.50	-0.43454
0.29	-0.40389	0.65	-0.12623
0.35	-0.38684	0.80	0.16299
0.41	-0.37551	0.95	0.26247
0.47	-0.38074		
0.53	-0.39289		
0.57	-0.34444		
0.65	-0.33913		
0.71	-0.29984		
0.77	-0.24252		
0.83	-0.18276		
0.89	-0.11576		
0.95	-0.01997		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.51718	0.02	0.56530
0.06	-0.74910	0.06	0.34654
0.11	-0.67972	0.11	0.19643
0.18	-0.60787	0.18	0.06947
0.25	-0.55195	0.25	-0.00994
0.32	-0.52301	0.32	-0.06397
0.39	-0.47082	0.39	-0.10165
0.46	-0.39155	0.46	-0.10718
0.53	-0.31363	0.53	-0.10323
0.60	-0.21653	0.60	-0.07713
0.67	-0.13759	0.67	-0.03467
0.74	-0.06464	0.74	0.00491
0.81	0.01303	0.81	0.03635
0.88	0.07673	0.88	0.06593
0.95	0.14239	0.95	0.10996

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
7	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.6008	0.49	-0.01	19.99	100.98	79.12	10.86	310.42
				417.5	2109.1	1652.5	3.31	99.08

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.73092	0.05	-0.15399
0.06	-0.79029	0.10	-0.25109
0.11	-0.66620	0.20	-0.31230
0.17	-0.60729	0.35	-0.36088
0.23	-0.55928	0.50	-0.35401
0.29	-0.52338	0.65	-0.09491
0.35	-0.50036	0.80	0.19739
0.41	-0.47584	0.95	0.28835
0.47	-0.46365		
0.53	-0.46695		
0.57	-0.41202		
0.65	-0.38423		
0.71	-0.33362		
0.77	-0.26876		
0.83	-0.20237		
0.89	-0.12345		
0.95	-0.02278		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.83359	0.02	0.62826
0.06	-1.01001	0.06	0.40011
0.11	-0.77198	0.11	0.24475
0.18	-0.67010	0.18	0.11487
0.25	-0.59983	0.25	0.02772
0.32	-0.56009	0.32	-0.03286
0.39	-0.47630	0.39	-0.07867
0.46	-0.39008	0.46	-0.09026
0.53	-0.30915	0.53	-0.09259
0.60	-0.21567	0.60	-0.06531
0.67	-0.13680	0.67	-0.02843
0.74	-0.06022	0.74	0.00962
0.81	0.01232	0.81	0.04023
0.88	0.07368	0.88	0.06429
0.95	0.13491	0.95	0.10838

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
7	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.6003	2.72	-0.01	19.96	100.95	79.12	10.84	310.60
				416.9	2108.4	1652.5	3.30	99.41

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.52558	0.05	0.11970
0.06	-1.26157	0.10	-0.03562
0.11	-0.90264	0.20	-0.16439
0.17	-0.82843	0.35	-0.25329
0.23	-0.71931	0.50	-0.29253
0.29	-0.64517	0.65	-0.08945
0.35	-0.62036	0.80	0.21294
0.41	-0.56942	0.95	0.29978
0.47	-0.54152		
0.53	-0.52436		
0.57	-0.46850		
0.65	-0.42248		
0.71	-0.36011		
0.77	-0.28930		
0.83	-0.21249		
0.89	-0.12661		
0.95	-0.02783		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.91429	0.02	0.66599
0.06	-1.35583	0.06	0.44329
0.11	-0.88258	0.11	0.27924
0.18	-0.70399	0.18	0.14494
0.25	-0.62005	0.25	0.05097
0.32	-0.56693	0.32	-0.01521
0.39	-0.49759	0.39	-0.06104
0.46	-0.41154	0.46	-0.07713
0.53	-0.32484	0.53	-0.08142
0.60	-0.22028	0.60	-0.05502
0.67	-0.13675	0.67	-0.02184
0.74	-0.05935	0.74	0.01165
0.81	0.00459	0.81	0.03690
0.88	0.06643	0.88	0.05231
0.95	0.12980	0.95	0.08974

122

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
7	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.5997	4.98	-0.01	19.93 416.3	100.98 2109.1	79.19 1653.9	10.84 3.30	310.53 99.28

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-2.24814	0.05	0.32894
	0.06	-2.12751	0.10	0.12388
	0.11	-1.08878	0.20	-0.02669
	0.17	-0.97369	0.35	-0.16135
	0.23	-0.87136	0.50	-0.22898
	0.29	-0.78836	0.65	-0.06947
	0.35	-0.71135	0.80	0.22926
	0.41	-0.64607	0.95	0.29761
	0.47	-0.60375		
	0.53	-0.56187		
	0.57	-0.50501		
	0.65	-0.44599		
	0.71	-0.37174		
	0.77	-0.28941		
	0.83	-0.20398		
	0.89	-0.11880		
	0.95	-0.02903		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.75569	0.02	0.69238
	0.06	-1.67960	0.06	0.48023
	0.11	-1.28178	0.11	0.30968
	0.18	-0.87359	0.18	0.15836
	0.25	-0.68184	0.25	0.06190
	0.32	-0.60308	0.32	-0.00320
	0.39	-0.53298	0.39	-0.05196
	0.46	-0.43849	0.46	-0.06914
	0.53	-0.35133	0.53	-0.07744
	0.60	-0.25048	0.60	-0.06942
	0.67	-0.16808	0.67	-0.03772
	0.74	-0.08683	0.74	-0.00489
	0.81	-0.02777	0.81	0.02350
	0.88	0.03524	0.88	0.03862
	0.95	0.10086	0.95	0.06032

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
7	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.6003	7.15	-0.01	19.96	100.95	79.12	10.82	311.09
				416.9	2108.4	1652.5	3.30	100.29

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-2.44898	0.05	0.49495
0.06	-2.31067	0.10	0.26878
0.11	-1.88029	0.20	0.08356
0.17	-1.46994	0.35	-0.07685
0.23	-1.16213	0.50	-0.17171
0.29	-0.91835	0.65	-0.06058
0.35	-0.77594	0.80	0.23460
0.41	-0.68300	0.95	0.29743
0.47	-0.61354		
0.53	-0.55220		
0.57	-0.48308		
0.65	-0.39505		
0.71	-0.34621		
0.77	-0.27516		
0.83	-0.21035		
0.89	-0.14391		
0.95	-0.08391		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.71512	0.02	0.70151
0.06	-1.64294	0.06	0.47905
0.11	-1.44365	0.11	0.30802
0.18	-1.11423	0.18	0.15319
0.25	-0.80795	0.25	0.05767
0.32	-0.62090	0.32	-0.00589
0.39	-0.50967	0.39	-0.05080
0.46	-0.41577	0.46	-0.06325
0.53	-0.32679	0.53	-0.07016
0.60	-0.24272	0.60	-0.05649
0.67	-0.16488	0.67	-0.02527
0.74	-0.09492	0.74	0.00085
0.81	-0.03103	0.81	0.01906
0.88	0.02336	0.88	0.01664
0.95	0.07428	0.95	0.00557

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
7	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.6003	9.18	-0.02	19.96 416.9	100.95 2108.4	79.12 1652.5	10.80 3.29	311.44 100.93

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.18695	0.05	0.54361
0.06	-1.29667	0.10	0.32662
0.11	-1.19668	0.20	0.12320
0.17	-1.08675	0.35	-0.06546
0.23	-1.02953	0.50	-0.19158
0.29	-0.94315	0.65	-0.12819
0.35	-0.82936	0.80	0.16684
0.41	-0.77005	0.95	0.18802
0.47	-0.73643		
0.53	-0.65173		
0.57	-0.61816		
0.65	-0.55347		
0.71	-0.51734		
0.77	-0.47727		
0.83	-0.45380		
0.89	-0.44093		
0.95	-0.38367		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.87601	0.02	0.32830
0.06	-1.23738	0.06	0.32290
0.11	-0.96857	0.11	0.24900
0.18	-0.76970	0.18	0.20252
0.25	-0.65280	0.25	0.17901
0.32	-0.56652	0.32	0.12846
0.39	-0.48014	0.39	0.10304
0.46	-0.41531	0.46	0.08151
0.53	-0.33639	0.53	0.05304
0.60	-0.26933	0.60	0.05819
0.67	-0.21412	0.67	0.05765
0.74	-0.16346	0.74	0.05337
0.81	-0.09405	0.81	0.04976
0.88	-0.04724	0.88	0.04218
0.95	-0.01294	0.95	0.03048

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
7	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.6002	11.11	-0.04	19.96 416.9	100.98 2109.1	79.16 1653.2	10.78 3.29	311.91 101.77

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.64694	0.05	0.55815
	0.06	-0.58969	0.10	0.35017
	0.11	-0.74604	0.20	0.14175
	0.17	-0.57927	0.35	-0.05096
	0.23	-0.60810	0.50	-0.21330
	0.29	-0.58538	0.65	-0.18134
	0.35	-0.62775	0.80	0.11762
	0.41	-0.65562	0.95	0.10762
	0.47	-0.66336		
	0.53	-0.62741		
	0.57	-0.66399		
	0.65	-0.61025		
	0.71	-0.60250		
	0.77	-0.60642		
	0.83	-0.60420		
	0.89	-0.55267		
	0.95	-0.52542		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.07283	0.02	0.30308
	0.06	-0.98398	0.06	0.48363
	0.11	-0.85461	0.11	0.43330
	0.18	-0.72370	0.18	0.36643
	0.25	-0.64190	0.25	0.34512
	0.32	-0.55110	0.32	0.29661
	0.39	-0.47658	0.39	0.23601
	0.46	-0.40057	0.46	0.19141
	0.53	-0.33565	0.53	0.14672
	0.60	-0.34662	0.60	0.12761
	0.67	-0.25698	0.67	0.11067
	0.74	-0.19750	0.74	0.10206
	0.81	-0.19445	0.81	0.07781
	0.88	-0.15021	0.88	0.04749
	0.95	-0.12053	0.95	-0.00418

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
7	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.6013	-1.69	-0.01	20.02	100.98	79.09	10.83	311.26
				418.1	2109.1	1651.8	3.30	100.59

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.14090	0.05	-0.53283
	0.06	-0.40127	0.10	-0.51231
	0.11	-0.42236	0.20	-0.50503
	0.17	-0.37758	0.35	-0.48177
	0.23	-0.38531	0.50	-0.43709
	0.29	-0.38465	0.65	-0.12492
	0.35	-0.39463	0.80	0.16282
	0.41	-0.37932	0.95	0.25688
	0.47	-0.37063		
	0.53	-0.38160		
	0.57	-0.33975		
	0.65	-0.33526		
	0.71	-0.29902		
	0.77	-0.24497		
	0.83	-0.18741		
	0.89	-0.11784		
	0.95	-0.02083		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.51419	0.02	0.56028
	0.06	-0.74913	0.06	0.34391
	0.11	-0.65865	0.11	0.18768
	0.18	-0.59989	0.18	0.06448
	0.25	-0.54394	0.25	-0.01451
	0.32	-0.51648	0.32	-0.07026
	0.39	-0.45548	0.39	-0.10346
	0.46	-0.37799	0.46	-0.10929
	0.53	-0.30055	0.53	-0.10431
	0.60	-0.21177	0.60	-0.07471
	0.67	-0.13157	0.67	-0.03280
	0.74	-0.05491	0.74	0.00929
	0.81	0.01167	0.81	0.04261
	0.88	0.07539	0.88	0.06734
	0.95	0.14333	0.95	0.11310

127

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
8	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7808	-6.33	-0.02	28.76 / 600.6	100.81 / 2105.5	67.40 / 1407.6	12.18 / 3.71	321.43 / 118.90

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.44259	0.05	-1.31425
0.06	0.10159	0.10	-1.27956
0.11	-0.01409	0.20	-1.30390
0.17	-0.09649	0.35	-0.69550
0.23	-0.14009	0.50	-0.50213
0.29	-0.19230	0.65	-0.31904
0.35	-0.24306	0.80	-0.15899
0.41	-0.26937	0.95	-0.01317
0.47	-0.32206		
0.53	-0.37330		
0.57	-0.34342		
0.65	-0.38077		
0.71	-0.35673		
0.77	-0.30790		
0.83	-0.27291		
0.89	-0.22346		
0.95	-0.16307		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-1.04897	0.02	0.41958
0.06	-0.79627	0.06	0.22645
0.11	-0.53452	0.11	0.09325
0.18	-0.56421	0.18	-0.02788
0.25	-0.54373	0.25	-0.09575
0.32	-0.54710	0.32	-0.14105
0.39	-0.47296	0.39	-0.17491
0.46	-0.37823	0.46	-0.17351
0.53	-0.28968	0.53	-0.15876
0.60	-0.19312	0.60	-0.11073
0.67	-0.10527	0.67	-0.05072
0.74	-0.02410	0.74	0.00601
0.81	0.04783	0.81	0.04900
0.88	0.11189	0.88	0.08917
0.95	0.18142	0.95	0.14719

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
8	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.7795	-4.11	-0.02	28.71 599.7	100.85 2106.2	67.50 1409.8	12.17 3.71	321.69 119.37

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.20800	0.05	-1.08003
	0.06	-0.11596	0.10	-0.97154
	0.11	-0.19095	0.20	-0.90980
	0.17	-0.25621	0.35	-0.92702
	0.23	-0.27440	0.50	-0.41416
	0.29	-0.30751	0.65	-0.12521
	0.35	-0.32995	0.80	-0.02725
	0.41	-0.33986	0.95	0.14106
	0.47	-0.36510		
	0.53	-0.40299		
	0.57	-0.35675		
	0.65	-0.35999		
	0.71	-0.29506		
	0.77	-0.22676		
	0.83	-0.15612		
	0.89	-0.07708		
	0.95	0.02466		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.31722	0.02	0.51393
	0.06	-1.21859	0.06	0.30294
	0.11	-0.67926	0.11	0.15956
	0.18	-0.72751	0.18	0.03783
	0.25	-0.68427	0.25	-0.04611
	0.32	-0.61494	0.32	-0.10271
	0.39	-0.49837	0.39	-0.14501
	0.46	-0.39283	0.46	-0.14904
	0.53	-0.29520	0.53	-0.14265
	0.60	-0.18246	0.60	-0.09802
	0.67	-0.09237	0.67	-0.04032
	0.74	-0.01099	0.74	0.01254
	0.81	0.05468	0.81	0.05492
	0.88	0.11781	0.88	0.08956
	0.95	0.18503	0.95	0.14226

129

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
8	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.7797	-1.60	-0.02	28.71 599.7	100.81 2105.5	67.47 1409.1	12.15 3.70	321.99 119.91

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.18004	0.05	-0.50402
	0.06	-0.44395	0.10	-0.53101
	0.11	-0.48427	0.20	-0.65185
	0.17	-0.49982	0.35	-0.73122
	0.23	-0.49789	0.50	-0.52589
	0.29	-0.49844	0.65	-0.07955
	0.35	-0.48725	0.80	0.13505
	0.41	-0.48145	0.95	0.25187
	0.47	-0.48799		
	0.53	-0.49470		
	0.57	-0.43353		
	0.65	-0.40343		
	0.71	-0.32201		
	0.77	-0.23860		
	0.83	-0.15439		
	0.89	-0.06646		
	0.95	0.04708		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.43312	0.02	0.55982
	0.06	-1.31906	0.06	0.34734
	0.11	-1.25369	0.11	0.20240
	0.18	-0.72977	0.18	0.06546
	0.25	-0.81946	0.25	-0.01681
	0.32	-0.68406	0.32	-0.07772
	0.39	-0.47771	0.39	-0.12464
	0.46	-0.38283	0.46	-0.13303
	0.53	-0.29052	0.53	-0.12837
	0.60	-0.18376	0.60	-0.10160
	0.67	-0.09668	0.67	-0.04667
	0.74	-0.01639	0.74	0.00714
	0.81	0.04907	0.81	0.03994
	0.88	0.11134	0.88	0.07185
	0.95	0.17317	0.95	0.12172

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
8	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.7806	0.66	-0.02	28.76 600.7	100.85 2106.2	67.43 1408.4	12.16 3.71	321.93 119.81

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.62369	0.05	-0.17896
	0.06	-0.90938	0.10	-0.28683
	0.11	-0.95227	0.20	-0.41428
	0.17	-0.86281	0.35	-0.52591
	0.23	-0.78572	0.50	-0.51988
	0.29	-0.78951	0.65	-0.08552
	0.35	-0.66825	0.80	0.18672
	0.41	-0.60429	0.95	0.29144
	0.47	-0.56666		
	0.53	-0.57470		
	0.57	-0.48945		
	0.65	-0.43231		
	0.71	-0.34468		
	0.77	-0.25396		
	0.83	-0.16476		
	0.89	-0.07174		
	0.95	0.03385		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.48965	0.02	0.60317
	0.06	-1.42118	0.06	0.38627
	0.11	-1.32740	0.11	0.23149
	0.18	-1.01421	0.18	0.09662
	0.25	-0.84534	0.25	-0.00010
	0.32	-0.80604	0.32	-0.06742
	0.39	-0.45899	0.39	-0.11770
	0.46	-0.37878	0.46	-0.13053
	0.53	-0.29888	0.53	-0.12960
	0.60	-0.19958	0.60	-0.10440
	0.67	-0.10965	0.67	-0.05467
	0.74	-0.02295	0.74	-0.00828
	0.81	0.04146	0.81	0.03207
	0.88	0.10340	0.88	0.05610
	0.95	0.15953	0.95	0.10257

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
8	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.7818	3.12	-0.01	28.83 602.2	100.92 2107.7	67.40 1407.6	12.33 3.76	318.91 114.36

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.92050	0.05	0.09254
	0.06	-1.20408	0.10	-0.07384
	0.11	-1.23125	0.20	-0.22180
	0.17	-1.21700	0.35	-0.35362
	0.23	-1.22167	0.50	-0.40803
	0.29	-1.19640	0.65	-0.07807
	0.35	-1.20373	0.80	0.22911
	0.41	-1.14344	0.95	0.32497
	0.47	-0.85608		
	0.53	-0.47599		
	0.57	-0.41275		
	0.65	-0.33086		
	0.71	-0.26979		
	0.77	-0.20097		
	0.83	-0.13224		
	0.89	-0.05196		
	0.95	0.03662		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.53327	0.02	0.61932
	0.06	-1.48483	0.06	0.40431
	0.11	-1.39246	0.11	0.24594
	0.18	-1.26936	0.18	0.10813
	0.25	-0.78515	0.25	0.01466
	0.32	-0.57756	0.32	-0.05071
	0.39	-0.48902	0.39	-0.10805
	0.46	-0.42432	0.46	-0.12158
	0.53	-0.33597	0.53	-0.12504
	0.60	-0.24396	0.60	-0.09664
	0.67	-0.14357	0.67	-0.05006
	0.74	-0.08764	0.74	-0.00819
	0.81	-0.00797	0.81	0.02102
	0.88	0.06862	0.88	0.03639
	0.95	0.12481	0.95	0.06612

132

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
8	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.7804	5.19	0.00	28.76	100.88	67.47	12.32	318.83
				600.7	2107.0	1409.1	3.75	114.22

WING

UPPER SURFACE

X/C	CP
0.02	-1.11186
0.06	-1.36111
0.11	-1.38671
0.17	-1.37504
0.23	-1.29133
0.29	-0.99525
0.35	-0.76111
0.41	-0.73862
0.47	-0.67754
0.53	-0.62940
0.57	-0.57827
0.65	-0.49850
0.71	-0.43381
0.77	-0.37678
0.83	-0.33663
0.89	-0.26401
0.95	-0.22474

LOWER SURFACE

X/C	CP
0.05	0.25528
0.10	0.04991
0.20	-0.11476
0.35	-0.29118
0.50	-0.40594
0.65	-0.15173
0.80	0.18384
0.95	0.23152

HORIZ. TAIL

UPPER SURFACE

X/C	CP
0.02	-1.51210
0.06	-1.47872
0.11	-1.38880
0.18	-1.27981
0.25	-0.83220
0.32	-0.51474
0.39	-0.43985
0.46	-0.36245
0.53	-0.28329
0.60	-0.19409
0.67	-0.11799
0.74	-0.05649
0.81	-0.00338
0.88	0.04886
0.95	0.10144

LOWER SURFACE

X/C	CP
0.02	0.46384
0.06	0.30236
0.11	0.18525
0.18	0.09783
0.25	0.05422
0.32	0.01483
0.39	-0.01894
0.46	-0.03827
0.53	-0.03585
0.60	-0.01894
0.67	0.00502
0.74	0.03117
0.81	0.04477
0.88	0.05422
0.95	0.07693

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
8	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.7804	7.33	0.00	28.76 600.7	100.88 2107.0	67.47 1409.1	12.31 3.75	318.88 114.32

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.22089	0.05	0.37347
	0.06	-1.32371	0.10	0.17287
	0.11	-1.17383	0.20	-0.01634
	0.17	-0.95757	0.35	-0.20809
	0.23	-0.97887	0.50	-0.37626
	0.29	-0.81524	0.65	-0.19200
	0.35	-0.78613	0.80	0.17208
	0.41	-0.72453	0.95	0.21032
	0.47	-0.70732		
	0.53	-0.65703		
	0.57	-0.61113		
	0.65	-0.57201		
	0.71	-0.54677		
	0.77	-0.51138		
	0.83	-0.47569		
	0.89	-0.47373		
	0.95	-0.42760		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.42233	0.02	0.37439
	0.06	-1.24224	0.06	0.33462
	0.11	-1.01647	0.11	.28002
	0.18	-0.74938	0.18	0.21078
	0.25	-0.61529	0.25	0.17718
	0.32	-0.54694	0.32	0.13260
	0.39	-0.47047	0.39	0.09141
	0.46	-0.38803	0.46	0.06716
	0.53	-0.31207	0.53	0.04475
	0.60	-0.24135	0.60	0.04367
	0.67	-0.17187	0.67	0.04474
	0.74	-0.09297	0.74	0.05106
	0.81	-0.09084	0.81	0.05022
	0.88	-0.03439	0.88	0.03376
	0.95	0.02209	0.95	0.02279

134

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
8	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.7802	9.38	-0.03	28.77 600.8	100.92 2107.7	67.50 1409.8	12.26 3.74	319.99 116.31

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.61591	0.05	0.47624
0.06	-0.59833	0.10	0.26033
0.11	-0.60677	0.20	0.05663
0.17	-0.58870	0.35	-0.16141
0.23	-0.59278	0.50	-0.35359
0.29	-0.57358	0.65	-0.22127
0.35	-0.57568	0.80	0.15035
0.41	-0.58769	0.95	0.17867
0.47	-0.58565		
0.53	-0.58173		
0.57	-0.57659		
0.65	-0.57219		
0.71	-0.59661		
0.77	-0.58653		
0.83	-0.56987		
0.89	-0.55870		
0.95	-0.52523		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.81195	0.02	0.30035
0.06	-0.71908	0.06	0.38116
0.11	-0.67430	0.11	0.40265
0.18	-0.61684	0.18	0.34293
0.25	-0.52916	0.25	0.33026
0.32	-0.46381	0.32	0.29612
0.39	-0.46824	0.39	0.21751
0.46	-0.41605	0.46	0.17967
0.53	-0.36007	0.53	0.14380
0.60	-0.28104	0.60	0.10216
0.67	-0.25690	0.67	0.10029
0.74	-0.22222	0.74	0.08984
0.81	-0.19871	0.81	0.07548
0.88	-0.17408	0.88	0.05570
0.95	-0.13890	0.95	-0.00476

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
8	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.7797	11.38	0.03	28.74 600.3	100.92 2107.7	67.54 1410.5	12.27 3.74	319.69 115.77

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.48592	0.05	0.53798
	0.06	-0.48402	0.10	0.32992
	0.11	-0.49202	0.20	0.11924
	0.17	-0.47962	0.35	-0.10614
	0.23	-0.48913	0.50	-0.31644
	0.29	-0.50926	0.65	-0.23871
	0.35	-0.50016	0.80	0.13993
	0.41	-0.51190	0.95	0.16244
	0.47	-0.51765		
	0.53	-0.53611		
	0.57	-0.53978		
	0.65	-0.55260		
	0.71	-0.55736		
	0.77	-0.57857		
	0.83	-0.59268		
	0.89	-0.59191		
	0.95	-0.58415		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.45884	0.02	0.51549
	0.06	-0.43245	0.06	0.65875
	0.11	-0.43307	0.11	0.64728
	0.18	-0.40141	0.18	0.60475
	0.25	-0.39598	0.25	0.52744
	0.32	-0.38204	0.32	0.44931
	0.39	-0.35706	0.39	0.35553
	0.46	-0.33233	0.46	0.30353
	0.53	-0.32355	0.53	0.24431
	0.60	-0.31247	0.60	0.19298
	0.67	-0.29539	0.67	0.15394
	0.74	-0.27695	0.74	0.12890
	0.81	-0.24337	0.81	0.09010
	0.88	-0.23615	0.88	0.02733
	0.95	-0.21986	0.95	-0.06001

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
8	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.7797	-1.68	-0.01	28.74 600.3	100.92 2107.7	67.54 1410.5	12.29 3.75	319.24 114.96

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.14749	0.05	-0.55418
	0.06	-0.42636	0.10	-0.56160
	0.11	-0.46347	0.20	-0.67796
	0.17	-0.45084	0.35	-0.76166
	0.23	-0.45419	0.50	-0.51720
	0.29	-0.48162	0.65	-0.08085
	0.35	-0.48046	0.80	0.12093
	0.41	-0.49662	0.95	0.24412
	0.47	-0.47464		
	0.53	-0.49025		
	0.57	-0.42891		
	0.65	-0.39742		
	0.71	-0.32657		
	0.77	-0.24155		
	0.83	-0.15761		
	0.89	-0.07078		
	0.95	0.04224		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.43620	0.02	0.55756
	0.06	-1.31217	0.06	0.34790
	0.11	-1.23360	0.11	0.19820
	0.18	-0.75093	0.18	0.07004
	0.25	-0.81593	0.25	-0.01824
	0.32	-0.73584	0.32	-0.08341
	0.39	-0.47952	0.39	-0.13094
	0.46	-0.38091	0.46	-0.13929
	0.53	-0.28786	0.53	-0.13016
	0.60	-0.18667	0.60	-0.09946
	0.67	-0.09569	0.67	-0.04050
	0.74	-0.01363	0.74	0.01299
	0.81	0.05291	0.81	0.05150
	0.88	0.11409	0.88	0.07922
	0.95	0.17478	0.95	0.12632

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
9	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8488	-6.18	-0.01	31.76 663.4	100.88 2107.0	62.98 1315.3	12.47 3.80	325.93 127.01

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.38476	0.05	-1.00564
0.06	0.05873	0.10	-1.02474
0.11	-0.03965	0.20	-1.04217
0.17	-0.14070	0.35	-0.48360
0.23	-0.18120	0.50	-0.43138
0.29	-0.23822	0.65	-0.39006
0.35	-0.28162	0.80	-0.35409
0.41	-0.29819	0.95	-0.31528
0.47	-0.36081		
0.53	-0.47387		
0.57	-0.44364		
0.65	-0.56631		
0.71	-0.61248		
0.77	-0.65103		
0.83	-0.66664		
0.89	-0.69388		
0.95	-0.41455		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.57840	0.02	0.32000
0.06	-0.47922	0.06	0.14132
0.11	-0.40909	0.11	0.01564
0.18	-0.52372	0.18	-0.07886
0.25	-0.55058	0.25	-0.14667
0.32	-0.63012	0.32	-0.19645
0.39	-0.74163	0.39	-0.22862
0.46	-0.48445	0.46	-0.22180
0.53	-0.22206	0.53	-0.19498
0.60	-0.13439	0.60	-0.13607
0.67	-0.06129	0.67	-0.06108
0.74	0.01247	0.74	0.00634
0.81	0.08148	0.81	0.06180
0.88	0.14005	0.88	0.10520
0.95	0.20666	0.95	0.17179

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
9	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.8505	-3.85	-0.02	31.82	100.85	62.84	12.48	325.84
				664.6	2106.2	1312.5	3.80	126.84

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.14929	0.05	-0.78142
0.06	-0.16234	0.10	-0.72734
0.11	-0.24391	0.20	-0.79275
0.17	-0.30452	0.35	-0.93763
0.23	-0.33543	0.50	-0.36195
0.29	-0.37451	0.65	-0.30467
0.35	-0.41938	0.80	-0.24664
0.41	-0.39550	0.95	-0.14002
0.47	-0.47676		
0.53	-0.55064		
0.57	-0.52694		
0.65	-0.65229		
0.71	-0.70041		
0.77	-0.71782		
0.83	-0.36107		
0.89	-0.22585		
0.95	-0.15711		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.02457	0.02	0.44413
0.06	-0.91917	0.06	0.27110
0.11	-0.76777	0.11	0.13259
0.18	-0.62468	0.18	0.00854
0.25	-0.70108	0.25	-0.08323
0.32	-0.74405	0.32	-0.14312
0.39	-0.84472	0.39	-0.17368
0.46	-0.78082	0.46	-0.18076
0.53	-0.28002	0.53	-0.16454
0.60	-0.15159	0.60	-0.12404
0.67	-0.06585	0.67	-0.05455
0.74	0.00768	0.74	0.00916
0.81	0.07436	0.81	0.05489
0.88	0.13612	0.88	0.09281
0.95	0.19748	0.95	0.14929

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
9	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.8483	-1.64	-0.02	31.74	100.88	63.01	12.41	327.04
				662.9	2107.0	1315.9	3.78	129.00

WING		UPPER SURFACE		LOWER SURFACE
	X/C	CP	X/C	CP
	0.02	-0.12354	0.05	-0.41338
	0.06	-0.43347	0.10	-0.45655
	0.11	-0.47837	0.20	-0.66620
	0.17	-0.52911	0.35	-0.71050
	0.23	-0.56414	0.50	-0.61120
	0.29	-0.60900	0.65	-0.19779
	0.35	-0.56571	0.80	-0.14981
	0.41	-0.53973	0.95	-0.02855
	0.47	-0.60267		
	0.53	-0.65986		
	0.57	-0.63148		
	0.65	-0.71767		
	0.71	-0.78003		
	0.77	-0.31542		
	0.83	-0.16859		
	0.89	-0.08207		
	0.95	-0.00315		

HORIZ. TAIL		UPPER SURFACE		LOWER SURFACE
	X/C	CP	X/C	CP
	0.02	-1.13292	0.02	0.52050
	0.06	-1.10957	0.06	0.32624
	0.11	-1.01247	0.11	0.18886
	0.18	-0.69879	0.18	0.05175
	0.25	-0.75058	0.25	-0.03766
	0.32	-0.81158	0.32	-0.10318
	0.39	-0.90020	0.39	-0.14872
	0.46	-0.52164	0.46	-0.16602
	0.53	-0.28423	0.53	-0.16395
	0.60	-0.20246	0.60	-0.12079
	0.67	-0.11488	0.67	-0.05807
	0.74	-0.02911	0.74	-0.00104
	0.81	0.06175	0.81	0.04110
	0.88	0.12320	0.88	0.07223
	0.95	0.17930	0.95	0.11727

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
9	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.8485	0.64	-0.02	31.74	100.85	62.97	12.45	326.18
				662.9	2106.2	1315.2	3.79	127.45

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.42622	0.05	-0.16069
	0.06	-0.68876	0.10	-0.27598
	0.11	-0.78619	0.20	-0.43023
	0.17	-0.78991	0.35	-0.58205
	0.23	-0.81949	0.50	-0.75673
	0.29	-0.82520	0.65	-0.18621
	0.35	-0.78949	0.80	-0.09869
	0.41	-0.72365	0.95	0.07379
	0.47	-0.82162		
	0.53	-0.87930		
	0.57	-0.82937		
	0.65	-0.36188		
	0.71	-0.26372		
	0.77	-0.17738		
	0.83	-0.09510		
	0.89	-0.03570		
	0.95	0.02822		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.20832	0.02	0.58622
	0.06	-1.18773	0.06	0.38058
	0.11	-1.13099	0.11	0.22652
	0.18	-1.08090	0.18	0.09208
	0.25	-0.92647	0.25	-0.00251
	0.32	-0.84081	0.32	-0.07823
	0.39	-0.71806	0.39	-0.12509
	0.46	-0.38799	0.46	-0.14459
	0.53	-0.31738	0.53	-0.14993
	0.60	-0.22589	0.60	-0.12192
	0.67	-0.18579	0.67	-0.06872
	0.74	-0.15963	0.74	-0.02108
	0.81	-0.07818	0.81	0.00554
	0.88	-0.01323	0.88	0.00934
	0.95	0.04416	0.95	0.02251

141

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
9	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.8513	2.87	-0.01	31.87	100.88	62.81	12.50	325.56
				665.6	2107.0	1311.8	3.81	126.34

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.61712	0.05	0.03020
	0.06	-0.90869	0.10	-0.13252
	0.11	-0.96565	0.20	-0.29364
	0.17	-0.98624	0.35	-0.47486
	0.23	-1.00244	0.50	-0.67117
	0.29	-1.00656	0.65	-0.24342
	0.35	-0.98140	0.80	-0.10410
	0.41	-0.72621	0.95	0.12909
	0.47	-0.45262		
	0.53	-0.42719		
	0.57	-0.41397		
	0.65	-0.38904		
	0.71	-0.35821		
	0.77	-0.32964		
	0.83	-0.29840		
	0.89	-0.25872		
	0.95	-0.22688		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.19194	0.02	0.54896
	0.06	-1.18807	0.06	0.32717
	0.11	-1.14316	0.11	0.17340
	0.18	-1.11265	0.18	0.05185
	0.25	-1.07213	0.25	-0.02556
	0.32	-0.90165	0.32	-0.06109
	0.39	-0.91641	0.39	-0.08646
	0.46	-0.41376	0.46	-0.09086
	0.53	-0.28623	0.53	-0.08354
	0.60	-0.18279	0.60	-0.07090
	0.67	-0.09672	0.67	-0.02703
	0.74	-0.02311	0.74	0.01372
	0.81	0.02349	0.81	0.03174
	0.88	0.08068	0.88	0.04266
	0.95	0.12694	0.95	0.06779

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
9	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.8503	5.09	0.00	31.83	100.88	62.88	12.44	326.68
				664.7	2107.0	1313.2	3.79	128.36

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.79348	0.05	0.20352
0.06	-1.07912	0.10	0.02545
0.11	-1.09266	0.20	-0.16134
0.17	-1.11669	0.35	-0.37837
0.23	-1.07494	0.50	-0.59656
0.29	-0.87923	0.65	-0.26002
0.35	-0.59761	0.80	-0.03810
0.41	-0.62316	0.95	0.17072
0.47	-0.52533		
0.53	-0.52049		
0.57	-0.49501		
0.65	-0.47334		
0.71	-0.46879		
0.77	-0.44650		
0.83	-0.41443		
0.89	-0.40637		
0.95	-0.35744		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.17848	0.02	0.37435
0.06	-1.14979	0.06	0.31637
0.11	-1.06540	0.11	0.25121
0.18	-1.03536	0.18	0.19482
0.25	-0.97334	0.25	0.15537
0.32	-0.71989	0.32	0.11298
0.39	-0.52070	0.39	0.08656
0.46	-0 36832	0.46	0.04354
0.53	-0.30184	0.53	0.03109
0.60	-0.21724	0.60	0.02714
0.67	-0.16281	0.67	0.03362
0.74	-0.11106	0.74	0.04397
0.81	-0.05521	0.81	0.04194
0.88	-0.00120	0.88	0.03024
0.95	0.03848	0.95	0.01379

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
9	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.8503	7.49	0.01	31.83 664.7	100.88 2107.0	62.88 1313.2	12.45 3.80	326.40 127.85

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.98949	0.05	0.35664
	0.06	-1.17343	0.10	0.16443
	0.11	-1.15346	0.20	-0.03489
	0.17	-1.02649	0.35	-0.25813
	0.23	-0.82632	0.50	-0.52195
	0.29	-0.67780	0.65	-0.24252
	0.35	-0.64051	0.80	0.10288
	0.41	-0.62643	0.95	0.20779
	0.47	-0.58195		
	0.53	-0.57766		
	0.57	-0.56202		
	0.65	-0.55322		
	0.71	-0.53834		
	0.77	-0.52940		
	0.83	-0.51631		
	0.89	-0.50092		
	0.95	-0.46584		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.17239	0.02	0.33259
	0.06	-1.04170	0.06	0.36749
	0.11	-0.86718	0.11	0.35664
	0.18	-0.71788	0.18	0.32371
	0.25	-0.60573	0.25	0.28265
	0.32	-0.53476	0.32	0.22997
	0.39	-0.46266	0.39	0.17394
	0.46	-0.39433	0.46	0.12436
	0.53	-0.33594	0.53	0.10583
	0.60	-0.27135	0.60	0.08679
	0.67	-0.22412	0.67	0.08511
	0.74	-0.18347	0.74	0.07353
	0.81	-0.15825	0.81	0.05930
	0.88	-0.09573	0.88	0.03404
	0.95	-0.05847	0.95	-0.00814

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
9	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.8483	9.53	0.02	31.74 662.9	100.88 2107.0	63.01 1315.9	12.40 3.78	327.30 129.47

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-0.79749	0.05	0.46886
0.06	-0.56930	0.10	0.26679
0.11	-0.63193	0.20	0.06111
0.17	-0.56016	0.35	-0.16785
0.23	-0.56804	0.50	-0.43759
0.29	-0.55651	0.65	-0.21259
0.35	-0.57090	0.80	0.16074
0.41	-0.59820	0.95	0.20894
0.47	-0.58886		
0.53	-0.60901		
0.57	-0.60574		
0.65	-0.61113		
0.71	-0.61702		
0.77	-0.61161		
0.83	-0.60420		
0.89	-0.60606		
0.95	-0.55610		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-1.06304	0.02	0.48334
0.06	-0.91490	0.06	0.66150
0.11	-0.81240	0.11	0.60929
0.18	-0.70588	0.18	0.59120
0.25	-0.60658	0.25	0.51098
0.32	-0.53529	0.32	0.43291
0.39	-0.46834	0.39	0.35727
0.46	-0.40906	0.46	0.31014
0.53	-0.33781	0.53	0.25442
0.60	-0.28407	0.60	0.18669
0.67	-0.23417	0.67	0.16491
0.74	-0.18991	0.74	0.13557
0.81	-0.14698	0.81	0.10024
0.88	-0.10011	0.88	0.04927
0.95	-0.05524	0.95	-0.03528

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
9	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.8495	11.49	0.02	31.78	100.85	62.91	12.41	326.98
				663.8	2106.2	1313.9	3.78	128.89

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.49378	0.05	0.55156
	0.06	-0.49754	0.10	0.35398
	0.11	-0.48503	0.20	0.14542
	0.17	-0.49462	0.35	-0.09216
	0.23	-0.47805	0.50	-0.36314
	0.29	-0.48419	0.65	-0.21781
	0.35	-0.48577	0.80	0.17597
	0.41	-0.55202	0.95	0.21787
	0.47	-0.50606		
	0.53	-0.51274		
	0.57	-0.52583		
	0.65	-0.54704		
	0.71	-0.55362		
	0.77	-0.55642		
	0.83	-0.56786		
	0.89	-0.57469		
	0.95	-0.56627		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.37241	0.02	0.47229
	0.06	-0.34898	0.06	0.69000
	0.11	-0.33201	0.11	0.72274
	0.18	-0.34122	0.18	0.66522
	0.25	-0.32886	0.25	0.58045
	0.32	-0.32654	0.32	0.52976
	0.39	-0.31299	0.39	0.42246
	0.46	-0.30791	0.46	0.35416
	0.53	-0.29627	0.53	0.29193
	0.60	-0.29487	0.60	0.23504
	0.67	-0.28067	0.67	0.19724
	0.74	-0.26453	0.74	0.16010
	0.81	-0.25209	0.81	0.12183
	0.88	-0.24358	0.88	0.04814
	0.95	-0.22858	0.95	-0.04865

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
9	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.8497	-1.60	-0.01	31.81	100.92	62.94	12.45	326.46
				664.3	2107.7	1314.6	3.80	127.95

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.14300	0.05	-0.42887
	0.06	-0.45664	0.10	-0.44486
	0.11	-0.48543	0.20	-0.66962
	0.17	-0.55068	0.35	-0.71360
	0.23	-0.57277	0.50	-0.64132
	0.29	-0.61056	0.65	-0.19860
	0.35	-0.56332	0.80	-0.15255
	0.41	-0.57110	0.95	-0.02538
	0.47	-0.59226		
	0.53	-0.65354		
	0.57	-0.61721		
	0.65	-0.71886		
	0.71	-0.77517		
	0.77	-0.31892		
	0.83	-0.16727		
	0.89	-0.08419		
	0.95	-0.01162		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.12319	0.02	0.52932
	0.06	-1.11318	0.06	0.32807
	0.11	-1.01368	0.11	0.18154
	0.18	-0.81543	0.18	0.04849
	0.25	-0.75326	0.25	-0.04033
	0.32	-0.80949	0.32	-0.10838
	0.39	-0.89300	0.39	-0.14827
	0.46	-0.53588	0.46	-0.16401
	0.53	-0.29744	0.53	-0.16222
	0.60	-0.20287	0.60	-0.12614
	0.67	-0.11349	0.67	-0.06255
	0.74	-0.01964	0.74	-0.00303
	0.81	0.04976	0.81	0.04298
	0.88	0.11142	0.88	0.07651
	0.95	0.16927	0.95	0.12439

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
10	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.6000	-6.10	0.00	19.96 / 416.9	101.05 / 2110.5	79.22 / 1654.6	10.87 / 3.31	310.12 / 98.54

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.50315	0.05	-1.79249
	0.06	0.13995	0.10	-1.06223
	0.11	0.01898	0.20	-0.85330
	0.17	-0.05711	0.35	-0.68515
	0.23	-0.09083	0.50	-0.54997
	0.29	-0.13883	0.65	-0.16874
	0.35	-0.16786	0.80	0.08251
	0.41	0.02266	0.95	0.18735
	0.47	-0.22498		
	0.53	-0.24783		
	0.57	-0.22202		
	0.65	-0.23834		
	0.71	-0.21604		
	0.77	-0.18439		
	0.83	-0.14484		
	0.89	-0.08856		
	0.95	-0.01159		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
10	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
16	0.5989	-3.90	-0.01	19.91	101.05	79.29	10.82	310.83
				415.8	2110.5	1656.1	3.30	99.82

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.19155	0.05	-0.95822
	0.06	-0.11283	0.10	-0.81701
	0.11	-0.18507	0.20	-0.70362
	0.17	-0.22750	0.35	-0.59870
	0.23	-0.23005	0.50	-0.51232
	0.29	-0.26134	0.65	-0.16073
	0.35	-0.28170	0.80	0.12867
	0.41	-0.13561	0.95	0.23288
	0.47	-0.29831		
	0.53	-0.32985		
	0.57	-0.29503		
	0.65	-0.29562		
	0.71	-0.26352		
	0.77	-0.22001		
	0.83	-0.16995		
	0.89	-0.11034		
	0.95	-0.02107		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
10	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
17	0.6000	-1.76	-0.01	19.96 416.9	101.05 2110.5	79.22 1654.6	10.83 3.30	310.98 100.09

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.17217	0.05	-0.56167
	0.06	-0.37758	0.10	-0.54831
	0.11	-0.38828	0.20	-0.51259
	0.17	-0.39685	0.35	-0.48788
	0.23	-0.37658	0.50	-0.45696
	0.29	-0.38962	0.65	-0.13998
	0.35	-0.39651	0.80	0.15615
	0.41	-0.23288	0.95	0.25599
	0.47	-0.38392		
	0.53	-0.38979		
	0.57	-0.34650		
	0.65	-0.33898		
	0.71	-0.31255		
	0.77	-0.25861		
	0.83	-0.19912		
	0.89	-0.11911		
	0.95	-0.02769		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
10	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
18	0.5994	0.43	-0.01	19.94	101.05	79.26	10.82	311.05
				416.4	2110.5	1655.3	3.30	100.22

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.83261	0.05	-0.19418
	0.06	-0.78356	0.10	-0.26086
	0.11	-0.66398	0.20	-0.33083
	0.17	-0.59960	0.35	-0.37867
	0.23	-0.55284	0.50	-0.38680
	0.29	-0.54132	0.65	-0.12154
	0.35	-0.51879	0.80	0.18013
	0.41	-0.33786	0.95	0.26987
	0.47	-0.47478		
	0.53	-0.47199		
	0.57	-0.42258		
	0.65	-0.39581		
	0.71	-0.34504		
	0.77	-0.28228		
	0.83	-0.21400		
	0.89	-0.13695		
	0.95	-0.03749		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
10	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.6010	2.72	0.00	20.02 418.1	101.08 2111.2	79.19 1653.9	10.84 3.30	311.24 100.56

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.55834	0.05	0.09062
	0.06	-1.21207	0.10	-0.07767
	0.11	-0.90846	0.20	-0.18281
	0.17	-0.81331	0.35	-0.27088
	0.23	-0.72331	0.50	-0.30051
	0.29	-0.66556	0.65	-0.09868
	0.35	-0.60658	0.80	0.20833
	0.41	-0.45723	0.95	0.28829
	0.47	-0.53422		
	0.53	-0.52872		
	0.57	-0.47126		
	0.65	-0.43404		
	0.71	-0.37166		
	0.77	-0.29932		
	0.83	-0.22665		
	0.89	-0.14211		
	0.95	-0.04293		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
10	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
20	0.6008	4.87	0.00	20.02	101.12	79.22	10.84	311.20
				418.1	2111.9	1654.6	3.30	100.49

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-2.20835	0.05	0.30241
0.06	-2.15758	0.10	0.11073
0.11	-1.16464	0.20	-0.03357
0.17	-0.97133	0.35	-0.16770
0.23	-0.85865	0.50	-0.24498
0.29	-0.78318	0.65	-0.08688
0.35	-0.70577	0.80	0.21626
0.41	-0.55041	0.95	0.29134
0.47	-0.59964		
0.53	-0.55910		
0.57	-0.50142		
0.65	-0.44719		
0.71	-0.37659		
0.77	-0.29815		
0.83	-0.21919		
0.89	-0.13046		
0.95	-0.04056		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
10	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
21	0.6016	7.02	0.00	20.05 418.7	101.05 2110.5	79.12 1652.5	10.82 3.30	311.61 101.23

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-2.55829	0.05	0.46725
	0.06	-2.45368	0.10	0.26987
	0.11	-1.87396	0.20	0.08112
	0.17	-1.36268	0.35	-0.08194
	0.23	-1.09906	0.50	-0.17878
	0.29	-0.93038	0.65	-0.06571
	0.35	-0.76922	0.80	0.23677
	0.41	-0.64607	0.95	0.29343
	0.47	-0.61397		
	0.53	-0.55546		
	0.57	-0.50406		
	0.65	-0.43173		
	0.71	-0.35474		
	0.77	-0.28289		
	0.83	-0.20977		
	0.89	-0.14232		
	0.95	-0.06871		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
10	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
22	0.5993	9.08	-0.01	19.94 / 416.4	101.08 / 2111.2	79.29 / 1656.1	10.79 / 3.29	311.74 / 101.47

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.26064	0.05	0.54191
	0.06	-1.22842	0.10	0.32980
	0.11	-1.20779	0.20	0.12177
	0.17	-1.26402	0.35	-0.06552
	0.23	-1.05594	0.50	-0.18456
	0.29	-0.97590	0.65	-0.12139
	0.35	-0.92835	0.80	0.17974
	0.41	-0.73715	0.95	0.18941
	0.47	-0.72348		
	0.53	-0.63919		
	0.57	-0.58917		
	0.65	-0.52290		
	0.71	-0.52730		
	0.77	-0.50998		
	0.83	-0.44751		
	0.89	-0.42350		
	0.95	-0.36166		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
10	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
23	0.5993	11.09	-0.03	19.94 416.4	101.08 2111.2	79.29 1656.1	10.78 3.29	312.10 102.11

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.58849	0.05	0.56277
	0.06	-0.55649	0.10	0.34692
	0.11	-0.58804	0.20	0.12941
	0.17	-0.55700	0.35	-0.06554
	0.23	-0.58118	0.50	-0.21434
	0.29	-0.61781	0.65	-0.18551
	0.35	-0.60992	0.90	0.12334
	0.41	-0.70929	0.95	0.11403
	0.47	-0.61246		
	0.53	-0.62935		
	0.57	-0.63389		
	0.65	-0.64223		
	0.71	-0.65916		
	0.77	-0.62489		
	0.83	-0.61815		
	0.89	-0.60155		
	0.95	-0.54448		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
10	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
24	0.5994	13.15	0.02	19.94 416.4	101.05 2110.5	79.26 1655.3	10.80 3.29	311.56 101.13

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.52527	0.05	0.59588
	0.06	-0.51155	0.10	0.37866
	0.11	-0.50832	0.20	0.16586
	0.17	-0.50080	0.35	-0.04580
	0.23	-0.51756	0.50	-0.21380
	0.29	-0.51736	0.65	-0.21653
	0.35	-0.54606	0.80	0.09253
	0.41	-0.64671	0.95	0.07977
	0.47	-0.57430		
	0.53	-0.57523		
	0.57	-0.58931		
	0.65	-0.60779		
	0.71	-0.61144		
	0.77	-0.62702		
	0.83	-0.60511		
	0.89	-0.57724		
	0.95	-0.54726		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
10	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
25	0.5988	15.07	0.15	19.91 415.8	101.08 2111.2	79.33 1656.8	10.77 3.28	311.98 101.90

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-2.18791	0.05	0.65155
	0.06	-2.11018	0.10	0.44243
	0.11	-0.72316	0.20	0.22464
	0.17	-0.53043	0.35	-0.00597
	0.23	-0.59444	0.50	-0.18740
	0.29	-0.60626	0.65	-0.21484
	0.35	-0.59180	0.80	0.08608
	0.41	-0.61045	0.95	0.05274
	0.47	-0.59923		
	0.53	-0.62667		
	0.57	-0.63714		
	0.65	-0.63574		
	0.71	-0.66355		
	0.77	-0.68083		
	0.83	-0.69201		
	0.89	-0.70983		
	0.95	-0.71886		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
10	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
26	0.5993	17.21	0.19	19.94 / 416.4	101.08 / 2111.2	79.29 / 1656.1	10.79 / 3.29	311.86 / 101.67

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.66727	0.05	0.70274
	0.06	-1.63660	0.10	0.50735
	0.11	-1.58588	0.20	0.29357
	0.17	-0.54317	0.35	0.06414
	0.23	-1.03848	0.50	-0.12456
	0.29	-1.01472	0.65	-0.17730
	0.35	-0.84648	0.80	0.10591
	0.41	-0.69874	0.95	0.06895
	0.47	-0.65771		
	0.53	-0.67086		
	0.57	-0.64973		
	0.65	-0.69519		
	0.71	-0.70337		
	0.77	-0.72041		
	0.83	-0.73969		
	0.89	-0.75800		
	0.95	-0.76275		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
10	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
27	0.5997	19.24	0.19	19.97 417.0	101.12 2111.9	79.29 1656.0	10.79 3.29	311.89 101.74

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.33285	0.05	0.75531
	0.06	-1.69325	0.10	0.57473
	0.11	-1.68655	0.20	0.35812
	0.17	-1.50430	0.35	0.12529
	0.23	-1.15039	0.50	-0.08310
	0.29	-1.04359	0.65	-0.14076
	0.35	-0.83933	0.80	0.12293
	0.41	-0.76135	0.95	0.07782
	0.47	-0.65962		
	0.53	-0.67292		
	0.57	-0.67327		
	0.65	-0.70955		
	0.71	-0.70211		
	0.77	-0.70930		
	0.83	-0.71658		
	0.89	-0.73331		
	0.95	-0.76602		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
10	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
28	0.6004	21.33	0.23	19.99	101.08	79.22	10.77	312.47
				417.5	2111.2	1654.6	3.28	102.78

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.70109	0.05	0.78541
	0.06	-1.70561	0.10	0.63035
	0.11	-1.71416	0.20	0.41731
	0.17	-1.56418	0.35	0.18713
	0.23	-1.28761	0.50	-0.01867
	0.29	-1.06202	0.65	-0.09685
	0.35	-0.88432	0.80	0.13904
	0.41	-0.79873	0.95	0.08538
	0.47	-0.71323		
	0.53	-0.69653		
	0.57	-0.68524		
	0.65	-0.69586		
	0.71	-0.70590		
	0.77	-0.70588		
	0.83	-0.73328		
	0.89	-0.74808		
	0.95	-0.74016		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
10	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
29	0.6003	23.37	0.24	19.99 417.6	101.12 2111.9	79.26 1655.3	10.78 3.29	312.39 102.64

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.89376	0.05	0.82026
	0.06	-1.84480	0.10	0.67664
	0.11	-1.00350	0.20	0.47665
	0.17	-0.53077	0.35	0.25214
	0.23	-0.93051	0.50	0.03684
	0.29	-0.64705	0.65	-0.05047
	0.35	-0.56955	0.80	0.16748
	0.41	-0.72837	0.95	0.11017
	0.47	-0.61735		
	0.53	-0.58493		
	0.57	-0.59671		
	0.65	-0.64405		
	0.71	-0.62304		
	0.77	-0.59804		
	0.83	-0.63370		
	0.89	-0.68856		
	0.95	-0.64193		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
10	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
30	0.5993	-1.69	-0.01	19.94 416.4	101.08 2111.2	79.29 1656.1	10.80 3.29	311.67 101.33

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.17874	0.05	-0.55282
	0.06	-0.41401	0.10	-0.53041
	0.11	-0.41467	0.20	-0.50860
	0.17	-0.37638	0.35	-0.47536
	0.23	-0.36889	0.50	-0.45793
	0.29	-0.38147	0.65	-0.14396
	0.35	-0.39182	0.80	0.15780
	0.41	-0.54202	0.95	0.25745
	0.47	-0.38215		
	0.53	-0.38444		
	0.57	-0.35285		
	0.65	-0.34560		
	0.71	-0.29216		
	0.77	-0.24055		
	0.83	-0.18163		
	0.89	-0.11632		
	0.95	-0.02364		

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
10	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
31	0.6015	-5.08	0.00	20.05	101.08	79.16	10.82	311.78
				418.7	2111.2	1653.2	3.30	101.53

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.37566	0.05	-1.29489
	0.06	0.04022	0.10	-0.94014
	0.11	-0.06864	0.20	-0.76326
	0.17	-0.14025	0.35	-0.63279
	0.23	-0.16307	0.50	-0.53504
	0.29	-0.20445	0.65	-0.16439
	0.35	-0.20876	0.80	0.10745
	0.41	-0.27953	0.95	0.21101
	0.47	-0.24695		
	0.53	-0.27761		
	0.57	-0.25108		
	0.65	-0.26488		
	0.71	-0.23404		
	0.77	-0.19549		
	0.83	-0.14535		
	0.89	-0.09535		
	0.95	-0.01120		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
10	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
32	0.6010	-2.85	-0.01	20.02	101.08	79.19	10.78	312.38
				418.1	2111.2	1653.9	3.29	102.61

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.03891	0.05	-0.73056
0.06	-0.23815	0.10	-0.69549
0.11	-0.28810	0.20	-0.60372
0.17	-0.30604	0.35	-0.54389
0.23	-0.31166	0.50	-0.48972
0.29	-0.32984	0.65	-0.15033
0.35	-0.33849	0.80	0.14404
0.41	-0.28771	0.95	0.23686
0.47	-0.34153		
0.53	-0.37095		
0.57	-0.33728		
0.65	-0.33419		
0.71	-0.28663		
0.77	-0.24447		
0.83	-0.19126		
0.89	-0.12101		
0.95	-0.02825		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
10	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
33	0.5993	-0.63	-0.01	19.94 416.4	101.08 2111.2	79.29 1656.1	10.79 3.29	311.87 101.70

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.47319	0.05	-0.34686
	0.06	-0.58448	0.10	-0.43056
	0.11	-0.53759	0.20	-0.42782
	0.17	-0.50239	0.35	-0.41993
	0.23	-0.47692	0.50	-0.41176
	0.29	-0.46586	0.65	-0.12353
	0.35	-0.45104	0.80	0.17258
	0.41	-0.34632	0.95	0.26664
	0.47	-0.42530		
	0.53	-0.42150		
	0.57	-0.38073		
	0.65	-0.36596		
	0.71	-0.32013		
	0.77	-0.26115		
	0.83	-0.19869		
	0.89	-0.13081		
	0.95	-0.03668		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
10	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
34	0.5999	1.57	-0.01	19.97 417.0	101.08 2111.2	79.26 1655.3	10.79 3.29	311.97 101.87

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.07450	0.05	-0.04181
	0.06	-0.98575	0.10	-0.17893
	0.11	-0.79079	0.20	-0.25758
	0.17	-0.70767	0.35	-0.32913
	0.23	-0.63019	0.50	-0.35361
	0.29	-0.59902	0.65	-0.11556
	0.35	-0.56289	0.80	0.19288
	0.41	-0.42968	0.95	0.28276
	0.47	-0.51420		
	0.53	-0.48798		
	0.57	-0.44205		
	0.65	-0.41529		
	0.71	-0.35730		
	0.77	-0.28799		
	0.83	-0.21614		
	0.89	-0.14298		
	0.95	-0.04271		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
10	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
35	0.5999	3.85	0.00	19.97	101.08	79.26	10.79	311.84
				417.0	2111.2	1655.3	3.29	101.64

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.97048	0.05	0.21654
	0.06	-1.81744	0.10	0.04321
	0.11	-1.03683	0.20	-0.10955
	0.17	-0.92719	0.35	-0.21627
	0.23	-0.81096	0.50	-0.28282
	0.29	-0.73872	0.65	-0.09989
	0.35	-0.67506	0.80	0.21150
	0.41	-0.51121	0.95	0.29353
	0.47	-0.57915		
	0.53	-0.55067		
	0.57	-0.50055		
	0.65	-0.45162		
	0.71	-0.37812		
	0.77	-0.30571		
	0.83	-0.22595		
	0.89	-0.13770		
	0.95	-0.04160		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
10	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
36	0.6000	6.02	0.00	19.96 416.9	101.05 2110.5	79.22 1654.6	10.79 3.29	311.91 101.77

WING   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-2.42262	0.05	0.40240
0.06	-2.30826	0.10	0.18325
0.11	-1.81665	0.20	0.01291
0.17	-1.01173	0.35	-0.12644
0.23	-0.87367	0.50	-0.21230
0.29	-0.79377	0.65	-0.07417
0.35	-0.72474	0.80	0.22866
0.41	-0.59108	0.95	0.29163
0.47	-0.60149		
0.53	-0.56418		
0.57	-0.50687		
0.65	-0.44024		
0.71	-0.36884		
0.77	-0.29019		
0.83	-0.20522		
0.89	-0.12566		
0.95	-0.04854		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
10	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
37	0.5994	8.08	-0.02	19.94 416.4	101.05 2110.5	79.26 1655.3	10.77 3.28	312.13 102.17

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.89697	0.05	0.51155
	0.06	-1.70022	0.10	0.30202
	0.11	-1.52536	0.20	0.09825
	0.17	-1.41574	0.35	-0.07135
	0.23	-1.26831	0.50	-0.17945
	0.29	-1.07366	0.65	-0.08882
	0.35	-0.90565	0.80	0.21079
	0.41	-0.69577	0.95	0.25306
	0.47	-0.66388		
	0.53	-0.59356		
	0.57	-0.55180		
	0.65	-0.48079		
	0.71	-0.38047		
	0.77	-0.35238		
	0.83	-0.31413		
	0.89	-0.24422		
	0.95	-0.21141		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
10	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
38	0.6010	10.11	-0.01	20.02	101.08	79.19	10.80	312.02
				418.1	2111.2	1653.9	3.29	101.97

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.81211	0.05	0.55830
	0.06	-0.98648	0.10	0.34569
	0.11	-0.95869	0.20	0.13428
	0.17	-0.75882	0.35	-0.05771
	0.23	-0.64193	0.50	-0.20265
	0.29	-0.66335	0.65	-0.15425
	0.35	-0.84508	0.80	0.14450
	0.41	-0.69825	0.95	0.14698
	0.47	-0.72987		
	0.53	-0.66391		
	0.57	-0.63066		
	0.65	-0.57289		
	0.71	-0.57166		
	0.77	-0.61476		
	0.83	-0.57222		
	0.89	-0.52703		
	0.95	-0.45839		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
11	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7001	-6.22	-0.01	24.97 521.5	100.95 2108.4	72.77 1519.8	11.77 3.59	315.13 107.56

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.47479	0.05	-1.67526
	0.06	0.14429	0.10	-1.53514
	0.11	0.03406	0.20	-1.32448
	0.17	-0.05298	0.35	-0.71641
	0.23	-0.10084	0.50	-0.54361
	0.29	-0.15135	0.65	-0.12902
	0.35	-0.17377	0.80	0.04883
	0.41	-0.37518	0.95	0.15617
	0.47	-0.23619		
	0.53	-0.27424		
	0.57	-0.24439		
	0.65	-0.26527		
	0.71	-0.23790		
	0.77	-0.19920		
	0.83	-0.15028		
	0.89	-0.08772		
	0.95	-0.00193		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
11	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.7009	-5.08	-0.01	25.02	101.02	72.77	11.78	315.14
				522.6	2109.8	1519.8	3.59	107.59

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.35970	0.05	-1.56660
	0.06	0.03951	0.10	-1.31223
	0.11	-0.05593	0.20	-0.87805
	0.17	-0.14625	0.35	-0.71459
	0.23	-0.17006	0.50	-0.55839
	0.29	-0.21131	0.65	-0.12369
	0.35	-0.23462	0.80	0.07509
	0.41	-0.30249	0.95	0.18483
	0.47	-0.27709		
	0.53	-0.31603		
	0.57	-0.28117		
	0.65	-0.28779		
	0.71	-0.25283		
	0.77	-0.20416		
	0.83	-0.14846		
	0.89	-0.08948		
	0.95	0.00294		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
11	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.7005	-3.91	-0.01	24.99 522.0	100.98 2109.1	72.77 1519.8	11.77 3.59	315.26 107.79

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.18196	0.05	-1.06363
	0.06	-0.10221	0.10	-0.86747
	0.11	-0.17960	0.20	-0.77318
	0.17	-0.22649	0.35	-0.66398
	0.23	-0.24049	0.50	-0.55031
	0.29	-0.27765	0.65	-0.13512
	0.35	-0.28864	0.80	0.11397
	0.41	-0.28057	0.95	0.23268
	0.47	-0.31921		
	0.53	-0.34839		
	0.57	-0.31003		
	0.65	-0.30882		
	0.71	-0.27263		
	0.77	-0.22032		
	0.83	-0.15829		
	0.89	-0.08911		
	0.95	0.00802		

174

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
11	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.7009	-2.77	-0.01	25.02 522.6	101.02 2109.8	72.77 1519.8	11.79 3.59	315.07 107.46

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.05400	0.05	-0.84295
	0.06	-0.20727	0.10	-0.74046
	0.11	-0.28136	0.20	-0.69487
	0.17	-0.31617	0.35	-0.62861
	0.23	-0.32476	0.50	-0.53972
	0.29	-0.34594	0.65	-0.13303
	0.35	-0.35213	0.80	0.14078
	0.41	-0.31782	0.95	0.24977
	0.47	-0.36416		
	0.53	-0.39775		
	0.57	-0.34559		
	0.65	-0.33843		
	0.71	-0.30060		
	0.77	-0.24278		
	0.83	-0.17821		
	0.89	-0.09127		
	0.95	0.00646		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
11	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.6998	-1.70	-0.01	24.97 521.5	101.02 2109.8	72.84 1521.2	11.78 3.59	315.05 107.42

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.17880	0.05	-0.60364
0.06	-0.39395	0.10	-0.58440
0.11	-0.41967	0.20	-0.58353
0.17	-0.40758	0.35	-0.57075
0.23	-0.40702	0.50	-0.50938
0.29	-0.42047	0.65	-0.13025
0.35	-0.43330	0.80	0.15524
0.41	-0.34356	0.95	0.25521
0.47	-0.42341		
0.53	-0.43169		
0.57	-0.39022		
0.65	-0.37582		
0.71	-0.31784		
0.77	-0.25584		
0.83	-0.18543		
0.89	-0.10619		
0.95	-0.00411		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
11	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.7007	-0.58	-0.01	25.02	101.05	72.80	11.79	315.03
				522.6	2110.5	1520.5	3.59	107.39

WING	UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP	
0.02	-0.46235	0.05	-0.34168	
0.06	-0.63710	0.10	-0.46877	
0.11	-0.54868	0.20	-0.47631	
0.17	-0.54528	0.35	-0.49019	
0.23	-0.51198	0.50	-0.47894	
0.29	-0.50194	0.65	-0.12573	
0.35	-0.50462	0.80	0.16962	
0.41	-0.39220	0.95	0.27696	
0.47	-0.46668			
0.53	-0.45539			
0.57	-0.41402			
0.65	-0.39190			
0.71	-0.33073			
0.77	-0.26336			
0.83	-0.19318			
0.89	-0.11082			
0.95	-0.00621			

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
11	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.7004	0.53	-0.01	25.00	101.02	72.80	11.79	314.83
				522.1	2109.8	1520.5	3.60	107.02

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.66751	0.05	-0.20104
	0.06	-0.83091	0.10	-0.32897
	0.11	-0.73233	0.20	-0.38647
	0.17	-0.67741	0.35	-0.43301
	0.23	-0.63092	0.50	-0.43468
	0.29	-0.59657	0.65	-0.11165
	0.35	-0.54842	0.80	0.19097
	0.41	-0.44452	0.95	0.29052
	0.47	-0.50570		
	0.53	-0.50372		
	0.57	-0.44984		
	0.65	-0.41430		
	0.71	-0.35278		
	0.77	-0.27968		
	0.83	-0.20130		
	0.89	-0.11513		
	0.95	-0.00727		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
11	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.7004	1.70	-0.01	25.00 522.1	101.02 2109.8	72.80 1520.5	11.75 3.58	315.69 108.57

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.03950	0.05	-0.02410
0.06	-1.23454	0.10	-0.19596
0.11	-0.97162	0.20	-0.29339
0.17	-0.78472	0.35	-0.36540
0.23	-0.69929	0.50	-0.39025
0.29	-0.64154	0.65	-0.10175
0.35	-0.61933	0.80	0.20723
0.41	-0.50259	0.95	0.29752
0.47	-0.54700		
0.53	-0.53530		
0.57	-0.48157		
0.65	-0.43804		
0.71	-0.36697		
0.77	-0.28833		
0.83	-0.20784		
0.89	-0.11487		
0.95	-0.01285		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
11	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.7000	2.91	-0.01	24.97 521.5	100.98 2109.1	72.80 1520.5	11.76 3.59	315.35 107.96

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.26548	0.05	0.07159
	0.06	-1.53958	0.10	-0.05930
	0.11	-1.44532	0.20	-0.20215
	0.17	-0.99958	0.35	-0.30614
	0.23	-0.72571	0.50	-0.34852
	0.29	-0.70263	0.65	-0.09899
	0.35	-0.65998	0.80	0.21971
	0.41	-0.57136	0.95	0.30121
	0.47	-0.57715		
	0.53	-0.56053		
	0.57	-0.49939		
	0.65	-0.44793		
	0.71	-0.36889		
	0.77	-0.28106		
	0.83	-0.19671		
	0.89	-0.11639		
	0.95	-0.01395		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
11	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.6993	3.98	-0.01	24.95 521.0	101.02 2109.8	72.87 1521.9	11.72 3.57	316.10 109.31

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.40818	0.05	0.18962
	0.06	-1.67110	0.10	0.00533
	0.11	-1.62028	0.20	-0.13877
	0.17	-1.55669	0.35	-0.25960
	0.23	-0.89198	0.50	-0.32937
	0.29	-0.65151	0.65	-0.10271
	0.35	-0.61189	0.80	0.21876
	0.41	-0.62996	0.95	0.30825
	0.47	-0.57458		
	0.53	-0.54448		
	0.57	-0.48626		
	0.65	-0.43465		
	0.71	-0.36428		
	0.77	-0.27980		
	0.83	-0.19634		
	0.89	-0.11532		
	0.95	-0.01617		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
11	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.6997	5.13	0.00	24.97 521.5	101.05 2110.5	72.87 1521.9	11.72 3.57	316.40 109.85

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.55015	0.05	0.28677
	0.06	-1.74920	0.10	0.10573
	0.11	-1.75426	0.20	-0.05685
	0.17	-1.69892	0.35	-0.20150
	0.23	-1.65417	0.50	-0.27331
	0.29	-0.99925	0.65	-0.08054
	0.35	-0.73379	0.80	0.23354
	0.41	-0.71217	0.95	0.31168
	0.47	-0.51665		
	0.53	-0.49432		
	0.57	-0.44893		
	0.65	-0.40555		
	0.71	-0.33672		
	0.77	-0.26154		
	0.83	-0.19002		
	0.89	-0.10661		
	0.95	-0.01825		

182

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
11	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.6998	6.29	0.00	24.97	101.02	72.84	11.74	315.93
				521.5	2109.8	1521.2	3.58	109.01

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.72219	0.05	0.38649
	0.06	-1.89232	0.10	0.18135
	0.11	-1.87591	0.20	-0.00275
	0.17	-1.87646	0.35	-0.15380
	0.23	-1.77382	0.50	-0.24771
	0.29	-1.19146	0.65	-0.08151
	0.35	-0.97502	0.80	0.23311
	0.41	-0.83065	0.95	0.29851
	0.47	-0.65589		
	0.53	-0.51679		
	0.57	-0.42259		
	0.65	-0.34526		
	0.71	-0.28768		
	0.77	-0.22643		
	0.83	-0.16531		
	0.89	-0.10015		
	0.95	-0.03267		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
11	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.7007	7.42	-0.01	25.02	101.05	72.80	11.77	315.50
				522.6	2110.5	1520.5	3.59	108.23

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.76209	0.05	0.43236
	0.06	-1.92777	0.10	0.23196
	0.11	-1.92166	0.20	0.04377
	0.17	-1.61178	0.35	-0.12846
	0.23	-1.26239	0.50	-0.25360
	0.29	-0.92028	0.65	-0.12148
	0.35	-0.90220	0.80	0.20125
	0.41	-0.87073	0.95	0.25026
	0.47	-0.67601		
	0.53	-0.61922		
	0.57	-0.54722		
	0.65	-0.40370		
	0.71	-0.41729		
	0.77	-0.43593		
	0.83	-0.36686		
	0.89	-0.16133		
	0.95	-0.11722		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
11	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.6998	8.35	-0.02	24.97 521.5	101.02 2109.8	72.84 1521.2	11.73 3.58	316.10 109.31

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.30647	0.05	0.45570
	0.06	-1.13143	0.10	0.25901
	0.11	-1.22369	0.20	0.05504
	0.17	-1.07068	0.35	-0.12652
	0.23	-1.00436	0.50	-0.26292
	0.29	-0.89627	0.65	-0.16554
	0.35	-0.80758	0.80	0.17724
	0.41	-0.84773	0.95	0.20461
	0.47	-0.72976		
	0.53	-0.68366		
	0.57	-0.63277		
	0.65	-0.56726		
	0.71	-0.54529		
	0.77	-0.50677		
	0.83	-0.46863		
	0.89	-0.39755		
	0.95	-0.36266		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
11	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.7009	9.32	-0.02	25.02 522.6	101.02 2109.8	72.77 1519.8	11.76 3.58	315.74 108.67

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.08740	0.05	0.49311
	0.06	-0.81380	0.10	0.28612
	0.11	-0.94465	0.20	0.07985
	0.17	-1.01423	0.35	-0.11786
	0.23	-0.86426	0.50	-0.25907
	0.29	-0.80126	0.65	-0.18093
	0.35	-0.72717	0.80	0.15451
	0.41	-0.83133	0.95	0.16575
	0.47	-0.71916		
	0.53	-0.68739		
	0.57	-0.65259		
	0.65	-0.63041		
	0.71	-0.58057		
	0.77	-0.52591		
	0.83	-0.52086		
	0.89	-0.50794		
	0.95	-0.47041		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
11	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (i/m) (1/ft)	TEMP (K) (F)
16	0.7002	11.29	0.01	25.00	101.05	72.84	11.77	315.43
				522.1	2110.5	1521.2	3.59	108.10

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.57780	0.05	0.53416
	0.06	-0.54693	0.10	0.32391
	0.11	-0.55129	0.20	0.11059
	0.17	-0.61945	0.35	-0.10132
	0.23	-0.55012	0.50	-0.27318
	0.29	-0.54249	0.65	-0.23582
	0.35	-0.59141	0.80	0.11875
	0.41	-0.74496	0.95	0.12406
	0.47	-0.62828		
	0.53	-0.61437		
	0.57	-0.61754		
	0.65	-0.61576		
	0.71	-0.60583		
	0.77	-0.60161		
	0.83	-0.58725		
	0.89	-0.58447		
	0.95	-0.54136		

187

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
11	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
17	0.7004	13.25	0.02	25.00	101.02	72.80	11.74	315.95
				522.1	2109.8	1520.5	3.58	109.04

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.49971	0.05	0.58755
	0.06	-0.49195	0.10	0.37615
	0.11	-0.49329	0.20	0.16256
	0.17	-0.49355	0.35	-0.05496
	0.23	-0.49888	0.50	-0.25110
	0.29	-0.50507	0.65	-0.23962
	0.35	-0.52117	0.80	0.10939
	0.41	-0.66639	0.95	0.10089
	0.47	-0.54068		
	0.53	-0.56033		
	0.57	-0.55490		
	0.65	-0.58084		
	0.71	-0.57642		
	0.77	-0.57784		
	0.83	-0.58058		
	0.89	-0.56891		
	0.95	-0.54423		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
11	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
18	0.6998	15.35	0.14	24.97 521.5	101.02 2109.8	72.84 1521.2	11.73 3.57	316.16 109.41

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.66422	0.05	0.70092
	0.06	-1.55261	0.10	0.49657
	0.11	-0.58953	0.20	0.26969
	0.17	-0.52643	0.35	0.04623
	0.23	-0.50789	0.50	-0.15824
	0.29	-0.52184	0.65	-0.18514
	0.35	-0.53473	0.80	0.13537
	0.41	-0.60170	0.95	0.11910
	0.47	-0.54378		
	0.53	-0.54009		
	0.57	-0.54946		
	0.65	-0.57267		
	0.71	-0.59208		
	0.77	-0.61796		
	0.83	-0.64277		
	0.89	-0.64192		
	0.95	-0.64807		

189

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
11	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.6994	17.54	0.03	24.95	100.98	72.84	11.68	316.98
				521.0	2109.1	1521.2	3.56	110.89

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.73363	0.05	0.72989
	0.06	-1.79864	0.10	0.53708
	0.11	-1.93834	u.20	0.31973
	0.17	-1.23915	0.35	0.08279
	0.23	-1.37857	0.50	-0.11895
	0.29	-1.23283	0.65	-0.15002
	0.35	-0.77108	0.80	0.15020
	0.41	-0.68455	0.95	0.11220
	0.47	-0.64459		
	0.53	-0.63634		
	0.57	-0.61994		
	0.65	-0.64647		
	0.71	-0.64927		
	0.77	-0.62611		
	0.83	-0.62388		
	0.89	-0.64873		
	0.95	-0.67356		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
11	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
20	0.7009	19.55	0.15	25.02	101.02	72.77	11.72	316.53
				522.6	2109.8	1519.8	3.57	110.08

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.24527	0.05	0.77444
0.06	-1.14213	0.10	0.61095
0.11	-1.67642	0.20	0.40148
0.17	-1.45357	0.35	0.16299
0.23	-1.37325	0.50	-0.06136
0.29	-1.15157	0.65	-0.11964
0.35	-0.78424	0.80	0.16783
0.41	-0.75017	0.95	0.13764
0.47	-0.72026		
0.53	-0.71249		
0.57	-0.69479		
0.65	-0.68124		
0.71	-0.69990		
0.77	-0.70357		
0.83	-0.71063		
0.89	-0.71891		
0.95	-0.73579		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
11	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
21	0.7007	-1.70	0.00	25.02	101.05	72.80	11.75	315.95
				522.6	2110.5	1520.5	3.58	109.04

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.17403	0.05	-0.58222
	0.06	-0.38758	0.10	-0.59844
	0.11	-0.43119	0.20	-0.59122
	0.17	-0.41506	0.35	-0.57419
	0.23	-0.38411	0.50	-0.51130
	0.29	-0.39664	0.65	-0.13190
	0.35	-0.41827	0.80	0.15175
	0.41	-0.56186	0.95	0.26192
	0.47	-0.41512		
	0.53	-0.42712		
	0.57	-0.38224		
	0.65	-0.36745		
	0.71	-0.31988		
	0.77	-0.25761		
	0.83	-0.18562		
	0.89	-0.10594		
	0.95	-0.00379		

MICROCOPY RESOLUTION TEST CHART

NATIONAL BUREAU OF STANDARDS-1963-A

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
12	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7487	-6.41	-0.01	27.32 570.5	100.98 2109.1	69.62 1454.0	12.04 3.67	319.18 114.86

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.48772	0.05	-1.45757
	0.06	0.13596	0.10	-1.41609
	0.11	0.00556	0.20	-1.41087
	0.17	-0.07733	0.35	-0.95007
	0.23	-0.11375	0.50	-0.48175
	0.29	-0.16131	0.65	-0.17688
	0.35	-0.20258	0.80	0.01541
	0.41	-0.25538	0.95	0.13826
	0.47	-0.26183		
	0.53	-0.30969		
	0.57	-0.27878		
	0.65	-0.31001		
	0.71	-0.28322		
	0.77	-0.24831		
	0.83	-0.20362		
	0.89	-0.12586		
	0.95	-0.04208		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
12	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.7497	-5.30	-0.01	27.36 / 571.5	100.98 / 2109.1	69.55 / 1452.6	12.06 / 3.67	319.06 / 114.63

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.36022	0.05	-1.35997
0.06	0.02404	0.10	-1.28212
0.11	-0.08868	0.20	-1.23814
0.17	-0.15890	0.35	-1.16616
0.23	-0.17781	0.50	-0.50055
0.29	-0.23380	0.65	-0.11639
0.35	-0.25988	0.80	0.04083
0.41	-0.24484	0.95	0.17774
0.47	-0.30574		
0.53	-0.33879		
0.57	-0.31041		
0.65	-0.32263		
0.71	-0.27826		
0.77	-0.22851		
0.83	-0.16822		
0.89	-0.09322		
0.95	0.00436		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
12	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.7478	-4.08	-0.01	27.26	100.95	69.66	11.99	319.93
				569.4	2108.4	1454.8	3.65	116.21

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.20480	0.05	-1.17076
	0.06	-0.10676	0.10	-0.97771
	0.11	-0.18355	0.20	-1.01527
	0.17	-0.23705	0.35	-0.91016
	0.23	-0.24747	0.50	-0.53860
	0.29	-0.28002	0.65	-0.10968
	0.35	-0.32517	0.80	0.08422
	0.41	-0.25647	0.95	0.21711
	0.47	-0.34572		
	0.53	-0.37118		
	0.57	-0.32926		
	0.65	-0.33302		
	0.71	-0.29310		
	0.77	-0.22896		
	0.83	-0.16059		
	0.89	-0.08677		
	0.95	0.01930		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
12	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.7508	-2.90	-0.01	27.42	100.98	69.48	12.04	319.63
				572.6	2109.1	1451.2	3.67	115.67

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.05069	0.05	-0.82478
	0.06	-0.23680	0.10	-0.71455
	0.11	-0.31094	0.20	-0.78329
	0.17	-0.32989	0.35	-0.70731
	0.23	-0.34702	0.50	-0.55843
	0.29	-0.37395	0.65	-0.11149
	0.35	-0.38372	0.80	0.11552
	0.41	-0.30031	0.95	0.23240
	0.47	-0.39324		
	0.53	-0.40134		
	0.57	-0.35797		
	0.65	-0.35368		
	0.71	-0.29906		
	0.77	-0.23583		
	0.83	-0.16612		
	0.89	-0.08519		
	0.95	0.02133		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
12	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.7496	-1.70	-0.01	27.37	101.02	69.58	12.00	320.25
				571.6	2109.8	1453.3	3.66	116.78

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.18119	0.05	-0.58875
	0.06	-0.47150	0.10	-0.60890
	0.11	-0.47416	0.20	-0.62431
	0.17	-0.44719	0.35	-0.63380
	0.23	-0.45148	0.50	-0.55025
	0.29	-0.47146	0.65	-0.11559
	0.35	-0.45627	0.80	0.13722
	0.41	-0.36263	0.95	0.24956
	0.47	-0.44820		
	0.53	-0.46878		
	0.57	-0.40998		
	0.65	-0.38846		
	0.71	-0.33333		
	0.77	-0.25961		
	0.83	-0.18302		
	0.89	-0.09531		
	0.95	0.01224		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
12	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.7501	-0.51	-0.01	27.39	101.02	69.55	12.02	320.01
				572.1	2109.8	1452.6	3.66	116.34

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.43176	0.05	-0.37690
	0.06	-0.69461	0.10	-0.48320
	0.11	-0.63630	0.20	-0.54230
	0.17	-0.57967	0.35	-0.57955
	0.23	-0.56972	0.50	-0.52061
	0.29	-0.55671	0.65	-0.11180
	0.35	-0.53365	0.80	0.15994
	0.41	-0.42622	0.95	0.26817
	0.47	-0.50758		
	0.53	-0.52184		
	0.57	-0.46344		
	0.65	-0.43168		
	0.71	-0.35547		
	0.77	-0.27929		
	0.83	-0.19612		
	0.89	-0.10714		
	0.95	0.00218		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
12	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.7513	0.60	-0.01	27.44 573.1	100.98 2109.1	69.45 1450.5	12.04 3.67	319.56 115.53

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.67151	0.05	-0.18865
	0.06	-0.88626	0.10	-0.33190
	0.11	-0.91321	0.20	-0.43096
	0.17	-0.78422	0.35	-0.49504
	0.23	-0.68428	0.50	-0.49866
	0.29	-0.65419	0.65	-0.11249
	0.35	-0.62136	0.80	0.18118
	0.41	-0.47237	0.95	0.28972
	0.47	-0.56065		
	0.53	-0.55173		
	0.57	-0.48424		
	0.65	-0.43795		
	0.71	-0.35552		
	0.77	-0.27354		
	0.83	-0.18962		
	0.89	-0.10136		
	0.95	0.00825		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
12	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.7527	1.70	-0.01	27.51	101.02	69.38	12.03	320.27
				574.6	2109.8	1449.0	3.67	116.81

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.86536	0.05	-0.08187
	0.06	-1.10466	0.10	-0.19591
	0.11	-1.14132	0.20	-0.30215
	0.17	-1.13475	0.35	-0.40928
	0.23	-0.78995	0.50	-0.44510
	0.29	-0.64487	0.65	-0.10897
	0.35	-0.62712	0.80	0.20244
	0.41	-0.57643	0.95	0.30118
	0.47	-0.56715		
	0.53	-0.56191		
	0.57	-0.49606		
	0.65	-0.44134		
	0.71	-0.36090		
	0.77	-0.27431		
	0.83	-0.18680		
	0.89	-0.10100		
	0.95	0.00317		

200

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
12	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.7496	2.98	-0.01	27.37	101.02	69.58	12.01	320.10
				571.6	2109.8	1453.3	3.66	116.51

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.06244	0.05	0.08494
	0.06	-1.35222	0.10	-0.07298
	0.11	-1.37178	0.20	-0.21965
	0.17	-1.34373	0.35	-0.34233
	0.23	-1.28412	0.50	-0.40642
	0.29	-1.26419	0.65	-0.11296
	0.35	-0.76483	0.80	0.21162
	0.41	-0.67298	0.95	0.31412
	0.47	-0.52344		
	0.53	-0.52853		
	0.57	-0.47336		
	0.65	-0.43659		
	0.71	-0.35378		
	0.77	-0.27890		
	0.83	-0.19082		
	0.89	-0.10388		
	0.95	-0.00647		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
12	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.7508	4.13	-0.01	27.42	100.98	69.48	12.00	320.29
				572.6	2109.1	1451.2	3.66	116.85

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.17298	0.05	0.18478
	0.06	-1.46866	0.10	0.00935
	0.11	-1.46228	0.20	-0.14355
	0.17	-1.43891	0.35	-0.28797
	0.23	-1.41792	0.50	-0.36512
	0.29	-1.40695	0.65	-0.10159
	0.35	-1.40285	0.80	0.22815
	0.41	-0.75073	0.95	0.31841
	0.47	-0.61600		
	0.53	-0.50790		
	0.57	-0.44433		
	0.65	-0.34354		
	0.71	-0.29078		
	0.77	-0.21990		
	0.83	-0.15749		
	0.89	-0.08324		
	0.95	0.00463		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
12	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.7508	5.17	0.00	27.42 572.6	100.98 2109.1	69.48 1451.2	12.01 3.66	320.14 116.58

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.28463	0.05	0.27174
	0.06	-1.52059	0.10	0.07717
	0.11	-1.54504	0.20	-0.09376
	0.17	-1.51008	0.35	-0.25212
	0.23	-1.48977	0.50	-0.33908
	0.29	-1.45399	0.65	-0.12605
	0.35	-0.99330	0.80	0.20726
	0.41	-0.86416	0.95	0.27680
	0.47	-0.72727		
	0.53	-0.63386		
	0.57	-0.56089		
	0.65	-0.42908		
	0.71	-0.34597		
	0.77	-0.27205		
	0.83	-0.21359		
	0.89	-0.16355		
	0.95	-0.10599		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
12	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12.	0.7487	6.24	0.01	27.32 570.5	100.98 2109.1	69.62 1454.0	12.00 3.66	320.06 116.44

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.38737	0.05	0.32270
	0.06	-1.58245	0.10	0.12625
	0.11	-1.60193	0.20	-0.06066
	0.17	-1.55888	0.35	-0.23434
	0.23	-1.34461	0.50	-0.33656
	0.29	-1.00099	0.65	-0.15443
	0.35	-0.86698	0.80	0.18999
	0.41	-0.88496	0.95	0.23810
	0.47	-0.75120		
	0.53	-0.65662		
	0.57	-0.58881		
	0.65	-0.48022		
	0.71	-0.40253		
	0.77	-0.34028		
	0.83	-0.28624		
	0.89	-0.26034		
	0.95	-0.21201		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
12	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.7508	7.32	0.00	27.42	100.98	69.48	12.03	319.71
				572.6	2109.1	1451.2	3.67	115.80

WING

	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.33940	0.05	0.39111
	0.06	-1.49374	0.10	0.20055
	0.11	-1.46585	0.20	-0.00709
	0.17	-1.00872	0.35	-0.18979
	0.23	-1.01563	0.50	-0.31408
	0.29	-0.95738	0.65	-0.16719
	0.35	-0.87003	0.80	0.18165
	0.41	-0.88327	0.95	0.21827
	0.47	-0.68727		
	0.53	-0.59658		
	0.57	-0.59348		
	0.65	-0.60033		
	0.71	-0.52198		
	0.77	-0.47912		
	0.83	-0.49311		
	0.89	-0.33120		
	0.95	-0.26354		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
12	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.7492	8.28	-0.02	27.34 / 571.0	100.98 / 2109.1	69.58 / 1453.3	12.02 / 3.66	319.73 / 115.84

WING   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-1.36282	0.05	0.42548
0.06	-0.77484	0.10	0.22211
0.11	-0.87821	0.20	0.02159
0.17	-0.92167	0.35	-0.17403
0.23	-0.99207	0.50	-0.33429
0.29	-0.81183	0.65	-0.20859
0.35	-0.75336	0.80	0.15081
0.41	-0.83025	0.95	0.17274
0.47	-0.64209		
0.53	-0.65399		
0.57	-0.59691		
0.65	-0.61099		
0.71	-0.55560		
0.77	-0.50148		
0.83	-0.48583		
0.89	-0.53401		
0.95	-0.44095		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
12	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.7501	9.30	-0.03	27.39 572.1	101.02 2109.8	69.55 1452.6	12.03 3.67	319.76 115.90

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.65052	0.05	0.47723
0.06	-0.57373	0.10	0.25769
0.11	-0.81378	0.20	0.04656
0.17	-0.60261	0.35	-0.16035
0.23	-0.54747	0.50	-0.33423
0.29	-0.57719	0.65	-0.23063
0.35	-0.73387	0.80	0.13571
0.41	-0.74151	0.95	0.16128
0.47	-0.61889		
0.53	-0.64148		
0.57	-0.61142		
0.65	-0.60524		
0.71	-0.62999		
0.77	-0.62041		
0.83	-0.59889		
0.89	-0.58526		
0.95	-0.52850		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
12	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
16	0.7501	11.33	0.02	27.39	101.02	69.55	12.02	319.97
				572.1	2109.8	1452.6	3.66	116.27

WING		UPPER SURFACE		LOWER SURFACE
	X/C	CP	X/C	CP
	0.02	-0.63507	0.05	0.52614
	0.06	-0.56973	0.10	0.31982
	0.11	-0.53927	0.20	0.10656
	0.17	-0.57247	0.35	-0.11090
	0.23	-0.58015	0.50	-0.29502
	0.29	-0.56310	0.65	-0.24322
	0.35	-0.59025	0.80	0.12845
	0.41	-0.66662	0.95	0.13967
	0.47	-0.61561		
	0.53	-0.60998		
	0.57	-0.60025		
	0.65	-0.62193		
	0.71	-0.60925		
	0.77	-0.60945		
	0.83	-0.59932		
	0.89	-0.58976		
	0.95	-0.56246		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
12	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
17	0.7497	13.39	-0.01	27.36 / 571.5	100.98 / 2109.1	69.55 / 1452.6	11.99 / 3.66	320.31 / 116.88

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.49516	0.05	0.60756
0.06	-0.49348	0.10	0.40490
0.11	-0.49132	0.20	0.19098
0.17	-0.50515	0.35	-0.04335
0.23	-0.51675	0.50	-0.24237
0.29	-0.52634	0.65	-0.22690
0.35	-0.54172	0.80	0.13532
0.41	-0.61708	0.95	0.13583
0.47	-0.55601		
0.53	-0.56707		
0.57	-0.58654		
0.65	-0.58592		
0.71	-0.58852		
0.77	-0.58557		
0.83	-0.58835		
0.89	-0.59949		
0.95	-0.59018		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
12	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
18	0.7476	15.53	0.00	27.27	100.98	69.69	11.98	320.29
				569.5	2109.1	1455.5	3.65	116.85

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.53473	0.05	0.70754
0.06	-1.50698	0.10	0.51152
0.11	-0.65955	0.20	0.28479
0.17	-0.50055	0.35	0.04181
0.23	-0.49008	0.50	-0.16573
0.29	-0.49899	0.65	-0.18995
0.35	-0.50423	0.80	0.15359
0.41	-0.58337	0.95	0.14595
0.47	-0.51468		
0.53	-0.51578		
0.57	-0.52378		
0.65	-0.54409		
0.71	-0.57252		
0.77	-0.58606		
0.83	-0.61444		
0.89	-0.62337		
0.95	-0.62586		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
12	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.7502	17.62	-0.01	27.39 / 572.0	100.98 / 2109.1	69.52 / 1451.9	12.02 / 3.66	319.84 / 116.04

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.26650	0.05	0.77532
	0.06	-1.30269	0.10	0.59190
	0.11	-0.87818	0.20	0.37159
	0.17	-0.56984	0.35	0.13277
	0.23	-0.54812	0.50	-0.08625
	0.29	-0.53898	0.65	-0.13465
	0.35	-0.53113	0.80	0.18120
	0.41	-0.54691	0.95	0.16265
	0.47	-0.54238		
	0.53	-0.56473		
	0.57	-0.56918		
	0.65	-0.59219		
	0.71	-0.60466		
	0.77	-0.63261		
	0.83	-0.62184		
	0.89	-0.62658		
	0.95	-0.64568		

211

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
12	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
20	0.7502	19.61	0.03	27.39 572.0	100.98 2109.1	69.52 1451.9	11.98 3.65	320.61 117.42

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.50749	0.05	0.79488
	0.06	-0.49673	0.10	0.62349
	0.11	-0.50310	0.20	0.41460
	0.17	-0.49358	0.35	0.17547
	0.23	-0.51007	0.50	-0.03492
	0.29	-0.51186	0.65	-0.10097
	0.35	-0.51529	0.80	0.20096
	0.41	-0.54210	0.95	0.17721
	0.47	-0.53427		
	0.53	-0.54042		
	0.57	-0.54890		
	0.65	-0.57030		
	0.71	-0.57726		
	0.77	-0.58166		
	0.83	-0.58564		
	0.89	-0.58824		
	0.95	-0.57049		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
12	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
21	0.7527	-1.71	-0.01	27.51	101.02	69.38	12.08	319.14
				574.6	2109.8	1449.0	3.68	114.79

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.17886	0.05	-0.55280
	0.06	-0.42073	0.10	-0.59605
	0.11	-0.46420	0.20	-0.62719
	0.17	-0.45748	0.35	-0.63604
	0.23	-0.46076	0.50	-0.55580
	0.29	-0.47102	0.65	-0.11627
	0.35	-0.46040	0.80	0.13279
	0.41	-0.51292	0.95	0.25727
	0.47	-0.44863		
	0.53	-0.47187		
	0.57	-0.41976		
	0.65	-0.39970		
	0.71	-0.32744		
	0.77	-0.25188		
	0.83	-0.17553		
	0.89	-0.09176		
	0.95	0.01787		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
13	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7814	-6.34	-0.02	28.84	100.98	67.47	12.31	319.29
				602.3	2109.1	1409.1	3.75	115.06

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.42115	0.05	-1.29728
0.06	0.08899	0.10	-1.26663
0.11	-0.02204	0.20	-1.26823
0.17	-0.09205	0.35	-0.80919
0.23	-0.13717	0.50	-0.51161
0.29	-0.19513	0.65	-0.35191
0.35	-0.23499	0.80	-0.19490
0.41	-0.31159	0.95	-0.02927
0.47	-0.31369		
0.53	-0.37539		
0.57	-0.35030		
0.65	-0.39712		
0.71	-0.35778		
0.77	-0.31896		
0.83	-0.27949		
0.89	-0.24356		
0.95	-0.20514		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN   CONFIG   DHORZ(deg)
13   2   OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.7814	-5.28	-0.02	28.84 602.3	100.98 2109.1	67.47 1409.1	12.29 3.75	319.76 115.90

WING   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	0.33923	0.05	-1.20551
0.06	0.00573	0.10	-1.18459
0.11	-0.09965	0.20	-1.18318
0.17	-0.17181	0.35	-1.14360
0.23	-0.19504	0.50	-0.44398
0.29	-0.24911	0.65	-0.19688
0.35	-0.29354	0.80	-0.02180
0.41	-0.29264	0.95	0.13104
0.47	-0.34476		
0.53	-0.38890		
0.57	-0.35271		
0.65	-0.37017		
0.71	-0.33983		
0.77	-0.27906		
0.83	-0.20753		
0.89	-0.13478		
0.95	-0.03024		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
13	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.7825	-4.24	-0.02	28.89	100.98	67.40	12.27	320.42
				603.3	2109.1	1407.6	3.74	117.08

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.21541	0.05	-1.07874
	0.06	-0.10194	0.10	-0.95920
	0.11	-0.20281	0.20	-0.98615
	0.17	-0.23886	0.35	-1.10754
	0.23	-0.26096	0.50	-0.48045
	0.29	-0.30754	0.65	-0.13551
	0.35	-0.32824	0.80	-0.00028
	0.41	-0.30471	0.95	0.15873
	0.47	-0.36467		
	0.53	-0.40644		
	0.57	-0.36651		
	0.65	-0.36769		
	0.71	-0.30915		
	0.77	-0.23805		
	0.83	-0.17193		
	0.89	-0.10411		
	0.95	0.00205		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
13	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.7797	-2.96	-0.02	28.77 600.9	101.02 2109.8	67.60 1411.9	12.23 3.73	320.76 117.69

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.04286	0.05	-0.75509
	0.06	-0.25009	0.10	-0.81682
	0.11	-0.33208	0.20	-0.86913
	0.17	-0.34708	0.35	-0.85308
	0.23	-0.35696	0.50	-0.49492
	0.29	-0.38583	0.65	-0.09776
	0.35	-0.39675	0.80	0.05726
	0.41	-0.33596	0.95	0.20773
	0.47	-0.41733		
	0.53	-0.44618		
	0.57	-0.39274		
	0.65	-0.38073		
	0.71	-0.30972		
	0.77	-0.23532		
	0.83	-0.15765		
	0.89	-0.07299		
	0.95	0.03740		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
13	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.7804	-1.76	-0.02	28.79	100.98	67.54	12.21	321.26
				601.3	2109.1	1410.5	3.72	118.60

WING	UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP	
0.02	-0.13564	0.05	-0.55924	
0.06	-0.41921	0.10	-0.59571	
0.11	-0.46435	0.20	-0.68203	
0.17	-0.47041	0.35	-0.75040	
0.23	-0.47654	0.50	-0.53015	
0.29	-0.50077	0.65	-0.09813	
0.35	-0.49714	0.80	0.10196	
0.41	-0.37899	0.95	0.23943	
0.47	-0.48871			
0.53	-0.50063			
0.57	-0.44140			
0.65	-0.40565			
0.71	-0.33743			
0.77	-0.25208			
0.83	-0.16623			
0.89	-0.07218			
0.95	0.03956			

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
13	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.7814	-0.62	-0.02	28.84 602.3	100.98 2109.1	67.47 1409.1	12.25 3.73	320.64 117.49

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.35106	0.05	-0.36956
	0.06	-0.64207	0.10	-0.44649
	0.11	-0.61943	0.20	-0.53978
	0.17	-0.65456	0.35	-0.66100
	0.23	-0.60435	0.50	-0.56030
	0.29	-0.58878	0.65	-0.09706
	0.35	-0.58125	0.80	0.14673
	0.41	-0.45739	0.95	0.26246
	0.47	-0.53676		
	0.53	-0.55844		
	0.57	-0.47660		
	0.65	-0.43040		
	0.71	-0.34687		
	0.77	-0.25952		
	0.83	-0.17193		
	0.89	-0.07526		
	0.95	0.03426		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
13	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.7799	0.53	-0.01	28.77	100.98	67.57	12.24	320.42
				600.8	2109.1	1411.2	3.73	117.08

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.58479	0.05	-0.20158
	0.06	-0.84946	0.10	-0.32586
	0.11	-0.90706	0.20	-0.43023
	0.17	-0.77876	0.35	-0.53759
	0.23	-0.77488	0.50	-0.52029
	0.29	-0.72395	0.65	-0.09392
	0.35	-0.62438	0.80	0.18025
	0.41	-0.51987	0.95	0.28731
	0.47	-0.57012		
	0.53	-0.57199		
	0.57	-0.48953		
	0.65	-0.43535		
	0.71	-0.35334		
	0.77	-0.26393		
	0.83	-0.17462		
	0.89	-0.07904		
	0.95	0.02795		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
13	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.7809	1.81	-0.01	28.81 601.8	100.98 2109.1	67.50 1409.8	12.27 3.74	320.03 116.38

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.77190	0.05	-0.06837
	0.06	-1.05735	0.10	-0.19978
	0.11	-1.07145	0.20	-0.32677
	0.17	-1.08359	0.35	-0.46752
	0.23	-1.06612	0.50	-0.48758
	0.29	-1.06081	0.65	-0.09677
	0.35	-0.94305	0.80	0.20069
	0.41	-0.61628	0.95	0.31003
	0.47	-0.54712		
	0.53	-0.47042		
	0.57	-0.42712		
	0.65	-0.39209		
	0.71	-0.33266		
	0.77	-0.25226		
	0.83	-0.16972		
	0.89	-0.07826		
	0.95	0.02086		

221

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
13	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.7820	2.90	-0.01	28.86 602.8	100.98 2109.1	67.43 1408.3	12.27 3.74	320.19 116.68

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.91704	0.05	0.07198
	0.06	-1.20572	0.10	-0.09319
	0.11	-1.22422	0.20	-0.24974
	0.17	-1.20373	0.35	-0.38977
	0.23	-1.20249	0.50	-0.45671
	0.29	-1.19665	0.65	-0.10334
	0.35	-1.19073	0.80	0.21470
	0.41	-0.78315	0.95	0.31385
	0.47	-0.97866		
	0.53	-0.51034		
	0.57	-0.42639		
	0.65	-0.34483		
	0.71	-0.28261		
	0.77	-0.21487		
	0.83	-0.14305		
	0.89	-0.06440		
	0.95	0.02229		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
13	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.7790	4.01	-0.01	28.72	100.95	67.60	12.24	320.21
				599.8	2108.4	1411.9	3.73	116.71

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.01037	0.05	0.16525
	0.06	-1.30721	0.10	-0.01080
	0.11	-1.30106	0.20	-0.16405
	0.17	-1.29483	0.35	-0.31845
	0.23	-1.29380	0.50	-0.40589
	0.29	-1.29595	0.65	-0.11827
	0.35	-1.23906	0.80	0.20822
	0.41	-0.91182	0.95	0.28097
	0.47	-0.66416		
	0.53	-0.59646		
	0.57	-0.53771		
	0.65	-0.44722		
	0.71	-0.37196		
	0.77	-0.29839		
	0.83	-0.22865		
	0.89	-0.14025		
	0.95	-0.09145		

223

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
13	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.7799	5.07	0.01	28.77 600.8	100.98 2109.1	67.57 1411.2	12.23 3.73	320.70 117.59

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.10304	0.05	0.24006
	0.06	-1.36430	0.10	0.04848
	0.11	-1.37758	0.20	-0.12128
	0.17	-1.36764	0.35	-0.30399
	0.23	-1.29574	0.50	-0.43900
	0.29	-1.05331	0.65	-0.17991
	0.35	-0.78274	0.80	0.17525
	0.41	-0.92780	0.95	0.23088
	0.47	-0.68247		
	0.53	-0.62329		
	0.57	-0.57555		
	0.65	-0.50018		
	0.71	-0.44155		
	0.77	-0.37289		
	0.83	-0.30700		
	0.89	-0.28117		
	0.95	-0.23093		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
13	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.7818	6.22	0.01	28.87 / 602.9	101.02 / 2109.8	67.47 / 1409.1	12.26 / 3.74	320.47 / 117.18

WING   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-1.19979	0.05	0.31360
0.06	-1.42237	0.10	0.11578
0.11	-1.45279	0.20	-0.07666
0.17	-1.41331	0.35	-0.26902
0.23	-1.19670	0.50	-0.40550
0.29	-0.87483	0.65	-0.19250
0.35	-0.78950	0.80	0.17019
0.41	-0.91045	0.95	0.21220
0.47	-0.69385		
0.53	-0.64948		
0.57	-0.60939		
0.65	-0.52772		
0.71	-0.50365		
0.77	-0.44800		
0.83	-0.40800		
0.89	-0.36084		
0.95	-0.32268		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
13	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.7809	7.22	0.01	28.81	100.98	67.50	12.25	320.55
				601.8	2109.1	1409.8	3.73	117.32

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.24270	0.05	0.37190
0.06	-1.10251	0.10	0.17157
0.11	-0.73887	0.20	-0.02107
0.17	-1.25570	0.35	-0.21748
0.23	-0.99824	0.50	-0.38860
0.29	-0.82639	0.65	-0.19892
0.35	-0.74649	0.80	0.16587
0.41	-0.79155	0.95	0.20987
0.47	-0.66849		
0.53	-0.64669		
0.57	-0.60146		
0.65	-0.59278		
0.71	-0.55292		
0.77	-0.52349		
0.83	-0.46637		
0.89	-0.50139		
0.95	-0.46213		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
13	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.7941	8.24	-0.02	29.40 614.1	100.95 2108.4	66.61 1391.2	12.38 3.77	319.95 116.24

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.32661	0.05	0.43893
	0.06	-1.49389	0.10	0.24475
	0.11	-1.50778	0.20	0.04680
	0.17	-1.48505	0.35	-0.15364
	0.23	-1.14464	0.50	-0.33707
	0.29	-0.76779	0.65	-0.18787
	0.35	-0.80099	0.80	0.17577
	0.41	-0.74129	0.95	0.20719
	0.47	-0.49138		
	0.53	-0.55150		
	0.57	-0.52807		
	0.65	-0.53816		
	0.71	-0.53579		
	0.77	-0.54006		
	0.83	-0.54611		
	0.89	-0.54672		
	0.95	-0.53305		

227

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
13	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.7801	9.28	-0.02	28.77 / 600.8	100.95 / 2108.4	67.54 / 1410.5	12.26 / 3.74	320.08 / 116.48

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.60932	0.05	0.46186
	0.06	-0.73337	0.10	0.26548
	0.11	-0.56949	0.20	0.06510
	0.17	-0.98043	0.35	-0.15474
	0.23	-0.67593	0.50	-0.36425
	0.29	-0.57949	0.65	-0.23869
	0.35	-0.64147	0.80	0.14288
	0.41	-0.74633	0.95	0.16421
	0.47	-0.63947		
	0.53	-0.64636		
	0.57	-0.61757		
	0.65	-0.61552		
	0.71	-0.63565		
	0.77	-0.63679		
	0.83	-0.60274		
	0.89	-0.60187		
	0.95	-0.56060		

228

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
13	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
16	0.7790	11.34	-0.01	28.72 599.8	100.95 2108.4	67.60 1411.9	12.24 3.73	320.21 116.71

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.62503	0.05	0.53831
	0.06	-0.56454	0.10	0.33067
	0.11	-0.53943	0.20	0.12301
	0.17	-0.53539	0.35	-0.11092
	0.23	-0.54416	0.50	-0.32143
	0.29	-0.54477	0.65	-0.25016
	0.35	-0.58731	0.80	0.13454
	0.41	-0.66941	0.95	0.15731
	0.47	-0.60167		
	0.53	-0.63644		
	0.57	-0.61292		
	0.65	-0.62931		
	0.71	-0.62014		
	0.77	-0.60945		
	0.83	-0.60841		
	0.89	-0.59965		
	0.95	-0.56199		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
13	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
17	0.7792	13.47	-0.06	28.72 599.8	100.92 2107.7	67.57 1411.2	12.24 3.73	320.25 116.78

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.51854	0.05	0.62190
	0.06	-0.51133	0.10	0.41510
	0.11	-0.50241	0.20	0.20268
	0.17	-0.51761	0.35	-0.03157
	0.23	-0.51180	0.50	-0.24265
	0.29	-0.52359	0.65	-0.22083
	0.35	-0.55145	0.80	0.14747
	0.41	-0.61343	0.95	0.15629
	0.47	-0.57153		
	0.53	-0.59300		
	0.57	-0.58721		
	0.65	-0.60435		
	0.71	-0.62124		
	0.77	-0.61760		
	0.83	-0.61017		
	0.89	-0.59533		
	0.95	-0.58071		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
13	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
18	0.7797	15.47	-0.01	28.74 / 600.3	100.92 / 2107.7	67.54 / 1410.5	12.22 / 3.72	320.81 / 117.79

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.48951	0.05	0.69065
	0.06	-0.50352	0.10	0.49676
	0.11	-0.50200	0.20	0.27648
	0.17	-0.51793	0.35	0.03967
	0.23	-0.52900	0.50	-0.18111
	0.29	-0.52943	0.65	-0.19172
	0.35	-0.54728	0.80	0.16158
	0.41	-0.58089	0.95	0.16841
	0.47	-0.56755		
	0.53	-0.57709		
	0.57	-0.58089		
	0.65	-0.60010		
	0.71	-0.60505		
	0.77	-0.60545		
	0.83	-0.61985		
	0.89	-0.60854		
	0.95	-0.60869		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
13	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.7802	17.61	0.07	28.77 / 600.8	100.92 / 2107.7	67.50 / 1409.8	12.20 / 3.72	321.26 / 118.60

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.60341	0.05	0.74827
	0.06	-0.52795	0.10	0.56074
	0.11	-0.55591	0.20	0.34973
	0.17	-0.57242	0.35	0.11717
	0.23	-0.54648	0.50	-0.10848
	0.29	-0.54545	0.65	-0.14217
	0.35	-0.54772	0.80	0.18834
	0.41	-0.56224	0.95	0.18560
	0.47	-0.55917		
	0.53	-0.56939		
	0.57	-0.58124		
	0.65	-0.58498		
	0.71	-0.60621		
	0.77	-0.60140		
	0.83	-0.60289		
	0.89	-0.64349		
	0.95	-0.64148		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
13	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
20	0.7797	19.68	0.07	28.74 / 600.3	100.92 / 2107.7	67.54 / 1410.5	12.20 / 3.72	321.17 / 118.43

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.52314	0.05	0.80337
	0.06	-0.51638	0.10	0.63425
	0.11	-0.51339	0.20	0.42036
	0.17	-0.52617	0.35	0.18534
	0.23	-0.50644	0.50	-0.02966
	0.29	-0.51501	0.65	-0.08175
	0.35	-0.52617	0.80	0.21967
	0.41	-0.54205	0.95	0.20300
	0.47	-0.54727		
	0.53	-0.56570		
	0.57	-0.58597		
	0.65	-0.58973		
	0.71	-0.57919		
	0.77	-0.56933		
	0.83	-0.58114		
	0.89	-0.59128		
	0.95	-0.57303		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
13	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
21	0.7811	-1.81	-0.01	28.81 601.8	100.95 2108.4	67.47 1409.1	12.26 3.74	320.31 116.88

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.12465	0.05	-0.57500
	0.06	-0.41272	0.10	-0.59670
	0.11	-0.44904	0.20	-0.68743
	0.17	-0.48211	0.35	-0.76857
	0.23	-0.46946	0.50	-0.52618
	0.29	-0.46687	0.65	-0.09212
	0.35	-0.48165	0.80	0.10248
	0.41	-0.52274	0.95	0.24243
	0.47	-0.48238		
	0.53	-0.50160		
	0.57	-0.44432		
	0.65	-0.41616		
	0.71	-0.33087		
	0.77	-0.24735		
	0.83	-0.16332		
	0.89	-0.06828		
	0.95	0.04439		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
14	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8004	-6.30	-0.01	29.69 620.0	100.95 2108.4	66.20 1382.6	12.37 3.77	321.13 118.36

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.42573	0.05	-1.22237
	0.06	0.08277	0.10	-1.18847
	0.11	-0.02647	0.20	-1.20384
	0.17	-0.12584	0.35	-0.63894
	0.23	-0.15943	0.50	-0.49510
	0.29	-0.21562	0.65	-0.37549
	0.35	-0.26262	0.80	-0.26763
	0.41	-0.30729	0.95	-0.12945
	0.47	-0.34824		
	0.53	-0.41632		
	0.57	-0.39210		
	0.65	-0.46353		
	0.71	-0.42603		
	0.77	-0.38424		
	0.83	-0.34104		
	0.89	-0.31543		
	0.95	-0.26107		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
14	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.8012	-5.26	-0.02	29.73 621.0	100.98 2109.1	66.17 1381.9	12.39 3.78	320.92 117.99

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.28610	0.05	-1.10872
	0.06	-0.00300	0.10	-1.07110
	0.11	-0.11449	0.20	-1.11635
	0.17	-0.18308	0.35	-1.05510
	0.23	-0.22477	0.50	-0.45488
	0.29	-0.28363	0.65	-0.29855
	0.35	-0.30650	0.80	-0.16721
	0.41	-0.29587	0.95	-0.00367
	0.47	-0.37404		
	0.53	-0.45398		
	0.57	-0.41547		
	0.65	-0.45682		
	0.71	-0.40205		
	0.77	-0.33611		
	0.83	-0.27444		
	0.89	-0.20398		
	0.95	-0.14519		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
14	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.8014	-4.20	-0.02	29.73	100.95	66.13	12.40	320.76
				620.9	2108.4	1381.2	3.78	117.69

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.20541	0.05	-1.00812
	0.06	-0.10681	0.10	-0.91219
	0.11	-0.19753	0.20	-0.92319
	0.17	-0.25317	0.35	-1.05879
	0.23	-0.27477	0.50	-0.46948
	0.29	-0.31499	0.65	-0.22005
	0.35	-0.35852	0.80	-0.08522
	0.41	-0.30783	0.95	0.15659
	0.47	-0.40175		
	0.53	-0.46768		
	0.57	-0.41862		
	0.65	-0.43134		
	0.71	-0.37783		
	0.77	-0.30024		
	0.83	-0.23272		
	0.89	-0.13974		
	0.95	-0.05298		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
14	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.8012	-3.03	-0.02	29.73	100.98	66.17	12.39	320.98
				621.0	2109.1	1381.9	3.78	118.09

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.04163	0.05	-0.73438
	0.06	-0.24543	0.10	-0.80179
	0.11	-0.32668	0.20	-0.84068
	0.17	-0.35366	0.35	-0.80357
	0.23	-0.37124	0.50	-0.55487
	0.29	-0.40777	0.65	-0.14178
	0.35	-0.43041	0.80	-0.03870
	0.41	-0.36206	0.95	0.10798
	0.47	-0.45000		
	0.53	-0.50243		
	0.57	-0.43705		
	0.65	-0.41855		
	0.71	-0.33520		
	0.77	-0.25416		
	0.83	-0.17123		
	0.89	-0.08334		
	0.95	0.02661		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
14	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.8004	-1.88	-0.02	29.69	100.95	66.20	12.39	320.72
				620.0	2108.4	1382.6	3.78	117.62

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.12238	0.05	-0.53381
0.06	-0.42820	0.10	-0.57083
0.11	-0.45796	0.20	-0.68786
0.17	-0.48286	0.35	-0.79244
0.23	-0.48515	0.50	-0.77814
0.29	-0.50725	0.65	-0.11943
0.35	-0.51647	0.80	0.00329
0.41	-0.40622	0.95	0.18239
0.47	-0.50815		
0.53	-0.54670		
0.57	-0.47506		
0.65	-0.42217		
0.71	-0.33375		
0.77	-0.24410		
0.83	-0.15836		
0.89	-0.06689		
0.95	0.04402		

239

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
14	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.8019	-0.69	-0.02	29.75 621.4	100.95 2108.4	66.09 1380.4	12.40 3.78	320.66 117.52

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.32586	0.05	-0.35295
	0.06	-0.62232	0.10	-0.46457
	0.11	-0.62477	0.20	-0.55828
	0.17	-0.67894	0.35	-0.68543
	0.23	-0.68435	0.50	-0.82328
	0.29	-0.58524	0.65	-0.08648
	0.35	-0.63210	0.80	0.10378
	0.41	-0.47431	0.95	0.24378
	0.47	-0.59535		
	0.53	-0.59292		
	0.57	-0.49626		
	0.65	-0.42080		
	0.71	-0.33307		
	0.77	-0.24166		
	0.83	-0.15347		
	0.89	-0.06060		
	0.95	0.04857		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
14	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.8012	0.57	-0.02	29.73 621.0	100.98 2109.1	66.17 1381.9	12.38 3.77	321.11 118.33

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.52227	0.05	-0.19852
	0.06	-0.79263	0.10	-0.33648
	0.11	-0.90384	0.20	-0.44906
	0.17	-0.89159	0.35	-0.59764
	0.23	-0.84263	0.50	-0.61156
	0.29	-0.79832	0.65	-0.08666
	0.35	-0.83703	0.8○	0.16187
	0.41	-0.56837	0.95	0.27060
	0.47	-0.71418		
	0.53	-0.53151		
	0.57	-0.44884		
	0.65	-0.40685		
	0.71	-0.32634		
	0.77	-0.24342		
	0.83	-0.15712		
	0.89	-0.06682		
	0.95	0.03796		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
14	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.7996	1.79	-0.02	29.66	100.98	66.27	12.39	320.70
				619.5	2109.1	1384.1	3.78	117.59

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.69344	0.05	-0.05823
	0.06	-0.97057	0.10	-0.20115
	0.11	-1.02238	0.20	-0.34270
	0.17	-1.04043	0.35	-0.49910
	0.23	-1.05116	0.50	-0.53235
	0.29	-1.00076	0.65	-0.09015
	0.35	-1.01155	0.80	0.19661
	0.41	-0.72589	0.95	0.30179
	0.47	-0.93276		
	0.53	-0.74939		
	0.57	-0.43092		
	0.65	-0.34824		
	0.71	-0.28237		
	0.77	-0.21564		
	0.83	-0.14086		
	0.89	-0.05857		
	0.95	0.03635		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
14	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.8005	2.94	-0.01	29.71	101.02	66.23	12.40	320.66
				620.5	2109.8	1383.3	3.78	117.52

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.82940	0.05	0.06619
	0.06	-1.12843	0.10	-0.10792
	0.11	-1.17018	0.20	-0.25140
	0.17	-1.16098	0.35	-0.41411
	0.23	-1.15473	0.50	-0.53059
	0.29	-1.13996	0.65	-0.12464
	0.35	-1.16527	0.80	0.18922
	0.41	-0.85018	0.95	0.27510
	0.47	-0.96927		
	0.53	-0.57647		
	0.57	-0.52607		
	0.65	-0.40396		
	0.71	-0.31790		
	0.77	-0.25388		
	0.83	-0.18163		
	0.89	-0.08599		
	0.95	-0.00439		

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
14	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.8016	4.01	0.00	29.76	101.02	66.17	12.42	320.46
				621.5	2109.8	1381.9	3.79	117.15

WING   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-0.91971	0.05	0.16503
0.06	-1.21072	0.10	-0.02363
0.11	-1.20635	0.20	-0.19850
0.17	-1.21931	0.35	-0.38068
0.23	-1.22860	0.50	-0.49965
0.29	-1.19245	0.65	-0.15559
0.35	-1.04130	0.80	0.17881
0.41	-0.89984	0.95	0.24738
0.47	-0.60588		
0.53	-0.57539		
0.57	-0.54403		
0.65	-0.48947		
0.71	-0.43043		
0.77	-0.37730		
0.83	-0.33178		
0.89	-0.25490		
0.95	-0.20699		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
14	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.8004	5.06	0.00	29.69 620.0	100.95 2108.4	66.20 1382.6	12.41 3.78	320.27 116.81

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.00999	0.05	0.22195
	0.06	-1.27651	0.10	0.03351
	0.11	-1.27816	0.20	-0.14977
	0.17	-1.29043	0.35	-0.33369
	0.23	-1.27808	0.50	-0.49850
	0.29	-1.06162	0.65	-0.19554
	0.35	-0.72345	0.80	0.15556
	0.41	-0.88410	0.95	0.21081
	0.47	-0.63531		
	0.53	-0.61357		
	0.57	-0.57830		
	0.65	-0.51668		
	0.71	-0.46150		
	0.77	-0.41945		
	0.83	-0.37961		
	0.89	-0.34215		
	0.95	-0.29829		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
14	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.7991	6.12	0.01	29.64 619.0	100.98 2109.1	66.30 1384.8	12.40 3.78	320.51 117.25

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.11271	0.05	0.30807
	0.06	-1.34087	0.10	0.10542
	0.11	-1.35985	0.20	-0.07445
	0.17	-1.30947	0.35	-0.26745
	0.23	-1.13491	0.50	-0.44296
	0.29	-0.87262	0.65	-0.20250
	0.35	-0.73450	0.80	0.16245
	0.41	-0.85955	0.95	0.20554
	0.47	-0.65719		
	0.53	-0.61518		
	0.57	-0.59517		
	0.65	-0.54555		
	0.71	-0.50172		
	0.77	-0.45704		
	0.83	-0.42559		
	0.89	-0.39230		
	0.95	-0.34645		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
14	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.8002	7.22	0.01	29.69 620.0	100.98 2109.1	66.23 1383.3	12.42 3.79	320.06 116.44

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.17078	0.05	0.36740
	0.06	-1.26624	0.10	0.15385
	0.11	-1.11406	0.20	-0.04540
	0.17	-1.11918	0.35	-0.24764
	0.23	-0.95358	0.50	-0.44247
	0.29	-0.79326	0.65	-0.22000
	0.35	-0.74353	0.80	0.15468
	0.41	-0.80789	0.95	0.20487
	0.47	-0.68085		
	0.53	-0.63717		
	0.57	-0.62904		
	0.65	-0.60554		
	0.71	-0.58579		
	0.77	-0.56964		
	0.83	-0.51382		
	0.89	-0.47537		
	0.95	-0.42575		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
14	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.8009	8.36	-0.02	29.70 / 620.4	100.95 / 2108.4	66.17 / 1381.9	12.40 / 3.78	320.47 / 117.18

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.30169	0.05	0.42960
	0.06	-1.43758	0.10	0.21673
	0.11	-0.88260	0.20	0.01238
	0.17	-1.49504	0.35	-0.20203
	0.23	-1.30184	0.50	-0.40665
	0.29	-0.81641	0.65	-0.23321
	0.35	-0.91024	0.80	0.15041
	0.41	-0.82799	0.95	0.18041
	0.47	-0.53297		
	0.53	-0.56459		
	0.57	-0.59376		
	0.65	-0.63023		
	0.71	-0.62573		
	0.77	-0.60296		
	0.83	-0.61537		
	0.89	-0.58895		
	0.95	-0.58479		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
14	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.8007	9.29	-0.01	29.71 620.5	100.98 2109.1	66.20 1382.6	12.40 3.78	320.73 117.65

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.74117	0.05	0.45685
	0.06	-0.68940	0.10	0.25119
	0.11	-0.59372	0.20	0.04922
	0.17	-0.66927	0.35	-0.17241
	0.23	-0.59193	0.50	-0.39723
	0.29	-0.65536	0.65	-0.24728
	0.35	-0.78873	0.80	0.14008
	0.41	-0.80167	0.95	0.17386
	0.47	-0.63084		
	0.53	-0.59805		
	0.57	-0.61120		
	0.65	-0.64096		
	0.71	-0.62239		
	0.77	-0.62330		
	0.83	-0.59372		
	0.89	-0.61698		
	0.95	-0.57915		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
14	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
16	0.7991	11.26	-0.01	29.64	100.98	66.30	12.40	320.47
				619.0	2109.1	1384.8	3.78	117.18

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.66232	0.05	0.53471
	0.06	-0.56970	0.10	0.33159
	0.11	-0.59711	0.20	0.11955
	0.17	-0.57379	0.35	-0.10406
	0.23	-0.59306	0.50	-0.33373
	0.29	-0.59125	0.65	-0.24664
	0.35	-1.00468	0.80	0.14319
	0.41	-0.74178	0.95	0.16617
	0.47	-0.78707		
	0.53	-0.60857		
	0.57	-0.61508		
	0.65	-0.62618		
	0.71	-0.62777		
	0.77	-0.63013		
	0.83	-0.61604		
	0.89	-0.59231		
	0.95	-0.56925		

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
14	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
17	0.7988	13.49	0.05	29.61	100.95	66.30	12.39	320.42
				618.5	2108.4	1384.8	3.78	117.08

WING		UPPER SURFACE		LOWER SURFACE	
	X/C	CP		X/C	CP
	0.02	-1.47697		0.05	0.63434
	0.06	-1.41671		0.10	0.43161
	0.11	-1.28918		0.20	0.21212
	0.17	-1.26410		0.35	-0.02132
	0.23	-1.25772		0.50	-0.24484
	0.29	-1.27209		0.65	-0.21298
	0.35	-1.19239		0.80	0.16621
	0.41	-0.80722		0.95	0.17976
	0.47	-0.71484			
	0.53	-0.60091			
	0.57	-0.52782			
	0.65	-0.56912			
	0.71	-0.58602			
	0.77	-0.60944			
	0.83	-0.62309			
	0.89	-0.64736			
	0.95	-0.64891			

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
14	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
18	0.8007	15.53	0.00	29.71	100.98	66.20	12.36	321.41
				620.5	2109.1	1382.6	3.77	118.87

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.50378	0.05	0.69513
	0.06	-0.50374	0.10	0.49818
	0.11	-0.50691	0.20	0.28560
	0.17	-0.51119	0.35	0.06047
	0.23	-0.51917	0.50	-0.16729
	0.29	-0.53518	0.65	-0.17198
	0.35	-0.52805	0.80	0.18492
	0.41	-0.75592	0.95	0.19240
	0.47	-0.56480		
	0.53	-0.58222		
	0.57	-0.57841		
	0.65	-0.59262		
	0.71	-0.60425		
	0.77	-0.60390		
	0.83	-0.59958		
	0.89	-0.61077		
	0.95	-0.60412		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
14	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.7993	17.61	0.03	29.64	100.95	66.27	12.40	320.19
				619.0	2108.4	1384.1	3.78	116.68

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.53731	0.05	0.75931
	0.06	-0.52511	0.10	0.57807
	0.11	-0.50174	0.20	0.36446
	0.17	-0.60468	0.35	0.12339
	0.23	-0.56963	0.50	-0.09151
	0.29	-0.53174	0.65	-0.12001
	0.35	-0.53392	0.80	0.21333
	0.41	-0.66697	0.95	0.21048
	0.47	-0.54528		
	0.53	-0.58117		
	0.57	-0.59818		
	0.65	-0.58634		
	0.71	-0.60649		
	0.77	-0.60919		
	0.83	-0.60890		
	0.89	-0.60378		
	0.95	-0.59076		

253

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
14	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
20	0.7998	19.70	0.07	29.66	100.95	66.23	12.39	320.59
				619.5	2108.4	1383.3	3.78	117.39

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.52040	0.05	0.81207
	0.06	-0.52324	0.10	0.64830
	0.11	-0.51918	0.20	0.43845
	0.17	-0.51702	0.35	0.20269
	0.23	-0.50711	0.50	-0.01526
	0.29	-0.52997	0.65	-0.06270
	0.35	-0.53122	0.80	0.23687
	0.41	-0.60863	0.95	0.22667
	0.47	-0.53424		
	0.53	-0.55241		
	0.57	-0.55551		
	0.65	-0.57629		
	0.71	-0.57134		
	0.77	-0.56313		
	0.83	-0.57832		
	0.89	-0.58577		
	0.95	-0.58375		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
14	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
21	0.8004	-1.82	-0.01	29.69 / 620.0	100.95 / 2108.4	66.20 / 1382.6	12.40 / 3.78	320.36 / 116.98

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.12598	0.05	-0.54192
	0.06	-0.42808	0.10	-0.55315
	0.11	-0.44789	0.20	-0.67521
	0.17	-0.47359	0.35	-0.76604
	0.23	-0.48919	0.50	-0.77012
	0.29	-0.50945	0.65	-0.12097
	0.35	-0.52648	0.80	0.00650
	0.41	-0.58894	0.95	0.18821
	0.47	-0.51576		
	0.53	-0.56106		
	0.57	-0.47975		
	0.65	-0.42129		
	0.71	-0.33572		
	0.77	-0.24970		
	0.83	-0.16131		
	0.89	-0.06224		
	0.95	0.04980		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
15	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8202	-6.35	-0.02	30.57 638.5	100.98 2109.1	64.92 1355.8	12.54 3.82	320.83 117.82

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.40727	0.05	-1.12160
0.06	0.07063	0.10	-1.10907
0.11	-0.04863	0.20	-1.13979
0.17	-0.12846	0.35	-0.56611
0.23	-0.17107	0.50	-0.48278
0.29	-0.22972	0.65	-0.39991
0.35	-0.26138	0.80	-0.32998
0.41	-0.40122	0.95	-0.24912
0.47	-0.36406		
0.53	-0.46022		
0.57	-0.41472		
0.65	-0.54493		
0.71	-0.55811		
0.77	-0.46110		
0.83	-0.38940		
0.89	-0.35883		
0.95	-0.31935		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
15	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.8213	-5.20	-0.01	30.62 639.5	100.98 2109.1	64.84 1354.3	12.55 3.83	320.66 117.52

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.28840	0.05	-1.04051
	0.06	-0.02535	0.1C	-0.99014
	0.11	-0.12936	0.20	-1.04660
	0.17	-0.19997	0.35	-1.02519
	0.23	-0.23701	0.50	-0.44765
	0.29	-0.28468	0.65	-0.35996
	0.35	-0.32688	0.80	-0.25252
	0.41	-0.36628	0.95	-0.08227
	0.47	-0.39756		
	0.53	-0.49565		
	0.57	-0.44519		
	0.65	-0.54085		
	0.71	-0.48118		
	0.77	-0.37412		
	0.83	-0.30896		
	0.89	-0.27120		
	0.95	-0.22023		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
15	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.8204	-4.12	-0.02	30.57 638.5	100.95 2108.4	64.88 1355.1	12.54 3.82	320.77 117.72

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.18220	0.05	-0.91963
	0.06	-0.12435	0.10	-0.84270
	0.11	-0.22246	0.20	-0.86462
	0.17	-0.27325	0.35	-1.00449
	0.23	-0.30698	0.50	-0.41060
	0.29	-0.34366	0.65	-0.30177
	0.35	-0.37506	0.80	-0.19047
	0.41	-0.36012	0.95	-0.05676
	0.47	-0.42939		
	0.53	-0.52309		
	0.57	-0.48310		
	0.65	-0.51512		
	0.71	-0.44810		
	0.77	-0.33691		
	0.83	-0.26576		
	0.89	-0.20523		
	0.95	-0.14018		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
15	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.8210	-2.96	-0.02	30.59	100.95	64.84	12.49	321.84
				638.9	2108.4	1354.3	3.81	119.64

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.02831	0.05	-0.68115
	0.06	-0.27437	0.10	-0.75733
	0.11	-0.33014	0.20	-0.81140
	0.17	-0.37991	0.35	-0.93044
	0.23	-0.40857	0.50	-0.50003
	0.29	-0.43514	0.65	-0.21303
	0.35	-0.47465	0.80	-0.12800
	0.41	-0.39530	0.95	0.02061
	0.47	-0.49255		
	0.53	-0.57442		
	0.57	-0.54995		
	0.65	-0.51569		
	0.71	-0.36350		
	0.77	-0.28154		
	0.83	-0.20353		
	0.89	-0.10795		
	0.95	-0.00161		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
15	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.8204	-1.78	-0.02	30.57 638.5	100.95 2108.4	64.88 1355.1	12.52 3.82	321.14 118.39

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.13356	0.05	-0.49886
	0.06	-0.45889	0.10	-0.53910
	0.11	-0.50434	0.20	-0.71336
	0.17	-0.50267	0.35	-0.76125
	0.23	-0.50953	0.50	-0.67472
	0.29	-0.53193	0.65	-0.16339
	0.35	-0.57290	0.80	-0.08775
	0.41	-0.43379	0.95	0.05861
	0.47	-0.54661		
	0.53	-0.60406		
	0.57	-0.57456		
	0.65	-0.41454		
	0.71	-0.32360		
	0.77	-0.24065		
	0.83	-0.15609		
	0.89	-0.07519		
	0.95	0.02741		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
15	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.8197	-0.66	-0.02	30.55 638.0	100.98 2109.1	64.95 1356.5	12.51 3.81	321.28 118.63

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.30762	0.05	-0.31658
	0.06	-0.58404	0.10	-0.42674
	0.11	-0.59214	0.20	-0.56618
	0.17	-0.67003	0.35	-0.67976
	0.23	-0.67547	0.50	-0.83777
	0.29	-0.69724	0.65	-0.13362
	0.35	-0.66127	0.80	-0.00454
	0.41	-0.49195	0.95	0.17897
	0.47	-0.62601		
	0.53	-0.64288		
	0.57	-0.62453		
	0.65	-0.39612		
	0.71	-0.29908		
	0.77	-0.21896		
	0.83	-0.13346		
	0.89	-0.04068		
	0.95	0.06465		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
15	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.8199	0.52	-0.02	30.55 638.0	100.95 2108.4	64.92 1355.8	12.39 3.78	323.69 122.97

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.48276	0.05	-0.19323
0.06	-0.73566	0.10	-0.34346
0.11	-0.84797	0.20	-0.45887
0.17	-0.85525	0.35	-0.61615
0.23	-0.81702	0.50	-0.75719
0.29	-0.77989	0.65	-0.08697
0.35	-0.81159	0.80	0.09019
0.41	-0.59126	0.95	0.25567
0.47	-0.85979		
0.53	-0.81554		
0.57	-0.69334		
0.65	-0.34383		
0.71	-0.27612		
0.77	-0.20061		
0.83	-0.11902		
0.89	-0.03460		
0.95	0.06017		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
15	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.8194	1.81	-0.01	30.52	100.95	64.95	12.39	323.59
				637.5	2108.4	1356.5	3.78	122.80

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.64237	0.05	-0.03301
	0.06	-0.92816	0.10	-0.19911
	0.11	-0.98834	0.20	-0.33575
	0.17	-0.98605	0.35	-0.52239
	0.23	-0.99466	0.50	-0.70992
	0.29	-1.01001	0.65	-0.08849
	0.35	-1.02465	0.80	0.15206
	0.41	-0.69464	0.95	0.26994
	0.47	-0.93997		
	0.53	-0.97552		
	0.57	-0.83135		
	0.65	-0.38626		
	0.71	-0.29430		
	0.77	-0.21081		
	0.83	-0.12844		
	0.89	-0.04164		
	0.95	0.04735		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
15	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.8204	2.96	-0.01	30.57 638.5	100.95 2108.4	64.88 1355.1	12.38 3.77	323.92 123.38

WING		UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP	
	0.02	-0.75771	0.05	0.04888	
	0.06	-1.03162	0.10	-0.11112	
	0.11	-1.09364	0.20	-0.26823	
	0.17	-1.08869	0.35	-0.46061	
	0.23	-1.10241	0.50	-0.67024	
	0.29	-1.09518	0.65	-0.13976	
	0.35	-1.11924	0.80	0.14070	
	0.41	-0.79478	0.95	0.24114	
	0.47	-0.57331			
	0.53	-0.51705			
	0.57	-0.49939			
	0.65	-0.45008			
	0.71	-0.40365			
	0.77	-0.34055			
	0.83	-0.28519			
	0.89	-0.25310			
	0.95	-0.19307			

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
15	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.8204	4.01	0.00	30.57	100.95	64.88	12.39	323.78
				638.5	2108.4	1355.1	3.78	123.14

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.84020	0.05	0.14296
	0.06	-1.13110	0.10	-0.03767
	0.11	-1.15968	0.20	-0.22234
	0.17	-1.16213	0.35	-0.41587
	0.23	-1.17628	0.50	-0.63282
	0.29	-1.14741	0.65	-0.18131
	0.35	-0.78249	0.80	0.13414
	0.41	-0.83298	0.95	0.21229
	0.47	-0.58189		
	0.53	-0.55272		
	0.57	-0.53617		
	0.65	-0.49099		
	0.71	-0.45287		
	0.77	-0.42247		
	0.83	-0.38170		
	0.89	-0.33042		
	0.95	-0.28475		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
15	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.8211	5.03	0.01	30.59 638.9	100.92 2107.7	64.81 1353.6	12.40 3.78	323.44 122.53

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.91225	0.05	0.21317
	0.06	-1.20129	0.10	0.01377
	0.11	-1.20732	0.20	-0.15276
	0.17	-1.22322	0.35	-0.35291
	0.23	-1.19520	0.50	-0.59931
	0.29	-1.00703	0.65	-0.19777
	0.35	-0.67563	0.80	0.13498
	0.41	-0.81728	0.95	0.20345
	0.47	-0.60404		
	0.53	-0.57678		
	0.57	-0.55743		
	0.65	-0.52201		
	0.71	-0.50046		
	0.77	-0.45566		
	0.83	-0.42884		
	0.89	-0.38390		
	0.95	-0.33803		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
15	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.8201	6.14	0.02	30.54	100.92	64.88	12.37	323.99
				637.9	2107.7	1355.1	3.77	123.51

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.02074	0.05	0.27233
	0.06	-1.25865	0.10	0.09925
	0.11	-1.26901	0.20	-0.09163
	0.17	-1.26034	0.35	-0.30251
	0.23	-1.10793	0.50	-0.55140
	0.29	-0.83207	0.65	-0.21970
	0.35	-0.69967	0.80	0.13994
	0.41	-0.80430	0.95	0.19422
	0.47	-0.62103		
	0.53	-0.58754		
	0.57	-0.57887		
	0.65	-0.55680		
	0.71	-0.51614		
	0.77	-0.49414		
	0.83	-0.45827		
	0.89	-0.43445		
	0.95	-0.37914		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
15	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.8204	7.33	0.01	30.57 638.5	100.95 2108.4	64.88 1355.1	12.39 3.78	323.73 123.04

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.01799	0.05	0.36268
	0.06	-0.93966	0.10	0.14865
	0.11	-1.06276	0.20	-0.04451
	0.17	-1.09774	0.35	-0.25950
	0.23	-0.85641	0.50	-0.48128
	0.29	-0.76680	0.65	-0.22586
	0.35	-0.74975	0.80	0.15192
	0.41	-0.76858	0.95	0.19242
	0.47	-0.64491		
	0.53	-0.63199		
	0.57	-0.62110		
	0.65	-0.60413		
	0.71	-0.59903		
	0.77	-0.57719		
	0.83	-0.54932		
	0.89	-0.51929		
	0.95	-0.44872		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
15	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.8211	8.34	0.00	30.59 / 638.9	100.92 / 2107.7	64.81 / 1353.6	12.36 / 3.77	324.33 / 124.12

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.86388	0.05	0.42112
	0.06	-0.81943	0.10	0.21438
	0.11	-0.96540	0.20	0.00411
	0.17	-0.59861	0.35	-0.21811
	0.23	-0.66428	0.50	-0.46312
	0.29	-0.72062	0.65	-0.24566
	0.35	-0.62369	0.80	0.15239
	0.41	-0.75640	0.95	0.18893
	0.47	-0.63917		
	0.53	-0.66416		
	0.57	-0.60257		
	0.65	-0.57266		
	0.71	-0.64480		
	0.77	-0.63583		
	0.83	-0.62073		
	0.89	-0.57617		
	0.95	-0.55486		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
15	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.8185	9.33	0.01	30.48 636.5	100.92 2107.7	64.98 1357.2	12.31 3.75	324.98 125.29

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.09576	0.05	0.46378
	0.06	-1.34562	0.10	0.25519
	0.11	-1.14100	0.20	0.04737
	0.17	-1.15966	0.35	-0.17922
	0.23	-1.11400	0.50	-0.43370
	0.29	-0.79375	0.65	-0.24495
	0.35	-0.79295	0.80	0.15459
	0.41	-0.76996	0.95	0.18073
	0.47	-0.56963		
	0.53	-0.57270		
	0.57	-0.58200		
	0.65	-0.60293		
	0.71	-0.62694		
	0.77	-0.60864		
	0.83	-0.59767		
	0.89	-0.61464		
	0.95	-0.61169		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
15	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
16	0.8211	11.33	-0.01	30.59 / 638.9	100.92 / 2107.7	64.81 / 1353.6	12.35 / 3.76	324.66 / 124.72

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.70538	0.05	0.54047
	0.06	-0.62538	0.10	0.34319
	0.11	-0.57573	0.20	0.12826
	0.17	-0.53743	0.35	-0.10625
	0.23	-0.58010	0.50	-0.35350
	0.29	-0.59889	0.65	-0.24328
	0.35	-0.75771	0.80	0.15562
	0.41	-0.72227	0.95	0.19028
	0.47	-0.60173		
	0.53	-0.65283		
	0.57	-0.61907		
	0.65	-0.61986		
	0.71	-0.63049		
	0.77	-0.60601		
	0.83	-0.59583		
	0.89	-0.59371		
	0.95	-0.56986		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
15	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
17	0.8190	13.51	0.08	30.50 637.0	100.92 2107.7	64.95 1356.5	12.34 3.76	324.53 124.49

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.44844	0.05	0.64004
	0.06	-1.38900	0.10	0.43572
	0.11	-1.29758	0.20	0.22632
	0.17	-0.67512	0.35	-0.01200
	0.23	-1.09268	0.50	-0.25351
	0.29	-1.20747	0.65	-0.21154
	0.35	-1.23062	0.80	0.17638
	0.41	-0.77935	0.95	0.19825
	0.47	-0.82932		
	0.53	-0.53750		
	0.57	-0.47889		
	0.65	-0.56184		
	0.71	-0.57278		
	0.77	-0.60526		
	0.83	-0.61717		
	0.89	-0.63962		
	0.95	-0.64775		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
15	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
18	0.8196	15.53	0.00	30.52 637.5	100.92 2107.7	64.92 1355.8	12.31 3.75	325.15 125.60

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.50700	0.05	0.70616
	0.06	-0.51537	0.10	0.51865
	0.11	-0.51152	0.20	0.29783
	0.17	-0.51929	0.35	0.05605
	0.23	-0.52715	0.50	-0.16742
	0.29	-0.51941	0.65	-0.16382
	0.35	-0.52631	0.80	0.20177
	0.41	-0.76544	0.95	0.21143
	0.47	-0.55510		
	0.53	-0.57812		
	0.57	-0.58607		
	0.65	-0.59080		
	0.71	-0.59787		
	0.77	-0.60767		
	0.83	-0.60219		
	0.89	-0.59722		
	0.95	-0.59240		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
15	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.8208	17.65	0.04	30.57	100.88	64.81	12.33	324.91
				638.4	2107.0	1353.6	3.76	125.16

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.54056	0.05	0.77927
	0.06	-0.51262	0.10	0.58744
	0.11	-0.52701	0.20	0.37535
	0.17	-0.52415	0.35	0.14306
	0.23	-0.51393	0.50	-0.07887
	0.29	-0.54337	0.65	-0.10604
	0.35	-0.52896	0.80	0.23003
	0.41	-0.66743	0.95	0.23556
	0.47	-0.55231		
	0.53	-0.56505		
	0.57	-0.56459		
	0.65	-0.58875		
	0.71	-0.59917		
	0.77	-0.60786		
	0.83	-0.59987		
	0.89	-0.59764		
	0.95	-0.59242		

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
15	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
20	0.8190	19.79	0.07	30.50 637.0	100.92 2107.7	64.95 1356.5	12.28 3.74	325.59 126.40

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.52132	0.05	0.82465
	0.06	-0.50693	0.10	0.66101
	0.11	-0.51934	0.20	0.45220
	0.17	-0.52570	0.35	0.22066
	0.23	-0.53370	0.50	-0.00127
	0.29	-0.54075	0.65	-0.04414
	0.35	-0.54124	0.80	0.25739
	0.41	-0.61708	0.95	0.25429
	0.47	-0.52895		
	0.53	-0.55526		
	0.57	-0.56178		
	0.65	-0.56391		
	0.71	-0.58131		
	0.77	-0.58508		
	0.83	-0.57309		
	0.89	-0.55745		
	0.95	-0.53196		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
15	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
21	0.8217	-1.82	-0.01	30.61	100.92	64.78	12.34	324.89
				639.4	2107.7	1352.9	3.76	125.13

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.13427	0.05	-0.50547
	0.06	-0.44302	0.10	-0.52338
	0.11	-0.45982	0.20	-0.68160
	0.17	-0.51199	0.35	-0.75950
	0.23	-0.50462	0.50	-0.65388
	0.29	-0.51836	0.65	-0.16155
	0.35	-0.57002	0.80	-0.08107
	0.41	-0.58908	0.95	0.08500
	0.47	-0.54784		
	0.53	-0.61074		
	0.57	-0.57232		
	0.65	-0.40565		
	0.71	-0.32346		
	0.77	-0.23970		
	0.83	-0.15708		
	0.89	-0.07514		
	0.95	0.02215		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
16	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8522	-6.18	-0.02	31.91 666.5	100.92 2107.7	62.78 1311.2	12.50 3.81	325.86 126.88

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.38860	0.05	-1.00639
	0.06	0.07070	0.10	-1.00109
	0.11	-0.05158	0.20	-1.04104
	0.17	-0.13708	0.35	-0.53988
	0.23	-0.17660	0.50	-0.44235
	0.29	-0.23647	0.65	-0.40215
	0.35	-0.28458	0.80	-0.36797
	0.41	-0.35207	0.95	-0.33199
	0.47	-0.36567		
	0.53	-0.47467		
	0.57	-0.44388		
	0.65	-0.57003		
	0.71	-0.62133		
	0.77	-0.65921		
	0.83	-0.67765		
	0.89	-0.70693		
	0.95	-0.53840		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
16	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.8513	-5.04	-0.01	31.87	100.88	62.81	12.45	326.64
				665.6	2107.0	1311.8	3.79	128.29

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.26339	0.05	-0.89220
	0.06	-0.05124	0.10	-0.87284
	0.11	-0.14981	0.20	-0.94916
	0.17	-0.21640	0.35	-0.95269
	0.23	-0.25268	0.50	-0.38837
	0.29	-0.30742	0.65	-0.34672
	0.35	-0.35335	0.80	-0.30972
	0.41	-0.33442	0.95	-0.24030
	0.47	-0.41897		
	0.53	-0.50729		
	0.57	-0.48790		
	0.65	-0.61655		
	0.71	-0.65263		
	0.77	-0.68620		
	0.83	-0.69986		
	0.89	-0.55678		
	0.95	-0.27436		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
16	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.8488	-3.95	-0.02	31.76 663.4	100.88 2107.0	62.98 1315.3	12.37 3.77	328.03 130.78

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.14970	0.05	-0.76067
0.06	-0.16089	0.10	-0.70875
0.11	-0.25418	0.20	-0.80533
0.17	-0.31149	0.35	-0.94001
0.23	-0.33247	0.50	-0.33952
0.29	-0.38748	0.65	-0.29393
0.35	-0.42129	0.80	-0.25397
0.41	-0.35489	0.95	-0.20021
0.47	-0.47747		
0.53	-0.55427		
0.57	-0.52354		
0.65	-0.65260		
0.71	-0.70285		
0.77	-0.73766		
0.83	-0.61833		
0.89	-0.29905		
0.95	-0.20447		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
16	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.8513	-2.88	-0.02	31.87 665.6	100.88 2107.0	62.81 1311.8	12.39 3.78	327.84 130.44

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.02119	0.05	-0.58373
	0.06	-0.30446	0.10	-0.65355
	0.11	-0.36045	0.20	-0.72092
	0.17	-0.43816	0.35	-0.86037
	0.23	-0.42946	0.50	-0.59186
	0.29	-0.45560	0.65	-0.26363
	0.35	-0.52575	0.80	-0.22182
	0.41	-0.38423	0.95	-0.04401
	0.47	-0.55328		
	0.53	-0.59902		
	0.57	-0.56660		
	0.65	-0.69485		
	0.71	-0.74935		
	0.77	-0.78164		
	0.83	-0.37117		
	0.89	-0.16613		
	0.95	-0.09110		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
16	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.8498	-1.75	-0.02	31.81	100.88	62.91	12.37	328.08
				664.3	2107.0	1313.9	3.77	130.88

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.09044	0.05	-0.40331
0.06	-0.43664	0.10	-0.48768
0.11	-0.48089	0.20	-0.67429
0.17	-0.51843	0.35	-0.68587
0.23	-0.56395	0.50	-0.69662
0.29	-0.60072	0.65	-0.20800
0.35	-0.57151	0.80	-0.16386
0.41	-0.43518	0.95	-0.06728
0.47	-0.59105		
0.53	-0.66187		
0.57	-0.61399		
0.65	-0.71509		
0.71	-0.77392		
0.77	-0.37320		
0.83	-0.19035		
0.89	-0.10034		
0.95	-0.02919		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
16	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.8502	-0.59	-0.02	31.83	100.92	62.91	12.34	328.72
				664.8	2107.7	1313.9	3.76	132.02

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.25387	0.05	-0.27935
	0.06	-0.53012	0.10	-0.39988
	0.11	-0.62762	0.20	-0.52217
	0.17	-0.63279	0.35	-0.65281
	0.23	-0.65628	0.50	-0.79543
	0.29	-0.66205	0.65	-0.20351
	0.35	-0.71506	0.80	-0.15087
	0.41	-0.49831	0.95	-0.01886
	0.47	-0.71306		
	0.53	-0.76787		
	0.57	-0.71528		
	0.65	-0.79074		
	0.71	-0.43123		
	0.77	-0.21962		
	0.83	-0.13785		
	0.89	-0.06493		
	0.95	0.00241		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
16	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.8522	0.47	-0.02	31.91	100.92	62.78	12.37	328.55
				666.5	2107.7	1311.2	3.77	131.72

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.41026	0.05	-0.17763
	0.06	-0.66800	0.10	-0.29942
	0.11	-0.75973	0.20	-0.43590
	0.17	-0.78120	0.35	-0.57464
	0.23	-0.79970	0.50	-0.75349
	0.29	-0.80203	0.65	-0.21757
	0.35	-0.79085	0.80	-0.15586
	0.41	-0.57762	0.95	-0.01917
	0.47	-0.81418		
	0.53	-0.88196		
	0.57	-0.82475		
	0.65	-0.37278		
	0.71	-0.28682		
	0.77	-0.22216		
	0.83	-0.15544		
	0.89	-0.10272		
	0.95	-0.02930		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
16	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8.	0.8508	1.58	-0.01	31.85 665.1	100.88 2107.0	62.84 1312.5	12.38 3.77	327.92 130.58

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.52451	0.05	-0.07809
	0.06	-0.80056	0.10	-0.22603
	0.11	-0.85156	0.20	-0.36103
	0.17	-0.88576	0.35	-0.53823
	0.23	-0.90449	0.50	-0.72161
	0.29	-0.92465	0.65	-0.28464
	0.35	-0.93761	0.80	-0.22344
	0.41	-0.65572	0.95	-0.01025
	0.47	-0.88570		
	0.53	-0.70755		
	0.57	-0.41299		
	0.65	-0.34198		
	0.71	-0.31104		
	0.77	-0.27587		
	0.83	-0.24103		
	0.89	-0.16495		
	0.95	-0.12999		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
16	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.8498	2.72	-0.01	31.81 664.3	100.88 2107.0	62.91 1313.9	12.39 3.78	327.63 130.07

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.61932	0.05	0.02478
	0.06	-0.90693	0.10	-0.13497
	0.11	-0.95824	0.20	-0.29208
	0.17	-0.98368	0.35	-0.47927
	0.23	-0.98535	0.50	-0.67491
	0.29	-0.99760	0.65	-0.29959
	0.35	-1.00886	0.80	-0.19393
	0.41	-0.71046	0.95	0.03199
	0.47	-0.46357		
	0.53	-0.42864		
	0.57	-0.40929		
	0.65	-0.38569		
	0.71	-0.36865		
	0.77	-0.34610		
	0.83	-0.31703		
	0.89	-0.27006		
	0.95	-0.23326		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
16	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.8508	3.85	0.00	31.85 665.1	100.88 2107.0	62.84 1312.5	12.42 3.79	327.09 129.10

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.69789	0.05	0.12668
	0.06	-0.97716	0.10	-0.05391
	0.11	-1.04516	0.20	-0.22115
	0.17	-1.06250	0.35	-0.43119
	0.23	-1.06167	0.50	-0.65172
	0.29	-1.05667	0.65	-0.32465
	0.35	-0.70944	0.80	-0.16073
	0.41	-0.71653	0.95	0.12402
	0.47	-0.49043		
	0.53	-0.48337		
	0.57	-0.46363		
	0.65	-0.43789		
	0.71	-0.41494		
	0.77	-0.37891		
	0.83	-0.35143		
	0.89	-0.33455		
	0.95	-0.30170		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
16	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.8507	4.97	0.00	31.85 665.2	100.92 2107.7	62.88 1313.2	12.44 3.79	326.81 128.59

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.81104	0.05	0.20875
	0.06	-1.09558	0.10	0.01826
	0.11	-1.11644	0.20	-0.16488
	0.17	-1.10945	0.35	-0.37532
	0.23	-1.08513	0.50	-0.60537
	0.29	-0.90199	0.65	-0.28069
	0.35	-0.63313	0.80	-0.07442
	0.41	-0.72284	0.95	0.13972
	0.47	-0.55871		
	0.53	-0.54186		
	0.57	-0.52027		
	0.65	-0.51381		
	0.71	-0.46931		
	0.77	-0.43790		
	0.83	-0.42421		
	0.89	-0.41590		
	0.95	-0.38292		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
16	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.8512	6.11	0.02	31.87 / 665.6	100.92 / 2107.7	62.84 / 1312.5	12.43 / 3.79	327.09 / 129.10

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.90556	0.05	0.28559
0.06	-1.16806	0.10	0.08692
0.11	-1.16294	0.20	-0.11374
0.17	-1.15075	0.35	-0.32552
0.23	-1.02585	0.50	-0.57401
0.29	-0.78279	0.65	-0.29009
0.35	-0.65784	0.80	-0.00631
0.41	-0.73305	0.95	0.17042
0.47	-0.58904		
0.53	-0.56979		
0.57	-0.54602		
0.65	-0.54491		
0.71	-0.53019		
0.77	-0.51503		
0.83	-0.48775		
0.89	-0.47922		
0.95	-0.43795		

MICROCOPY RESOLUTION TEST CHART

NATIONAL BUREAU OF STANDARDS-1963-A

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
16	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.8507	7.33	0.03	31.85 665.2	100.92 2107.7	62.88 1313.2	12.40 3.78	327.73 130.24

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.00393	0.05	0.35675
	0.06	-1.19323	0.10	0.15365
	0.11	-1.22284	0.20	-0.04635
	0.17	-1.11936	0.35	-0.26891
	0.23	-0.90918	0.50	-0.52265
	0.29	-0.72814	0.65	-0.24241
	0.35	-0.64796	0.80	0.11346
	0.41	-0.71312	0.95	0.19173
	0.47	-0.61611		
	0.53	-0.59329		
	0.57	-0.57391		
	0.65	-0.56408		
	0.71	-0.55482		
	0.77	-0.56346		
	0.83	-0.55821		
	0.89	-0.54851		
	0.95	-0.51413		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
16	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.8498	8.36	0.01	31.81 664.3	100.88 2107.0	62.91 1313.9	12.42 3.79	326.96 128.86

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.05474	0.05	0.41669
	0.06	-0.96486	0.10	0.22187
	0.11	-0.73117	0.20	0.01261
	0.17	-0.81011	0.35	-0.21489
	0.23	-0.95522	0.50	-0.48323
	0.29	-0.72655	0.65	-0.22440
	0.35	-0.66333	0.80	0.14371
	0.41	-0.69149	0.95	0.20447
	0.47	-0.62872		
	0.53	-0.63507		
	0.57	-0.61497		
	0.65	-0.62745		
	0.71	-0.62980		
	0.77	-0.63530		
	0.83	-0.61841		
	0.89	-0.59711		
	0.95	-0.54662		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
16	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.8492	11.50	-0.06	31.79 663.9	100.92 2107.7	62.98 1315.3	12.42 3.79	326.98 128.89

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.52915	0.05	0.56168
0.06	-0.56389	0.10	0.35458
0.11	-0.60021	0.20	0.13613
0.17	-0.68384	0.35	-0.10093
0.23	-0.65559	0.50	-0.36981
0.29	-0.65664	0.65	-0.22753
0.35	-0.58212	0.80	0.17843
0.41	-0.66461	0.95	0.21846
0.47	-0.64127		
0.53	-0.65599		
0.57	-0.63922		
0.65	-0.66170		
0.71	-0.61863		
0.77	-0.62936		
0.83	-0.60674		
0.89	-0.61019		
0.95	-0.60208		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
16	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
16	0.8513	13.74	-0.03	31.87 665.6	100.88 2107.0	62.81 1311.8	12.41 3.78	327.32 129.50

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.52824	0.05	0.64594
0.06	-0.52984	0.10	0.45463
0.11	-0.52310	0.20	0.23443
0.17	-0.52677	0.35	-0.00398
0.23	-0.51816	0.50	-0.25761
0.29	-0.54091	0.65	-0.18322
0.35	-0.55743	0.80	0.20667
0.41	-0.59161	0.95	0.24041
0.47	-0.57610		
0.53	-0.56960		
0.57	-0.56908		
0.65	-0.58197		
0.71	-0.63028		
0.77	-0.62918		
0.83	-0.62533		
0.89	-0.64477		
0.95	-0.62125		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
16	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
17	0.8507	15.78	-0.08	31.85 / 665.2	100.92 / 2107.7	62.88 / 1313.2	12.39 / 3.78	327.89 / 130.54

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.51213	0.05	0.71964
	0.06	-0.50707	0.10	0.52808
	0.11	-0.50781	0.20	0.31121
	0.17	-0.51592	0.35	0.07521
	0.23	-0.50916	0.50	-0.14994
	0.29	-0.52836	0.65	-0.13460
	0.35	-0.54074	0.80	0.22639
	0.41	-0.57187	0.95	0.24978
	0.47	-0.56423		
	0.53	-0.56934		
	0.57	-0.56330		
	0.65	-0.58416		
	0.71	-0.59458		
	0.77	-0.59444		
	0.83	-0.60010		
	0.89	-0.60468		
	0.95	-0.59402		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
16	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
18	0.8497	17.90	-0.08	31.81	100.92	62.94	12.40	327.36
				664.3	2107.7	1314.6	3.78	129.57

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.52910	0.05	0.78679
	0.06	-0.51202	0.10	0.60499
	0.11	-0.51977	0.20	0.39935
	0.17	-0.50875	0.35	0.16508
	0.23	-0.51181	0.50	-0.05799
	0.29	-0.52459	0.65	-0.06934
	0.35	-0.52742	0.80	0.25925
	0.41	-0.55018	0.95	0.26604
	0.47	-0.56310		
	0.53	-0.55867		
	0.57	-0.54976		
	0.65	-0.57691		
	0.71	-0.55972		
	0.77	-0.56853		
	0.83	-0.58549		
	0.89	-0.58741		
	0.95	-0.58896		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
16	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.8485	19.94	0.11	31.77 663.5	100.95 2108.4	63.04 1316.6	12.40 3.78	327.36 129.57

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.52650	0.05	0.83787
	0.06	-0.53700	0.10	0.67853
	0.11	-0.59721	0.20	0.46762
	0.17	-0.55767	0.35	0.23523
	0.23	-0.54433	0.50	0.02077
	0.29	-0.54215	0.65	-0.01591
	0.35	-0.54777	0.80	0.28409
	0.41	-0.56380	0.95	0.28396
	0.47	-0.56401		
	0.53	-0.59347		
	0.57	-0.58432		
	0.65	-0.61906		
	0.71	-0.59874		
	0.77	-0.58537		
	0.83	-0.60330		
	0.89	-0.57810		
	0.95	-0.57929		

295

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
16	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
20	0.8520	-1.82	-0.01	31.92	100.95	62.81	12.42	.327.48
				666.6	2108.4	1311.9	3.79	129.80

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.11242	0.05	-0.44582
	0.06	-0.43355	0.10	-0.46657
	0.11	-0.45755	0.20	-0.66533
	0.17	-0.53232	0.35	-0.67855
	0.23	-0.55153	0.50	-0.71926
	0.29	-0.56250	0.65	-0.22745
	0.35	-0.55962	0.80	-0.18795
	0.41	-0.55863	0.95	-0.07272
	0.47	-0.58721		
	0.53	-0.66591		
	0.57	-0.62190		
	0.65	-0.71248		
	0.71	-0.77283		
	0.77	-0.43856		
	0.83	-0.21015		
	0.89	-0.13069		
	0.95	-0.05622		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
17	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8996	-6.47	-0.01	33.80 706.0	100.88 2107.0	59.67 1246.2	12.60 3.84	329.22 132.93

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.43008	0.05	-0.85155
	0.06	0.11278	0.10	-0.87391
	0.11	-0.01268	0.20	-0.92759
	0.17	-0.09070	0.35	-0.94555
	0.23	-0.13680	0.50	-0.49498
	0.29	-0.19356	0.65	-0.48940
	0.35	-0.24493	0.80	-0.50597
	0.41	-0.41365	0.95	-0.51003
	0.47	-0.31699		
	0.53	-0.41163		
	0.57	-0.38787		
	0.65	-0.51762		
	0.71	-0.57635		
	0.77	-0.60608		
	0.83	-0.63394		
	0.89	-0.67178		
	0.95	-0.72630		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
17	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.9014	-5.24	-0.01	33.88 707.7	100.92 2107.7	59.57 1244.2	12.62 3.85	329.13 132.77

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.29933	0.05	-0.75518
	0.06	-0.02239	0.10	-0.77434
	0.11	-0.11067	0.20	-0.84252
	0.17	-0.18278	0.35	-0.84655
	0.23	-0.21938	0.50	-0.49662
	0.29	-0.28041	0.65	-0.44403
	0.35	-0.32628	0.80	-0.46571
	0.41	-0.36143	0.95	-0.46721
	0.47	-0.37552		
	0.53	-0.45458		
	0.57	-0.42755		
	0.65	-0.55314		
	0.71	-0.61327		
	0.77	-0.65868		
	0.83	-0.68193		
	0.89	-0.71315		
	0.95	-0.75717		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
17	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.9011	-4.06	-0.02	33.86	100.88	59.57	12.61	329.24
				707.2	2107.0	1244.2	3.84	132.97

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.17569	0.05	-0.64884
	0.06	-0.11374	0.10	-0.58458
	0.11	-0.20785	0.20	-0.68028
	0.17	-0.27921	0.35	-0.82452
	0.23	-0.30875	0.50	-0.70035
	0.29	-0.34070	0.65	-0.43587
	0.35	-0.40745	0.80	-0.44236
	0.41	-0.35795	0.95	-0.41755
	0.47	-0.44394		
	0.53	-0.52620		
	0.57	-0.49097		
	0.65	-0.59514		
	0.71	-0.65325		
	0.77	-0.69582		
	0.83	-0.73332		
	0.89	-0.77496		
	0.95	-0.71137		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
17	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.9006	-2.87	-0.02	33.84 706.8	100.88 2107.0	59.60 1244.8	12.60 3.84	329.48 133.40

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.05227	0.05	-0.43437
	0.06	-0.24424	0.10	-0.55558
	0.11	-0.29975	0.20	-0.64276
	0.17	-0.38837	0.35	-0.77584
	0.23	-0.42914	0.50	-0.88031
	0.29	-0.46634	0.65	-0.42186
	0.35	-0.44833	0.80	-0.42450
	0.41	-0.39452	0.95	-0.36403
	0.47	-0.50503		
	0.53	-0.57933		
	0.57	-0.55837		
	0.65	-0.64833		
	0.71	-0.67966		
	0.77	-0.73127		
	0.83	-0.76656		
	0.89	-0.68737		
	0.95	-0.32469		

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
17	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.9001	-1.69	-0.02	33.82 706.4	100.88 2107.0	59.63 1245.5	12.59 3.84	329.60 133.61

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.06559	0.05	-0.30631
	0.06	-0.36654	0.10	-0.39232
	0.11	-0.40404	0.20	-0.56971
	0.17	-0.50453	0.35	-0.72940
	0.23	-0.50874	0.50	-0.71649
	0.29	-0.53256	0.65	-0.44973
	0.35	-0.59022	0.80	-0.40739
	0.41	-0.42180	0.95	-0.33295
	0.47	-0.59515		
	0.53	-0.65830		
	0.57	-0.62478		
	0.65	-0.71953		
	0.71	-0.77467		
	0.77	-0.76501		
	0.83	-0.39555		
	0.89	-0.27517		
	0.95	-0.24990		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
17	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.9011	-0.63	-0.02	33.86	100.88	59.57	12.59	329.69
				707.2	2107.0	1244.2	3.84	133.77

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.19334	0.05	-0.22011
	0.06	-0.42850	0.10	-0.31236
	0.11	-0.54575	0.20	-0.51047
	0.17	-0.57096	0.35	-0.55265
	0.23	-0.58103	0.50	-0.71767
	0.29	-0.60906	0.65	-0.54329
	0.35	-0.66073	0.80	-0.43076
	0.41	-0.46605	0.95	-0.31493
	0.47	-0.70847		
	0.53	-0.75760		
	0.57	-0.71804		
	0.65	-0.79072		
	0.71	-0.56187		
	0.77	-0.31312		
	0.83	-0.28421		
	0.89	-0.25779		
	0.95	-0.24629		

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
17	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.9021	0.60	-0.01	33.90 708.0	100.88 2107.0	59.51 1242.8	12.57 3.83	330.23 134.75

WING   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-0.28717	0.05	-0.10293
0.06	-0.56156	0.10	-0.22367
0.11	-0.64759	0.20	-0.38531
0.17	-0.69143	0.35	-0.51560
0.23	-0.70997	0.50	-0.67092
0.29	-0.73315	0.65	-1.04835
0.35	-0.75572	0.80	-0.44794
0.41	-0.51313	0.95	-0.27968
0.47	-0.76580		
0.53	-0.80107		
0.57	-0.79819		
0.65	-0.35234		
0.71	-0.31636		
0.77	-0.29944		
0.83	-0.29019		
0.89	-0.28737		
0.95	-0.28199		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
17	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.9011	1.56	-0.01	33.86	100.88	59.57	12.60	329.56
				707.2	2107.0	1244.2	3.84	133.54

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.39338	0.05	-0.03217
0.06	-0.66274	0.10	-0.18251
0.11	-0.73259	0.20	-0.32605
0.17	-0.75790	0.35	-0.47383
0.23	-0.78632	0.50	-0.65276
0.29	-0.81536	0.65	-1.04016
0.35	-0.82858	0.80	-0.48371
0.41	-0.57576	0.95	-0.25756
0.47	-0.81536		
0.53	-0.86066		
0.57	-0.54349		
0.65	-0.36026		
0.71	-0.35952		
0.77	-0.34966		
0.83	-0.33873		
0.89	-0.32428		
0.95	-0.31286		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
17	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.9006	2.65	-0.01	33.84	100.88	59.60	12.59	329.75
				706.8	2107.0	1244.8	3.84	133.88

WING	UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP	
0.02	-0.47368	0.05	0.07374	
0.06	-0.74643	0.10	-0.08410	
0.11	-0.81513	0.20	-0.23670	
0.17	-0.85299	0.35	-0.42260	
0.23	-0.85962	0.50	-0.60354	
0.29	-0.87053	0.65	-1.00876	
0.35	-0.90616	0.80	-0.44232	
0.41	-0.63285	0.95	-0.22108	
0.47	-0.82558			
0.53	-0.59109			
0.57	-0.44047			
0.65	-0.41038			
0.71	-0.40075			
0.77	-0.39547			
0.83	-0.39894			
0.89	-0.38810			
0.95	-0.37268			

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
17	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.8999	3.86	0.00	33.80 706.0	100.85 2106.2	59.63 1245.5	12.59 3.84	329.52 133.47

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.57687	0.05	0.16120
	0.06	-0.86071	0.10	-0.01490
	0.11	-0.90856	0.20	-0.17718
	0.17	-0.92416	0.35	-0.38104
	0.23	-0.92317	0.50	-0.56834
	0.29	-0.93506	0.65	-0.98267
	0.35	-0.95211	0.80	-0.40003
	0.41	-0.69322	0.95	-0.18735
	0.47	-0.47872		
	0.53	-0.46765		
	0.57	-0.45225		
	0.65	-0.45025		
	0.71	-0.43157		
	0.77	-0.42033		
	0.83	-0.41683		
	0.89	-0.42721		
	0.95	-0.41402		

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
17	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.9006	5.09	0.01	33.84 / 706.8	100.88 / 2107.0	59.60 / 1244.8	12.59 / 3.84	329.67 / 133.74

WING	UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP	
0.02	-0.64846	0.05	0.24131	
0.06	-0.92692	0.10	0.06455	
0.11	-0.97499	0.20	-0.11566	
0.17	-0.97957	0.35	-0.32771	
0.23	-0.98724	0.50	-0.53604	
0.29	-0.96273	0.65	-0.95531	
0.35	-0.75235	0.80	-0.34491	
0.41	-0.72642	0.95	-0.13969	
0.47	-0.53569			
0.53	-0.52434			
0.57	-0.51271			
0.65	-0.52699			
0.71	-0.51086			
0.77	-0.51173			
0.83	-0.50090			
0.89	-0.50055			
0.95	-0.48728			

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
17	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.9006	6.13	0.01	33.84 / 706.8	100.88 / 2107.0	59.60 / 1244.8	12.57 / 3.83	329.99 / 134.31

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.72881	0.05	0.30360
	0.06	-0.98923	0.10	0.10710
	0.11	-1.01466	0.20	-0.07157
	0.17	-1.02840	0.35	-0.28305
	0.23	-1.03450	0.50	-0.50624
	0.29	-0.89079	0.65	-0.93295
	0.35	-0.70643	0.80	-0.30202
	0.41	-0.73733	0.95	-0.08387
	0.47	-0.57941		
	0.53	-0.56782		
	0.57	-0.55510		
	0.65	-0.55886		
	0.71	-0.53911		
	0.77	-0.54447		
	0.83	-0.54424		
	0.89	-0.53376		
	0.95	-0.52165		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
17	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.8994	7.39	0.04	33.78 705.6	100.85 2106.2	59.67 1246.2	12.60 3.84	329.22 132.93

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.83723	0.05	0.38660
	0.06	-1.05837	0.10	0.18182
	0.11	-1.08967	0.20	-0.01239
	0.17	-1.08814	0.35	-0.23020
	0.23	-1.05089	0.50	-0.47609
	0.29	-0.87940	0.65	-0.91237
	0.35	-0.69198	0.80	-0.24165
	0.41	-0.74867	0.95	0.03070
	0.47	-0.61127		
	0.53	-0.57008		
	0.57	-0.56371		
	0.65	-0.56309		
	0.71	-0.57958		
	0.77	-0.58299		
	0.83	-0.58442		
	0.89	-0.56810		
	0.95	-0.54187		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
17	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.8989	8.55	0.05	33.77 705.2	100.85 2106.2	59.70 1246.9	12.59 3.84	329.32 133.10

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.92139	0.05	0.43818
	0.06	-1.10537	0.10	0.24184
	0.11	-1.14484	0.20	0.04369
	0.17	-1.15293	0.35	-0.18323
	0.23	-1.13676	0.50	-0.43625
	0.29	-1.03350	0.65	-0.75514
	0.35	-0.92635	0.80	-0.12499
	0.41	-0.78712	0.95	0.17850
	0.47	-0.68603		
	0.53	-0.63801		
	0.57	-0.62405		
	0.65	-0.61728		
	0.71	-0.62451		
	0.77	-0.61655		
	0.83	-0.61193		
	0.89	-0.61398		
	0.95	-0.59247		

310

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
17	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.9011	9.73	0.05	33.86 707.2	100.88 2107.0	59.57 1244.2	12.62 3.85	329.07 132.66

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.98812	0.05	0.50455
	0.06	-1.14584	0.10	0.30179
	0.11	-1.17882	0.20	0.09701
	0.17	-1.10141	0.35	-0.13457
	0.23	-1.08698	0.50	-0.39987
	0.29	-1.03712	0.65	-0.48453
	0.35	-0.95702	0.80	0.03128
	0.41	-0.78654	0.95	0.23223
	0.47	-0.77408		
	0.53	-0.72608		
	0.57	-0.66940		
	0.65	-0.69345		
	0.71	-0.65062		
	0.77	-0.64498		
	0.83	-0.65670		
	0.89	-0.66666		
	0.95	-0.63022		

311

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
17	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
16	0.8994	11.85	-0.11	33.78 705.6	100.85 2106.2	59.67 1246.2	12.59 3.84	329.37 133.20

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.61041	0.05	0.61089
	0.06	-0.59140	0.10	0.40534
	0.11	-0.57878	0.20	0.18893
	0.17	-0.54750	0.35	-0.05070
	0.23	-0.56832	0.50	-0.32089
	0.29	-0.56453	0.65	-0.15469
	0.35	-0.55346	0.80	0.21420
	0.41	-0.74959	0.95	0.27376
	0.47	-0.58531		
	0.53	-0.56953		
	0.57	-0.57562		
	0.65	-0.58333		
	0.71	-0.62509		
	0.77	-0.61388		
	0.83	-0.61797		
	0.89	-0.63739		
	0.95	-0.61033		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
17	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
17	0.8996	13.90	-0.04	33.80 706.0	100.88 2107.0	59.67 1246.2	12.59 3.84	329.47 133.37

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.58842	0.05	0.67994
0.06	-0.58139	0.10	0.48976
0.11	-0.58092	0.20	0.27337
0.17	-0.57654	0.35	0.04014
0.23	-0.57155	0.50	-0.23004
0.29	-0.58665	0.65	-0.12547
0.35	-0.57832	0.80	0.25665
0.41	-0.70423	0.95	0.29940
0.47	-0.60897		
0.53	-0.62329		
0.57	-0.62982		
0.65	-0.63326		
0.71	-0.65320		
0.77	-0.66564		
0.83	-0.67257		
0.89	-0.64152		
0.95	-0.64911		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
17	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
18	0.8986	15.96	-0.06	33.77 705.2	100.88 2107.0	59.73 1247.5	12.57 3.83	329.89 134.14

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.53639	0.05	0.75842
	0.06	-0.54757	0.10	0.56518
	0.11	-0.52966	0.20	0.36609
	0.17	-0.55640	0.35	0.12050
	0.23	-0.55801	0.50	-0.11567
	0.29	-0.55794	0.65	-0.07048
	0.35	-0.56810	0.80	0.28849
	0.41	-0.67482	0.95	0.31434
	0.47	-0.59037		
	0.53	-0.56294		
	0.57	-0.60214		
	0.65	-0.61409		
	0.71	-0.60456		
	0.77	-0.59879		
	0.83	-0.60658		
	0.89	-0.63468		
	0.95	-0.62223		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
17	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.8999	18.20	0.05	33.80 706.0	100.85 2106.2	59.63 1245.5	12.55 3.82	330.38 135.02

WING	UPPER SURFACE		LOWER SURFACE	
X/C	CP		X/C	CP
0.02	-0.53624		0.05	0.82995
0.06	-0.51340		0.10	0.65427
0.11	-0.55165		0.20	0.44864
0.17	-0.55839		0.35	0.21813
0.23	-0.58474		0.50	-0.00717
0.29	-0.58754		0.65	-0.00676
0.35	-0.60188		0.80	0.31957
0.41	-0.63819		0.95	0.33637
0.47	-0.58872			
0.53	-0.60860			
0.57	-0.59044			
0.65	-0.58498			
0.71	-0.59911			
0.77	-0.61088			
0.83	-0.61554			
0.89	-0.61948			
0.95	-0.57924			

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
17	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
20	0.8994	20.22	0.33	33.78	100.85	59.67	12.58	329.71
				705.6	2106.2	1246.2	3.83	133.81

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.62716	0.05	0.87649
	0.06	-0.60720	0.10	0.71512
	0.11	-0.64416	0.20	0.51440
	0.17	-0.61072	0.35	0.28559
	0.23	-0.65032	0.50	0.06937
	0.29	-0.65937	0.65	0.04906
	0.35	-0.65074	0.80	0.34407
	0.41	-0.63811	0.95	0.34840
	0.47	-0.66628		
	0.53	-0.68639		
	0.57	-0.68831		
	0.65	-0.67913		
	0.71	-0.70481		
	0.77	-0.67926		
	0.83	-0.68545		
	0.89	-0.67827		
	0.95	-0.69008		

316

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
17	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
21	0.8996	-1.69	-0.01	33.80 706.0	100.88 2107.0	59.67 1246.2	12.63 3.85	328.74 132.06

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.07236	0.05	-0.32502
	0.06	-0.35986	0.10	-0.38478
	0.11	-0.40009	0.20	-0.56624
	0.17	-0.49552	0.35	-0.72860
	0.23	-0.49790	0.50	-0.71166
	0.29	-0.53362	0.65	-0.42485
	0.35	-0.59240	0.80	-0.38942
	0.41	-0.60405	0.95	-0.32891
	0.47	-0.58775		
	0.53	-0.66055		
	0.57	-0.62334		
	0.65	-0.72247		
	0.71	-0.77268		
	0.77	-0.78246		
	0.83	-0.39258		
	0.89	-0.26829		
	0.95	-0.24506		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
18	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.6008	-6.21	-0.01	19.99 417.5	100.98 2109.1	79.12 1652.5	11.06 3.37	305.89 90.93

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.51047	0.05	-1.89880
0.06	0.18053	0.10	-1.06660
0.11	0.04637	0.20	-0.86910
0.17	-0.02191	0.35	-0.70044
0.23	-0.07093	0.50	-0.56475
0.29	-0.11740	0.65	-0.19495
0.35	-0.15887	0.80	0.05877
0.41	0.57345	0.95	0.16814
0.47	-0.20459		
0.53	-0.24284		
0.57	-0.21816		
0.65	-0.24186		
0.71	-0.22152		
0.77	-0.18799		
0.83	-0.14403		
0.89	-0.09156		
0.95	-0.01854		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.50980	0.02	-1.91101
0.06	0.25985	0.06	-1.55850
0.11	0.16395	0.11	-0.95402
0.18	0.03737	0.18	-0.80001
0.25	-0.04175	0.25	-0.70263
0.32	-0.11607	0.32	-0.62956
0.39	-0.15220	0.39	-0.54209
0.46	-0.16212	0.46	-0.44995
0.53	-0.15634	0.53	-0.35967
0.60	-0.11521	0.60	-0.27150
0.67	-0.07989	0.67	-0.17141
0.74	-0.03354	0.74	-0.08113
0.81	0.00384	0.81	-0.01424
0.88	0.04163	0.88	0.04297
0.95	0.09092	0.95	0.10968

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
18	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.6013	-4.02	-0.01	20.02 418.1	100.98 2109.1	79.09 1651.8	11.04 3.36	306.66 92.31

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.24236	0.05	-1.01690
	0.06	-0.08163	0.10	-0.82566
	0.11	-0.18255	0.20	-0.70044
	0.17	-0.21650	0.35	-0.60456
	0.23	-0.22545	0.50	-0.52058
	0.29	-0.26155	0.65	-0.18427
	0.35	-0.27057	0.80	0.12569
	0.41	0.43332	0.95	0.23329
	0.47	-0.29989		
	0.53	-0.31864		
	0.57	-0.28856		
	0.65	-0.29489		
	0.71	-0.26723		
	0.77	-0.22280		
	0.83	-0.17155		
	0.89	-0.11035		
	0.95	-0.02948		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.45697	0.02	-1.75861
	0.06	0.20334	0.06	-0.95620
	0.11	0.10824	0.11	-0.81423
	0.18	-0.02256	0.18	-0.75290
	0.25	-0.09492	0.25	-0.67021
	0.32	-0.16022	0.32	-0.60623
	0.39	-0.18913	0.39	-0.52158
	0.46	-0.19124	0.46	-0.43338
	0.53	-0.17422	0.53	-0.34555
	0.60	-0.13505	0.60	-0.25922
	0.67	-0.09492	0.67	-0.16301
	0.74	-0.04855	0.74	-0.07855
	0.81	0.00457	0.81	-0.00248
	0.88	0.04812	0.88	0.05416
	0.95	0.10488	0.95	0.12066

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
18	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.6012	-1.64	-0.01	20.02 / 418.1	101.02 / 2109.8	79.12 / 1652.5	11.02 / 3.36	306.96 / 92.85

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.25356	0.05	-0.52348
	0.06	-0.42567	0.10	-0.50929
	0.11	-0.41735	0.20	-0.50451
	0.17	-0.40633	0.35	-0.49411
	0.23	-0.39740	0.50	-0.45180
	0.29	-0.39433	0.65	-0.15922
	0.35	-0.39931	0.80	0.15307
	0.41	0.30573	0.95	0.26090
	0.47	-0.38665		
	0.53	-0.38193		
	0.57	-0.34517		
	0.65	-0.34060		
	0.71	-0.30839		
	0.77	-0.25136		
	0.83	-0.19208		
	0.89	-0.12453		
	0.95	-0.03148		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.34802	0.02	-1.41087
	0.06	0.13618	0.06	-0.72007
	0.11	0.05094	0.11	-0.72372
	0.18	-0.07371	0.18	-0.68513
	0.25	-0.13860	0.25	-0.62227
	0.32	-0.20476	0.32	-0.56453
	0.39	-0.22047	0.39	-0.48890
	0.46	-0.21244	0.46	-0.41170
	0.53	-0.19308	0.53	-0.33559
	0.60	-0.15361	0.60	-0.24688
	0.67	-0.10966	0.67	-0.15090
	0.74	-0.05558	0.74	-0.06760
	0.81	-0.00079	0.81	0.00022
	0.88	0.05090	0.88	0.05594
	0.95	0.11746	0.95	0.12821

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
18	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.6012	0.41	-0.01	20.02 418.1	101.02 2109.8	79.12 1652.5	11.02 3.36	307.09 93.09

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.72906	0.05	-0.18088
	0.06	-0.74179	0.10	-0.28914
	0.11	-0.68196	0.20	-0.34415
	0.17	-0.59176	0.35	-0.37852
	0.23	-0.55607	0.50	-0.37813
	0.29	-0.52491	0.65	-0.12461
	0.35	-0.50710	0.80	0.18808
	0.41	0.17524	0.95	0.27752
	0.47	-0.46902		
	0.53	-0.45711		
	0.57	-0.41181		
	0.65	-0.39382		
	0.71	-0.34280		
	0.77	-0.27882		
	0.83	-0.21016		
	0.89	-0.12784		
	0.95	-0.03075		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.26578	0.02	-1.11066
	0.06	0.04235	0.06	-0.63367
	0.11	-0.02250	0.11	-0.63338
	0.18	-0.12851	0.18	-0.60542
	0.25	-0.18132	0.25	-0.56535
	0.32	-0.24543	0.32	-0.52757
	0.39	-0.26315	0.39	-0.45945
	0.46	-0.25295	0.46	-0.39224
	0.53	-0.22546	0.53	-0.32395
	0.60	-0.16817	0.60	-0.24049
	0.67	-0.12195	0.67	-0.14848
	0.74	-0.06210	0.74	-0.06576
	0.81	0.00422	0.81	-0.00249
	0.88	0.05608	0.88	0.05172
	0.95	0.12411	0.95	0.12344

321

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
18	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.6023	2.92	0.00	20.08 419.3	101.02 2109.8	79.06 1651.1	11.00 3.35	307.89 94.53

WING		UPPER SURFACE		LOWER SURFACE	
	X/C	CP		X/C	CP
	0.02	-1.58350		0.05	0.13335
	0.06	-1.32387		0.10	-0.04900
	0.11	-0.92738		0.20	-0.17038
	0.17	-0.80429		0.35	-0.25345
	0.23	-0.73143		0.50	-0.30475
	0.29	-0.67710		0.65	-0.09901
	0.35	-0.62360		0.80	0.20643
	0.41	-0.02235		0.95	0.28897
	0.47	-0.54450			
	0.53	-0.52795			
	0.57	-0.47470			
	0.65	-0.43544			
	0.71	-0.37284			
	0.77	-0.29792			
	0.83	-0.22030			
	0.89	-0.14200			
	0.95	-0.03921			

HORIZ. TAIL		UPPER SURFACE		LOWER SURFACE	
	X/C	CP		X/C	CP
	0.02	0.13156		0.02	-0.72557
	0.06	-0.02764		0.06	-0.53417
	0.11	-0.08936		0.11	-0.49610
	0.18	-0.20145		0.18	-0.51466
	0.25	-0.23977		0.25	-0.50212
	0.32	-0.29224		0.32	-0.47721
	0.39	-0.30408		0.39	-0.42664
	0.46	-0.28372		0.46	-0.36202
	0.53	-0.24848		0.53	-0.30284
	0.60	-0.18584		0.60	-0.22370
	0.67	-0.12809		0.67	-0.13338
	0.74	-0.06715		0.74	-0.05422
	0.81	-0.00546		0.81	0.00490
	0.88	0.05122		0.88	0.06023
	0.95	0.12334		0.95	0.13068

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
18	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.6019	4.94	0.00	20.05 418.7	100.98 2109.1	79.06 1651.1	10.98 3.35	307.93 94.60

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-2.19150	0.05	0.31376
	0.06	-2.08176	0.10	0.11380
	0.11	-1.07170	0.20	-0.05808
	0.17	-0.95893	0.35	-0.17528
	0.23	-0.84787	0.50	-0.23394
	0.29	-0.77090	0.65	-0.06971
	0.35	-0.71081	0.80	0.22480
	0.41	-0.17209	0.95	0.29155
	0.47	-0.60515		
	0.53	-0.56755		
	0.57	-0.51248		
	0.65	-0.45275		
	0.71	-0.37687		
	0.77	-0.29874		
	0.83	-0.21530		
	0.89	-0.13510		
	0.95	-0.04246		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.00426	0.02	-0.51946
	0.06	-0.13885	0.06	-0.42439
	0.11	-0.18028	0.11	-0.41439
	0.18	-0.25131	0.18	-0.43197
	0.25	-0.29309	0.25	-0.43968
	0.32	-0.32835	0.32	-0.42607
	0.39	-0.33679	0.39	-0.39891
	0.46	-0.30339	0.46	-0.34627
	0.53	-0.26266	0.53	-0.28200
	0.60	-0.19587	0.60	-0.21123
	0.67	-0.13686	0.67	-0.12655
	0.74	-0.07123	0.74	-0.04789
	0.81	-0.01354	0.81	0.00258
	0.88	0.04248	0.88	0.05188
	0.95	0.11771	0.95	0.12073

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
18	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.6008	7.07	0.00	19.99 417.5	100.98 2109.1	79.12 1652.5	10.95 3.34	308.27 95.21

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-2.54488	0.05	0.45961
	0.06	-2.46413	0.10	0.27018
	0.11	-1.84150	0.20	0.07844
	0.17	-1.39499	0.35	-0.08909
	0.23	-1.04165	0.50	-0.18589
	0.29	-0.87492	0.65	-0.04852
	0.35	-0.78843	0.80	0.22889
	0.41	-0.30845	0.95	0.29105
	0.47	-0.61498		
	0.53	-0.55792		
	0.57	-0.50681		
	0.65	-0.42788		
	0.71	-0.35919		
	0.77	-0.27983		
	0.83	-0.20403		
	0.89	-0.14875		
	0.95	-0.07015		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.16314	0.02	-0.22838
	0.06	-0.23457	0.06	-0.27384
	0.11	-0.25648	0.11	-0.30226
	0.18	-0.32172	0.18	-0.36889
	0.25	-0.33641	0.25	-0.37535
	0.32	-0.36507	0.32	-0.37576
	0.39	-0.37057	0.39	-0.34280
	0.46	-0.33574	0.46	-0.30746
	0.53	-0.28555	0.53	-0.25548
	0.60	-0.20395	0.60	-0.18555
	0.67	-0.14104	0.67	-0.11076
	0.74	-0.07272	0.74	-0.04198
	0.81	-0.00485	0.81	0.00760
	0.88	0.05426	0.88	0.05560
	0.95	0.12765	0.95	0.12194

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
18	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.6007	9.11	0.00	19.99 417.5	101.02 2109.8	79.16 1653.2	10.95 3.34	308.36 95.38

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.22144	0.05	0.55156
	0.06	-1.09645	0.10	0.32968
	0.11	-0.97725	0.20	0.12465
	0.17	-1.16297	0.35	-0.05557
	0.23	-1.17290	0.50	-0.18295
	0.29	-1.01428	0.65	-0.10293
	0.35	-0.95146	0.80	0.17380
	0.41	-0.40973	0.95	0.19554
	0.47	-0.75942		
	0.53	-0.67146		
	0.57	-0.62379		
	0.65	-0.55694		
	0.71	-0.51709		
	0.77	-0.49050		
	0.83	-0.36713		
	0.89	-0.34467		
	0.95	-0.35023		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.36405	0.02	-0.11345
	0.06	-0.35654	0.06	-0.16675
	0.11	-0.32610	0.11	-0.23537
	0.18	-0.38477	0.18	-0.30658
	0.25	-0.40707	0.25	-0.32663
	0.32	-0.41483	0.32	-0.33544
	0.39	-0.40782	0.39	-0.31861
	0.46	-0.35389	0.46	-0.28508
	0.53	-0.29941	0.53	-0.23870
	0.60	-0.21937	0.60	-0.18362
	0.67	-0.15179	0.67	-0.10991
	0.74	-0.07925	0.74	-0.04089
	0.81	-0.00518	0.81	0.01365
	0.88	0.05755	0.88	0.05755
	0.95	0.13518	0.95	0.12141

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
18	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
16	0.6002	11.28	0.01	19.96	100.98	79.16	10.95	308.30
				416.9	2109.1	1653.2	3.34	95.27

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.59823	0.05	0.59103
	0.06	-0.56819	0.10	0.36571
	0.11	-0.61029	0.20	0.14975
	0.17	-0.59287	0.35	-0.05206
	0.23	-0.65479	0.50	-0.20715
	0.29	-0.62734	0.65	-0.15050
	0.35	-0.62166	0.80	0.12466
	0.41	-0.43695	0.95	0.11809
	0.47	-0.66143		
	0.53	-0.64979		
	0.57	-0.64679		
	0.65	-0.66277		
	0.71	-0.66988		
	0.77	-0.65612		
	0.83	-0.64037		
	0.89	-0.61497		
	0.95	-0.56719		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.67691	0.02	0.09046
	0.06	-0.52389	0.06	-0.05391
	0.11	-0.44650	0.11	-0.14331
	0.18	-0.46731	0.18	-0.21485
	0.25	-0.46094	0.25	-0.25276
	0.32	-0.47959	0.32	-0.26432
	0.39	-0.44153	0.39	-U.26775
	0.46	-0.38499	0.46	-0.23577
	0.53	-0.31914	0.53	-0.20047
	0.60	-0.22624	0.60	-0.15760
	0.67	-0.15317	0.67	-0.08689
	0.74	-0.07780	0.74	-0.02030
	0.81	-0.00791	0.81	0.02207
	0.88	0.05562	0.88	0.06537
	0.95	0.13442	0.95	0.12432

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
18	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
17	0.6012	13.14	0.04	20.02	101.02	79.12	10.95	308.47
				418.1	2109.8	1652.5	3.34	95.58

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.51674	0.05	0.61911
0.06	-0.50500	0.10	0.40546
0.11	-0.48832	0.20	0.18840
0.17	-0.49148	0.35	-0.02583
0.23	-0.51195	0.50	-0.20332
0.29	-0.54012	0.65	-0.17692
0.35	-0.51674	0.80	0.09840
0.41	-0.44150	0.95	0.07372
0.47	-0.58594		
0.53	-0.58521		
0.57	-0.59563		
0.65	-0.62644		
0.71	-0.61313		
0.77	-0.63134		
0.83	-0.64703		
0.89	-0.64536		
0.95	-0.62704		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.72480	0.02	0.17672
0.06	-0.50963	0.06	0.00480
0.11	-0.41661	0.11	-0.09887
0.18	-0.45825	0.18	-0.18704
0.25	-0.45738	0.25	-0.19841
0.32	-0.44583	0.32	-0.24529
0.39	-0.41371	0.39	-0.24985
0.46	-0.35419	0.46	-0.22388
0.53	-0.29443	0.53	-0.17424
0.60	-0.21363	0.60	-0.13818
0.67	-0.14219	0.67	-0.07240
0.74	-0.06799	0.74	-0.01620
0.81	-0.01155	0.81	0.02456
0.88	0.04219	0.88	0.05888
0.95	0.10876	0.95	0.11879

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
18	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
18	0.6024	15.08	0.09	20.08	100.98	79.02	10.96	308.54
				419.3	2109.1	1650.4	3.34	95.71

WING	UPPER SURFACE		LOWER SURFACE	
X/C	CP		X/C	CP
0.02	-0.49599		0.05	0.63969
0.06	-0.47037		0.10	0.45883
0.11	-0.49267		0.20	0.24005
0.17	-0.48964		0.35	0.01743
0.23	-0.49832		0.50	-0.17010
0.29	-0.50002		0.65	-0.16590
0.35	-0.51774		0.80	0.09412
0.41	-0.45806		0.95	0.06897
0.47	-0.55582			
0.53	-0.55723			
0.57	-0.57186			
0.65	-0.59792			
0.71	-0.62716			
0.77	-0.64241			
0.83	-0.64504			
0.89	-0.65493			
0.95	-0.65339			

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
X/C	CP		X/C	CP
0.02	-0.22497		0.02	0.16458
0.06	-0.26007		0.06	-0.00008
0.11	-0.29920		0.11	-0.08936
0.18	-0.34810		0.18	-0.15538
0.25	-0.35824		0.25	-0.16424
0.32	-0.36670		0.32	-0.17356
0.39	-0.34007		0.39	-0.16542
0.46	-0.29801		0.46	-0.15825
0.53	-0.24707		0.53	-0.12511
0.60	-0.18716		0.60	-0.05834
0.67	-0.13130		0.67	-0.03347
0.74	-0.08067		0.74	0.02012
0.81	-0.03158		0.81	0.04809
0.88	0.01302		0.88	0.06575
0.95	0.04972		0.95	0.10219

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
18	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.6012	17.13	0.13	20.02 418.1	101.02 2109.8	79.12 1652.5	10.95 3.34	308.62 95.85

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.50498	0.05	0.68751
0.06	-0.51008	0.10	0.49227
0.11	-0.51300	0.20	0.27725
0.17	-0.51100	0.35	0.05668
0.23	-0.52406	0.50	-0.13001
0.29	-0.54173	0.65	-0.14604
0.35	-0.56653	0.80	0.10309
0.41	-0.46483	0.95	0.06987
0.47	-0.57514		
0.53	-0.58994		
0.57	-0.59627		
0.65	-0.61723		
0.71	-0.62841		
0.77	-0.65051		
0.83	-0.67301		
0.89	-0.67257		
0.95	-0.66515		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.04504	0.02	-0.44511
0.06	-0.14405	0.06	-0.22391
0.11	-0.16827	0.11	-0.16292
0.18	-0.22501	0.18	-0.14974
0.25	-0.23123	0.25	-0.11743
0.32	-0.26881	0.32	-0.10647
0.39	-0.25678	0.39	-0.08652
0.46	-0.23855	0.46	-0.06418
0.53	-0.20468	0.53	-0.06571
0.60	-0.17349	0.60	-0.04337
0.67	-0.13207	0.67	-0.02691
0.74	-0.08843	0.74	-0.00485
0.81	-0.06210	0.81	0.01568
0.88	-0.02525	0.88	0.00554
0.95	0.00389	0.95	0.02339

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
18	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
20	0.5997	19.31	0.16	19.93	100.98	79.19	10.92	308.77
				416.3	2109.1	1653.9	3.33	96.12

WING	UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP	
0.02	-0.51038	0.05	0.74621	
0.06	-0.52190	0.10	0.56618	
0.11	-0.52056	0.20	0.34928	
0.17	-0.51238	0.35	0.12205	
0.23	-0.52689	0.50	-0.08117	
0.29	-0.54459	0.65	-0.10744	
0.35	-0.55550	0.80	0.12575	
0.41	-0.47167	0.95	0.08219	
0.47	-0.57329			
0.53	-0.59762			
0.57	-0.59607			
0.65	-0.61200			
0.71	-0.63105			
0.77	-0.64464			
0.83	-0.63870			
0.89	-0.64910			
0.95	-0.66626			

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP	
0.02	-0.00929	0.02	-0.42581	
0.06	-0.10245	0.06	-0.27409	
0.11	-0.10942	0.11	-0.18251	
0.18	-0.15772	0.18	-0.13399	
0.25	-0.16432	0.25	-0.12274	
0.32	-0.17617	0.32	-0.10475	
0.39	-0.20786	0.39	-0.09287	
0.46	-0.17663	0.46	-0.08282	
0.53	-0.16148	0.53	-0.06671	
0.60	-0.14335	0.60	-0.05410	
0.67	-0.11143	0.67	-0.05522	
0.74	-0.08940	0.74	-0.04735	
0.81	-0.06078	0.81	-0.04106	
0.88	-0.04723	0.88	-0.03725	
0.95	-0.03200	0.95	-0.03467	

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
18	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
21	0.6018	21.51	0.18	20.05 418.7	101.02 2109.8	79.09 1651.8	10.95 3.34	308.69 95.98

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.51435	0.05	0.79890
	0.06	-0.51852	0.10	0.63841
	0.11	-0.53454	0.20	0.42165
	0.17	-0.52739	0.35	0.18840
	0.23	-0.53316	0.50	-0.01184
	0.29	-0.53921	0.65	-0.03445
	0.35	-0.54611	0.80	0.15547
	0.41	-0.47694	0.95	0.09815
	0.47	-0.55957		
	0.53	-0.56249		
	0.57	-0.59338		
	0.65	-0.60363		
	0.71	-0.62033		
	0.77	-0.63530		
	0.83	-0.64502		
	0.89	-0.64641		
	0.95	-0.64428		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.14290	0.02	-0.30873
	0.06	-0.14158	0.06	-0.24638
	0.11	-0.13600	0.11	-0.22078
	0.18	-0.14558	0.18	-0.18703
	0.25	-0.14258	0.25	-0.16187
	0.32	-0.13400	0.32	-0.17205
	0.39	-0.12552	0.39	-0.16798
	0.46	-0.11430	0.46	-0.15422
	0.53	-0.10596	0.53	-0.11130
	0.60	-0.10144	0.60	-0.13454
	0.67	-0.10631	0.67	-0.13393
	0.74	-0.08460	0.74	-0.09862
	0.81	-0.07403	0.81	-0.10345
	0.88	-0.07304	0.88	-0.11064
	0.95	-0.05256	0.95	-0.09194

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
18	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
22	0.6012	-1.83	-0.01	20.02 418.1	101.02 2109.8	79.12 1652.5	10.94 3.34	308.73 96.05

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.17402	0.05	-0.54736
	0.06	-0.38567	0.10	-0.55611
	0.11	-0.40482	0.20	-0.52767
	0.17	-0.38462	0.35	-0.49462
	0.23	-0.37802	0.50	-0.46953
	0.29	-0.37076	0.65	-0.16452
	0.35	-0.37660	0.80	0.15042
	0.41	-0.45916	0.95	0.25450
	0.47	-0.37377		
	0.53	-0.38161		
	0.57	-0.34975		
	0.65	-0.33938		
	0.71	-0.30038		
	0.77	-0.24766		
	0.83	-0.18849		
	0.89	-0.12254		
	0.95	-0.02851		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.35541	0.02	-1.47441
	0.06	0.13545	0.06	-0.73052
	0.11	0.04691	0.11	-0.72597
	0.18	-0.06203	0.18	-0.68114
	0.25	-0.14324	0.25	-0.60948
	0.32	-0.20718	0.32	-0.56072
	0.39	-0.24584	0.39	-0.49962
	0.46	-0.21973	0.46	-0.42524
	0.53	-0.20685	0.53	-0.34606
	0.60	-0.16132	0.60	-0.25291
	0.67	-0.11331	0.67	-0.15654
	0.74	-0.05429	0.74	-0.07131
	0.81	-0.00147	0.81	-0.00214
	0.88	0.04819	0.88	0.05758
	0.95	0.11076	0.95	0.13093

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
19	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7808	-6.56	-0.01	28.79	100.92	67.47	12.46	316.14
				601.3	2107.7	1409.1	3.80	109.38

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.45921	0.05	-1.31396
	0.06	0.13572	0.10	-1.32255
	0.11	0.00460	0.20	-1.30521
	0.17	-0.09028	0.35	-0.66257
	0.23	-0.14035	0.50	-0.53165
	0.29	-0.19070	0.65	-0.36626
	0.35	-0.22828	0.80	-0.21873
	0.41	-0.04413	0.95	-0.07149
	0.47	-0.30676		
	0.53	-0.36234		
	0.57	-0.34042		
	0.65	-0.38969		
	0.71	-0.34077		
	0.77	-0.30280		
	0.83	-0.27062		
	0.89	-0.22063		
	0.95	-0.16043		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.44451	0.02	-1.57814
	0.06	0.21351	0.06	-1.36659
	0.11	0.11676	0.11	-1.24168
	0.18	-0.00748	0.18	-0.97256
	0.25	-0.10528	0.25	-1.05414
	0.32	-0.19279	0.32	-0.99313
	0.39	-0.24266	0.39	-0.46138
	0.46	-0.25388	0.46	-0.36119
	0.53	-0.24977	0.53	-0.27201
	0.60	-0.21297	0.60	-0.20555
	0.67	-0.16158	0.67	-0.13943
	0.74	-0.11078	0.74	-0.07303
	0.81	-0.03392	0.81	-0.00748
	0.88	0.01298	0.88	0.04629
	0.95	0.06966	0.95	0.08108

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
19	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.7823	-4.27	-0.01	28.86 602.7	100.92 2107.7	67.36 1406.9	12.44 3.79	316.79 110.55

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.21242	0.05	-1.09393
0.06	-0.09067	0.10	-1.03152
0.11	-0.18704	0.20	-0.92048
0.17	-0.24343	0.35	-1.00437
0.23	-0.26452	0.50	-0.44996
0.29	-0.30320	0.65	-0.13587
0.35	-0.33198	0.80	-0.02042
0.41	-0.07915	0.95	0.14199
0.47	-0.36615		
0.53	-0.39247		
0.57	-0.35214		
0.65	-0.35573		
0.71	-0.31158		
0.77	-0.24538		
0.83	-0.17963		
0.89	-0.09972		
0.95	-0.00421		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.36658	0.02	-1.43483
0.06	0.15214	0.06	-1.23520
0.11	0.05562	0.11	-0.97336
0.18	-0.07168	0.18	-0.95897
0.25	-0.15108	0.25	-1.01501
0.32	-0.24234	0.32	-1.04255
0.39	-0.28516	0.39	-0.56956
0.46	-0.28366	0.46	-0.37957
0.53	-0.26479	0.53	-0.28122
0.60	-0.20704	0.60	-0.19290
0.67	-0.14417	0.67	-0.10889
0.74	-0.08105	0.74	-0.03616
0.81	-0.01767	0.81	0.02258
0.88	0.03951	0.88	0.08070
0.95	0.11083	0.95	0.14088

334

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
19	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.7797	-1.86	-0.01	28.74	100.92	67.54	12.42	316.76
				600.3	2107.7	1410.5	3.79	110.49

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.15332	0.05	-0.55019
	0.06	-0.43012	0.10	-0.58517
	0.11	-0.44211	0.20	-0.68238
	0.17	-0.47645	0.35	-0.74550
	0.23	-0.45895	0.50	-0.52606
	0.29	-0.47428	0.65	-0.09809
	0.35	-0.47645	0.80	0.11102
	0.41	-0.13937	0.95	0.24060
	0.47	-0.47127		
	0.53	-0.46973		
	0.57	-0.42182		
	0.65	-0.39421		
	0.71	-0.32207		
	0.77	-0.24036		
	0.83	-0.15816		
	0.89	-0.07149		
	0.95	0.03900		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.29612	0.02	-1.28822
	0.06	0.09951	0.06	-1.03862
	0.11	0.00433	0.11	-0.76610
	0.18	-0.12063	0.18	-0.90992
	0.25	-0.19332	0.25	-0.95515
	0.32	-0.26785	0.32	-0.99729
	0.39	-0.30283	0.39	-0.65726
	0.46	-0.29593	0.46	-0.35934
	0.53	-0.26623	0.53	-0.28637
	0.60	-0.19412	0.60	-0.20107
	0.67	-0.12645	0.67	-0.11239
	0.74	-0.05680	0.74	-0.03458
	0.81	0.00783	0.81	0.03302
	0.88	0.06693	0.88	0.09160
	0.95	0.14177	0.95	0.15994

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
19	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.7792	0.44	-0.01	28.72 599.8	100.92 2107.7	67.57 1411.2	12.40 3.78	316.91 110.76

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.57374	0.05	-0.19831
	0.06	-0.79879	0.10	-0.36486
	0.11	-0.87713	0.20	-0.45374
	0.17	-0.76308	0.35	-0.55677
	0.23	-0.74903	0.50	-0.54025
	0.29	-0.66758	0.65	-0.10476
	0.35	-0.63259	0.80	0.17901
	0.41	-0.23204	0.95	0.29149
	0.47	-0.55236		
	0.53	-0.55560		
	0.57	-0.48753		
	0.65	-0.43086		
	0.71	-0.34835		
	0.77	-0.26096		
	0.83	-0.17461		
	0.89	-0.07411		
	0.95	0.03280		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.23415	0.02	-1.05802
	0.06	0.02743	0.06	-0.81707
	0.11	-0.04568	0.11	-0.73056
	0.18	-0.17041	0.18	-0.85263
	0.25	-0.23435	0.25	-0.89066
	0.32	-0.32144	0.32	-0.92708
	0.39	-0.34858	0.39	-0.56165
	0.46	-0.32183	0.46	-0.36927
	0.53	-0.27869	0.53	-0.30192
	0.60	-0.20879	0.60	-0.21088
	0.67	-0.14039	0.67	-0.11309
	0.74	-0.06357	0.74	-0.03011
	0.81	0.01228	0.81	0.03779
	0.88	0.07788	0.88	0.09727
	0.95	0.15141	0.95	0.16778

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
19	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.7797	2.89	-0.01	28.74 600.3	100.92 2107.7	67.54 1410.5	12.38 3.77	317.59 112.00

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.90805	0.05	0.06308
0.06	-1.20145	0.10	-0.10831
0.11	-1.23898	0.20	-0.24070
0.17	-1.21435	0.35	-0.37536
0.23	-1.20912	0.50	-0.44265
0.29	-1.20211	0.65	-0.08871
0.35	-1.18585	0.80	0.22422
0.41	-0.47728	0.95	0.32055
0.47	-0.63508		
0.53	-0.47185		
0.57	-0.41268		
0.65	-0.34946		
0.71	-0.29148		
0.77	-0.21885		
0.83	-0.14412		
0.89	-0.06953		
0.95	0.02053		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.15576	0.02	-0.79871
0.06	-0.01248	0.06	-0.63787
0.11	-0.09325	0.11	-0.63741
0.18	-0.21835	0.18	-0.75782
0.25	-0.28462	0.25	-0.77964
0.32	-0.36930	0.32	-0.85443
0.39	-0.39755	0.39	-0.49101
0.46	-0.36341	0.46	-0.39710
0.53	-0.31096	0.53	-0.32426
0.60	-0.21905	0.60	-0.21812
0.67	-0.14239	0.67	-0.11590
0.74	-0.06035	0.74	-0.02744
0.81	0.00812	0.81	0.03563
0.88	0.07565	0.88	0.09113
0.95	0.15469	0.95	0.16244

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
19	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.7802	5.14	0.01	28.77 600.8	100.92 2107.7	67.50 1409.8	12.40 3.78	317.13 111.16

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.11292	0.05	0.23238
	0.06	-1.36242	0.10	0.04527
	0.11	-1.39915	0.20	-0.12229
	0.17	-1.37281	0.35	-0.30283
	0.23	-1.36080	0.50	-0.43692
	0.29	-1.09368	0.65	-0.15676
	0.35	-0.79235	0.80	0.17888
	0.41	-0.58309	0.95	0.23075
	0.47	-0.69721		
	0.53	-0.64242		
	0.57	-0.59604		
	0.65	-0.51522		
	0.71	-0.45947		
	0.77	-0.39363		
	0.83	-0.33927		
	0.89	-0.28885		
	0.95	-0.23078		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.01486	0.02	-0.51061
	0.06	-0.12969	0.06	-0.46141
	0.11	-0.20649	0.11	-0.49062
	0.18	-0.30442	0.18	-0.58686
	0.25	-0.35500	0.25	-0.62681
	0.32	-0.43491	0.32	-0.57743
	0.39	-0.43692	0.39	-0.47272
	0.46	-0.38461	0.46	-0.38878
	0.53	-0.31768	0.53	-0.30352
	0.60	-0.22771	0.60	-0.21027
	0.67	-0.14773	0.67	-0.10818
	0.74	-0.06118	0.74	-0.02335
	0.81	0.00972	0.81	0.03966
	0.88	0.08044	0.88	0.09491
	0.95	0.16299	0.95	0.16719

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
19	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.7808	7.45	-0.02	28.79 601.3	100.92 2107.7	67.47 1409.1	12.40 3.78	317.22 111.33

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.16561	0.05	0.37596
0.06	-1.34398	0.10	0.18212
0.11	-1.26092	0.20	-0.01559
0.17	-1.28207	0.35	-0.21657
0.23	-0.94720	0.50	-0.37666
0.29	-0.77993	0.65	-0.16704
0.35	-0.63934	0.80	0.17299
0.41	-0.66371	0.95	0.20247
0.47	-0.67273		
0.53	-0.65909		
0.57	-0.60984		
0.65	-0.57064		
0.71	-0.60075		
0.77	-0.58625		
0.83	-0.54326		
0.89	-0.50870		
0.95	-0.49053		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.16234	0.02	-0.27206
0.06	-0.21120	0.06	-0.29468
0.11	-0.26483	0.11	-0.37064
0.18	-0.36783	0.18	-0.44129
0.25	-0.42786	0.25	-0.45862
0.32	-0.48781	0.32	-0.47296
0.39	-0.48406	0.39	-0.41316
0.46	-0.40775	0.46	-0.35896
0.53	-0.32632	0.53	-0.29082
0.60	-0.23231	0.60	-0.19372
0.67	-0.14253	0.67	-0.10114
0.74	-0.05021	0.74	-0.01981
0.81	0.02027	0.81	0.04763
0.88	0.09490	0.88	0.10004
0.95	0.17346	0.95	0.16762

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
19	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.7787	9.38	-0.01	28.69 599.3	100.92 2107.7	67.60 1411.9	12.35 3.76	318.02 112.77

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.31662	0.05	0.47105
0.06	-1.24914	0.10	0.26539
0.11	-0.59342	0.20	0.05695
0.17	-0.67483	0.35	-0.16233
0.23	-0.56566	0.50	-0.35148
0.29	-0.69509	0.65	-0.20143
0.35	-0.62587	0.80	0.14646
0.41	-0.66350	0.95	0.17438
0.47	-0.61552		
0.53	-0.64755		
0.57	-0.61852		
0.65	-0.63483		
0.71	-0.60582		
0.77	-0.61481		
0.83	-0.60575		
0.89	-0.59323		
0.95	-0.55963		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.36734	0.02	0.02238
0.06	-0.33103	0.06	-0.10845
0.11	-0.35961	0.11	-0.17861
0.18	-0.46851	0.18	-0.23865
0.25	-0.49355	0.25	-0.26843
0.32	-0.57504	0.32	-0.32332
0.39	-0.55454	0.39	-0.30696
0.46	-0.44741	0.46	-0.28234
0.53	-0.35147	0.53	-0.21374
0.60	-0.23725	0.60	-0.15356
0.67	-0.14277	0.67	-0.05559
0.74	-0.05438	0.74	0.01320
0.81	0.02191	0.81	0.06226
0.88	0.09486	0.88	0.10258
0.95	0.17409	0.95	0.16309

340

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
19	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.7802	11.36	0.00	28.77 / 600.8	100.92 / 2107.7	67.50 / 1409.8	12.37 / 3.77	317.86 / 112.47

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.56455	0.05	0.54252
0.06	-0.53953	0.10	0.33640
0.11	-0.48981	0.20	0.11665
0.17	-0.50398	0.35	-0.10603
0.23	-0.50466	0.50	-0.32365
0.29	-0.54010	0.65	-0.21049
0.35	-0.51465	0.80	0.14220
0.41	-0.62035	0.95	0.15799
0.47	-0.54543		
0.53	-0.59751		
0.57	-0.56793		
0.65	-0.58135		
0.71	-0.59310		
0.77	-0.60857		
0.83	-0.62237		
0.89	-0.61398		
0.95	-0.60049		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.44085	0.02	0.07813
0.06	-0.36520	0.06	-0.00336
0.11	-0.40522	0.11	-0.07706
0.18	-0.51744	0.18	-0.14517
0.25	-0.54669	0.25	-0.16662
0.32	-0.60685	0.32	-0.17811
0.39	-0.53740	0.39	-0.16258
0.46	-0.42869	0.46	-0.14029
0.53	-0.32689	0.53	-0.10511
0.60	-0.22594	0.60	-0.05652
0.67	-0.13775	0.67	0.00409
0.74	-0.04647	0.74	0.06032
0.81	0.02955	0.81	0.09190
0.88	0.09964	0.88	0.12201
0.95	0.17603	0.95	0.16903

341

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
19	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.7802	13.41	-0.03	28.77 600.8	100.92 2107.7	67.50 1409.8	12.34 3.76	318.43 113.51

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.48867	0.05	0.61820
	0.06	-0.50143	0.10	0.41703
	0.11	-0.49760	0.20	0.20327
	0.17	-0.49656	0.35	-0.03323
	0.23	-0.49543	0.50	-0.24508
	0.29	-0.50756	0.65	-0.18153
	0.35	-0.51048	0.80	0.15285
	0.41	-0.57667	0.95	0.15980
	0.47	-0.52608		
	0.53	-0.54481		
	0.57	-0.55359		
	0.65	-0.56685		
	0.71	-0.57868		
	0.77	-0.59190		
	0.83	-0.59742		
	0.89	-0.61325		
	0.95	-0.61429		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.20843	0.02	-0.06135
	0.06	-0.25538	0.06	-0.09220
	0.11	-0.32644	0.11	-0.14393
	0.18	-0.43578	0.18	-0.15878
	0.25	-0.45065	0.25	-0.12936
	0.32	-0.49181	0.32	-0.12818
	0.39	-0.45341	0.39	-0.11192
	0.46	-0.37402	0.46	-0.08228
	0.53	-0.29494	0.53	-0.05986
	0.60	-0.19868	0.60	-0.01541
	0.67	-0.13075	0.67	0.02413
	0.74	-0.05870	0.74	0.05539
	0.81	0.00691	0.81	0.07787
	0.88	0.05954	0.88	0.10194
	0.95	0.11648	0.95	0.13280

342

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
19	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.7808	15.62	0.07	28.79 / 601.3	100.92 / 2107.7	67.47 / 1409.1	12.33 / 3.76	318.77 / 114.12

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-0.47640	0.05	0.68686
0.06	-0.47725	0.10	0.49225
0.11	-0.49040	0.20	0.27526
0.17	-0.50201	0.35	0.04387
0.23	-0.50504	0.50	-0.17704
0.29	-0.50876	0.65	-0.14397
0.35	-0.51970	0.80	0.16901
0.41	-0.56317	0.95	0.16996
0.47	-0.52665		
0.53	-0.55252		
0.57	-0.55970		
0.65	-0.57707		
0.71	-0.57627		
0.77	-0.59930		
0.83	-0.61774		
0.89	-0.60048		
0.95	-0.61135		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.01841	0.02	-0.38282
0.06	-0.11618	0.06	-0.29822
0.11	-0.18857	0.11	-0.22017
0.18	-0.27202	0.18	-0.19310
0.25	-0.31906	0.25	-0.14837
0.32	-0.34007	0.32	-0.11282
0.39	-0.34069	0.39	-0.11186
0.46	-0.29961	0.46	-0.09441
0.53	-0.24318	0.53	-0.06612
0.60	-0.18379	0.60	-0.02969
0.67	-0.13077	0.67	-0.01103
0.74	-0.08215	0.74	0.01347
0.81	-0.04086	0.81	0.02286
0.88	-0.00524	0.88	0.03239
0.95	0.02306	0.95	0.06937

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
19	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.7821	17.67	0.12	28.86	100.95	67.40	12.36	318.46
				602.8	2108.4	1407.6	3.77	113.55

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.50055	0.05	0.75267
	0.06	-0.51029	0.10	0.56978
	0.11	-0.49269	0.20	0.35111
	0.17	-0.48384	0.35	0.11672
	0.23	-0.48584	0.50	-0.10172
	0.29	-0.49014	0.65	-0.08527
	0.35	-0.51029	0.80	0.19598
	0.41	-0.54214	0.95	0.19323
	0.47	-0.52882		
	0.53	-0.53349		
	0.57	-0.55229		
	0.65	-0.57930		
	0.71	-0.59126		
	0.77	-0.57583		
	0.83	-0.59343		
	0.89	-0.60495		
	0.95	-0.60190		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.02933	0.02	-0.53790
	0.06	-0.08042	0.06	-0.33401
	0.11	-0.11335	0.11	-0.24489
	0.18	-0.15392	0.18	-0.20241
	0.25	-0.17664	0.25	-0.16234
	0.32	-0.19695	0.32	-0.13049
	0.39	-0.19197	0.39	-0.11100
	0.46	-0.19441	0.46	-0.10142
	0.53	-0.16847	0.53	-0.09181
	0.60	-0.13281	0.60	-0.07133
	0.67	-0.11457	0.67	-0.05666
	0.74	-0.08603	0.74	-0.03531
	0.81	-0.06321	0.81	-0.04441
	0.88	-0.04189	0.88	-0.02874
	0.95	-0.03276	0.95	-0.00960

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
19	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.7813	19.70	0.16	28.81 601.7	100.92 2107.7	67.43 1408.4	12.33 3.76	318.76 114.09

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.50290	0.05	0.80571
	0.06	-0.49550	0.10	0.63961
	0.11	-0.51033	0.20	0.42311
	0.17	-0.52568	0.35	0.18934
	0.23	-0.53852	0.50	-0.02428
	0.29	-0.53864	0.65	-0.02186
	0.35	-0.54985	0.80	0.22133
	0.41	-0.54037	0.95	0.20528
	0.47	-0.55998		
	0.53	-0.54520		
	0.57	-0.56303		
	0.65	-0.58226		
	0.71	-0.61215		
	0.77	-0.62409		
	0.83	-0.63098		
	0.89	-0.62540		
	0.95	-0.62571		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.18909	0.02	-0.35250
	0.06	-0.16802	0.06	-0.29060
	0.11	-0.17041	0.11	-0.24721
	0.18	-0.16328	0.18	-0.21837
	0.25	-0.18236	0.25	-0.18953
	0.32	-0.17157	0.32	-0.18990
	0.39	-0.16561	0.39	-0.17839
	0.46	-0.15554	0.46	-0.16617
	0.53	-0.14837	0.53	-0.15139
	0.60	-0.13167	0.60	-0.15980
	0.67	-0.12177	0.67	-0.16502
	0.74	-0.11450	0.74	-0.13538
	0.81	-0.10099	0.81	-0.11912
	0.88	-0.08800	0.88	-0.10743
	0.95	-0.07830	0.95	-0.11728

345

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
19	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.7821	-1.86	-0.01	28.86 602.8	100.95 2108.4	67.40 1407.6	12.37 3.77	318.17 113.04

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-0.10817	0.05	-0.54159
0.06	-0.37353	0.10	-0.57818
0.11	-0.43134	0.20	-0.70380
0.17	-0.45386	0.35	-0.74848
0.23	-0.45265	0.50	-0.60822
0.29	-0.47124	0.65	-0.09455
0.35	-0.46795	0.80	0.08634
0.41	-0.51682	0.95	0.23549
0.47	-0.46617		
0.53	-0.46690		
0.57	-0.43540		
0.65	-0.39951		
0.71	-0.32007		
0.77	-0.24083		
0.83	-0.15779		
0.89	-0.06843		
0.95	0.04245		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.30850	0.02	-1.27602
0.06	0.12044	0.06	-1.09318
0.11	0.00949	0.11	-0.75448
0.18	-0.11510	0.18	-0.90214
0.25	-0.18724	0.25	-0.94185
0.32	-0.27335	0.32	-0.98513
0.39	-0.32908	0.39	-0.91947
0.46	-0.32201	0.46	-0.39492
0.53	-0.28765	0.53	-0.28949
0.60	-0.20268	0.60	-0.19783
0.67	-0.13917	0.67	-0.11272
0.74	-0.06438	0.74	-0.03255
0.81	-0.00349	0.81	0.03763
0.88	0.06079	0.88	0.09584
0.95	0.13486	0.95	0.16180

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
20	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8497	-6.30	-0.01	31.81	100.92	62.94	12.78	319.84
				664.3	2107.7	1314.6	3.90	116.04

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.39139	0.05	-1.02640
0.06	0.06037	0.10	-1.03549
0.11	-0.04592	0.20	-1.06970
0.17	-0.13315	0.35	-0.50516
0.23	-0.16954	0.50	-0.44327
0.29	-0.23151	0.65	-0.39573
0.35	-0.27800	0.80	-0.36434
0.41	-0.31908	0.95	-0.31463
0.47	-0.35888		
0.53	-0.45569		
0.57	-0.43176		
0.65	-0.55413		
0.71	-0.60832		
0.77	-0.64203		
0.83	-0.65523		
0.89	-0.68538		
0.95	-0.41416		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.42486	0.02	-1.30350
0.06	0.21510	0.06	-1.17568
0.11	0.10379	0.11	-1.08462
0.18	-0.03441	0.18	-0.93212
0.25	-0.12933	0.25	-0.94069
0.32	-0.24958	0.32	-0.69810
0.39	-0.34053	0.39	-0.35232
0.46	-0.40223	0.46	-0.32285
0.53	-0.45430	0.53	-0.30150
0.60	-0.38095	0.60	-0.27737
0.67	-0.24117	0.67	-0.24515
0.74	-0.15920	0.74	-0.23970
0.81	-0.10347	0.81	-0.22516
0.88	-0.05498	0.88	-0.17624
0.95	-0.01754	0.95	-0.03226

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
20	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.8493	-3.95 °	-0.02	31.78 663.8	100.88 2107.0	62.94 1314.6	12.72 3.88	320.88 117.92

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.15003	0.05	-0.77465
	0.06	-0.15996	0.10	-0.73771
	0.11	-0.25041	0.20	-0.78165
	0.17	-0.29765	0.35	-0.88938
	0.23	-0.32325	0.50	-0.34694
	0.29	-0.37896	0.65	-0.29468
	0.35	-0.41868	0.80	-0.25920
	0.41	-0.31449	0.95	-0.14202
	0.47	-0.46354		
	0.53	-0.54893		
	0.57	-0.52158		
	0.65	-0.63982		
	0.71	-0.69450		
	0.77	-0.72742		
	0.83	-0.53284		
	0.89	-0.23137		
	0.95	-0.15141		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.34229	0.02	-1.17567
	0.06	0.16142	0.06	-1.01480
	0.11	0.05329	0.11	-0.92141
	0.18	-0.08727	0.18	-0.81972
	0.25	-0.18936	0.25	-0.89739
	0.32	-0.31468	0.32	-0.80522
	0.39	-0.39791	0.39	-0.36687
	0.46	-0.45464	0.46	-0.32826
	0.53	-0.53074	0.53	-0.30589
	0.60	-0.34065	0.60	-0.26745
	0.67	-0.19771	0.67	-0.23691
	0.74	-0.12228	0.74	-0.20288
	0.81	-0.05014	0.81	-0.14831
	0.88	0.00188	0.88	-0.10615
	0.95	0.05624	0.95	-0.04146

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
20	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.8512	-1.81	-0.02	31.87 665.6	100.92 2107.7	62.84 1312.5	12.70 3.87	321.54 119.10

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.10763	0.05	-0.42482
	0.06	-0.42737	0.10	-0.47623
	0.11	-0.45622	0.20	-0.66295
	0.17	-0.52280	0.35	-0.71395
	0.23	-0.55257	0.50	-0.64511
	0.29	-0.55965	0.65	-0.24437
	0.35	-0.55532	0.80	-0.21169
	0.41	-0.34537	0.95	-0.07889
	0.47	-0.58100		
	0.53	-0.66022		
	0.57	-0.64626		
	0.65	-0.73970		
	0.71	-0.76952		
	0.77	-0.44198		
	0.83	-0.19640		
	0.89	-0.11414		
	0.95	-0.03571		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.29532	0.02	-1.05378
	0.06	0.10341	0.06	-0.83593
	0.11	-0.00672	0.11	-0.65742
	0.18	-0.13575	0.18	-0.79343
	0.25	-0.22559	0.25	-0.83510
	0.32	-0.35573	0.32	-0.87704
	0.39	-0.44288	0.39	-0.50833
	0.46	-0.49164	0.46	-0.33931
	0.53	-0.56781	0.53	-0.31762
	0.60	-0.38183	0.60	-0.29078
	0.67	-0.18365	0.67	-0.25126
	0.74	-0.10491	0.74	-0.20415
	0.81	-0.02162	0.81	-0.13721
	0.88	0.03391	0.88	-0.08495
	0.95	0.09315	0.95	-0.02472

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
20	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.8508	0.53	-0.01	31.85 665.1	100.88 2107.0	62.84 1312.5	12.70 3.87	321.52 119.07

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.39495	0.05	-0.16882
0.06	-0.68446	0.10	-0.30209
0.11	-0.77350	0.20	-0.44829
0.17	-0.78130	0.35	-0.57718
0.23	-0.78833	0.50	-0.75672
0.29	-0.78587	0.65	-0.23281
0.35	-0.78509	0.80	-0.14638
0.41	-0.41610	0.95	0.04802
0.47	-0.81482		
0.53	-0.84076		
0.57	-0.82470		
0.65	-0.37331		
0.71	-0.27688		
0.77	-0.20125		
0.83	-0.12645		
0.89	-0.07057		
0.95	-0.00542		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.18987	0.02	-0.81450
0.06	0.03336	0.06	-0.58226
0.11	-0.06269	0.11	-0.58578
0.18	-0.18990	0.18	-0.70168
0.25	-0.28109	0.25	-0.75636
0.32	-0.41128	0.32	-0.82384
0.39	-0.49495	0.39	-0.88572
0.46	-0.53294	0.46	-0.45790
0.53	-0.59899	0.53	-0.30892
0.60	-0.26679	0.60	-0.27183
0.67	-0.14921	0.67	-0.21421
0.74	-0.06479	0.74	-0.14239
0.81	0.01061	0.81	-0.07120
0.88	0.08188	0.88	0.01775
0.95	0.16387	0.95	0.10036

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
20	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.8498	2.76	0.00	31.81 664.3	100.88 2107.0	62.91 1313.9	12.70 3.87	321.41 118.87

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.62484	0.05	0.02757
0.06	-0.92423	0.10	-0.13483
0.11	-0.96955	0.20	-0.28465
0.17	-0.97653	0.35	-0.48125
0.23	-0.98780	0.50	-0.68160
0.29	-0.98926	0.65	-0.28883
0.35	-1.00112	0.80	-0.16411
0.41	-0.49143	0.95	0.09911
0.47	-0.44538		
0.53	-0.41820		
0.57	-0.40947		
0.65	-0.38644		
0.71	-0.36165		
0.77	-0.33504		
0.83	-0.30968		
0.89	-0.26538		
0.95	-0.22903		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.11603	0.02	-0.57292
0.06	-0.02016	0.06	-0.50230
0.11	-0.11209	0.11	-0.51460
0.18	-0.24372	0.18	-0.64313
0.25	-0.31998	0.25	-0.70574
0.32	-0.44119	0.32	-0.76169
0.39	-0.53781	0.39	-0.84788
0.46	-0.57569	0.46	-0.88723
0.53	-0.61171	0.53	-0.34680
0.60	-0.22165	0.60	-0.22396
0.67	-0.12407	0.67	-0.12846
0.74	-0.04371	0.74	-0.02609
0.81	0.04137	0.81	0.06442
0.88	0.10775	0.88	0.12252
0.95	0.18551	0.95	0.18762

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
20	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.8503	4.98	0.01	31.83	100.88	62.88	12.69	321.62
				664.7	2107.0	1313.2	3.87	119.24

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.80727	0.05	0.21224
	0.06	-1.07089	0.10	0.01598
	0.11	-1.08016	0.20	-0.16728
	0.17	-1.11881	0.35	-0.37777
	0.23	-1.11366	0.50	-0.61440
	0.29	-0.91965	0.65	-0.29349
	0.35	-0.64475	0.80	-0.09252
	0.41	-0.56520	0.95	0.14557
	0.47	-0.55195		
	0.53	-0.54800		
	0.57	-0.52810		
	0.65	-0.50482		
	0.71	-0.46369		
	0.77	-0.44235		
	0.83	-0.41353		
	0.89	-0.39560		
	0.95	-0.36939		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.02149	0.02	-0.37031
	0.06	-0.08258	0.06	-0.40712
	0.11	-0.15373	0.11	-0.44656
	0.18	-0.28473	0.18	-0.53535
	0.25	-0.36079	0.25	-0.57736
	0.32	-0.47937	0.32	-0.67269
	0.39	-0.59964	0.39	-0.75457
	0.46	-0.63649	0.46	-0.68408
	0.53	-0.68321	0.53	-0.26144
	0.60	-0.20442	0.60	-0.14750
	0.67	-0.10627	0.67	-0.06748
	0.74	-0.02457	0.74	0.00790
	0.81	0.05013	0.81	0.06264
	0.88	0.11856	0.88	0.11623
	0.95	0.19319	0.95	0.18408

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
20	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.8510	7.45	0.02	31.85 665.1	100.85 2106.2	62.81 1311.8	12.68 3.87	321.74 119.47

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.98557	0.05	0.37198
	0.06	-1.18765	0.10	0.16132
	0.11	-1.19457	0.20	-0.04187
	0.17	-1.08487	0.35	-0.26053
	0.23	-0.89660	0.50	-0.52065
	0.29	-0.73018	0.65	-0.23116
	0.35	-0.68853	0.80	0.11288
	0.41	-0.59843	0.95	0.20387
	0.47	-0.61953		
	0.53	-0.59807		
	0.57	-0.57791		
	0.65	-0.58909		
	0.71	-0.57535		
	0.77	-0.56974		
	0.83	-0.54521		
	0.89	-0.54716		
	0.95	-0.48620		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.08014	0.02	-0.17712
	0.06	-0.14971	0.06	-0.23954
	0.11	-0.22001	0.11	-0.34514
	0.18	-0.33973	0.18	-0.44282
	0.25	-0.40977	0.25	-0.50546
	0.32	-0.52275	0.32	-0.56621
	0.39	-0.63888	0.39	-0.59765
	0.46	-0.68218	0.46	-0.34088
	0.53	-0.71485	0.53	-0.24835
	0.60	-0.21499	0.60	-0.16218
	0.67	-0.09883	0.67	-0.07161
	0.74	-0.01532	0.74	0.00531
	0.81	0.06035	0.81	0.07051
	0.88	0.12830	0.88	0.12091
	0.95	0.20375	0.95	0.19065

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
20	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.8513	9.48	0.00	31.87 665.6	100.88 2107.0	62.81 1311.8	12.67 3.86	322.08 120.08

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.14932	0.05	0.46302
0.06	-1.06910	0.10	0.25858
0.11	-0.69938	0.20	0.05170
0.17	-0.59412	0.35	-0.18296
0.23	-0.73465	0.50	-0.45206
0.29	-0.62219	0.65	-0.19166
0.35	-0.59475	0.80	0.15792
0.41	-0.58740	0.95	0.20699
0.47	-0.57919		
0.53	-0.59874		
0.57	-0.59660		
0.65	-0.62701		
0.71	-0.59748		
0.77	-0.59577		
0.83	-0.59534		
0.89	-0.59895		
0.95	-0.58071		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.15870	0.02	-0.03115
0.06	-0.20881	0.06	-0.10298
0.11	-0.26162	0.11	-0.15401
0.18	-0.38566	0.18	-0.30643
0.25	-0.43638	0.25	-0.27575
0.32	-0.54521	0.32	-0.32706
0.39	-0.71474	0.39	-0.26146
0.46	-0.75452	0.46	-0.25148
0.53	-0.76147	0.53	-0.19219
0.60	-0.23057	0.60	-0.10007
0.67	-0.10360	0.67	-0.02663
0.74	-0.01201	0.74	0.03862
0.81	0.05665	0.81	0.08774
0.88	0.12369	0.88	0.12622
0.95	0.19529	0.95	0.18811

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
20	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.8485	11.52	0.01	31.74 662.9	100.85 2106.2	62.97 1315.2	12.65 3.86	322.03 119.98

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.51895	0.05	0.55231
	0.06	-0.52174	0.10	0.35316
	0.11	-0.50733	0.20	0.13891
	0.17	-0.51263	0.35	-0.10385
	0.23	-0.50414	0.50	-0.37273
	0.29	-0.52225	0.65	-0.19385
	0.35	-0.53938	0.80	0.17915
	0.41	-0.57852	0.95	0.21600
	0.47	-0.54305		
	0.53	-0.53959		
	0.57	-0.55317		
	0.65	-0.56995		
	0.71	-0.58721		
	0.77	-0.59465		
	0.83	-0.59874		
	0.89	-0.60322		
	0.95	-0.60177		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.23178	0.02	-0.02637
	0.06	-0.25943	0.06	-0.10920
	0.11	-0.31210	0.11	-0.17257
	0.18	-0.43678	0.18	-0.24021
	0.25	-0.49555	0.25	-0.26571
	0.32	-0.59664	0.32	-0.23792
	0.39	-0.72205	0.39	-0.21135
	0.46	-0.75975	0.46	-0.16682
	0.53	-0.54011	0.53	-0.11394
	0.60	-0.20271	0.60	-0.05523
	0.67	-0.09600	0.67	0.01034
	0.74	-0.01265	0.74	0.06640
	0.81	0.05701	0.81	0.09326
	0.88	0.11798	0.88	0.12834
	0.95	0.18889	0.95	0.17979

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
20	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.8523	13.65	0.05	31.91	100.88	62.75	12.66	322.38
				666.4	2107.0	1310.5	3.86	120.62

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.52662	0.05	0.64588
	0.06	-0.50890	0.10	0.44328
	0.11	-0.50538	0.20	0.22869
	0.17	-0.51151	0.35	-0.01272
	0.23	-0.50514	0.50	-0.26621
	0.29	-0.50999	0.65	-0.16071
	0.35	-0.53417	0.80	0.19843
	0.41	-0.56213	0.95	0.23278
	0.47	-0.54956		
	0.53	-0.55033		
	0.57	-0.57048		
	0.65	-0.57929		
	0.71	-0.59817		
	0.77	-0.60659		
	0.83	-0.60400		
	0.89	-0.60531		
	0.95	-0.60847		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.03141	0.02	-0.23768
	0.06	-0.17177	0.06	-0.24400
	0.11	-0.25964	0.11	-0.23256
	0.18	-0.40282	0.18	-0.24082
	0.25	-0.45901	0.25	-0.20642
	0.32	-0.54956	0.32	-0.18252
	0.39	-0.64664	0.39	-0.16088
	0.46	-0.66316	0.46	-0.12877
	0.53	-0.40069	0.53	-0.07867
	0.60	-0.20221	0.60	-0.04232
	0.67	-0.11562	0.67	0.01358
	0.74	-0.04832	0.74	0.04689
	0.81	0.00750	0.81	0.07823
	0.88	0.05993	0.88	0.10144
	0.95	0.10675	0.95	0.12340

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
20	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.8480	15.81	-0.01	31.72	100.85	63.01	12.60	322.91
				662.5	2106.2	1315.9	3.84	121.56

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.50253	0.05	0.72922
	0.06	-0.50340	0.10	0.53818
	0.11	-0.51648	0.20	0.32184
	0.17	-0.51371	0.35	0.08052
	0.23	-0.52311	0.50	-0.15413
	0.29	-0.52637	0.65	-0.09478
	0.35	-0.53649	0.80	0.22877
	0.41	-0.55835	0.95	0.25044
	0.47	-0.55077		
	0.53	-0.57002		
	0.57	-0.57304		
	0.65	-0.58128		
	0.71	-0.58879		
	0.77	-0.59024		
	0.83	-0.60316		
	0.89	-0.60777		
	0.95	-0.60639		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.02083	0.02	-0.49578
	0.06	-0.10967	0.06	-0.36412
	0.11	-0.18911	0.11	-0.26191
	0.18	-0.29881	0.18	-0.21613
	0.25	-0.36223	0.25	-0.17680
	0.32	-0.40245	0.32	-0.14598
	0.39	-0.39181	0.39	-0.11954
	0.46	-0.32237	0.46	-0.08828
	0.53	-0.26738	0.53	-0.06877
	0.60	-0.18281	0.60	-0.03624
	0.67	-0.13086	0.67	-0.02136
	0.74	-0.07907	0.74	-0.01028
	0.81	-0.04025	0.81	0.01829
	0.88	-0.01549	0.88	0.02692
	0.95	0.00893	0.95	0.03583

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
20	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.8488	17.81	-0.03	31.76 663.4	100.88 2107.0	62.98 1315.3	12.62 3.85	322.81 121.39

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.50088	0.05	0.78744
0.06	-0.47453	0.10	0.60539
0.11	-0.49197	0.20	0.38829
0.17	-0.46784	0.35	0.15244
0.23	-0.49882	0.50	-0.06694
0.29	-0.51865	0.65	-0.02283
0.35	-0.51793	0.80	0.25606
0.41	-0.54361	0.95	0.26425
0.47	-0.51487		
0.53	-0.53603		
0.57	-0.54256		
0.65	-0.55541		
0.71	-0.56844		
0.77	-0.56287		
0.83	-0.56423		
0.89	-0.57033		
0.95	-0.55073		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.13512	0.02	-0.52572
0.06	-0.15532	0.06	-0.35439
0.11	-0.19075	0.11	-0.27519
0.18	-0.22162	0.18	-0.22330
0.25	-0.23800	0.25	-0.18149
0.32	-0.23696	0.32	-0.17079
0.39	-0.23067	0.39	-0.14354
0.46	-0.22084	0.46	-0.13502
0.53	-0.19432	0.53	-0.12017
0.60	-0.16479	0.60	-0.10713
0.67	-0.13963	0.67	-0.09651
0.74	-0.11491	0.74	-0.07416
0.81	-0.09029	0.81	-0.07577
0.88	-0.08081	0.88	-0.05004
0.95	-0.07059	0.95	-0.04706

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
20	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.8500	20.01	0.09	31.80 / 664.2	100.85 / 2106.2	62.88 / 1313.2	12.59 / 3.84	323.43 / 122.50

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.50306	0.05	0.85138
0.06	-0.48804	0.10	0.68267
0.11	-0.58569	0.20	0.47309
0.17	-0.51464	0.35	0.24184
0.23	-0.51212	0.50	0.02129
0.29	-0.50354	0.65	0.04575
0.35	-0.60141	0.80	0.28773
0.41	-0.53641	0.95	0.28703
0.47	-0.56342		
0.53	-0.59762		
0.57	-0.56112		
0.65	-0.58359		
0.71	-0.58119		
0.77	-0.59672		
0.83	-0.55586		
0.89	-0.55845		
0.95	-0.55379		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.29645	0.02	-0.37817
0.06	-0.31905	0.06	-0.32617
0.11	-0.32747	0.11	-0.32306
0.18	-0.31709	0.18	-0.27749
0.25	-0.30942	0.25	-0.29623
0.32	-0.29491	0.32	-0.29764
0.39	-0.30466	0.39	-0.25559
0.46	-0.26586	0.46	-0.27927
0.53	-0.22620	0.53	-0.27747
0.60	-0.21831	0.60	-0.24843
0.67	-0.20681	0.67	-0.25874
0.74	-0.19132	0.74	-0.23440
0.81	-0.16966	0.81	-0.23369
0.88	-0.15698	0.88	-0.22545
0.95	-0.13985	0.95	-0.26969

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
20	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.8493	-1.66	-0.01	31.78 663.8	100.88 2107.0	62.94 1314.6	12.60 3.84	323.22 122.13

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.11742	0.05	-0.41896
	0.06	-0.43901	0.10	-0.44415
	0.11	-0.46490	0.20	-0.65290
	0.17	-0.53322	0.35	-0.71101
	0.23	-0.56034	0.50	-0.61701
	0.29	-0.52263	0.65	-0.23415
	0.35	-0.56741	0.80	-0.18760
	0.41	-0.54217	0.95	-0.04376
	0.47	-0.59849		
	0.53	-0.66640		
	0.57	-0.64954		
	0.65	-0.73334		
	0.71	-0.75441		
	0.77	-0.30895		
	0.83	-0.18592		
	0.89	-0.10223		
	0.95	-0.02718		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.27347	0.02	-1.04188
	0.06	0.09325	0.06	-0.83612
	0.11	-0.00344	0.11	-0.65285
	0.18	-0.13642	0.18	-0.79494
	0.25	-0.23583	0.25	-0.84768
	0.32	-0.36102	0.32	-0.86398
	0.39	-0.45006	0.39	-0.68518
	0.46	-0.49910	0.46	-0.34740
	0.53	-0.56056	0.53	-0.31698
	0.60	-0.28585	0.60	-0.28712
	0.67	-0.17847	0.67	-0.25411
	0.74	-0.09616	0.74	-0.20256
	0.81	-0.03342	0.81	-0.12692
	0.88	0.03387	0.88	-0.05828
	0.95	0.10535	0.95	0.02560

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
21	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.6001	-6.26	0.00	19.96 416.9	101.02 2109.8	79.19 1653.9	10.97 3.35	307.72 94.23

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.52595	0.05	-1.95649
	0.06	0.19407	0.10	-1.05776
	0.11	0.07543	0.20	-0.86179
	0.17	-0.04056	0.35	-0.69291
	0.23	-0.06624	0.50	-0.55516
	0.29	-0.10901	0.65	-0.17227
	0.35	-0.14715	0.80	0.06840
	0.41	0.64019	0.95	0.17138
	0.47	-0.19414		
	0.53	-0.21309		
	0.57	-0.19745		
	0.65	-0.22140		
	0.71	-0.19444		
	0.77	-0.16565		
	0.83	-0.12863		
	0.89	-0.08053		
	0.95	-0.00558		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.68715	0.02	-0.56515
	0.06	0.53685	0.06	-0.60301
	0.11	0.41484	0.11	-0.62774
	0.18	0.27192	0.18	-0.62410
	0.25	0.16598	0.25	-0.52415
	0.32	0.05870	0.32	-0.49374
	0.39	-0.01758	0.39	-0.48288
	0.46	-0.07420	0.46	-0.48870
	0.53	-0.11433	0.53	-0.48077
	0.60	-0.13849	0.60	-0.49254
	0.67	-0.15140	0.67	-0.48340
	0.74	-0.16421	0.74	-0.49407
	0.81	-0.17912	0.81	-0.45890
	0.88	-0.21998	0.88	-0.44960
	0.95	-0.29389	0.95	-0.41692

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
21	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.6012	-4.07	0.00	20.02 418.1	101.02 2109.8	79.12 1652.5	10.97 3.34	308.16 95.01

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.26073	0.05	-1.06083
0.06	-0.06707	0.10	-0.83274
0.11	-0.13867	0.20	-0.69839
0.17	-0.19263	0.35	-0.60509
0.23	-0.20903	0.50	-0.52271
0.29	-0.22942	0.65	-0.17811
0.35	-0.24942	0.80	0.12211
0.41	0.49913	0.95	0.22577
0.47	-0.27713		
0.53	-0.28417		
0.57	-0.25690		
0.65	-0.26879		
0.71	-0.24709		
0.77	-0.20703		
0.83	-0.15668		
0.89	-0.09641		
0.95	-0.01554		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.67722	0.02	-0.80401
0.06	0.51155	0.06	-0.82106
0.11	0.38541	0.11	-0.83296
0.18	0.24493	0.18	-0.76726
0.25	0.14245	0.25	-0.58137
0.32	0.03445	0.32	-0.51568
0.39	-0.03561	0.39	-0.50667
0.46	-0.09034	0.46	-0.50490
0.53	-0.13133	0.53	-0.52569
0.60	-0.14686	0.60	-0.49398
0.67	-0.15317	0.67	-0.51488
0.74	-0.16469	0.74	-0.50900
0.81	-0.16724	0.81	-0.44319
0.88	-0.20105	0.88	-0.43908
0.95	-0.27412	0.95	-0.40958

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
21	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.6018	-1.90	-0.01	20.05 418.7	101.02 2109.8	79.09 1651.8	10.97 3.34	308.36 95.38

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.16420	0.05	-0.57051
	0.06	-0.35657	0.10	-0.54515
	0.11	-0.37160	0.20	-0.51308
	0.17	-0.34229	0.35	-0.49997
	0.23	-0.34658	0.50	-0.47016
	0.29	-0.37294	0.65	-0.16242
	0.35	-0.37309	0.80	0.14494
	0.41	0.37329	0.95	0.25219
	0.47	-0.37193		
	0.53	-0.36371		
	0.57	-0.33359		
	0.65	-0.33349		
	0.71	-0.29643		
	0.77	-0.24468		
	0.83	-0.18539		
	0.89	-0.12002		
	0.95	-0.02489		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.68265	0.02	-0.90567
	0.06	0.48656	0.06	-0.83110
	0.11	0.35795	0.11	-0.83761
	0.18	0.21548	0.18	-0.77646
	0.25	0.10744	0.25	-0.56570
	0.32	0.00057	0.32	-0.53607
	0.39	-0.06244	0.39	-0.55720
	0.46	-0.10515	0.46	-0.54938
	0.53	-0.13893	0.53	-0.58120
	0.60	-0.15985	0.60	-0.56490
	0.67	-0.15909	0.67	-0.54505
	0.74	-0.16768	0.74	-0.51601
	0.81	-0.16353	0.81	-0.48958
	0.88	-0.19606	0.88	-0.46013
	0.95	-0.25526	0.95	-0.41038

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
21	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.6007	0.33	0.00	19.99 417.5	101.02 2109.8	79.16 1653.2	10.94 3.34	308.62 95.85

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.67875	0.05	-0.19278
	0.06	-0.75852	0.10	-0.31822
	0.11	-0.67250	0.20	-0.36491
	0.17	-0.55790	0.35	-0.39235
	0.23	-0.52841	0.50	-0.39053
	0.29	-0.50769	0.65	-0.12714
	0.35	-0.47823	0.80	0.18123
	0.41	0.24284	0.95	0.27168
	0.47	-0.44484		
	0.53	-0.44275		
	0.57	-0.39787		
	0.65	-0.38166		
	0.71	-0.32927		
	0.77	-0.27033		
	0.83	-0.20548		
	0.89	-0.13411		
	0.95	-0.03723		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.67789	0.02	-0.89533
	0.06	0.47610	0.06	-0.93768
	0.11	0.34646	0.11	-0.91620
	0.18	0.19825	0.18	-0.79658
	0.25	0.08756	0.25	-0.59268
	0.32	-0.01292	0.32	-0.57356
	0.39	-0.07184	0.39	-0.56594
	0.46	-0.12015	0.46	-0.58536
	0.53	-0.15132	0.53	-0.55449
	0.60	-0.15352	0.60	-0.53983
	0.67	-0.15611	0.67	-0.51110
	0.74	-0.15634	0.74	-0.47827
	0.81	-0.15218	0.81	-0.44308
	0.88	-0.17476	0.88	-0.40020
	0.95	-0.22955	0.95	-0.35357

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
21	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.6016	2.68	0.00	20.05 418.7	101.05 2110.5	79.12 1652.5	10.95 3.34	308.66 95.91

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.49930	0.05	0.09989
0.06	-1.22825	0.10	-0.06592
0.11	-0.89391	0.20	-0.19120
0.17	-0.80564	0.35	-0.26619
0.23	-0.71537	0.50	-0.30626
0.29	-0.65622	0.65	-0.08956
0.35	-0.61037	0.80	0.21063
0.41	0.10649	0.95	0.29345
0.47	-0.53455		
0.53	-0.51990		
0.57	-0.46724		
0.65	-0.42421		
0.71	-0.36234		
0.77	-0.29086		
0.83	-0.21519		
0.89	-0.13602		
0.95	-0.03641		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.68695	0.02	-0.94251
0.06	0.45450	0.06	-0.99041
0.11	0.31935	0.11	-0.94258
0.18	0.17993	0.18	-0.81232
0.25	0.07397	0.25	-0.67352
0.32	-0.02717	0.32	-0.63989
0.39	-0.09563	0.39	-0.60669
0.46	-0.12876	0.46	-0.57354
0.53	-0.14785	0.53	-0.55555
0.60	-0.15438	0.60	-0.50588
0.67	-0.14337	0.67	-0.47953
0.74	-0.13852	0.74	-0.44121
0.81	-0.12567	0.81	-0.39339
0.88	-0.14669	0.88	-0.33404
0.95	-0.19119	0.95	-0.28786

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
21	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.6008	4.80	0.00	19.99	100.98	79.12	10.93	308.81
				417.5	2109.1	1652.5	3.33	96.18

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-2.18054	0.05	0.31596
	0.06	-2.11454	0.10	0.11207
	0.11	-1.07068	0.20	-0.04659
	0.17	-0.95257	0.35	-0.17411
	0.23	-0.84016	0.50	-0.24700
	0.29	-0.76068	0.65	-0.07126
	0.35	-0.69974	0.80	0.22372
	0.41	-0.02992	0.95	0.29267
	0.47	-0.58645		
	0.53	-0.56412		
	0.57	-0.51140		
	0.65	-0.44967		
	0.71	-0.36889		
	0.77	-0.29533		
	0.83	-0.21725		
	0.89	-0.12845		
	0.95	-0.03725		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.64579	0.02	-0.96797
	0.06	0.42221	0.06	-1.00387
	0.11	0.29846	0.11	-0.98073
	0.18	0.15520	0.18	-0.88560
	0.25	0.05370	0.25	-0.74947
	0.32	-0.04469	0.32	-0.68878
	0.39	-0.09932	0.39	-0.62038
	0.46	-0.13695	0.46	-0.57241
	0.53	-0.14736	0.53	-0.52358
	0.60	-0.14285	0.60	-0.47739
	0.67	-0.13928	0.67	-0.43404
	0.74	-0.11726	0.74	-0.39148
	0.81	-0.10802	0.81	-0.32636
	0.88	-0.12128	0.88	-0.29900
	0.95	-0.14334	0.95	-0.24434

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
21	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.6007	7.33	0.00	19.99 417.5	101.02 2109.8	79.16 1653.2	10.93 3.33	308.92 96.39

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-2.44906	0.05	0.46904
	0.06	-2.43729	0.10	0.27410
	0.11	-1.86203	0.20	0.07573
	0.17	-1.43349	0.35	-0.07986
	0.23	-1.08119	0.50	-0.18238
	0.29	-0.89715	0.65	-0.05181
	0.35	-0.77724	0.80	0.23024
	0.41	-0.17824	0.95	0.29324
	0.47	-0.61128		
	0.53	-0.54503		
	0.57	-0.49930		
	0.65	-0.42270		
	0.71	-0.35053		
	0.77	-0.28404		
	0.83	-0.20880		
	0.89	-0.14168		
	0.95	-0.08641		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.63665	0.02	-1.02713
	0.06	0.40884	0.06	-1.05524
	0.11	0.28022	0.11	-1.01309
	0.18	0.13311	0.18	-0.95707
	0.25	0.02906	0.25	-0.85762
	0.32	-0.05687	0.32	-0.73922
	0.39	-0.11098	0.39	-0.61209
	0.46	-0.14164	0.46	-0.53822
	0.53	-0.15049	0.53	-0.45169
	0.60	-0.12966	0.60	-0.37488
	0.67	-0.11769	0.67	-0.33594
	0.74	-0.08586	0.74	-0.27910
	0.81	-0.06661	0.81	-0.21841
	0.88	-0.07310	0.88	-0.18156
	0.95	-0.07319	0.95	-0.14683

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
21	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.6007	9.13	0.00	19.99	101.02	79.16	10.91	309.31
				417.5	2109.8	1653.2	3.33	97.09

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.64369	0.05	0.54600
	0.06	-1.31637	0.10	0.32048
	0.11	-1.06939	0.20	0.11266
	0.17	-1.05044	0.35	-0.07028
	0.23	-1.10852	0.50	-0.18896
	0.29	-0.97769	0.65	-0.10133
	0.35	-0.84501	0.80	0.18110
	0.41	-0.31284	0.95	0.20318
	0.47	-0.78660		
	0.53	-0.72342		
	0.57	-0.67649		
	0.65	-0.56417		
	0.71	-0.50730		
	0.77	-0.45563		
	0.83	-0.41277		
	0.89	-0.35331		
	0.95	-0.31852		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.63507	0.02	-1.23182
	0.06	0.39954	0.06	-1.22762
	0.11	0.26637	0.11	-1.17578
	0.18	0.11546	0.18	-1.04443
	0.25	0.02107	0.25	-0.90368
	0.32	-0.05794	0.32	-0.75125
	0.39	-0.11814	0.39	-0.59147
	0.46	-0.13669	0.46	-0.49600
	0.53	-0.13197	0.53	-0.39342
	0.60	-0.11046	0.60	-0.27915
	0.67	-0.09132	0.67	-0.22610
	0.74	-0.05561	0.74	-0.18200
	0.81	-0.02495	0.81	-0.12148
	0.88	0.00356	0.88	-0.08865
	0.95	0.02567	0.95	-0.02459

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
21	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.6023	11.20	0.02	20.08 419.3	101.02 2109.8	79.06 1651.1	10.94 3.33	309.16 96.82

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.60632	0.05	0.56626
0.06	-0.57337	0.10	0.35288
0.11	-0.54920	0.20	0.13411
0.17	-0.69477	0.35	-0.06350
0.23	-0.63753	0.50	-0.22214
0.29	-0.66479	0.65	-0.16513
0.35	-0.61233	0.80	0.11289
0.41	-0.35496	0.95	0.11040
0.47	-0.64880		
0.53	-0.67374		
0.57	-0.67942		
0.65	-0.69244		
0.71	-0.68709		
0.77	-0.66745		
0.83	-0.65446		
0.89	-0.63302		
0.95	-0.58733		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.57789	0.02	-1.71612
0.06	0.33543	0.06	-1.41313
0.11	0.21014	0.11	-1.10785
0.18	0.05566	0.18	-0.81860
0.25	-0.03348	0.25	-0.64584
0.32	-0.10947	0.32	-0.53754
0.39	-0.14571	0.39	-0.45679
0.46	-0.16613	0.46	-0.36493
0.53	-0.15878	0.53	-0.29036
0.60	-0.11567	0.60	-0.20579
0.67	-0.08634	0.67	-0.12789
0.74	-0.04018	0.74	-0.05784
0.81	-0.00043	0.81	0.00192
0.88	0.03043	0.88	0.03781
0.95	0.07936	0.95	0.08942

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
21	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.6040	13.07	0.09	20.16 421.0	101.02 2109.8	78.95 1648.9	10.94 3.33	309.65 97.70

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.54591	0.05	0.58478
0.06	-0.54014	0.10	0.36761
0.11	-0.69407	0.20	0.14993
0.17	-0.53132	0.35	-0.05976
0.23	-0.54477	0.50	-0.22361
0.29	-0.55429	0.65	-0.19964
0.35	-0.57078	0.80	0.08730
0.41	-0.37666	0.95	0.07568
0.47	-0.59040		
0.53	-0.61587		
0.57	-0.63228		
0.65	-0.64638		
0.71	-0.66461		
0.77	-0.65309		
0.83	-0.67188		
0.89	-0.65002		
0.95	-0.63063		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.54711	0.02	-1.66003
0.06	0.29060	0.06	-1.07913
0.11	0.16232	0.11	-0.71527
0.18	0.02897	0.18	-0.55586
0.25	-0.05301	0.25	-0.42653
0.32	-0.12932	0.32	-0.37940
0.39	-0.15729	0.39	-0.32375
0.46	-0.16629	0.46	-0.25876
0.53	-0.15416	0.53	-0.18728
0.60	-0.11518	0.60	-0.13872
0.67	-0.08009	0.67	-0.06324
0.74	-0.03624	0.74	-0.01338
0.81	0.00828	0.81	0.03164
0.88	0.04493	0.88	0.07193
0.95	0.09497	0.95	0.11664

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
21	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.6029	15.03	0.11	20.10	101.02	79.02	10.93	309.48
				419.9	2109.8	1650.3	3.33	97.39

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.50827	0.05	0.62819
0.06	-0.49130	0.10	0.43129
0.11	-0.48206	0.20	0.21468
0.17	-0.52886	0.35	-0.00712
0.23	-0.55871	0.50	-0.19610
0.29	-0.53977	0.65	-0.19553
0.35	-0.52521	0.80	0.08035
0.41	-0.39579	0.95	0.05570
0.47	-0.57227		
0.53	-0.57170		
0.57	-0.58383		
0.65	-0.62799		
0.71	-0.62583		
0.77	-0.63736		
0.83	-0.66679		
0.89	-0.65838		
0.95	-0.65455		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.57865	0.02	-1.16183
0.06	0.34176	0.06	-0.84424
0.11	0.20420	0.11	-0.62136
0.18	0.05771	0.18	-0.43953
0.25	-0.02533	0.25	-0.33465
0.32	-0.10929	0.32	-0.25820
0.39	-0.13799	0.39	-0.23927
0.46	-0.14364	0.46	-0.17966
0.53	-0.14544	0.53	-0.12190
0.60	-0.10378	0.60	-0.08850
0.67	-0.07094	0.67	-0.04615
0.74	-0.03699	0.74	-0.00679
0.81	-0.00678	0.81	0.02496
0.88	0.02823	0.88	0.04424
0.95	0.06833	0.95	0.08168

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
21	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.6023	17.12	0.12	20.08 419.3	101.02 2109.8	79.06 1651.1	10.91 3.32	309.89 98.14

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.52818	0.05	0.69833
	0.06	-0.51537	0.10	0.50677
	0.11	-0.52532	0.20	0.28716
	0.17	-0.51085	0.35	0.06386
	0.23	-0.52233	0.50	-0.13538
	0.29	-0.52166	0.65	-0.14661
	0.35	-0.52818	0.80	0.10538
	0.41	-0.41001	0.95	0.06663
	0.47	-0.54993		
	0.53	-0.58548		
	0.57	-0.59489		
	0.65	-0.60880		
	0.71	-0.63079		
	0.77	-0.64425		
	0.83	-0.65370		
	0.89	-0.66010		
	0.95	-0.65419		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.50443	0.02	-0.82302
	0.06	0.35337	0.06	-0.61477
	0.11	0.24466	0.11	-0.50137
	0.18	0.10552	0.18	-0.34094
	0.25	0.02432	0.25	-0.29901
	0.32	-0.04005	0.32	-0.19637
	0.39	-0.09274	0.39	-0.14471
	0.46	-0.11248	0.46	-0.12275
	0.53	-0.11987	0.53	-0.07896
	0.60	-0.09840	0.60	-0.04976
	0.67	-0.07703	0.67	-0.02932
	0.74	-0.05368	0.74	-0.01843
	0.81	-0.03077	0.81	-0.00209
	0.88	-0.01540	0.88	0.00827
	0.95	0.00795	0.95	0.02235

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
21	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.6012	19.26	0.16	20.02 418.1	101.02 2109.8	79.12 1652.5	10.90 3.32	309.67 97.73

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.50057	0.05	0.74358
	0.06	-0.51498	0.10	0.57474
	0.11	-0.51476	0.20	0.36091
	0.17	-0.51696	0.35	0.12905
	0.23	-0.51698	0.50	-0.07877
	0.29	-0.51876	0.65	-0.10203
	0.35	-0.53837	0.80	0.12535
	0.41	-0.43112	0.95	0.08774
	0.47	-0.55151		
	0.53	-0.57784		
	0.57	-0.57687		
	0.65	-0.59829		
	0.71	-0.60593		
	0.77	-0.62545		
	0.83	-0.62469		
	0.89	-0.65945		
	0.95	-0.65207		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.19947	0.02	-0.47782
	0.06	0.21347	0.06	-0.39652
	0.11	0.15428	0.11	-0.31694
	0.18	0.08437	0.18	-0.27478
	0.25	0.03849	0.25	-0.19886
	0.32	-0.01354	0.32	-0.15488
	0.39	-0.05569	0.39	-0.12694
	0.46	-0.08240	0.46	-0.10702
	0.53	-0.07870	0.53	-0.09340
	0.60	-0.07643	0.60	-0.10319
	0.67	-0.06643	0.67	-0.09371
	0.74	-0.05364	0.74	-0.05831
	0.81	-0.04198	0.81	-0.05736
	0.88	-0.03215	0.88	-0.04480
	0.95	-0.02356	0.95	-0.03860

373

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
21	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
16	0.6008	-1.76	0.00	19.99	100.98	79.12	10.89	309.74
				417.5	2109.1	1652.5	3.32	97.87

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.13454	0.05	-0.58407
0.06	-0.35975	0.10	-0.53307
0.11	-0.36935	0.20	-0.52150
0.17	-0.35435	0.35	-0.48738
0.23	-0.36707	0.50	-0.46793
0.29	-0.37135	0.65	-0.16005
0.35	-0.37139	0.80	0.14883
0.41	-0.41366	0.95	0.24722
0.47	-0.37635		
0.53	-0.37807		
0.57	-0.34344		
0.65	-0.33668		
0.71	-0.29856		
0.77	-0.25091		
0.83	-0.18765		
0.89	-0.11550		
0.95	-0.02858		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.67814	0.02	-0.69543
0.06	0.49565	0.06	-0.70056
0.11	0.36530	0.11	-0.74277
0.18	0.22840	0.18	-0.73852
0.25	0.11572	0.25	-0.60637
0.32	0.01391	0.32	-0.57673
0.39	-0.06338	0.39	-0.54443
0.46	-0.11079	0.46	-0.51019
0.53	-0.13997	0.53	-0.51138
0.60	-0.14690	0.60	-0.52305
0.67	-0.15606	0.67	-0.52350
0.74	-0.15864	0.74	-0.49338
0.81	-0.16828	0.81	-0.46693
0.88	-0.20265	0.88	-0.43430
0.95	-0.26433	0.95	-0.38469

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
22	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7820	-6.53	0.00	28.83 602.2	100.88 2107.0	67.36 1406.9	12.40 3.78	317.52 111.87

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.45187	0.05	-1.30933
	0.06	0.12567	0.10	-1.30376
	0.11	0.00878	0.20	-1.30394
	0.17	-0.07519	0.35	-0.73920
	0.23	-0.12147	0.50	-0.51785
	0.29	-0.17232	0.65	-0.34666
	0.35	-0.21378	0.80	-0.18204
	0.41	0.06047	0.95	-0.01956
	0.47	-0.28620		
	0.53	-0.33754		
	0.57	-0.31367		
	0.65	-0.36074		
	0.71	-0.34125		
	0.77	-0.30536		
	0.83	-0.26653		
	0.89	-0.21703		
	0.95	-0.17062		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.70489	0.02	-0.48726
	0.06	0.55672	0.06	-0.47033
	0.11	0.44684	0.11	-0.46166
	0.18	0.30099	0.18	-0.48958
	0.25	0.19111	0.25	-0.45556
	0.32	0.08125	0.32	-0.44037
	0.39	-0.01331	0.39	-0.44323
	0.46	-0.07556	0.46	-0.44518
	0.53	-0.12209	0.53	-0.44777
	0.60	-0.14541	0.60	-0.44554
	0.67	-0.16600	0.67	-0.44472
	0.74	-0.18065	0.74	-0.44824
	0.81	-0.19733	0.81	-0.43929
	0.88	-0.23914	0.88	-0.42211
	0.95	-0.32393	0.95	-0.39616

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
22	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.7804	-4.29	-0.01	28.76	100.88	67.47	12.36	317.93
				600.7	2107.0	1409.1	3.77	112.61

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.22498	0.05	-1.11589
0.06	-0.10109	0.10	-1.00115
0.11	-0.18865	0.20	-0.93669
0.17	-0.21305	0.35	-1.03056
0.23	-0.24518	0.50	-0.45115
0.29	-0.28095	0.65	-0.11800
0.35	-0.29730	0.80	0.00250
0.41	0.01138	0.95	0.15402
0.47	-0.33373		
0.53	-0.38203		
0.57	-0.34109		
0.65	-0.34396		
0.71	-0.28381		
0.77	-0.22224		
0.83	-0.15354		
0.89	-0.08294		
0.95	0.00717		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.70297	0.02	-0.54844
0.06	0.53723	0.06	-0.61954
0.11	0.41653	0.11	-0.64297
0.18	0.27346	0.18	-0.53355
0.25	0.16546	0.25	-0.50116
0.32	0.05235	0.32	-0.46068
0.39	-0.03732	0.39	-0.42625
0.46	-0.09529	0.46	-0.42333
0.53	-0.14191	0.53	-0.42511
0.60	-0.16650	0.60	-0.44487
0.67	-0.18008	0.67	-0.44603
0.74	-0.18888	0.74	-0.44208
0.81	-0.21026	0.81	-0.43370
0.88	-0.25097	0.88	-0.42402
0.95	-0.32931	0.95	-0.38326

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
22	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.7794	-1.86	-0.01	28.71	100.88	67.54	12.35	317.93
				599.7	2107.0	1410.5	3.77	112.61

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.12560	0.05	-0.58937
	0.06	-0.38048	0.10	-0.60549
	0.11	-0.41563	0.20	-0.69119
	0.17	-0.44809	0.35	-0.76195
	0.23	-0.45706	0.50	-0.52388
	0.29	-0.46477	0.65	-0.08903
	0.35	-0.46278	0.80	0.12085
	0.41	-0.05330	0.95	0.25398
	0.47	-0.44265		
	0.53	-0.46651		
	0.57	-0.41552		
	0.65	-0.38489		
	0.71	-0.31657		
	0.77	-0.23546		
	0.83	-0.15432		
	0.89	-0.06334		
	0.95	0.04554		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.68828	0.02	-0.63301
	0.06	0.49685	0.06	-0.67565
	0.11	0.37732	0.11	-0.66017
	0.18	0.22677	0.18	-0.58870
	0.25	0.11229	0.25	-0.49883
	0.32	-0.00153	0.32	-0.46035
	0.39	-0.09575	0.39	-0.43317
	0.46	-0.14705	0.46	-0.43896
	0.53	-0.19368	0.53	-0.44684
	0.60	-0.21187	0.60	-0.47980
	0.67	-0.21063	0.67	-0.46727
	0.74	-0.20999	0.74	-0.44381
	0.81	-0.20581	0.81	-0.43130
	0.88	-0.23592	0.88	-0.40972
	0.95	-0.30757	0.95	-0.37604

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
22	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.7794	0.39	-0.01	28.71	100.88	67.54	12.33	318.47
				599.7	2107.0	1410.5	3.76	113.58

WING	UPPER SURFACE			LOWER SURFACE	
	X/C	CP		X/C	CP
	0.02	-0.55301		0.05	-0.22922
	0.06	-0.79175		0.10	-0.32207
	0.11	-0.89361		0.20	-0.43797
	0.17	-0.76296		0.35	-0.55244
	0.23	-0.74765		0.50	-0.53248
	0.29	-0.61606		0.65	-0.09348
	0.35	-0.60760		0.80	0.18098
	0.41	-0.14455		0.95	0.29070
	0.47	-0.53356			
	0.53	-0.53575			
	0.57	-0.46815			
	0.65	-0.41914			
	0.71	-0.33396			
	0.77	-0.24716			
	0.83	-0.16327			
	0.89	-0.06733			
	0.95	0.03760			

HORIZ. TAIL	UPPER SURFACE			LOWER SURFACE	
	X/C	CP		X/C	CP
	0.02	0.65875		0.02	-0.66195
	0.06	0.45863		0.06	-0.62554
	0.11	0.33674		0.11	-0.67735
	0.18	0.19001		0.18	-0.68505
	0.25	0.07813		0.25	-0.48997
	0.32	-0.03696		0.32	-0.45130
	0.39	-0.11888		0.39	-0.45783
	0.46	-0.17612		0.46	-0.46397
	0.53	-0.21500		0.53	-0.46831
	0.60	-0.22945		0.60	-0.47626
	0.67	-0.23091		0.67	-0.46444
	0.74	-0.22433		0.74	-0.45829
	0.81	-0.21243		0.81	-0.42867
	0.88	-0.23694		0.88	-0.41105
	0.95	-0.28725		0.95	-0.36438

378

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
22	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.7792	2.94	0.00	28.72	100.92	67.57	12.31	318.83
				599.8	2107.7	1411.2	3.75	114.22

WING

	UPPER SURFACE			LOWER SURFACE	
X/C	CP		X/C	CP	
0.02	-0.91663		0.05	0.08065	
0.06	-1.18904		0.10	-0.07960	
0.11	-1.21895		0.20	-0.21878	
0.17	-1.23262		0.35	-0.36602	
0.23	-1.21802		0.50	-0.42541	
0.29	-1.19197		0.65	-0.07805	
0.35	-1.20512		0.80	0.22629	
0.41	-0.28045		0.95	0.32603	
0.47	-0.73143				
0.53	-0.45780				
0.57	-0.38478				
0.65	-0.33787				
0.71	-0.27557				
0.77	-0.21414				
0.83	-0.13830				
0.89	-0.05560				
0.95	0.03123				

HORIZ. TAIL

	UPPER SURFACE			LOWER SURFACE	
X/C	CP		X/C	CP	
0.02	0.65593		0.02	-0.66706	
0.06	0.45009		0.06	-0.77149	
0.11	0.31269		0.11	-0.72329	
0.18	0.15463		0.18	-0.70108	
0.25	0.04340		0.25	-0.49815	
0.32	-0.07132		0.32	-0.46557	
0.39	-0.15254		0.39	-0.45967	
0.46	-0.20023		0.46	-0.46638	
0.53	-0.24111		0.53	-0.49418	
0.60	-0.24458		0.60	-0.46596	
0.67	-0.24521		0.67	-0.46522	
0.74	-0.22971		0.74	-0.45091	
0.81	-0.21522		0.81	-0.43450	
0.88	-0.21970		0.88	-0.40471	
0.95	-0.25786		0.95	-0.35113	

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
22	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.7794	5.09	0.01	28.71	100.88	67.54	12.32	318.66
				599.7	2107.0	1410.5	3.75	113.92

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-1.12008	0.05	0.26113
0.06	-1.39359	0.10	0.05395
0.11	-1.40086	0.20	-0.12198
0.17	-1.39036	0.35	-0.29163
0.23	-1.37685	0.50	-0.42322
0.29	-1.24184	0.65	-0.14384
0.35	-0.85142	0.80	0.18742
0.41	-0.42443	0.95	0.23494
0.47	-0.68967		
0.53	-0.64585		
0.57	-0.59924		
0.65	-0.50685		
0.71	-0.43677		
0.77	-0.37514		
0.83	-0.31611		
0.89	-0.26156		
0.95	-0.20265		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.61949	0.02	-0.78531
0.06	0.40485	0.06	-0.79963
0.11	0.28108	0.11	-0.82165
0.18	0.11835	0.18	-0.75985
0.25	0.01559	0.25	-0.53345
0.32	-0.10369	0.32	-0.51059
0.39	-0.18236	0.39	-0.50381
0.46	-0.23148	0.46	-0.50440
0.53	-0.24663	0.53	-0.49030
0.60	-0.24637	0.60	-0.48456
0.67	-0.22915	0.67	-0.45186
0.74	-0.20885	0.74	-0.42244
0.81	-0.19685	0.81	-0.40266
0.88	-0.20288	0.88	-0.35585
0.95	-0.24383	0.95	-0.30515

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
22	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.7797	7.25	0.00	28.74	100.92	67.54	12.29	319.24
				600.3	2107.7	1410.5	3.75	114.96

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-1.30935	0.05	0.37909
0.06	-1.31087	0.10	0.16412
0.11	-0.57710	0.20	-0.02897
0.17	-0.66303	0.35	-0.21880
0.23	-0.54108	0.50	-0.38564
0.29	-0.56614	0.65	-0.16862
0.35	-0.56356	0.80	0.16602
0.41	-0.44628	0.95	0.20500
0.47	-0.60997		
0.53	-0.61073		
0.57	-0.60893		
0.65	-0.61859		
0.71	-0.60559		
0.77	-0.59615		
0.83	-0.54866		
0.89	-0.48371		
0.95	-0.51343		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.60792	0.02	-0.80266
0.06	0.37980	0.06	-0.84105
0.11	0.25496	0.11	-0.73981
0.18	0.09551	0.18	-0.73098
0.25	-0.01248	0.25	-0.60173
0.32	-0.12230	0.32	-0.54703
0.39	-0.19371	0.39	-0.51593
0.46	-0.23019	0.46	-0.47440
0.53	-0.24352	0.53	-0.45868
0.60	-0.23433	0.60	-0.43000
0.67	-0.20858	0.67	-0.40771
0.74	-0.17195	0.74	-0.36450
0.81	-0.14467	0.81	-0.30952
0.88	-0.15073	0.88	-0.27271
0.95	-0.17521	0.95	-0.23046

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
22	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.7792	9.35	0.00	28.72	100.92	67.57	12.30	319.06
				599.8	2107.7	1411.2	3.75	114.63

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.42847	0.05	0.46651
0.06	-1.20731	0.10	0.26920
0.11	-0.55291	0.20	0.05651
0.17	-0.51565	0.35	-0.15674
0.23	-0.52362	0.50	-0.35319
0.29	-0.52944	0.65	-0.19997
0.35	-0.53566	0.80	0.15075
0.41	-0.45129	0.95	0.17271
0.47	-0.55314		
0.53	-0.56452		
0.57	-0.56860		
0.65	-0.59961		
0.71	-0.62038		
0.77	-0.62841		
0.83	-0.61146		
0.89	-0.58943		
0.95	-0.55144		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.60502	0.02	-0.92760
0.06	0.37755	0.06	-1.23212
0.11	0.24641	0.11	-1.03761
0.18	0.09871	0.18	-0.86849
0.25	-0.00848	0.25	-0.76102
0.32	-0.11212	0.32	-0.61541
0.39	-0.16351	0.39	-0.48237
0.46	-0.18908	0.46	-0.37153
0.53	-0.18369	0.53	-0.27663
0.60	-0.18376	0.60	-0.32620
0.67	-0.14294	0.67	-0.30732
0.74	-0.10631	0.74	-0.16045
0.81	-0.06622	0.81	-0.00175
0.88	0.00901	0.88	0.05253
0.95	-0.01407	0.95	-0.07076

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
22	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.7808	11.38	0.09	28.79 / 601.3	100.92 / 2107.7	67.47 / 1409.1	12.29 / 3.75	319.43 / 115.30

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.56287	0.05	0.53283
0.06	-1.52259	0.10	0.32463
0.11	-1.43745	0.20	0.11352
0.17	-1.29006	0.35	-0.11438
0.23	-1.15347	0.50	-0.32770
0.29	-1.04503	0.65	-0.22224
0.35	-1.02979	0.80	0.13361
0.41	-0.53172	0.95	0.15456
0.47	-0.68737		
0.53	-0.62558		
0.57	-0.54259		
0.65	-0.59234		
0.71	-0.58704		
0.77	-0.58812		
0.83	-0.59558		
0.89	-0.59029		
0.95	-0.57656		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.59071	0.02	-1.14751
0.06	0.35496	0.06	-1.08043
0.11	0.23067	0.11	-0.90480
0.18	0.08167	0.18	-0.67828
0.25	-0.01445	0.25	-0.50815
0.32	-0.11809	0.32	-0.43101
0.39	-0.17609	0.39	-0.35138
0.46	-0.19519	0.46	-0.27100
0.53	-0.19134	0.53	-0.20525
0.60	-0.14568	0.60	-0.12432
0.67	-0.10343	0.67	-0.07547
0.74	-0.05203	0.74	-0.01865
0.81	-0.00661	0.81	0.02257
0.88	0.03817	0.88	0.06453
0.95	0.08391	0.95	0.10771

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
22	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.7802	13.38	0.11	28.77 / 600.8	100.92 / 2107.7	67.50 / 1409.8	12.28 / 3.74	319.56 / 115.53

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.56694	0.05	0.61630
0.06	-1.41001	0.10	0.41469
0.11	-1.42138	0.20	0.19509
0.17	-1.41953	0.35	-0.04374
0.23	-1.39035	0.50	-0.25423
0.29	-1.33666	0.65	-0.19072
0.35	-0.93523	0.80	0.15179
0.41	-0.62745	0.95	0.15993
0.47	-0.49475		
0.53	-0.51347		
0.57	-0.52104		
0.65	-0.56717		
0.71	-0.57857		
0.77	-0.59368		
0.83	-0.62521		
0.89	-0.62856		
0.95	-0.65243		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.64115	0.02	-0.87501
0.06	0.42810	0.06	-0.82130
0.11	0.28474	0.11	-0.68300
0.18	0.13349	0.18	-0.56415
0.25	0.02115	0.25	-0.43569
0.32	-0.09063	0.32	-0.36778
0.39	-0.15262	0.39	-0.26492
0.46	-0.17915	0.46	-0.21107
0.53	-0.17187	0.53	-0.15423
0.60	-0.13681	0.60	-0.08775
0.67	-0.09726	0.67	-0.05886
0.74	-0.04954	0.74	-0.00591
0.81	-0.00661	0.81	0.02564
0.88	0.02699	0.88	0.05547
0.95	0.07024	0.95	0.08823

MICROCOPY RESOLUTION TEST CHART

NATIONAL BUREAU OF STANDARDS-1963-A

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
22	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.7782	15.50	0.09	28.67 598.8	100.92 2107.7	67.64 1412.6	12.25 3.73	319.88 116.11

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.48563	0.05	0.69308
0.06	-0.48469	0.10	0.50644
0.11	-0.48637	0.20	0.27740
0.17	-0.48191	0.35	0.03968
0.23	-0.48028	0.50	-0.17587
0.29	-0.50637	0.65	-0.13924
0.35	-0.50801	0.80	0.17270
0.41	-0.59853	0.95	0.17248
0.47	-0.53825		
0.53	-0.62548		
0.57	-0.65000		
0.65	-0.56081		
0.71	-0.57887		
0.77	-0.62519		
0.83	-0.60595		
0.89	-0.62175		
0.95	-0.59899		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.57211	0.02	-0.77209
0.06	0.40774	0.06	-0.64953
0.11	0.28348	0.11	-0.57291
0.18	0.12769	0.18	-0.47631
0.25	0.03076	0.25	-0.40053
0.32	-0.06434	0.32	-0.30071
0.39	-0.12250	0.39	-0.20268
0.46	-0.14689	0.46	-0.14921
0.53	-0.15345	0.53	-0.13390
0.60	-0.13089	0.60	-0.09173
0.67	-0.10493	0.67	-0.06157
0.74	-0.06620	0.74	-0.02246
0.81	-0.02670	0.81	0.00128
0.88	-0.00291	0.88	0.02655
0.95	0.00760	0.95	0.04320

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
22	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.7795	17.65	0.15	28.74 600.3	100.95 2108.4	67.57 1411.2	12.26 3.74	320.06 116.44

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.47834	0.05	0.75544
	0.06	-0.46548	0.10	0.57267
	0.11	-0.47273	0.20	0.36130
	0.17	-0.47508	0.35	0.12101
	0.23	-0.47934	0.50	-0.09658
	0.29	-0.47505	0.65	-0.08011
	0.35	-0.48159	0.80	0.20247
	0.41	-0.57268	0.95	0.19322
	0.47	-0.50519		
	0.53	-0.55432		
	0.57	-0.55119		
	0.65	-0.53812		
	0.71	-0.55014		
	0.77	-0.57175		
	0.83	-0.56989		
	0.89	-0.58174		
	0.95	-0.57730		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.14623	0.02	-0.47810
	0.06	0.15516	0.06	-0.44977
	0.11	0.12521	0.11	-0.38322
	0.18	0.07749	0.18	-0.33033
	0.25	0.01222	0.25	-0.27996
	0.32	-0.03448	0.32	-0.20421
	0.39	-0.08124	0.39	-0.19045
	0.46	-0.09328	0.46	-0.15242
	0.53	-0.11749	0.53	-0.14763
	0.60	-0.10401	0.60	-0.11005
	0.67	-0.09721	0.67	-0.10760
	0.74	-0.07413	0.74	-0.09917
	0.81	-0.07148	0.81	-0.08728
	0.88	-0.05793	0.88	-0.06348
	0.95	-0.06207	0.95	-0.04561

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
22	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.7797	19.68	0.19	28.74 / 600.3	100.92 / 2107.7	67.54 / 1410.5	12.24 / 3.73	320.31 / 116.88

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-0.47137	0.05	0.80901
0.06	-0.48375	0.10	0.63896
0.11	-0.48388	0.20	0.43130
0.17	-0.49143	0.35	0.19531
0.23	-0.50277	0.50	-0.02906
0.29	-0.50669	0.65	-0.01571
0.35	-0.50821	0.80	0.22296
0.41	-0.56307	0.95	0.20892
0.47	-0.50064		
0.53	-0.52500		
0.57	-0.52782		
0.65	-0.53835		
0.71	-0.56651		
0.77	-0.56818		
0.83	-0.56163		
0.89	-0.56954		
0.95	-0.54962		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-0.11906	0.02	-0.31492
0.06	-0.04169	0.06	-0.28870
0.11	-0.01831	0.11	-0.26622
0.18	-0.05634	0.18	-0.24287
0.25	-0.05004	0.25	-0.22260
0.32	-0.08535	0.32	-0.20640
0.39	-0.09178	0.39	-0.20230
0.46	-0.11104	0.46	-0.17714
0.53	-0.12749	0.53	-0.17521
0.60	-0.11090	0.60	-0.17828
0.67	-0.10756	0.67	-0.17180
0.74	-0.09396	0.74	-0.15472
0.81	-0.08572	0.81	-0.14727
0.88	-0.09387	0.88	-0.13910
0.95	-0.10328	0.95	-0.11608

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
22	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.7797	-1.90	0.00	28.74 600.3	100.92 2107.7	67.54 1410.5	12.25 3.73	320.14 116.58

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.12154	0.05	-0.55275
0.06	-0.39923	0.10	-0.58830
0.11	-0.42251	0.20	-0.70821
0.17	-0.43186	0.35	-0.73966
0.23	-0.43474	0.50	-0.52549
0.29	-0.44286	0.65	-0.08657
0.35	-0.45643	0.80	0.10725
0.41	-0.52605	0.95	0.24219
0.47	-0.44703		
0.53	-0.46106		
0.57	-0.40938		
0.65	-0.38457		
0.71	-0.30579		
0.77	-0.22676		
0.83	-0.14607		
0.89	-0.06012		
0.95	0.04854		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.68712	0.02	-0.53337
0.06	0.50003	0.06	-0.58969
0.11	0.37994	0.11	-0.60156
0.18	0.22867	0.18	-0.55979
0.25	0.11836	0.25	-0.48501
0.32	0.00410	0.32	-0.45281
0.39	-0.08840	0.39	-0.43093
0.46	-0.14606	0.46	-0.43543
0.53	-0.19442	0.53	-0.43523
0.60	-0.18411	0.60	-0.44693
0.67	-0.19771	0.67	-0.42713
0.74	-0.20436	0.74	-0.43060
0.81	-0.20659	0.81	-0.44322
0.88	-0.23829	0.88	-0.41168
0.95	-0.31054	0.95	-0.38226

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
23	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8492	-6.32	-0.01	31.79	100.92	62.98	12.65	322.25
				663.9	2107.7	1315.3	3.86	120.38

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.40559	0.05	-1.02622
	0.06	0.08201	0.10	-1.03798
	0.11	-0.02315	0.20	-1.04165
	0.17	-0.10799	0.35	-0.50358
	0.23	-0.15699	0.50	-0.43559
	0.29	-0.21969	0.65	-0.39544
	0.35	-0.26327	0.80	-0.35827
	0.41	-0.31959	0.95	-0.29904
	0.47	-0.35155		
	0.53	-0.45074		
	0.57	-0.42331		
	0.65	-0.53424		
	0.71	-0.58456		
	0.77	-0.60959		
	0.83	-0.61781		
	0.89	-0.45179		
	0.95	-0.37575		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.71850	0.02	-0.47641
	0.06	0.57223	0.06	-0.49854
	0.11	0.46814	0.11	-0.47754
	0.18	0.33594	0.18	-0.48020
	0.25	0.22328	0.25	-0.48198
	0.32	0.11198	0.32	-0.44059
	0.39	0.02155	0.39	-0.43875
	0.46	-0.04720	0.46	-0.43777
	0.53	-0.10672	0.53	-0.44227
	0.60	-0.12840	0.60	-0.43812
	0.67	-0.15280	0.67	-0.44615
	0.74	-0.16635	0.74	-0.44437
	0.81	-0.18373	0.81	-0.45474
	0.88	-0.22551	0.88	-0.43903
	0.95	-0.30347	0.95	-0.41371

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
23	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.8493	-4.11	-0.01	31.78 663.8	100.88 2107.0	62.94 1314.6	12.65 3.86	322.25 120.38

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.16789	0.05	-0.80253
	0.06	-0.13965	0.10	-0.77169
	0.11	-0.21938	0.20	-0.81895
	0.17	-0.28715	0.35	-0.90081
	0.23	-0.32747	0.50	-0.33288
	0.29	-0.36227	0.65	-0.29410
	0.35	-0.40475	0.80	-0.25663
	0.41	-0.31866	0.95	-0.15436
	0.47	-0.45192		
	0.53	-0.52046		
	0.57	-0.49976		
	0.65	-0.61818		
	0.71	-0.67917		
	0.77	-0.70773		
	0.83	-0.44982		
	0.89	-0.22202		
	0.95	-0.16714		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.71758	0.02	-0.48527
	0.06	0.54914	0.06	-0.47940
	0.11	0.43390	0.11	-0.46455
	0.18	0.29174	0.18	-0.50170
	0.25	0.17827	0.25	-0.45632
	0.32	0.06052	0.32	-0.43656
	0.39	-0.02559	0.39	-0.42667
	0.46	-0.09915	0.46	-0.42778
	0.53	-0.15498	0.53	-0.42898
	0.60	-0.17797	0.60	-0.42604
	0.67	-0.19694	0.67	-0.42778
	0.74	-0.20001	0.74	-0.42709
	0.81	-0.20874	0.81	-0.44332
	0.88	-0.24374	0.88	-0.43051
	0.95	-0.31745	0.95	-0.41152

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
23	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.8493	-1.77	-0.01	31.78	100.88	62.94	12.60	323.32
				663.8	2107.0	1314.6	3.84	122.30

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.12224	0.05	-0.41035
	0.06	-0.44385	0.10	-0.45970
	0.11	-0.47029	0.20	-0.64740
	0.17	-0.52205	0.35	-0.70645
	0.23	-0.55411	0.50	-0.58757
	0.29	-0.60803	0.65	-0.20508
	0.35	-0.55365	0.80	-0.15884
	0.41	-0.34637	0.95	-0.01375
	0.47	-0.58111		
	0.53	-0.65392		
	0.57	-0.63650		
	0.65	-0.70014		
	0.71	-0.55155		
	0.77	-0.24240		
	0.83	-0.15989		
	0.89	-0.09296		
	0.95	-0.02417		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.69749	0.02	-0.43548
	0.06	0.51683	0.06	-0.59835
	0.11	0.40237	0.11	-0.65745
	0.18	0.24708	0.18	-0.47255
	0.25	0.13366	0.25	-0.48766
	0.32	0.01518	0.32	-0.43979
	0.39	-0.07274	0.39	-0.42242
	0.46	-0.13989	0.46	-0.41220
	0.53	-0.19774	0.53	-0.43159
	0.60	-0.21661	0.60	-0.44453
	0.67	-0.22479	0.67	-0.44175
	0.74	-0.21877	0.74	-0.44190
	0.81	-0.22862	0.81	-0.45085
	0.88	-0.25330	0.88	-0.43442
	0.95	-0.32161	0.95	-0.37818

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 44!-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
23	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.8488	0.40	-0.01	31.76 663.4	100.88 2107.0	62.98 1315.3	12.60 3.84	323.15 122.00

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.40431	0.05	-0.17109
0.06	-0.69304	0.10	-0.30908
0.11	-0.76756	0.20	-0.44350
0.17	-0.77095	0.35	-0.57259
0.23	-0.78864	0.50	-0.76696
0.29	-0.74763	0.65	-0.22115
0.35	-0.78146	0.80	-0.13814
0.41	-0.40125	0.95	0.07358
0.47	-0.81017		
0.53	-0.85021		
0.57	-0.81541		
0.65	-0.47730		
0.71	-0.27649		
0.77	-0.18789		
0.83	-0.10498		
0.89	-0.02001		
0.95	0.06098		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.67602	0.02	-0.86387
0.06	0.47351	0.06	-0.87084
0.11	0.35532	0.11	-0.67711
0.18	0.20388	0.18	-0.83612
0.25	0.09856	0.25	-0.46714
0.32	-0.02082	0.32	-0.42127
0.39	-0.11420	0.39	-0.42954
0.46	-0.18203	0.46	-0.42865
0.53	-0.24014	0.53	-0.44372
0.60	-0.24958	0.60	-0.46444
0.67	-0.25169	0.67	-0.47195
0.74	-0.24644	0.74	-0.47374
0.81	-0.23529	0.81	-0.46780
0.88	-0.25482	0.88	-0.44078
0.95	-0.31570	0.95	-0.42609

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
23	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.8493	2.79	0.00	31.78 663.8	100.88 2107.0	62.94 1314.6	12.61 3.84	323.03 121.79

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.60752	0.05	0.03177
	0.06	-0.91336	0.10	-0.12764
	0.11	-0.96982	0.20	-0.27702
	0.17	-0.98963	0.35	-0.46788
	0.23	-0.98933	0.50	-0.67005
	0.29	-0.98176	0.65	-0.26700
	0.35	-0.92605	0.80	-0.15314
	0.41	-0.46882	0.95	0.09748
	0.47	-0.45824		
	0.53	-0.41826		
	0.57	-0.41142		
	0.65	-0.38893		
	0.71	-0.35783		
	0.77	-0.32252		
	0.83	-0.29051		
	0.89	-0.26382		
	0.95	-0.21482		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.65233	0.02	-0.75210
	0.06	0.45198	0.06	-0.68817
	0.11	0.32815	0.11	-0.74890
	0.18	0.17370	0.18	-0.75818
	0.25	0.06187	0.25	-0.46840
	0.32	-0.06603	0.32	-0.40443
	0.39	-0.16478	0.39	-0.40986
	0.46	-0.23361	0.46	-0.42290
	0.53	-0.29868	0.53	-0.43584
	0.60	-0.30327	0.60	-0.45477
	0.67	-0.30311	0.67	-0.44857
	0.74	-0.26413	0.74	-0.44086
	0.81	-0.22752	0.81	-0.41154
	0.88	-0.24279	0.88	-0.39911
	0.95	-0.29679	0.95	-0.37867

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
23	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.8508	4.84	0.01	31.85	100.88	62.84	12.57	324.08
				665.1	2107.0	1312.5	3.83	123.68

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.78560	0.05	0.19550
0.06	-1.07151	0.10	-0.00161
0.11	-1.08179	0.20	-0.16629
0.17	-1.10893	0.35	-0.37715
0.23	-1.10111	0.50	-0.61178
0.29	-0.90730	0.65	-0.29013
0.35	-0.60926	0.80	-0.09763
0.41	-0.53697	0.95	0.14352
0.47	-0.53699		
0.53	-0.52455		
0.57	-0.50361		
0.65	-0.48678		
0.71	-0.46668		
0.77	-0.44691		
0.83	-0.41627		
0.89	-0.38050		
0.95	-0.34892		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.61928	0.02	-0.82879
0.06	0.40554	0.06	-0.86595
0.11	0.28733	0.11	-0.66587
0.18	0.13762	0.18	-0.80154
0.25	0.02321	0.25	-0.49840
0.32	-0.09931	0.32	-0.44703
0.39	-0.19934	0.39	-0.43837
0.46	-0.26532	0.46	-0.47317
0.53	-0.32464	0.53	-0.48364
0.60	-0.35136	0.60	-0.48010
0.67	-0.32328	0.67	-0.47401
0.74	-0.27735	0.74	-0.45686
0.81	-0.23121	0.81	-0.40294
0.88	-0.23050	0.88	-0.36039
0.95	-0.26794	0.95	-0.31815

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
23	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.8498	7.37	0.03	31.81	100.88	62.91	12.58	323.77
				664.3	2107.0	1313.9	3.83	123.11

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.99367	0.05	0.36522
0.06	-1.20155	0.10	0.17643
0.11	-1.20432	0.20	-0.03799
0.17	-1.04079	0.35	-0.26375
0.23	-0.86343	0.50	-0.52434
0.29	-0.74254	0.65	-0.21584
0.35	-0.66886	0.80	0.13259
0.41	-0.58305	0.95	0.20373
0.47	-0.59561		
0.53	-0.57041		
0.57	-0.56003		
0.65	-0.57063		
0.71	-0.56347		
0.77	-0.55459		
0.83	-0.56622		
0.89	-0.53339		
0.95	-0.49182		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.60484	0.02	-0.85735
0.06	0.38277	0.06	-0.76906
0.11	0.25746	0.11	-0.59309
0.18	0.10700	0.18	-0.60659
0.25	-0.00912	0.25	-0.49956
0.32	-0.13970	0.32	-0.44637
0.39	-0.22583	0.39	-0.43999
0.46	-0.29514	0.46	-0.39871
0.53	-0.34666	0.53	-0.38465
0.60	-0.34637	0.60	-0.35332
0.67	-0.29849	0.67	-0.34117
0.74	-0.23458	0.74	-0.33218
0.81	-0.20900	0.81	-0.33754
0.88	-0.20308	0.88	-0.27882
0.95	-0.20141	0.95	-0.24171

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
23	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.8498	9.41	0.01	31.81 664.3	100.88 2107.0	62.91 1313.9	12.59 3.84	323.51 122.64

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.14561	0.05	0.48818
	0.06	-1.07803	0.10	0.27270
	0.11	-0.68444	0.20	0.06001
	0.17	-0.55732	0.35	-0.17651
	0.23	-0.54421	0.50	-0.44003
	0.29	-0.54687	0.65	-0.18742
	0.35	-0.53945	0.80	0.15674
	0.41	-0.57263	0.95	0.20968
	0.47	-0.58189		
	0.53	-0.57119		
	0.57	-0.57117		
	0.65	-0.60097		
	0.71	-0.61638		
	0.77	-0.60921		
	0.83	-0.61964		
	0.89	-0.59515		
	0.95	-0.56448		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.60134	0.02	-1.29190
	0.06	0.37560	0.06	-1.22664
	0.11	0.24309	0.11	-1.13198
	0.18	0.09083	0.18	-0.97515
	0.25	-0.01958	0.25	-0.75867
	0.32	-0.14358	0.32	-0.60454
	0.39	-0.22187	0.39	-0.49426
	0.46	-0.27646	0.46	-0.43092
	0.53	-0.30422	0.53	-0.34050
	0.60	-0.23070	0.60	-0.26096
	0.67	-0.20581	0.67	-0.17153
	0.74	-0.15323	0.74	-0.11128
	0.81	-0.11047	0.81	-0.04952
	0.88	-0.09713	0.88	0.01760
	0.95	-0.04585	0.95	0.08644

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
23	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.8517	11.45	0.10	31.89	100.92	62.81	12.60	323.80
				666.1	2107.7	1311.9	3.84	123.17

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.26957	0.05	0.55953
0.06	-1.40671	0.10	0.35910
0.11	-1.37657	0.20	0.13766
0.17	-1.28405	0.35	-0.10625
0.23	-1.15583	0.50	-0.37435
0.29	-0.96382	0.65	-0.19053
0.35	-0.94583	0.80	0.17715
0.41	-0.63819	0.95	0.22031
0.47	-0.76058		
0.53	-0.62503		
0.57	-0.58785		
0.65	-0.61476		
0.71	-0.60110		
0.77	-0.59056		
0.83	-0.61622		
0.89	-0.63763		
0.95	-0.64007		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.63034	0.02	-1.04135
0.06	0.41364	0.06	-0.91456
0.11	0.27522	0.11	-0.79767
0.18	0.11955	0.18	-0.69515
0.25	0.00821	0.25	-0.56780
0.32	-0.11316	0.32	-0.45552
0.39	-0.18876	0.39	-0.39073
0.46	-0.21894	0.46	-0.31378
0.53	-0.22756	0.53	-0.23930
0.60	-0.17302	0.60	-0.17680
0.67	-0.12056	0.67	-0.12954
0.74	-0.06036	0.74	-0.08383
0.81	-0.00989	0.81	-0.02794
0.88	0.03182	0.88	0.01833
0.95	0.07612	0.95	0.06832

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
23	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.8478	13.52	0.12	31.72	100.88	63.04	12.57	323.80
				662.5	2107.0	1316.6	3.83	123.17

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.37370	0.05	0.65136
	0.06	-1.38280	0.10	0.44147
	0.11	-1.35871	0.20	0.22450
	0.17	-1.25352	0.35	-0.01787
	0.23	-1.20750	0.50	-0.26439
	0.29	-1.23770	0.65	-0.15865
	0.35	-1.26218	0.80	0.20039
	0.41	-0.71271	0.95	0.23298
	0.47	-0.51858		
	0.53	-0.51109		
	0.57	-0.51072		
	0.65	-0.55041		
	0.71	-0.56094		
	0.77	-0.57567		
	0.83	-0.58941		
	0.89	-0.61206		
	0.95	-0.63368		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.65505	0.02	-0.75970
	0.06	0.43983	0.06	-0.68497
	0.11	0.30523	0.11	-0.62673
	0.18	0.14754	0.18	-0.53053
	0.25	0.03781	0.25	-0.45439
	0.32	-0.07269	0.32	-0.39187
	0.39	-0.16026	0.39	-0.30664
	0.46	-0.19858	0.46	-0.22633
	0.53	-0.20129	0.53	-0.19243
	0.6ⁿ	-0.16090	0.60	-0.13133
	0.6	-0.12586	0.67	-0.09454
	0.7ᴛ	-0.07479	0.74	-0.05245
	0.81	-0.02509	0.81	-0.00016
	0.88	0.01172	0.88	0.02933
	0.95	0.04674	0.95	0.05226

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
23	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.8493	15.68	0.06	31.78 663.8	100.88 2107.0	62.94 1314.6	12.53 3.82	324.76 124.89

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.48071	0.05	0.72112
	0.06	-0.46006	0.10	0.53710
	0.11	-0.46275	0.20	0.31844
	0.17	-0.87337	0.35	0.07805
	0.23	-0.52635	0.50	-0.15445
	0.29	-0.49756	0.65	-0.09120
	0.35	-1.17905	0.80	0.23718
	0.41	-0.67983	0.95	0.25257
	0.47	-0.70806		
	0.53	-0.52462		
	0.57	-0.53597		
	0.65	-0.57345		
	0.71	-0.55887		
	0.77	-0.56378		
	0.83	-0.56926		
	0.89	-0.57504		
	0.95	-0.59431		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.50602	0.02	-0.60236
	0.06	0.38006	0.06	-0.52760
	0.11	0.28931	0.11	-0.45709
	0.18	0.13503	0.18	-0.40340
	0.25	0.03035	0.25	-0.37705
	0.32	-0.08662	0.32	-0.28286
	0.39	-0.16348	0.39	-0.27903
	0.46	-0.18718	0.46	-0.21812
	0.53	-0.19334	0.53	-0.16881
	0.60	-0.14457	0.60	-0.14436
	0.67	-0.13490	0.67	-0.09057
	0.74	-0.10905	0.74	-0.06083
	0.81	-0.06117	0.81	-0.04184
	0.88	-0.04478	0.88	-0.01822
	0.95	-0.03525	0.95	0.01621

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
23	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.8473	17.76	0.00	31.70 662.1	100.88 2107.0	63.07 1317.3	12.54 3.82	324.18 123.85

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.48849	0.05	0.78619
	0.06	-0.50243	0.10	0.60689
	0.11	-0.50286	0.20	0.39868
	0.17	-0.49861	0.35	0.16341
	0.23	-0.52948	0.50	-0.06085
	0.29	-0.50875	0.65	-0.02425
	0.35	-0.50493	0.80	0.25555
	0.41	-0.65805	0.95	0.26530
	0.47	-0.52327		
	0.53	-0.54289		
	0.57	-0.53578		
	0.65	-0.52895		
	0.71	-0.56313		
	0.77	-0.55486		
	0.83	-0.55462		
	0.89	-0.54732		
	0.95	-0.56325		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.14309	0.02	-0.36745
	0.06	0.16583	0.06	-0.32668
	0.11	0.11511	0.11	-0.31473
	0.18	0.03022	0.18	-0.27151
	0.25	-0.00999	0.25	-0.25201
	0.32	-0.07736	0.32	-0.23497
	0.39	-0.13656	0.39	-0.22765
	0.46	-0.17190	0.46	-0.20357
	0.53	-0.17584	0.53	-0.18952
	0.60	-0.16882	0.60	-0.18484
	0.67	-0.16225	0.67	-0.15428
	0.74	-0.14196	0.74	-0.15038
	0.81	-0.12074	0.81	-0.13634
	0.88	-0.11401	0.88	-0.12848
	0.95	-0.12029	0.95	-0.12828

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
23	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.8503	20.02	0.05	31.83	100.88	62.88	12.54	324.74
				664.7	2107.0	1313.2	3.82	124.86

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.64456	0.05	0.84712
0.06	-0.72422	0.10	0.67511
0.11	-0.61258	0.20	0.47194
0.17	-0.59338	0.35	0.24408
0.23	-0.56588	0.50	0.03154
0.29	-0.58537	0.65	0.05273
0.35	-0.59505	0.80	0.29128
0.41	-0.57014	0.95	0.28462
0.47	-0.56904		
0.53	-0.57848		
0.57	-0.57694		
0.65	-0.58370		
0.71	-0.58855		
0.77	-0.58633		
0.83	-0.55774		
0.89	-0.56317		
0.95	-0.55212		

HORIZ. TAIL.

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.16123	0.02	-0.32024
0.06	-0.11715	0.06	-0.27174
0.11	-0.13869	0.11	-0.26532
0.18	-0.12599	0.18	-0.26318
0.25	-0.14448	0.25	-0.24900
0.32	-0.17637	0.32	-0.24000
0.39	-0.17927	0.39	-0.23130
0.46	-0.19288	0.46	-0.23273
0.53	-0.20127	0.53	-0.22221
0.60	-0.19186	0.60	-0.21410
0.67	-0.18391	0.67	-0.20289
0.74	-0.16841	0.74	-0.20190
0.81	-0.14990	0.81	-0.19564
0.88	-0.15074	0.88	-0.19142
0.95	-0.15669	0.95	-0.18495

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
23	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.8512	-1.79	0.00	31.87 665.6	100.92 2107.7	62.84 1312.5	12.58 3.84	323.95 123.44

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.12953	0.05	-0.42407
	0.06	-0.42872	0.10	-0.46873
	0.11	-0.47119	0.20	-0.64806
	0.17	-0.53254	0.35	-0.70048
	0.23	-0.54810	0.50	-0.55206
	0.29	-0.58489	0.65	-0.22273
	0.35	-0.55710	0.80	-0.18117
	0.41	-0.60653	0.95	-0.06006
	0.47	-0.58950		
	0.53	-0.65156		
	0.57	-0.62636		
	0.65	-0.69630		
	0.71	-0.74034		
	0.77	-0.30538		
	0.83	-0.17593		
	0.89	-0.10350		
	0.95	-0.02697		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.69337	0.02	-0.72943
	0.06	0.51585	0.06	-0.76556
	0.11	0.39881	0.11	-0.52165
	0.18	0.25640	0.18	-0.61146
	0.25	0.14281	0.25	-0.46962
	0.32	0.02318	0.32	-0.44962
	0.39	-0.07286	0.39	-0.42801
	0.46	-0.14342	0.46	-0.42058
	0.53	-0.19729	0.53	-0.42512
	0.60	-0.23574	0.60	-0.45194
	0.67	-0.24277	0.67	-0.44604
	0.74	-0.23812	0.74	-0.46533
	0.81	-0.22399	0.81	-0.42822
	0.88	-0.24715	0.88	-0.41161
	0.95	-0.31267	0.95	-0.38177

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
24	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.5998	-6.21	-0.01	19.93 416.3	100.95 2108.4	79.16 1653.2	11.04 3.37	306.04 91.20

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.50974	0.05	-1.85632
	0.06	0.15694	0.10	-1.07753
	0.11	0.03795	0.20	-0.88688
	0.17	-0.06601	0.35	-0.70105
	0.23	-0.10083	0.50	-0.55130
	0.29	-0.13699	0.65	-0.17666
	0.35	-0.17743	0.80	0.07169
	0.41	0.71226	0.95	0.17915
	0.47	-0.21675		
	0.53	-0.25563		
	0.57	-0.22744		
	0.65	-0.24390		
	0.71	-0.21569		
	0.77	-0.18268		
	0.83	-0.14134		
	0.89	-0.09521		
	0.95	-0.01765		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.52190	0.02	-1.74841
	0.06	0.29282	0.06	-1.01115
	0.11	0.18133	0.11	-0.74763
	0.18	0.06366	0.18	-0.65567
	0.25	-0.00625	0.25	-0.56685
	0.32	-0.06962	0.32	-0.51336
	0.39	-0.11031	0.39	-0.44558
	0.46	-0.11687	0.46	-0.36741
	0.53	-0.10816	0.53	-0.38735
	0.60	-0.08413	0.60	-0.21166
	0.67	-0.04972	0.67	-0.12923
	0.74	-0.01231	0.74	-0.05689
	0.81	0.02820	0.81	0.00963
	0.88	0.06186	0.88	0.02207
	0.95	0.10576	0.95	0.12668

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
24	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.6014	-3.96	-0.01	20.02 418.1	100.95 2108.4	79.06 1651.1	11.03 3.36	306.64 92.28

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.19108	0.05	-0.97465
0.06	-0.07614	0.10	-0.81137
0.11	-0.15085	0.20	-0.68482
0.17	-0.21660	0.35	-0.60317
0.23	-0.23297	0.50	-0.51934
0.29	-0.27111	0.65	-0.17936
0.35	-0.28049	0.80	0.12700
0.41	0.56885	0.95	0.23214
0.47	-0.29583		
0.53	-0.30960		
0.57	-0.27992		
0.65	-0.28514		
0.71	-0.26243		
0.77	-0.21732		
0.83	-0.17089		
0.89	-0.11090		
0.95	-0.02286		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.42904	0.02	-1.41919
0.06	0.21934	0.06	-0.68116
0.11	0.10817	0.11	-0.65127
0.18	-0.00616	0.18	-0.59360
0.25	-0.06915	0.25	-0.52832
0.32	-0.13414	0.32	-0.48458
0.39	-0.15338	0.39	-0.42601
0.46	-0.15472	0.46	-0.35617
0.53	-0.14751	0.53	-0.37601
0.60	-0.09618	0.60	-0.20790
0.67	-0.06016	0.67	-0.11876
0.74	-0.01555	0.74	-0.04161
0.81	0.02548	0.81	0.01134
0.88	0.06609	0.88	0.02643
0.95	0.11792	0.95	0.13440

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN   CONFIG   DHORZ(deg)
24   4   0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.6009	-1.78	-0.01	19.99	100.95	79.09	11.02	306.79
				417.5	2108.4	1651.8	3.36	92.55

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.17359	0.05	-0.52657
0.06	-0.39643	0.10	-0.53414
0.11	-0.38443	0.20	-0.50840
0.17	-0.35838	0.35	-0.48811
0.23	-0.36910	0.50	-0.44609
0.29	-0.37306	0.65	-0.14617
0.35	-0.37479	0.80	0.15709
0.41	0.42667	0.95	0.25959
0.47	-0.36738		
0.53	-0.37679		
0.57	-0.33845		
0.65	-0.33360		
0.71	-0.29946		
0.77	-0.24547		
0.83	-0.18512		
0.89	-0.12237		
0.95	-0.02854		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.29766	0.02	-0.99512
0.06	0.10850	0.06	-0.53905
0.11	0.01334	0.11	-0.50683
0.18	-0.07215	0.18	-0.50903
0.25	-0.13251	0.25	-0.45474
0.32	-0.19114	0.32	-0.41520
0.39	-0.20405	0.39	-0.38751
0.46	-0.19449	0.46	-0.32945
0.53	-0.17274	0.53	-0.34832
0.60	-0.11734	0.60	-0.19769
0.67	-0.07353	0.67	-0.11651
0.74	-0.02627	0.74	-0.04232
0.81	0.02279	0.81	0.01673
0.88	0.06781	0.88	0.02779
0.95	0.12713	0.95	0.13218

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
24	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.6009	0.40	-0.01	19.99 417.5	100.95 2108.4	79.09 1651.8	10.97 3.35	307.80 94.37

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.73018	0.05	-0.21273
0.06	-0.78413	0.10	-0.28755
0.11	-0.67127	0.20	-0.33855
0.17	-0.59569	0.35	-0.37582
0.23	-0.55568	0.50	-0.38457
0.29	-0.52722	0.65	-0.12274
0.35	-0.50301	0.80	0.17987
0.41	0.26340	0.95	0.27391
0.47	-0.45871		
0.53	-0.44915		
0.57	-0.40582		
0.65	-0.38318		
0.71	-0.33272		
0.77	-0.26894		
0.83	-0.20303		
0.89	-0.12830		
0.95	-0.03083		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.12040	0.02	-0.58431
0.06	-0.01085	0.06	-0.46410
0.11	-0.07403	0.11	-0.39454
0.18	-0.15740	0.18	-0.40632
0.25	-0.18868	0.25	-0.38517
0.32	-0.23011	0.32	-0.37081
0.39	-0.24740	0.39	-0.34543
0.46	-0.22398	0.46	-0.29825
0.53	-0.19334	0.53	-0.31600
0.60	-0.14335	0.60	-0.17514
0.67	-0.09277	0.67	-0.10043
0.74	-0.03593	0.74	-0.02924
0.81	0.01706	0.81	0.01706
0.88	0.06542	0.88	0.02509
0.95	0.13076	0.95	0.12941

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
24	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.6007	0.40	-0.01	19.99 417.5	101.02 2109.8	79.16 1653.2	10.97 3.34	307.98 94.70

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.77676	0.05	-0.20034
	0.06	-0.78099	0.10	-0.30897
	0.11	-0.66121	0.20	-0.34807
	0.17	-0.58497	0.35	-0.38142
	0.23	-0.56154	0.50	-0.39050
	0.29	-0.53015	0.65	-0.12630
	0.35	-0.50010	0.80	0.18345
	0.41	0.14513	0.95	0.27452
	0.47	-0.45478		
	0.53	-0.45065		
	0.57	-0.41524		
	0.65	-0.39142		
	0.71	-0.34305		
	0.77	-0.27692		
	0.83	-0.20934		
	0.89	-0.13154		
	0.95	-0.03486		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.13567	0.02	-0.58230
	0.06	0.00754	0.06	-0.45115
	0.11	-0.06461	0.11	-0.39609
	0.18	-0.15259	0.18	-0.40788
	0.25	-0.20244	0.25	-0.40127
	0.32	-0.24469	0.32	-0.37775
	0.39	-0.25384	0.39	-0.35207
	0.46	-0.23502	0.46	-0.31017
	0.53	-0.20434	0.53	-0.32973
	0.60	-0.14123	0.60	-0.17832
	0.67	-0.09138	0.67	-0.10502
	0.74	-0.03760	0.74	-0.03760
	0.81	0.01766	0.81	0.01564
	0.88	0.07063	0.88	0.02365
	0.95	0.13578	0.95	0.12974

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
24	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
16	0.5998	2.69	0.00	19.93 416.3	100.95 2108.4	79.16 1653.2	10.94 3.33	308.30 95.27

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.49998	0.05	0.10344
	0.06	-1.18927	0.10	-0.07928
	0.11	-0.91337	0.20	-0.17518
	0.17	-0.79918	0.35	-0.25627
	0.23	-0.69755	0.50	-0.31076
	0.29	-0.64699	0.65	-0.09555
	0.35	-0.61728	0.80	0.20908
	0.41	0.00149	0.95	0.28870
	0.47	-0.53769		
	0.53	-0.52817		
	0.57	-0.47900		
	0.65	-0.43675		
	0.71	-0.36838		
	0.77	-0.29278		
	0.83	-0.21950		
	0.89	-0.14059		
	0.95	-0.03992		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.05751	0.02	-0.26286
	0.06	-0.12920	0.06	-0.26479
	0.11	-0.15901	0.11	-0.27131
	0.18	-0.25013	0.18	-0.31679
	0.25	-0.26579	0.25	-0.32243
	0.32	-0.29671	0.32	-0.32612
	0.39	-0.29770	0.39	-0.30775
	0.46	-0.26979	0.46	-0.26679
	0.53	-0.22819	0.53	-0.29069
	0.60	-0.16638	0.60	-0.16069
	0.67	-0.10655	0.67	-0.09022
	0.74	-0.04202	0.74	-0.02565
	0.81	0.01399	0.81	0.02241
	0.88	0.06672	0.88	0.02940
	0.95	0.13271	0.95	0.13069

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
24	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
17	0.6003	4.84	0.00	19.96 416.9	100.95 2108.4	79.12 1652.5	10.95 3.34	308.23 95.14

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-2.14871	0.05	0.30734
	0.06	-2.07829	0.10	0.11048
	0.11	-1.06343	0.20	-0.05033
	0.17	-0.95649	0.35	-0.16915
	0.23	-0.84462	0.50	-0.23722
	0.29	-0.76290	0.65	-0.06425
	0.35	-0.69618	0.80	0.22568
	0.41	-0.10235	0.95	0.29393
	0.47	-0.59003		
	0.53	-0.55686		
	0.57	-0.49801		
	0.65	-0.44275		
	0.71	-0.37121		
	0.77	-0.28991		
	0.83	-0.21170		
	0.89	-0.13056		
	0.95	-0.03807		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.25622	0.02	-0.07590
	0.06	-0.26771	0.06	-0.12588
	0.11	-0.27786	0.11	-0.17779
	0.18	-0.32454	0.18	-0.23789
	0.25	-0.33133	0.25	-0.26439
	0.32	-0.35798	0.32	-0.27021
	0.39	-0.34454	0.39	-0.25322
	0.46	-0.30615	0.46	-0.23391
	0.53	-0.25758	0.53	-0.26589
	0.60	-0.18356	0.60	-0.14090
	0.67	-0.11992	0.67	-0.07551
	0.74	-0.05179	0.74	-0.01290
	0.81	0.00954	0.81	0.02664
	0.88	0.06601	0.88	0.03357
	0.95	0.13801	0.95	0.12797

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
24	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
18	0.6013	7.00	0.00	20.02	100.98	79.09	10.94	308.68
				418.1	2109.1	1651.8	3.34	95.95

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-2.54128	0.05	0.45572
	0.06	-2.42747	0.10	0.25450
	0.11	-1.83926	0.20	0.07479
	0.17	-1.36645	0.35	-0.08268
	0.23	-1.12464	0.50	-0.18326
	0.29	-0.91288	0.65	-0.04250
	0.35	-0.75360	0.80	0.23654
	0.41	-0.23190	0.95	0.29357
	0.47	-0.60665		
	0.53	-0.55813		
	0.57	-0.50052		
	0.65	-0.43266		
	0.71	-0.35094		
	0.77	-0.28017		
	0.83	-0.20858		
	0.89	-0.14008		
	0.95	-0.07113		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.54775	0.02	0.14370
	0.06	-0.43362	0.06	0.00424
	0.11	-0.36888	0.11	-0.07767
	0.18	-0.39513	0.18	-0.16652
	0.25	-0.38702	0.25	-0.20527
	0.32	-0.39926	0.32	-0.21893
	0.39	-0.38642	0.39	-0.22442
	0.46	-0.33243	0.46	-0.20294
	0.53	-0.27437	0.53	-0.23095
	0.60	-0.19798	0.60	-0.13071
	0.67	-0.13204	0.67	-0.07013
	0.74	-0.06364	0.74	-0.00886
	0.81	-0.00111	0.81	0.03256
	0.88	0.06034	0.88	0.03582
	0.95	0.13434	0.95	0.12426

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
24	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.6002	9.06	0.00	19.96	100.98	79.16	10.90	309.41
				416.9	2109.1	1653.2	3.32	97.26

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.31028	0.05	0.54443
	0.06	-1.13868	0.10	0.33124
	0.11	-1.14706	0.20	0.12619
	0.17	-1.15565	0.35	-0.06171
	0.23	-1.02214	0.50	-0.18732
	0.29	-0.93253	0.65	-0.09249
	0.35	-0.85942	0.80	0.18383
	0.41	-0.32057	0.95	0.21067
	0.47	-0.72535		
	0.53	-0.69340		
	0.57	-0.65721		
	0.65	-0.56696		
	0.71	-0.50965		
	0.77	-0.49072		
	0.83	-0.48643		
	0.89	-0.38614		
	0.95	-0.35787		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.97155	0.02	0.30497
	0.06	-0.63756	0.06	0.12518
	0.11	-0.49044	0.11	0.00757
	0.18	-0.49391	0.18	-0.09728
	0.25	-0.46874	0.25	-0.14510
	0.32	-0.46571	0.32	-0.17900
	0.39	-0.43567	0.39	-0.19535
	0.46	-0.36985	0.46	-0.18039
	0.53	-0.30331	0.53	-0.20239
	0.60	-0.20372	0.60	-0.11234
	0.67	-0.13178	0.67	-0.05553
	0.74	-0.05636	0.74	-0.00185
	0.81	0.00422	0.81	0.03083
	0.88	0.06502	0.88	0.03041
	0.95	0.13607	0.95	0.11790

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
24	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
20	0.6003	11.05	-0.02	19.96 416.9	100.95 2108.4	79.12 1652.5	10.91 3.33	309.11 96.72

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.64953	0.05	0.57525
	0.06	-0.67959	0.10	0.34472
	0.11	-0.60864	0.20	0.14299
	0.17	-0.57582	0.35	-0.05373
	0.23	-0.60167	0.50	-0.21397
	0.29	-0.62435	0.65	-0.15945
	0.35	-0.62742	0.80	0.12602
	0.41	-0.36524	0.95	0.11986
	0.47	-0.64541		
	0.53	-0.64316		
	0.57	-0.63697		
	0.65	-0.64942		
	0.71	-0.63311		
	0.77	-0.61599		
	0.83	-0.60864		
	0.89	-0.59056		
	0.95	-0.54273		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.40673	0.02	0.43305
	0.06	-0.71156	0.06	0.23004
	0.11	-0.63438	0.11	0.12232
	0.18	-0.60463	0.18	-0.02032
	0.25	-0.54606	0.25	-0.06954
	0.32	-0.51805	0.32	-0.10387
	0.39	-0.47397	0.39	-0.14428
	0.46	-0.39854	0.46	-0.13481
	0.53	-0.31881	0.53	-0.16972
	0.60	-0.22637	0.60	-0.08599
	0.67	-0.14480	0.67	-0.04024
	0.74	-0.06275	0.74	0.00454
	0.81	-0.00386	0.81	0.03862
	0.88	0.06031	0.88	0.03679
	0.95	0.13174	0.95	0.10987

412

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
24	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
21	0.6008	13.00	0.04	19.99 417.5	100.98 2109.1	79.12 1652.5	10.91 3.33	309.22 96.92

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.54521	0.05	0.57985
0.06	-0.49083	0.10	0.36320
0.11	-0.49120	0.20	0.14638
0.17	-0.50569	0.35	-0.05906
0.23	-0.52414	0.50	-0.22900
0.29	-0.53131	0.65	-0.20110
0.35	-0.53651	0.80	0.08294
0.41	-0.38759	0.95	0.06222
0.47	-0.56907		
0.53	-0.58876		
0.57	-0.59207		
0.65	-0.59247		
0.71	-0.60584		
0.77	-0.61272		
0.83	-0.61954		
0.89	-0.61723		
0.95	-0.59274		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.82917	0.02	0.55903
0.06	-1.00436	0.06	0.33427
0.11	-0.78464	0.11	0.21381
0.18	-0.68523	0.18	0.08884
0.25	-0.60606	0.25	-0.00824
0.32	-0.56473	0.32	-0.06207
0.39	-0.49865	0.39	-0.09568
0.46	-0.41091	0.46	-0.10452
0.53	-0.32543	0.53	-0.12423
0.60	-0.22699	0.60	-0.05749
0.67	-0.14582	0.67	-0.01527
0.74	-0.06608	0.74	0.02844
0.81	0.00256	0.81	0.05177
0.88	0.06840	0.88	0.04857
0.95	0.13441	0.95	0.11120

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
24	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
22	0.5997	15.02	0.08	19.93	100.98	79.19	10.91	309.05
				416.3	2109.1	1653.9	3.32	96.62

WING   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-0.50826	0.05	0.62988
0.06	-0.50237	0.10	0.42272
0.11	-0.49711	0.20	0.20695
0.17	-0.49986	0.35	-0.01837
0.23	-0.52410	0.50	-0.19894
0.29	-0.51589	0.65	-0.18950
0.35	-0.54424	0.80	0.08317
0.41	-0.40243	0.95	0.05905
0.47	-0.55914		
0.53	-0.58391		
0.57	-0.58025		
0.65	-0.59233		
0.71	-0.61485		
0.77	-0.61301		
0.83	-0.61881		
0.89	-0.62359		
0.95	-0.61368		

HORIZ. TAIL   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-1.85080	0.02	0.64938
0.06	-1.25212	0.06	0.41444
0.11	-0.89104	0.11	0.24516
0.18	-0.75640	0.18	0.12298
0.25	-0.64109	0.25	0.03996
0.32	-0.57992	0.32	-0.01368
0.39	-0.51465	0.39	-0.06075
0.46	-0.42950	0.46	-0.06682
0.53	-0.33552	0.53	-0.10889
0.60	-0.22886	0.60	-0.04462
0.67	-0.14972	0.67	-0.00424
0.74	-0.06933	0.74	0.03660
0.81	-0.00422	0.81	0.05634
0.88	0.05750	0.88	0.04907
0.95	0.12569	0.95	0.11084

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
24	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
23	0.5997	17.17	0.03	19.93 416.3	100.98 2109.1	79.19 1653.9	10.91 3.32	309.03 96.59

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.49427	0.05	0.68384
	0.06	-0.48042	0.10	0.49934
	0.11	-0.48982	0.20	0.27520
	0.17	-0.49965	0.35	0.05624
	0.23	-0.50918	0.50	-0.13710
	0.29	-0.50961	0.65	-0.14940
	0.35	-0.51849	0.80	0.10319
	0.41	-0.40820	0.95	0.06517
	0.47	-0.55189		
	0.53	-0.55716		
	0.57	-0.55833		
	0.65	-0.57102		
	0.71	-0.59382		
	0.77	-0.58641		
	0.83	-0.58646		
	0.89	-0.59382		
	0.95	-0.57571		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.80895	0.02	0.63707
	0.06	-1.24210	0.06	0.40850
	0.11	-0.94181	0.11	0.23898
	0.18	-0.77005	0.18	0.11660
	0.25	-0.64426	0.25	0.02210
	0.32	-0.57303	0.32	-0.04050
	0.39	-0.50537	0.39	-0.07185
	0.46	-0.41388	0.46	-0.08186
	0.53	-0.32606	0.53	-0.11902
	0.60	-0.23463	0.60	-0.05705
	0.67	-0.15408	0.67	-0.01733
	0.74	-0.07909	0.74	0.02010
	0.81	-0.02880	0.81	0.04418
	0.88	0.03121	0.88	0.03155
	0.95	0.09745	0.95	0.09103

415

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
24	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
24	0.6001	17.98	0.03	19.96	101.02	79.19	10.91	309.09
				416.9	2109.8	1653.9	3.33	96.69

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.49888	0.05	0.71942
	0.06	-0.49123	0.10	0.52755
	0.11	-0.49499	0.20	0.31378
	0.17	-0.50894	0.35	0.08119
	0.23	-0.51721	0.50	-0.11919
	0.29	-0.51236	0.65	-0.13418
	0.35	-0.52100	0.80	0.11044
	0.41	-0.41129	0.95	0.07200
	0.47	-0.54476		
	0.53	-0.56021		
	0.57	-0.56184		
	0.65	-0.57382		
	0.71	-0.59774		
	0.77	-0.59581		
	0.83	-0.59554		
	0.89	-0.58568		
	0.95	-0.58149		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.76998	0.02	0.62128
	0.06	-1.27227	0.06	0.38068
	0.11	-0.92391	0.11	0.22511
	0.18	-0.74888	0.18	0.07908
	0.25	-0.62845	0.25	0.00149
	0.32	-0.57449	0.32	-0.05304
	0.39	-0.49218	0.39	-0.08870
	0.46	-0.40064	0.46	-0.08489
	0.53	-0.31661	0.53	-0.12987
	0.60	-0.23146	0.60	-0.06960
	0.67	-0.15550	0.67	-0.02028
	0.74	-0.08945	0.74	0.01528
	0.81	-0.02771	0.81	0.03255
	0.88	0.03107	0.88	0.01527
	0.95	0.06841	0.95	0.07681

416

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
24	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
25	0.5996	-1.82	-0.01	19.93 416.3	101.02 2109.8	79.22 1654.6	10.91 3.33	308.98 96.49

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.25462	0.05	-0.56046
	0.06	-0.39523	0.10	-0.53898
	0.11	-0.40314	0.20	-0.51656
	0.17	-0.40019	0.35	-0.50599
	0.23	-0.38646	0.50	-0.45822
	0.29	-0.38859	0.65	-0.16200
	0.35	-0.39409	0.80	0.14808
	0.41	-0.42320	0.95	0.25193
	0.47	-0.38250		
	0.53	-0.39137		
	0.57	-0.35714		
	0.65	-0.35272		
	0.71	-0.30281		
	0.77	-0.24963		
	0.83	-0.19099		
	0.89	-0.13077		
	0.95	-0.03898		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.29598	0.02	-0.96416
	0.06	0.10570	0.06	-0.54285
	0.11	0.00537	0.11	-0.52392
	0.18	-0.07851	0.18	-0.48333
	0.25	-0.12998	0.25	-0.45488
	0.32	-0.19573	0.32	-0.43934
	0.39	-0.22001	0.39	-0.40325
	0.46	-0.20784	0.46	-0.34669
	0.53	-0.18017	0.53	-0.36118
	0.60	-0.12500	0.60	-0.20067
	0.67	-0.08179	0.67	-0.11987
	0.74	-0.03333	0.74	-0.04517
	0.81	0.01942	0.81	0.00372
	0.88	0.06726	0.88	0.01590
	0.95	0.12594	0.95	0.12799

417

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
25	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7799	-6.45	-0.02	28.74	100.88	67.50	12.31	318.87
				600.2	2107.0	1409.8	3.75	114.29

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.45134	0.05	-1.31385
0.06	0.12108	0.10	-1.28747
0.11	-0.00770	0.20	-1.28086
0.17	-0.10009	0.35	-0.78393
0.23	-0.13600	0.50	-0.50857
0.29	-0.19515	0.65	-0.33681
0.35	-0.23285	0.80	-0.16434
0.41	0.03954	0.95	-0.00307
0.47	-0.30985		
0.53	-0.35701		
0.57	-0.33265		
0.65	-0.37936		
0.71	-0.35121		
0.77	-0.30865		
0.83	-0.25911		
0.89	-0.21521		
0.95	-0.16185		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.51626	0.02	-1.59012
0.06	0.29860	0.06	-1.40365
0.11	0.18280	0.11	-1.31408
0.18	0.06368	0.18	-1.06188
0.25	-0.01436	0.25	-0.72412
0.32	-0.10015	0.32	-0.42014
0.39	-0.13792	0.39	-0.38347
0.46	-0.15215	0.46	-0.32042
0.53	-0.14719	0.53	-0.34020
0.60	-0.10519	0.60	-0.15881
0.67	-0.06491	0.67	-0.06721
0.74	-0.01697	0.74	0.00600
0.81	0.03473	0.81	0.06298
0.88	0.07588	0.88	0.07705
0.95	0.12635	0.95	0.16880

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
25	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.7799	-4.23	-0.01	28.74 600.2	100.88 2107.0	67.50 1409.8	12.28 3.74	319.39 115.23

WING		UPPER SURFACE		LOWER SURFACE	
	X/C	CP		X/C	CP
	0.02	0.19815		0.05	-1.05221
	0.06	-0.12002		0.10	-0.98883
	0.11	-0.19935		0.20	-0.92579
	0.17	-0.24871		0.35	-1.04197
	0.23	-0.27602		0.50	-0.46720
	0.29	-0.31454		0.65	-0.16313
	0.35	-0.35225		0.80	-0.04134
	0.41	-0.00153		0.95	0.12917
	0.47	-0.38016			
	0.53	-0.40704			
	0.57	-0.37037			
	0.65	-0.37132			
	0.71	-0.32333			
	0.77	-0.25447			
	0.83	-0.18981			
	0.89	-0.10997			
	0.95	-0.00875			

HORIZ. TAIL		UPPER SURFACE		LOWER SURFACE	
	X/C	CP		X/C	CP
	0.02	0.42010		0.02	-1.46919
	0.06	0.21232		0.06	-1.24522
	0.11	0.09827		0.11	-0.95448
	0.18	-0.02999		0.18	-0.86501
	0.25	-0.09776		0.25	-0.55953
	0.32	-0.16979		0.32	-0.48720
	0.39	-0.21280		0.39	-0.42873
	0.46	-0.20810		0.46	-0.34935
	0.53	-0.18282		0.53	-0.35154
	0.60	-0.12769		0.60	-0.17806
	0.67	-0.07806		0.67	-0.08478
	0.74	-0.02319		0.74	-0.00737
	0.81	0.03766		0.81	0.05526
	0.88	0.08597		0.88	0.07311
	0.95	0.14910		0.95	0.17604

419

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
25	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.7794	-1.79	-0.01	28.71	100.88	67.54	12.29	319.24
				599.7	2107.0	1410.5	3.74	114.96

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.12568	0.05	-0.55837
	0.06	-0.42740	0.10	-0.59173
	0.11	-0.47053	0.20	-0.68277
	0.17	-0.49254	0.35	-0.74360
	0.23	-0.47935	0.50	-0.53525
	0.29	-0.48265	0.65	-0.09687
	0.35	-0.49301	0.80	0.11387
	0.41	-0.06671	0.95	0.24316
	0.47	-0.47449		
	0.53	-0.48904		
	0.57	-0.43412		
	0.65	-0.40763		
	0.71	-0.32825		
	0.77	-0.24392		
	0.83	-0.16346		
	0.89	-0.07527		
	0.95	0.03593		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.31807	0.02	-1.09114
	0.06	0.12841	0.06	-0.84096
	0.11	0.02803	0.11	-0.67323
	0.18	-0.09348	0.18	-0.64750
	0.25	-0.14743	0.25	-0.55566
	0.32	-0.21751	0.32	-0.50571
	0.39	-0.24750	0.39	-0.42066
	0.46	-0.23093	0.46	-0.33717
	0.53	-0.20167	0.53	-0.34612
	0.60	-0.14482	0.60	-0.17796
	0.67	-0.08480	0.67	-0.08527
	0.74	-0.02040	0.74	-0.00735
	0.81	0.03816	0.81	0.06071
	0.88	0.09446	0.88	0.07573
	0.95	0.16195	0.95	0.17766

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
25	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.7799	0.51	-0.01	28.74 600.2	100.88 2107.0	67.50 1409.8	12.30 3.75	319.02 114.56

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.58455	0.05	-0.18273
0.06	-0.80559	0.10	-0.31382
0.11	-0.89465	0.20	-0.41418
0.17	-0.85411	0.35	-0.54171
0.23	-0.75476	0.50	-0.52227
0.29	-0.79812	0.65	-0.09300
0.35	-0.61150	0.80	0.17836
0.41	-0.14661	0.95	0.28843
0.47	-0.55818		
0.53	-0.55852		
0.57	-0.48696		
0.65	-0.43427		
0.71	-0.34798		
0.77	-0.25775		
0.83	-0.17322		
0.89	-0.07586		
0.95	0.03138		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.15446	0.02	-0.72723
0.06	-0.00080	0.06	-0.54426
0.11	-0.06996	0.11	-0.48393
0.18	-0.16951	0.18	-0.51530
0.25	-0.22448	0.25	-0.47610
0.32	-0.29435	0.32	-0.45144
0.39	-0.30894	0.39	-0.38609
0.46	-0.27785	0.46	-0.31667
0.53	-0.23216	0.53	-0.33542
0.60	-0.15813	0.60	-0.16603
0.67	-0.08977	0.67	-0.07452
0.74	-0.02099	0.74	0.00037
0.81	0.04503	0.81	0.05765
0.88	0.10554	0.88	0.07242
0.95	0.17742	0.95	0.17742

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
25	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.7799	2.97	-0.01	28.74	100.88	67.50	12.27	319.58
				600.2	2107.0	1409.8	3.74	115.57

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.91082	0.05	0.06465
0.06	-1.18760	0.10	-0.08619
0.11	-1.23306	0.20	-0.23763
0.17	-1.22020	0.35	-0.37797
0.23	-1.18760	0.50	-0.44233
0.29	-1.19033	0.65	-0.08732
0.35	-1.21880	0.80	0.22315
0.41	-0.28018	0.95	0.32125
0.47	-0.92860		
0.53	-0.55887		
0.57	-0.44807		
0.65	-0.34546		
0.71	-0.27042		
0.77	-0.19716		
0.83	-0.13389		
0.89	-0.06339		
0.95	0.02229		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.02292	0.02	-0.30299
0.06	-0.12432	0.06	-0.29683
0.11	-0.16896	0.11	-0.33687
0.18	-0.28531	0.18	-0.39022
0.25	-0.31834	0.25	-0.39326
0.32	-0.37426	0.32	-0.38726
0.39	-0.36254	0.39	-0.34812
0.46	-0.32088	0.46	-0.29105
0.53	-0.26557	0.53	-0.31875
0.60	-0.17528	0.60	-0.15853
0.67	-0.10212	0.67	-0.06997
0.74	-0.02799	0.74	0.00363
0.81	0.04226	0.81	0.06262
0.88	0.10515	0.88	0.07551
0.95	0.17826	0.95	0.17896

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
25	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.7799	5.17	0.01	28.74 600.2	100.88 2107.0	67.50 1409.8	12.31 3.75	318.92 114.39

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.13570	0.05	0.24935
	0.06	-1.38114	0.10	0.04853
	0.11	-1.39914	0.20	-0.12853
	0.17	-1.39677	0.35	-0.30414
	0.23	-1.38323	0.50	-0.43447
	0.29	-1.15226	0.65	-0.15546
	0.35	-0.81696	0.80	0.17988
	0.41	-0.41894	0.95	0.23180
	0.47	-0.69859		
	0.53	-0.64533		
	0.57	-0.60116		
	0.65	-0.51465		
	0.71	-0.48093		
	0.77	-0.41429		
	0.83	-0.33445		
	0.89	-0.28362		
	0.95	-0.23137		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.25723	0.02	-0.02886
	0.06	-0.28592	0.06	-0.12761
	0.11	-0.30810	0.11	-0.19037
	0.18	-0.37235	0.18	-0.27451
	0.25	-0.39456	0.25	-0.30124
	0.32	-0.43912	0.32	-0.31976
	0.39	-0.42746	0.39	-0.30627
	0.46	-0.36090	0.46	-0.26085
	0.53	-0.28223	0.53	-0.28875
	0.60	-0.18764	0.60	-0.14538
	0.67	-0.10787	0.67	-0.06168
	0.74	-0.02905	0.74	0.00951
	0.81	0.03937	0.81	0.05770
	0.88	0.10578	0.88	0.06689
	0.95	0.17801	0.95	0.16956

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
25	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.7797	7.30	0.00	28.74 / 600.3	100.92 / 2107.7	67.54 / 1410.5	12.26 / 3.74	319.99 / 116.31

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.31958	0.05	0.37384
	0.06	-1.50419	0.10	0.17773
	0.11	-1.43499	0.20	-0.02107
	0.17	-0.75875	0.35	-0.22392
	0.23	-0.80341	0.50	-0.38072
	0.29	-0.79469	0.65	-0.17164
	0.35	-0.76295	0.80	0.16760
	0.41	-0.51436	0.95	0.20290
	0.47	-0.61291		
	0.53	-0.54437		
	0.57	-0.60940		
	0.65	-0.60521		
	0.71	-0.56822		
	0.77	-0.55363		
	0.83	-0.48620		
	0.89	-0.47190		
	0.95	-0.42537		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.60001	0.02	0.17420
	0.06	-0.52342	0.06	0.01771
	0.11	-0.45237	0.11	-0.08485
	0.18	-0.49855	0.18	-0.17500
	0.25	-0.49577	0.25	-0.21207
	0.32	-0.53100	0.32	-0.25332
	0.39	-0.47844	0.39	-0.25144
	0.46	-0.38912	0.46	-0.22601
	0.53	-0.30513	0.53	-0.26079
	0.60	-0.19183	0.60	-0.12988
	0.67	-0.10844	0.67	-0.05546
	0.74	-0.02698	0.74	0.00929
	0.81	0.03989	0.81	0.05682
	0.88	0.10729	0.88	0.06578
	0.95	0.18264	0.95	0.16338

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
25	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.7788	9.26	-0.03	28.69	100.88	67.57	12.25	319.82
				599.2	2107.0	1411.2	3.73	116.01

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.60508	0.05	0.46181
0.06	-0.54324	0.10	0.25191
0.11	-0.54415	0.20	0.04721
0.17	-0.54269	0.35	-0.15824
0.23	-0.52699	0.50	-0.36301
0.29	-0.55698	0.65	-0.19055
0.35	-0.54059	0.80	0.15761
0.41	-0.51004	0.95	0.17809
0.47	-0.56514		
0.53	-0.59854		
0.57	-0.57389		
0.65	-0.59405		
0.71	-0.61676		
0.77	-0.61290		
0.83	-0.60058		
0.89	-0.58732		
0.95	-0.54254		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.10558	0.02	0.32150
0.06	-0.86761	0.06	0.15595
0.11	-0.56164	0.11	0.04565
0.18	-0.66350	0.18	-0.04944
0.25	-0.60454	0.25	-0.12855
0.32	-0.60011	0.32	-0.18062
0.39	-0.51255	0.39	-0.18403
0.46	-0.40091	0.46	-0.16872
0.53	-0.30584	0.53	-0.21537
0.60	-0.19571	0.60	-0.10645
0.67	-0.10696	0.67	-0.04032
0.74	-0.02509	0.74	0.01677
0.81	0.05066	0.81	0.06547
0.88	0.11822	0.88	0.06666
0.95	0.18789	0.95	0.15033

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
25	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.7788	11.25	0.00	28.69 599.2	100.88 2107.0	67.57 1411.2	12.26 3.74	319.69 115.77

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-0.69962	0.05	0.53372
0.06	-0.56182	0.10	0.32687
0.11	-0.54498	0.20	0.11418
0.17	-0.59144	0.35	-0.11725
0.23	-0.58962	0.50	-0.33382
0.29	-0.59595	0.65	-0.21731
0.35	-0.59424	0.80	0.13595
0.41	-0.51154	0.95	0.14811
0.47	-0.59735		
0.53	-0.62245		
0.57	-0.60144		
0.65	-0.63272		
0.71	-0.63224		
0.77	-0.61812		
0.83	-0.61247		
0.89	-0.60496		
0.95	-0.56993		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-1.31326	0.02	0.50398
0.06	-1.18411	0.06	0.28090
0.11	-0.71184	0.11	0.14251
0.18	-0.73506	0.18	0.02425
0.25	-0.71913	0.25	-0.04841
0.32	-0.66134	0.32	-0.10632
0.39	-0.51217	0.39	-0.13611
0.46	-0.39709	0.46	-0.13946
0.53	-0.30180	0.53	-0.18195
0.60	-0.18950	0.60	-0.07246
0.67	-0.10031	0.67	-0.01181
0.74	-0.01695	0.74	0.03896
0.81	0.05123	0.81	0.07163
0.88	0.11675	0.88	0.06741
0.95	0.18116	0.95	0.14040

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
25	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.7813	13.38	-0.06	28.81 601.7	100.92 2107.7	67.43 1408.4	12.27 3.74	319.95 116.24

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.49883	0.05	0.61652
	0.06	-0.50249	0.10	0.43330
	0.11	-0.49407	0.20	0.20921
	0.17	-0.50859	0.35	-0.03161
	0.23	-0.52489	0.50	-0.24004
	0.29	-0.53164	0.65	-0.16677
	0.35	-0.54599	0.80	0.15869
	0.41	-0.50480	0.95	0.16637
	0.47	-0.56411		
	0.53	-0.57642		
	0.57	-0.58100		
	0.65	-0.60098		
	0.71	-0.60918		
	0.77	-0.61701		
	0.83	-0.61444		
	0.89	-0.60848		
	0.95	-0.60616		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.43596	0.02	0.53405
	0.06	-1.35680	0.06	0.32596
	0.11	-1.22069	0.11	0.19091
	0.18	-0.84172	0.18	0.07146
	0.25	-0.80081	0.25	-0.01577
	0.32	-0.68749	0.32	-0.06871
	0.39	-0.48861	0.39	-0.10274
	0.46	-0.37411	0.46	-0.10258
	0.53	-0.28672	0.53	-0.14548
	0.60	-0.18661	0.60	-0.06279
	0.67	-0.09589	0.67	-0.01115
	0.74	-0.01839	0.74	0.04220
	0.81	0.05744	0.81	0.07193
	0.88	0.12392	0.88	0.06589
	0.95	0.18508	0.95	0.13325

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
25	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.7787	15.44	-0.01	28.69	100.92	67.60	12.27	319.52
				599.3	2107.7	1411.9	3.74	115.47

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.50466	0.05	0.69082
	0.06	-0.49955	0.10	0.49836
	0.11	-0.50327	0.20	0.27723
	0.17	-0.51095	0.35	0.03522
	0.23	-0.49608	0.50	-0.18681
	0.29	-0.51979	0.65	-0.14186
	0.35	-0.51631	0.80	0.16845
	0.41	-0.50418	0.95	0.16963
	0.47	-0.54002		
	0.53	-0.54964		
	0.57	-0.56230		
	0.65	-0.57584		
	0.71	-0.57527		
	0.77	-0.57688		
	0.83	-0.57212		
	0.89	-0.59624		
	0.95	-0.57711		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.45124	0.02	0.57503
	0.06	-1.39368	0.06	0.36345
	0.11	-1.25527	0.11	0.21293
	0.18	-0.89243	0.18	0.06998
	0.25	-0.80146	0.25	-0.00294
	0.32	-0.64516	0.32	-0.05714
	0.39	-0.50699	0.39	-0.10105
	0.46	-0.39583	0.46	-0.11083
	0.53	-0.30440	0.53	-0.16972
	0.60	-0.19659	0.60	-0.05957
	0.67	-0.11662	0.67	-0.00665
	0.74	-0.04458	0.74	0.04107
	0.81	0.02613	0.81	0.07279
	0.88	0.08772	0.88	0.06505
	0.95	0.14925	0.95	0.12771

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
25	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.7792	17.56	0.02	28.72 599.8	100.92 2107.7	67.57 1411.2	12.26 3.74	319.86 116.07

WING   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-0.49112	0.05	0.75145
0.06	-0.49685	0.10	0.56270
0.11	-0.49145	0.20	0.34650
0.17	-0.50208	0.35	0.11163
0.23	-0.51633	0.50	-0.10281
0.29	-0.51100	0.65	-0.08827
0.35	-0.50512	0.80	0.19574
0.41	-0.49709	0.95	0.18608
0.47	-0.55708		
0.53	-0.54339		
0.57	-0.55784		
0.65	-0.56127		
0.71	-0.56952		
0.77	-0.56549		
0.83	-0.56965		
0.89	-0.58633		
0.95	-0.57384		

HORIZ. TAIL   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-1.39327	0.02	0.54368
0.06	-1.35716	0.06	0.30437
0.11	-1.23412	0.11	0.15638
0.18	-0.97510	0.18	0.03017
0.25	-0.75124	0.25	-0.06113
0.32	-0.61783	0.32	-0.11488
0.39	-0.50605	0.39	-0.12124
0.46	-0.39227	0.46	-0.12351
0.53	-0.29153	0.53	-0.18610
0.60	-0.20432	0.60	-0.07364
0.67	-0.11748	0.67	-0.01267
0.74	-0.04133	0.74	0.03338
0.81	0.01374	0.81	0.05342
0.88	0.06283	0.88	0.03826
0.95	0.11514	0.95	0.09968

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
25	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.7814	18.67	0.03	28.81 601.7	100.88 2107.0	67.40 1407.6	12.28 3.74	319.73 115.84

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.48469	0.05	0.77609
	0.06	-0.48319	0.10	0.60332
	0.11	-0.48121	0.20	0.39523
	0.17	-0.53750	0.35	0.15365
	0.23	-0.52922	0.50	-0.06705
	0.29	-0.51124	0.65	-0.05928
	0.35	-0.51132	0.80	0.20483
	0.41	-0.48089	0.95	0.20105
	0.47	-0.53574		
	0.53	-0.55093		
	0.57	-0.55822		
	0.65	-0.56924		
	0.71	-0.57664		
	0.77	-0.58238		
	0.83	-0.58218		
	0.89	-0.59077		
	0.95	-0.57893		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.30466	0.02	0.46721
	0.06	-1.26796	0.06	0.24727
	0.11	-1.09076	0.11	0.10969
	0.18	-0.88610	0.18	-0.02466
	0.25	-0.74854	0.25	-0.08252
	0.32	-0.63279	0.32	-0.12305
	0.39	-0.49881	0.39	-0.13770
	0.46	-0.37296	0.46	-0.12809
	0.53	-0.28341	0.53	-0.20138
	0.60	-0.19792	0.60	-0.06589
	0.67	-0.11658	0.67	-0.01279
	0.74	-0.04217	0.74	0.01758
	0.81	-0.00288	0.81	0.03114
	0.88	0.05170	0.88	0.01686
	0.95	0.10295	0.95	0.08108

430

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
25	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.7797	-1.81	-0.01	28.74 600.3	100.92 2107.7	67.54 1410.5	12.26 3.74	319.82 116.01

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.15611	0.05	-0.53538
0.06	-0.40965	0.10	-0.58592
0.11	-0.43924	0.20	-0.67619
0.17	-0.45530	0.35	-0.73555
0.23	-0.45222	0.50	-0.53074
0.29	-0.46710	0.65	-0.10053
0.35	-0.48511	0.80	0.11280
0.41	-0.48739	0.95	0.23933
0.47	-0.47686		
0.53	-0.47998		
0.57	-0.42353		
0.65	-0.39210		
0.71	-0.32398		
0.77	-0.24306		
0.83	-0.16104		
0.89	-0.07019		
0.95	0.04029		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.29626	0.02	-1.08652
0.06	0.10194	0.06	-0.76110
0.11	0.01088	0.11	-0.65497
0.18	-0.08835	0.18	-0.61503
0.25	-0.15653	0.25	-0.54615
0.32	-0.23117	0.32	-0.49776
0.39	-0.24622	0.39	-0.41898
0.46	-0.22802	0.46	-0.33468
0.53	-0.19773	0.53	-0.35146
0.60	-0.14586	0.60	-0.16892
0.67	-0.08711	0.67	-0.07624
0.74	-0.02171	0.74	-0.00010
0.81	0.03973	0.81	0.05847
0.88	0.09330	0.88	0.07088
0.95	0.16025	0.95	0.17685

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
26	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8498	-6.26	-0.02	31.81 664.3	100.88 2107.0	62.91 1313.9	12.68 3.86	321.80 119.57

WING   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	0.37934	0.05	-1.00470
0.06	0.05694	0.10	-1.03585
0.11	-0.06147	0.20	-1.06548
0.17	-0.13856	0.35	-0.49355
0.23	-0.18226	0.50	-0.44674
0.29	-0.24303	0.65	-0.39655
0.35	-0.29032	0.80	-0.35901
0.41	-0.27806	0.95	-0.30850
0.47	-0.36955		
0.53	-0.46788		
0.57	-0.44025		
0.65	-0.57115		
0.71	-0.62240		
0.77	-0.65118		
0.83	-0.65887		
0.89	-0.67609		
0.95	-0.36777		

HORIZ.   UPPER SURFACE   LOWER SURFACE
TAIL

X/C	CP	X/C	CP
0.02	0.48291	0.02	-1.32565
0.06	0.27662	0.06	-1.20414
0.11	0.16314	0.11	-1.14514
0.18	0.04053	0.18	-1.08468
0.25	-0.05117	0.25	-0.99069
0.32	-0.15025	0.32	-0.98087
0.39	-0.20429	0.39	-0.45055
0.46	-0.21987	0.46	-0.27659
0.53	-0.21688	0.53	-0.28984
0.60	-0.15462	0.60	-0.13412
0.67	-0.10264	0.67	-0.06923
0.74	-0.04228	0.74	-0.01255
0.81	0.00735	0.81	0.05223
0.88	0.05546	0.88	0.07051
0.95	0.11559	0.95	0.15741

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
26	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.8502	-4.01	-0.02	31.83 664.8	100.92 2107.7	62.91 1313.9	12.63 3.85	322.79 121.36

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.13449	0.05	-0.78453
0.06	-0.16735	0.10	-0.71170
0.11	-0.25148	0.20	-0.77502
0.17	-0.29837	0.35	-0.89743
0.23	-0.33540	0.50	-0.34983
0.29	-0.38406	0.65	-0.30054
0.35	-0.43384	0.80	-0.26782
0.41	-0.27966	0.95	-0.18664
0.47	-0.47748		
0.53	-0.55250		
0.57	-0.52974		
0.65	-0.64818		
0.71	-0.69931		
0.77	-0.73056		
0.83	-0.69761		
0.89	-0.28514		
0.95	-0.17529		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.38406	0.02	-1.17354
0.06	0.19160	0.06	-1.02678
0.11	0.09011	0.11	-0.91355
0.18	-0.04025	0.18	-0.77176
0.25	-0.11809	0.25	-0.84976
0.32	-0.21106	0.32	-0.89449
0.39	-0.25952	0.39	-0.47521
0.46	-0.26380	0.46	-0.26964
0.53	-0.23996	0.53	-0.29379
0.60	-0.17404	0.60	-0.12657
0.67	-0.10744	0.67	-0.04816
0.74	-0.03721	0.74	0.02095
0.81	0.02650	0.81	0.08271
0.88	0.08583	0.88	0.09805
0.95	0.15463	0.95	0.18984

433

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
26	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.8502	-1.70	-0.01	31.83	100.92	62.91	12.63	322.81
				664.8	2107.7	1313.9	3.85	121.39

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.11955	0.05	-0.41905
	0.06	-0.43669	0.10	-0.45570
	0.11	-0.48568	0.20	-0.63685
	0.17	-0.53637	0.35	-0.69734
	0.23	-0.56797	0.50	-0.66969
	0.29	-0.60401	0.65	-0.23485
	0.35	-0.59345	0.80	-0.19792
	0.41	-0.32342	0.95	-0.05805
	0.47	-0.60927		
	0.53	-0.67475		
	0.57	-0.65486		
	0.65	-0.74779		
	0.71	-0.76868		
	0.77	-0.33912		
	0.93	-0.18573		
	0.89	-0.11155		
	0.95	-0.03469		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.28534	0.02	-0.96119
	0.06	0.09349	0.06	-0.67328
	0.11	-0.00308	0.11	-0.61032
	0.18	-0.11344	0.18	-0.73246
	0.25	-0.19591	0.25	-0.74908
	0.32	-0.29335	0.32	-0.78415
	0.39	-0.32048	0.39	-0.37904
	0.46	-0.30436	0.46	-0.26521
	0.53	-0.25951	0.53	-0.31017
	0.60	-0.16842	0.60	-0.13977
	0.67	-0.09289	0.67	-0.05249
	0.74	-0.01695	0.74	0.02082
	0.81	0.04947	0.81	0.07765
	0.88	0.11251	0.88	0.09286
	0.95	0.18776	0.95	0.19729

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
26	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.8498	0.52	-0.01	31.81 664.3	100.88 2107.0	62.91 1313.9	12.61 3.85	323.06 121.83

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.41619	0.05	-0.17350
0.06	-0.68826	0.10	-0.29950
0.11	-0.77947	0.20	-0.44062
0.17	-0.78098	0.35	-0.57818
0.23	-0.80507	0.50	-0.75154
0.29	-0.80547	0.65	-0.23792
0.35	-0.79065	0.80	-0.16721
0.41	-0.38378	0.95	0.03397
0.47	-0.80883		
0.53	-0.87223		
0.57	-0.82681		
0.65	-0.41170		
0.71	-0.28310		
0.77	-0.22099		
0.83	-0.15799		
0.89	-0.08441		
0.95	-0.00867		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.14292	0.02	-0.58586
0.06	-0.00094	0.06	-0.48994
0.11	-0.08167	0.11	-0.46978
0.18	-0.19122	0.18	-0.58481
0.25	-0.26132	0.25	-0.62703
0.32	-0.36137	0.32	-0.63836
0.39	-0.37771	0.39	-0.33692
0.46	-0.33279	0.46	-0.27762
0.53	-0.26492	0.53	-0.32615
0.60	-0.17650	0.60	-0.13844
0.67	-0.09581	0.67	-0.04524
0.74	-0.01394	0.74	0.03177
0.81	0.06231	0.81	0.09362
0.88	0.12624	0.88	0.10642
0.95	0.20126	0.95	0.20992

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
26	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.8507	2.74	0.00	31.85 665.2	100.92 2107.7	62.88 1313.2	12.61 3.84	323.36 122.37

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.62220	0.05	0.04027
0.06	-0.90162	0.10	-0.13934
0.11	-0.96074	0.20	-0.29229
0.17	-0.99499	0.35	-0.48340
0.23	-0.99612	0.50	-0.68398
0.29	-0.99354	0.65	-0.29271
0.35	-0.98782	0.80	-0.17640
0.41	-0.46432	0.95	0.06413
0.47	-0.45165		
0.53	-0.42526		
0.57	-0.41047		
0.65	-0.39088		
0.71	-0.36791		
0.77	-0.34614		
0.83	-0.30971		
0.89	-0.27640		
0.95	-0.23215		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.03243	0.02	-0.25299
0.06	-0.14729	0.06	-0.29501
0.11	-0.19111	0.11	-0.34315
0.18	-0.30423	0.18	-0.45562
0.25	-0.35159	0.25	-0.46536
0.32	-0.45817	0.32	-0.43630
0.39	-0.51298	0.39	-0.35230
0.46	-0.36101	0.46	-0.29564
0.53	-0.27354	0.53	-0.33663
0.60	-0.16970	0.60	-0.14187
0.67	-0.08610	0.67	-0.04797
0.74	-0.00313	0.74	0.02884
0.81	0.06773	0.81	0.08916
0.88	0.13413	0.88	0.09860
0.95	0.20601	0.95	0.20198

436

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
26	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.8502	5.03	0.01	31.83 / 664.8	100.92 / 2107.7	62.91 / 1313.9	12.61 / 3.85	323.17 / 122.03

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-0.81271	0.05	0.21609
0.06	-1.07841	0.10	0.01998
0.11	-1.08684	0.20	-0.15456
0.17	-1.11466	0.35	-0.36568
0.23	-1.12873	0.50	-0.60651
0.29	-0.91693	0.65	-0.27357
0.35	-0.64892	0.80	-0.05329
0.41	-0.53329	0.95	0.15034
0.47	-0.55132		
0.53	-0.53595		
0.57	-0.52222		
0.65	-0.50124		
0.71	-0.49648		
0.77	-0.45917		
0.83	-0.43482		
0.89	-0.41332		
0.95	-0.37044		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-0.27726	0.02	0.02462
0.06	-0.27879	0.06	-0.08191
0.11	-0.29047	0.11	-0.16350
0.18	-0.40576	0.18	-0.27768
0.25	-0.44957	0.25	-0.32701
0.32	-0.53728	0.32	-0.34054
0.39	-0.64514	0.39	-0.31253
0.46	-0.50072	0.46	-0.26522
0.53	-0.24018	0.53	-0.31268
0.60	-0.14455	0.60	-0.13279
0.67	-0.06646	0.67	-0.04370
0.74	0.00982	0.74	0.03091
0.81	0.07998	0.81	0.09392
0.88	0.14510	0.88	0.10337
0.95	0.21567	0.95	0.20597

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
26	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.8507	7.34	0.02	31.85	100.92	62.88	12.61	323.41
				665.2	2107.7	1313.2	3.84	122.47

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.99571	0.05	0.36217
0.06	-1.19284	0.10	0.15113
0.11	-1.19055	0.20	-0.04386
0.17	-1.09875	0.35	-0.26887
0.23	-0.89149	0.50	-0.53474
0.29	-0.75069	0.65	-0.25785
0.35	-0.67312	0.80	0.08662
0.41	-0.56192	0.95	0.19515
0.47	-0.60428		
0.53	-0.58206		
0.57	-0.57592		
0.65	-0.56589		
0.71	-0.56965		
0.77	-0.56339		
0.83	-0.55834		
0.89	-0.54042		
0.95	-0.50090		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.51371	0.02	0.19472
0.06	-0.48481	0.06	0.04392
0.11	-0.40752	0.11	-0.06310
0.18	-0.51329	0.18	-0.17366
0.25	-0.54938	0.25	-0.22588
0.32	-0.61162	0.32	-0.26531
0.39	-0.72863	0.39	-0.27040
0.46	-0.76422	0.46	-0.23737
0.53	-0.27475	0.53	-0.28125
0.60	-0.13266	0.60	-0.11899
0.67	-0.05431	0.67	-0.03487
0.74	0.01947	0.74	0.03552
0.81	0.08469	0.81	0.08215
0.88	0.14727	0.88	0.09011
0.95	0.21795	0.95	0.18987

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
26	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.8517	9.35	-0.02	31.89	100.92	62.81	12.61	323.54
				666.1	2107.7	1311.9	3.84	122.70

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.66589	0.05	0.47943
0.06	-0.66980	0.10	0.24996
0.11	-0.62921	0.20	0.04281
0.17	-0.59152	0.35	-0.18423
0.23	-0.61150	0.50	-0.45890
0.29	-0.61082	0.65	-0.20731
0.35	-0.57580	0.80	0.13964
0.41	-0.55736	0.95	0.20380
0.47	-0.57424		
0.53	-0.60534		
0.57	-0.60317		
0.65	-0.59243		
0.71	-0.57748		
0.77	-0.58693		
0.83	-0.58490		
0.89	-0.60388		
0.95	-0.56735		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.87498	0.02	0.37771
0.06	-0.75789	0.06	0.17501
0.11	-0.54979	0.11	0.05212
0.18	-0.61875	0.18	-0.04848
0.25	-0.68313	0.25	-0.12193
0.32	-0.71992	0.32	-0.17441
0.39	-0.81422	0.39	-0.19953
0.46	-0.85430	0.46	-0.17920
0.53	-0.31716	0.53	-0.22331
0.60	-0.16391	0.60	-0.09750
0.67	-0.06550	0.67	-0.03176
0.74	0.02077	0.74	0.03234
0.81	0.09102	0.81	0.08280
0.88	0.15841	0.88	0.08527
0.95	0.22149	0.95	0.17184

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
26	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.8477	11.43	0.00	31.73	100.92	63.07	12.60	323.26
				662.6	2107.7	1317.3	3.84	122.20

WING   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-0.54817	0.05	0.56127
0.06	-0.53585	0.10	0.34944
0.11	-0.53145	0.20	0.13622
0.17	-0.54165	0.35	-0.10113
0.23	-0.53857	0.50	-0.37497
0.29	-0.53942	0.65	-0.19114
0.35	-0.54059	0.80	0.17628
0.41	-0.55698	0.95	0.21901
0.47	-0.55727		
0.53	-0.55469		
0.57	-0.56869		
0.65	-0.58455		
0.71	-0.59636		
0.77	-0.60781		
0.83	-0.61163		
0.89	-0.62141		
0.95	-0.60132		

HORIZ. TAIL   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-1.04756	0.02	0.46061
0.06	-1.02112	0.06	0.26584
0.11	-0.87612	0.11	0.13381
0.18	-0.66960	0.18	0.01255
0.25	-0.73017	0.25	-0.05351
0.32	-0.78250	0.32	-0.10407
0.39	-0.86742	0.39	-0.14537
0.46	-0.70737	0.46	-0.13969
0.53	-0.30433	0.53	-0.18951
0.60	-0.19588	0.60	-0.06856
0.67	-0.10580	0.67	0.00111
0.74	-0.01675	0.74	0.06387
0.81	0.05596	0.81	0.09556
0.88	0.13284	0.88	0.09400
0.95	0.19635	0.95	0.16973

440

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
26	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.8497	13.65	-0.05	31.81	100.92	62.94	12.59	323.74
				664.3	2107.7	1314.6	3.84	123.07

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-0.51941	0.05	0.64243
0.06	-0.51135	0.10	0.44347
0.11	-0.50828	0.20	0.22786
0.17	-0.52574	0.35	-0.01399
0.23	-0.52204	0.50	-0.26176
0.29	-0.53228	0.65	-0.14836
0.35	-0.54769	0.80	0.20844
0.41	-0.55287	0.95	0.23539
0.47	-0.56238		
0.53	-0.56837		
0.57	-0.56964		
0.65	-0.59017		
0.71	-0.59369		
0.77	-0.61326		
0.83	-0.61733		
0.89	-0.62830		
0.95	-0.60886		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-1.10457	0.02	0.50292
0.06	-1.09641	0.06	0.30088
0.11	-0.98994	0.11	0.17686
0.18	-0.79775	0.18	0.04939
0.25	-0.79067	0.25	-0.03533
0.32	-0.82869	0.32	-0.08220
0.39	-0.90347	0.39	-0.11193
0.46	-0.50548	0.46	-0.11565
0.53	-0.30808	0.53	-0.17735
0.60	-0.22356	0.60	-0.06572
0.67	-0.13829	0.67	0.00182
0.74	-0.04978	0.74	0.06116
0.81	0.01775	0.81	0.08846
0.88	0.08923	0.88	0.08500
0.95	0.15186	0.95	0.15143

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
26	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.8517	15.75	-0.14	31.89	100.92	62.81	12.58	324.04
				666.1	2107.7	1311.9	3.84	123.61

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.49397	0.05	0.72186
	0.06	-0.50229	0.10	0.53257
	0.11	-0.50558	0.20	0.31637
	0.17	-0.50639	0.35	0.07929
	0.23	-0.50773	0.50	-0.15205
	0.29	-0.51924	0.65	-0.08502
	0.35	-0.51566	0.80	0.24068
	0.41	-0.54184	0.95	0.25377
	0.47	-0.53584		
	0.53	-0.54408		
	0.57	-0.56528		
	0.65	-0.57702		
	0.71	-0.58935		
	0.77	-0.58621		
	0.83	-0.60014		
	0.89	-0.58114		
	0.95	-0.57825		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.07212	0.02	0.51498
	0.06	-1.09179	0.06	0.30623
	0.11	-1.01407	0.11	0.15078
	0.18	-0.89358	0.18	0.01375
	0.25	-0.86285	0.25	-0.05990
	0.32	-0.85354	0.32	-0.10195
	0.39	-0.90411	0.39	-0.14152
	0.46	-0.44411	0.46	-0.15428
	0.53	-0.32383	0.53	-0.20386
	0.60	-0.26195	0.60	-0.05857
	0.67	-0.18023	0.67	0.00948
	0.74	-0.09333	0.74	0.06364
	0.81	-0.01541	0.81	0.07349
	0.88	0.06693	0.88	0.05594
	0.95	0.13006	0.95	0.12773

442

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
26	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.8502	17.92	-0.17	31.83 664.8	100.92 2107.7	62.91 1313.9	12.55 3.82	324.55 124.52

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.48797	0.05	0.78407
	0.06	-0.49521	0.10	0.60430
	0.11	-0.49776	0.20	0.39264
	0.17	-0.49388	0.35	0.15984
	0.23	-0.49731	0.50	-0.06133
	0.29	-0.50955	0.65	-0.02512
	0.35	-0.51919	0.80	0.25922
	0.41	-0.53421	0.95	0.26801
	0.47	-0.53712		
	0.53	-0.56139		
	0.57	-0.56546		
	0.65	-0.56427		
	0.71	-0.57785		
	0.77	-0.58202		
	0.83	-0.57396		
	0.89	-0.55844		
	0.95	-0.56483		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.04394	0.02	0.40771
	0.06	-1.09153	0.06	0.22652
	0.11	-1.02967	0.11	0.07234
	0.18	-0.95089	0.18	-0.06598
	0.25	-0.91624	0.25	-0.13080
	0.32	-0.88149	0.32	-0.17108
	0.39	-0.79391	0.39	-0.18667
	0.46	-0.42854	0.46	-0.16141
	0.53	-0.33715	0.53	-0.23885
	0.60	-0.27106	0.60	-0.06851
	0.67	-0.18846	0.67	-0.01254
	0.74	-0.11845	0.74	0.03081
	0.81	-0.03158	0.81	0.04764
	0.88	0.03034	0.88	0.03690
	0.95	0.08229	0.95	0.10242

443

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
26	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.8550	18.98	-0.22	32.04	100.95	62.62	12.55	325.22
				669.2	2108.4	1307.8	3.83	125.73

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.48078	0.05	0.80962
	0.06	-0.48269	0.10	0.63496
	0.11	-0.49474	0.20	0.43480
	0.17	-0.47385	0.35	0.20263
	0.23	-0.49855	0.50	-0.02400
	0.29	-0.49096	0.65	0.01027
	0.35	-0.50284	0.80	0.27076
	0.41	-0.51776	0.95	0.26896
	0.47	-0.50752		
	0.53	-0.54358		
	0.57	-0.53947		
	0.65	-0.54418		
	0.71	-0.56416		
	0.77	-0.54698		
	0.83	-0.55633		
	0.89	-0.56920		
	0.95	-0.55074		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.98188	0.02	0.32771
	0.06	-1.03857	0.06	0.14300
	0.11	-0.97181	0.11	-0.01369
	0.18	-0.90733	0.18	-0.11137
	0.25	-0.89496	0.25	-0.14620
	0.32	-0.86663	0.32	-0.15846
	0.39	-0.77124	0.39	-0.17605
	0.46	-0.42007	0.46	-0.14077
	0.53	-0.31958	0.53	-0.24960
	0.60	-0.25208	0.60	-0.07651
	0.67	-0.18022	0.67	-0.01720
	0.74	-0.10755	0.74	0.02273
	0.81	-0.02652	0.81	0.03102
	0.88	0.03872	0.88	0.00985
	0.95	0.07947	0.95	0.07820

444

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
26	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.8510	-1.76	-0.02	31.87 665.7	100.95 2108.4	62.88 1313.2	12.57 3.83	324.38 124.22

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.11432	0.05	-0.36624
0.06	-0.43412	0.10	-0.46287
0.11	-0.46838	0.20	-0.64682
0.17	-0.53421	0.35	-0.69631
0.23	-0.56612	0.50	-0.62319
0.29	-0.60443	0.65	-0.22288
0.35	-0.55814	0.80	-0.17933
0.41	-0.51774	0.95	-0.06291
0.47	-0.59355		
0.53	-0.66809		
0.57	-0.64703		
0.65	-0.73399		
0.71	-0.76735		
0.77	-0.39971		
0.83	-0.19984		
0.89	-0.11516		
0.95	-0.03645		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.29543	0.02	-0.99083
0.06	0.11622	0.06	-0.75713
0.11	0.01310	0.11	-0.62452
0.18	-0.11201	0.18	-0.72412
0.25	-0.18013	0.25	-0.74816
0.32	-0.27896	0.32	-0.79343
0.39	-0.31661	0.39	-0.39131
0.46	-0.30253	0.46	-0.25520
0.53	-0.25363	0.53	-0.31245
0.60	-0.16783	0.60	-0.13048
0.67	-0.09317	0.67	-0.04437
0.74	-0.01607	0.74	0.03038
0.81	0.05114	0.81	0.08217
0.88	0.11159	0.88	0.09517
0.95	0.18398	0.95	0.19725

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
27	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.6007	-6.44	-0.01	20.02	101.15	79.26	11.11	305.35
				418.2	2112.6	1655.3	3.39	89.96

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.55561	0.05	-2.05322
0.06	0.23803	0.10	-1.07517
0.11	0.08073	0.20	-0.81301
0.17	-0.01626	0.35	-0.64688
0.23	-0.09900	0.50	-0.51514
0.29	-0.13831	0.65	-0.13822
0.35	-0.17431	0.80	0.08241
0.41	-0.21003	0.95	0.17737
0.47	-0.24536		
0.53	-0.27990		
0.57	-0.30277		
0.65	-0.30238		
0.71	-0.27556		
0.77	-0.23462		
0.83	-0.18400		
0.89	-0.10247		
0.95	0.00318		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.53376	0.02	-1.76619
0.06	0.33432	0.06	-1.26708
0.11	0.19588	0.11	-0.79362
0.18	0.06574	0.18	-0.68322
0.25	-0.00655	0.25	-0.59662
0.32	-0.06827	0.32	-0.53350
0.39	-0.10815	0.39	-0.45967
0.46	-0.11030	0.46	-0.37922
0.53	-0.10629	0.53	-0.40777
0.60	-0.07073	0.60	-0.22042
0.67	-0.03950	0.67	-0.12825
0.74	-0.00084	0.74	-0.04726
0.81	0.03011	0.81	0.01027
0.88	0.06525	0.88	0.02197
0.95	0.10860	0.95	0.12605

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
27	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.6012	-3.94	-0.01	20.05 418.7	101.19 2113.3	79.26 1655.3	11.09 3.38	306.01 91.14

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.22995	0.05	-1.16293
	0.06	-0.00617	0.10	-0.78539
	0.11	-0.11518	0.20	-0.64511
	0.17	-0.18093	0.35	-0.54684
	0.23	-0.24765	0.50	-0.48316
	0.29	-0.26671	0.65	-0.12046
	0.35	-0.27379	0.80	0.14837
	0.41	-0.29302	0.95	0.25741
	0.47	-0.32486		
	0.53	-0.35368		
	0.57	-0.36092		
	0.65	-0.34879		
	0.71	-0.31074		
	0.77	-0.25891		
	0.83	-0.19559		
	0.89	-0.10004		
	0.95	0.00820		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.42520	0.02	-1.35125
	0.06	0.23988	0.06	-0.66234
	0.11	0.11124	0.11	-0.64985
	0.18	-0.00617	0.18	-0.59333
	0.25	-0.06547	0.25	-0.52355
	0.32	-0.12946	0.32	-0.47905
	0.39	-0.14731	0.39	-0.41526
	0.46	-0.14762	0.46	-0.34900
	0.53	-0.13545	0.53	-0.37670
	0.60	-0.10038	0.60	-0.20023
	0.67	-0.06349	0.67	-0.11350
	0.74	-0.01449	0.74	-0.03875
	0.81	0.03436	0.81	0.02263
	0.88	0.07473	0.88	0.03428
	0.95	0.12496	0.95	0.13967

447

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
27	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.5996	-1.72	-0.01	19.97 417.0	101.15 2112.6	79.33 1656.8	11.04 3.37	306.53 92.08

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.14950	0.05	-0.69207
	0.06	-0.29921	0.10	-0.55212
	0.11	-0.34968	0.20	-0.49150
	0.17	-0.40022	0.35	-0.45036
	0.23	-0.41379	0.50	-0.42358
	0.29	-0.39235	0.65	-0.09264
	0.35	-0.40155	0.80	0.18336
	0.41	-0.40681	0.95	0.27390
	0.47	-0.41869		
	0.53	-0.42826		
	0.57	-0.43073		
	0.65	-0.39735		
	0.71	-0.35481		
	0.77	-0.28825		
	0.83	-0.21465		
	0.89	-0.10910		
	0.95	0.00513		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.28868	0.02	-0.95474
	0.06	0.12245	0.06	-0.55228
	0.11	0.01824	0.11	-0.53171
	0.18	-0.08740	0.18	-0.50104
	0.25	-0.13747	0.25	-0.44667
	0.32	-0.18565	0.32	-0.41836
	0.39	-0.19857	0.39	-0.37885
	0.46	-0.18895	0.46	-0.32445
	0.53	-0.16831	0.53	-0.35201
	0.60	-0.12078	0.60	-0.18922
	0.67	-0.07769	0.67	-0.10559
	0.74	-0.02395	0.74	-0.03462
	0.81	0.02095	0.81	0.01961
	0.88	0.06916	0.88	0.03195
	0.95	0.12798	0.95	0.13839

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
27	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.5996	0.43	-0.01	19.97 417.0	101.15 2112.6	79.33 1656.8	11.03 3.36	306.75 92.48

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.59724	0.05	-0.32393
	0.06	-0.58752	0.10	-0.30194
	0.11	-0.59038	0.20	-0.32810
	0.17	-0.58081	0.35	-0.35335
	0.23	-0.56251	0.50	-0.36462
	0.29	-0.52151	0.65	-0.06802
	0.35	-0.50539	0.80	0.20541
	0.41	-0.49816	0.95	0.29929
	0.47	-0.49677		
	0.53	-0.50405		
	0.57	-0.49549		
	0.65	-0.44428		
	0.71	-0.40048		
	0.77	-0.32911		
	0.83	-0.24335		
	0.89	-0.12362		
	0.95	-0.00560		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.10571	0.02	-0.59187
	0.06	-0.01634	0.06	-0.43214
	0.11	-0.08923	0.11	-0.37642
	0.18	-0.16350	0.18	-0.41422
	0.25	-0.20807	0.25	-0.39479
	0.32	-0.25272	0.32	-0.38578
	0.39	-0.24931	0.39	-0.34618
	0.46	-0.22874	0.46	-0.29976
	0.53	-0.19755	0.53	-0.32593
	0.60	-0.14641	0.60	-0.17758
	0.67	-0.09636	0.67	-0.09470
	0.74	-0.03507	0.74	-0.02538
	0.81	0.01667	0.81	0.01734
	0.88	0.06440	0.88	0.02738
	0.95	0.12565	0.95	0.12969

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
27	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.6002	2.59	-0.01	19.99 417.6	101.15 2112.6	79.29 1656.0	11.02 3.36	307.03 92.99

WING   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-1.37386	0.05	-0.00323
0.06	-1.07552	0.10	-0.08082
0.11	-0.84736	0.20	-0.17327
0.17	-0.79635	0.35	-0.25194
0.23	-0.72865	0.50	-0.29705
0.29	-0.65845	0.65	-0.03891
0.35	-0.62524	0.80	0.22254
0.41	-0.59530	0.95	0.30682
0.47	-0.58169		
0.53	-0.56575		
0.57	-0.55007		
0.65	-0.48790		
0.71	-0.41736		
0.77	-0.33157		
0.83	-0.23525		
0.89	-0.12627		
0.95	-0.01096		

HORIZ. TAIL   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-0.07112	0.02	-0.30273
0.06	-0.13802	0.06	-0.28335
0.11	-0.18185	0.11	-0.28198
0.18	-0.23488	0.18	-0.32646
0.25	-0.27237	0.25	-0.32924
0.32	-0.30968	0.32	-0.32637
0.39	-0.30540	0.39	-0.30674
0.46	-0.27803	0.46	-0.26905
0.53	-0.23625	0.53	-0.28999
0.60	-0.16938	0.60	-0.16002
0.67	-0.11174	0.67	-0.08181
0.74	-0.04668	0.74	-0.01798
0.81	0.00888	0.81	0.01763
0.88	0.06255	0.88	0.02328
0.95	0.13048	0.95	0.12511

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
27	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.6003	4.91	-0.01	19.99 417.6	101.12 2111.9	79.26 1655.3	11.01 3.36	307.33 93.52

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-2.08103	0.05	0.23869
0.06	-2.02381	0.10	0.10467
0.11	-1.05069	0.20	-0.03732
0.17	-0.96854	0.35	-0.14942
0.23	-0.86644	0.50	-0.21890
0.29	-0.76689	0.65	0.00050
0.35	-0.69924	0.80	0.24404
0.41	-0.65179	0.95	0.31334
0.47	-0.61933		
0.53	-0.59705		
0.57	-0.56831		
0.65	-0.48773		
0.71	-0.41164		
0.77	-0.31988		
0.83	-0.21855		
0.89	-0.10772		
0.95	-0.00884		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.31577	0.02	-0.04780
0.06	-0.27284	0.06	-0.11583
0.11	-0.28800	0.11	-0.16105
0.18	-0.32276	0.18	-0.23388
0.25	-0.32849	0.25	-0.25230
0.32	-0.35015	0.32	-0.26108
0.39	-0.34373	0.39	-0.25385
0.46	-0.30033	0.46	-0.21785
0.53	-0.25111	0.53	-0.23915
0.60	-0.17862	0.60	-0.13934
0.67	-0.11517	0.67	-0.06250
0.74	-0.04341	0.74	-0.00050
0.81	0.00821	0.81	0.03568
0.88	0.06268	0.88	0.03761
0.95	0.12996	0.95	0.12996

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
27	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
16	0.5991	7.10	-0.01	19.94 416.4	101.15 2112.6	79.36 1657.5	10.97 3.34	307.91 94.57

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-2.54731	0.05	0.39584
	0.06	-2.45148	0.10	0.24527
	0.11	-1.95424	0.20	0.06877
	0.17	-1.22252	0.35	-0.06688
	0.23	-1.00080	0.50	-0.17690
	0.29	-0.86686	0.65	0.01760
	0.35	-0.77411	0.80	0.25136
	0.41	-0.71033	0.95	0.31137
	0.47	-0.64871		
	0.53	-0.61090		
	0.57	-0.57027		
	0.65	-0.47808		
	0.71	-0.39139		
	0.77	-0.30381		
	0.83	-0.21410		
	0.89	-0.12194		
	0.95	-0.04536		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.67759	0.02	0.14984
	0.06	-0.45488	0.06	-0.00057
	0.11	-0.39008	0.11	-0.06588
	0.18	-0.42825	0.18	-0.16651
	0.25	-0.40286	0.25	-0.19743
	0.32	-0.41183	0.32	-0.21610
	0.39	-0.3d234	0.39	-0.22449
	0.46	-0.33016	0.46	-0.19743
	0.53	-0.27834	0.53	-0.20975
	0.60	-0.20069	0.60	-0.12462
	0.67	-0.13273	0.67	-0.05770
	0.74	-0.05684	0.74	0.00011
	0.81	0.00585	0.81	0.03350
	0.88	0.06574	0.88	0.03746
	0.95	0.13348	0.95	0.12809

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
27	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
17	0.5996	9.08	-0.01	19.97 / 417.0	101.15 / 2112.6	79.33 / 1656.8	10.97 / 3.35	307.93 / 94.60

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.54353	0.05	0.47096
0.06	-1.42510	0.10	0.28608
0.11	-1.35316	0.20	0.10109
0.17	-1.33083	0.35	-0.05924
0.23	-1.17492	0.50	-0.19484
0.29	-1.01042	0.65	-0.02705
0.35	-0.93025	0.80	0.18699
0.41	-0.79364	0.95	0.21350
0.47	-0.70553		
0.53	-0.61623		
0.57	-0.57757		
0.65	-0.46062		
0.71	-0.46324		
0.77	-0.43208		
0.83	-0.38524		
0.89	-0.33911		
0.95	-0.31034		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.91213	0.02	0.32389
0.06	-0.61035	0.06	0.08489
0.11	-0.50953	0.11	0.00824
0.18	-0.49847	0.18	-0.09118
0.25	-0.47556	0.25	-0.14880
0.32	-0.46866	0.32	-0.18555
0.39	-0.43170	0.39	-0.18008
0.46	-0.37255	0.46	-0.17020
0.53	-0.30550	0.53	-0.18019
0.60	-0.21162	0.60	-0.11298
0.67	-0.14278	0.67	-0.05782
0.74	-0.06293	0.74	-0.00019
0.81	-0.00423	0.81	0.02750
0.88	0.05687	0.88	0.02851
0.95	0.13066	0.95	0.11515

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
27	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
18	0.6007	11.12	-0.01	20.02 418.2	101.15 2112.6	79.26 1655.3	10.98 3.35	308.17 95.04

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.01183	0.05	0.49452
0.06	-0.90567	0.10	0.30608
0.11	-0.80960	0.20	0.12772
0.17	-0.82193	0.35	-0.04759
0.23	-0.84381	0.50	-0.21686
0.29	-0.82126	0.65	-0.07713
0.35	-0.75318	0.80	0.13061
0.41	-0.73471	0.95	0.14523
0.47	-0.73130		
0.53	-0.69511		
0.57	-0.68947		
0.65	-0.65333		
0.71	-0.61368		
0.77	-0.60965		
0.83	-0.56970		
0.89	-0.56228		
0.95	-0.48691		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.25714	0.02	0.47969
0.06	-0.66952	0.06	0.23515
0.11	-0.64900	0.11	0.11015
0.18	-0.58798	0.18	-0.00387
0.25	-0.53381	0.25	-0.08711
0.32	-0.52006	0.32	-0.11489
0.39	-0.48018	0.39	-0.13843
0.46	-0.40376	0.46	-0.13866
0.53	-0.32247	0.53	-0.15155
0.60	-0.22854	0.60	-0.08770
0.67	-0.15130	0.67	-0.03522
0.74	-0.06591	0.74	0.01591
0.81	-0.00085	0.81	0.05288
0.88	0.06293	0.88	0.04581
0.95	0.13564	0.95	0.11653

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
27	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.6013	13.13	-0.05	20.05 418.7	101.15 2112.6	79.22 1654.6	10.97 3.35	308.38 95.41

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.57377	0.05	0.56520
0.06	-0.61565	0.10	0.38290
0.11	-0.53326	0.20	0.18600
0.17	-0.56878	0.35	-0.00988
0.23	-0.61432	0.50	-0.19041
0.29	-0.76750	0.65	-0.06296
0.35	-0.54147	0.80	0.12912
0.41	-0.60769	0.95	0.09703
0.47	-0.60513		
0.53	-0.60742		
0.57	-0.59309		
0.65	-0.60213		
0.71	-0.58943		
0.77	-0.60172		
0.83	-0.58417		
0.89	-0.55013		
0.95	-0.53935		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.83046	0.02	0.58834
0.06	-0.90294	0.06	0.34739
0.11	-0.75186	0.11	0.21084
0.18	-0.66737	0.18	0.09335
0.25	-0.60636	0.25	0.01725
0.32	-0.56753	0.32	-0.03251
0.39	-0.49350	0.39	-0.06917
0.46	-0.41196	0.46	-0.07756
0.53	-0.32531	0.53	-0.09639
0.60	-0.22638	0.60	-0.04885
0.67	-0.14623	0.67	-0.01088
0.74	-0.06046	0.74	0.03567
0.81	0.00621	0.81	0.05883
0.88	0.06914	0.88	0.05207
0.95	0.13515	0.95	0.11505

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
27	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
20	0.6007	15.17	-0.13	20.02 418.2	101.15 2112.6	79.26 1655.3	10.96 3.34	308.51 95.64

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.49118	0.05	0.63302
0.06	-0.46763	0.10	0.46195
0.11	-0.46641	0.20	0.25918
0.17	-0.48086	0.35	0.04933
0.23	-0.49413	0.50	-0.14704
0.29	-0.49700	0.65	-0.04370
0.35	-0.51248	0.80	0.13066
0.41	-0.51864	0.95	0.09223
0.47	-0.54255		
0.53	-0.55375		
0.57	-0.54546		
0.65	-0.56382		
0.71	-0.57106		
0.77	-0.57858		
0.83	-0.57446		
0.89	-0.55775		
0.95	-0.53454		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.86709	0.02	0.62537
0.06	-1.49964	0.06	0.39122
0.11	-1.00536	0.11	0.25449
0.18	-0.75212	0.18	0.10864
0.25	-0.63919	0.25	0.02820
0.32	-0.57912	0.32	-0.02089
0.39	-0.51448	0.39	-0.05851
0.46	-0.41961	0.46	-0.06490
0.53	-0.33209	0.53	-0.07841
0.60	-0.24489	0.60	-0.03954
0.67	-0.16028	0.67	0.00279
0.74	-0.07774	0.74	0.04799
0.81	-0.00857	0.81	0.04870
0.88	0.05427	0.88	0.04391
0.95	0.11995	0.95	0.10489

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
27	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
21	0.5995	17.33	-0.17	19.97 417.0	101.19 2113.3	79.36 1657.5	10.94 3.34	308.60 95.81

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.49791	0.05	0.71278
	0.06	-0.50237	0.10	0.52779
	0.11	-0.50245	0.20	0.31831
	0.17	-0.49289	0.35	0.09597
	0.23	-0.50536	0.50	-0.08762
	0.29	-0.50780	0.65	-0.01265
	0.35	-0.53037	0.80	0.13767
	0.41	-0.54098	0.95	0.09745
	0.47	-0.55290		
	0.53	-0.55581		
	0.57	-0.56495		
	0.65	-0.57662		
	0.71	-0.58827		
	0.77	-0.58826		
	0.83	-0.58631		
	0.89	-0.59162		
	0.95	-0.58859		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.81312	0.02	0.64194
	0.06	-1.36195	0.06	0.40500
	0.11	-1.01229	0.11	0.25303
	0.18	-0.79509	0.18	0.11563
	0.25	-0.66350	0.25	0.02900
	0.32	-0.58464	0.32	-0.02702
	0.39	-0.52335	0.39	-0.06419
	0.46	-0.42280	0.46	-0.06991
	0.53	-0.33774	0.53	-0.08014
	0.60	-0.25026	0.60	-0.03909
	0.67	-0.16912	0.67	-0.00359
	0.74	-0.09618	0.74	0.03678
	0.81	-0.03006	0.81	0.04727
	0.88	0.02800	0.88	0.03774
	0.95	0.08352	0.95	0.09395

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
27	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
22	0.5995	18.29	-0.18	19.97 / 417.0	101.19 / 2113.3	79.36 / 1657.5	10.95 / 3.34	308.58 / 95.78

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.50328	0.05	0.72531
	0.06	-0.49043	0.10	0.55416
	0.11	-0.49362	0.20	0.34902
	0.17	-0.49227	0.35	0.13655
	0.23	-0.49474	0.50	-0.06902
	0.29	-0.52093	0.65	-0.00060
	0.35	-0.51195	0.80	0.14996
	0.41	-0.52526	0.95	0.09339
	0.47	-0.54091		
	0.53	-0.56164		
	0.57	-0.57503		
	0.65	-0.58555		
	0.71	-0.57899		
	0.77	-0.59627		
	0.83	-0.59154		
	0.89	-0.58065		
	0.95	-0.56574		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.69932	0.02	0.60517
	0.06	-1.21142	0.06	0.37380
	0.11	-0.93528	0.11	0.21970
	0.18	-0.76943	0.18	0.08231
	0.25	-0.64471	0.25	0.01447
	0.32	-0.57789	0.32	-0.03263
	0.39	-0.49727	0.39	-0.05434
	0.46	-0.41179	0.46	-0.06540
	0.53	-0.32508	0.53	-0.08926
	0.60	-0.23045	0.60	-0.04467
	0.67	-0.15896	0.67	-0.00998
	0.74	-0.09025	0.74	0.02858
	0.81	-0.02766	0.81	0.03432
	0.88	0.01949	0.88	0.02217
	0.95	0.06681	0.95	0.07452

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
27	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
23	0.6001	-1.76	-0.01	19.99	101.19	79.33	10.94	308.92
				417.6	2113.3	1656.8	3.33	96.39

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.11135	0.05	-0.66892
	0.06	-0.28060	0.10	-0.54299
	0.11	-0.32875	0.20	-0.50196
	0.17	-0.39041	0.35	-0.46475
	0.23	-0.39677	0.50	-0.43458
	0.29	-0.38422	0.65	-0.10185
	0.35	-0.40146	0.80	0.17741
	0.41	-0.40875	0.95	0.27219
	0.47	-0.42165		
	0.53	-0.43793		
	0.57	-0.43671		
	0.65	-0.40360		
	0.71	-0.36130		
	0.77	-0.29758		
	0.83	-0.22450		
	0.89	-0.11269		
	0.95	0.00382		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.28565	0.02	-0.92344
	0.06	0.13787	0.06	-0.54223
	0.11	0.01830	0.11	-0.52824
	0.18	-0.08057	0.18	-0.49749
	0.25	-0.14113	0.25	-0.45602
	0.32	-0.20044	0.32	-0.43902
	0.39	-0.20437	0.39	-0.39577
	0.46	-0.19305	0.46	-0.33752
	0.53	-0.17605	0.53	-0.36351
	0.60	-0.12373	0.60	-0.19534
	0.67	-0.08388	0.67	-0.11150
	0.74	-0.03202	0.74	-0.04004
	0.81	0.02035	0.81	0.01092
	0.88	0.06530	0.88	0.02129
	0.95	0.12123	0.95	0.12830

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
28	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7789	-6.41	0.00	28.75	101.08	67.70	12.54	314.69
				600.4	2111.2	1414.0	3.82	106.78

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.47238	0.05	-1.40830
	0.06	0.18333	0.10	-1.40170
	0.11	0.03270	0.20	-1.27577
	0.17	-0.08366	0.35	-0.71668
	0.23	-0.16265	0.50	-0.51710
	0.29	-0.20188	0.65	-0.32887
	0.35	-0.24532	0.80	-0.14364
	0.41	-0.28917	0.95	0.02663
	0.47	-0.34933		
	0.53	-0.41492		
	0.57	-0.44354		
	0.65	-0.47489		
	0.71	-0.48024		
	0.77	-0.40176		
	0.83	-0.31206		
	0.89	-0.20636		
	0.95	-0.11205		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.50853	0.02	-1.60326
	0.06	0.31149	0.06	-1.42806
	0.11	0.17480	0.11	-1.30953
	0.18	0.04494	0.18	-1.11500
	0.25	-0.02871	0.25	-0.55590
	0.32	-0.11615	0.32	-0.45625
	0.39	-0.14851	0.39	-0.40349
	0.46	-0.16405	0.46	-0.33119
	0.53	-0.15715	0.53	-0.35515
	0.60	-0.11842	0.60	-0.17067
	0.67	-0.07676	0.67	-0.08164
	0.74	-0.02344	0.74	-0.00504
	0.81	0.02382	0.81	0.05949
	0.88	0.06477	0.88	0.07250
	0.95	0.11923	0.95	0.16425

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
28	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.7790	-4.04	-0.01	28.75	101.05	67.67	12.50	315.39
				600.4	2110.5	1413.3	3.81	108.03

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.20873	0.05	-1.22711
	0.06	-0.04249	0.10	-1.15725
	0.11	-0.15758	0.20	-1.07681
	0.17	-0.22186	0.35	-0.74983
	0.23	-0.29094	0.50	-0.39917
	0.29	-0.30297	0.65	-0.06889
	0.35	-0.33215	0.80	0.05109
	0.41	-0.36781	0.95	0.19046
	0.47	-0.42050		
	0.53	-0.45571		
	0.57	-0.47178		
	0.65	-0.45371		
	0.71	-0.39754		
	0.77	-0.30367		
	0.83	-0.20032		
	0.89	-0.07062		
	0.95	0.05527		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.40797	0.02	-1.38784
	0.06	0.22751	0.06	-1.17869
	0.11	0.10252	0.11	-0.83159
	0.18	-0.02385	0.18	-0.83941
	0.25	-0.08764	0.25	-0.53383
	0.32	-0.16293	0.32	-0.49157
	0.39	-0.19627	0.39	-0.42476
	0.46	-0.18975	0.46	-0.33933
	0.53	-0.16943	0.53	-0.35128
	0.60	-0.13018	0.60	-0.17649
	0.67	-0.08185	0.67	-0.08347
	0.74	-0.02241	0.74	-0.00360
	0.81	0.03828	0.81	0.05725
	0.88	0.08706	0.88	0.07631
	0.95	0.14788	0.95	0.17827

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
28	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.7794	-1.90	-0.01	28.77	101.08	67.67	12.47	315.99
				600.9	2111.2	1413.3	3.80	109.11

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.08968	0.05	-0.79085
	0.06	-0.26464	0.10	-0.88718
	0.11	-0.36135	0.20	-0.69113
	0.17	-0.41606	0.35	-0.69662
	0.23	-0.46819	0.50	-0.47266
	0.29	-0.46693	0.65	-0.06524
	0.35	-0.47057	0.80	0.13808
	0.41	-0.47535	0.95	0.26642
	0.47	-0.51787		
	0.53	-0.56382		
	0.57	-0.56305		
	0.65	-0.49518		
	0.71	-0.40353		
	0.77	-0.29810		
	0.83	-0.18630		
	0.89	-0.05651		
	0.95	0.06393		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.30400	0.02	-1.11312
	0.06	0.13846	0.06	-0.79868
	0.11	0.03250	0.11	-0.73459
	0.18	-0.10360	0.18	-0.61740
	0.25	-0.15940	0.25	-0.54712
	0.32	-0.22428	0.32	-0.50166
	0.39	-0.25484	0.39	-0.42441
	0.46	-0.24064	0.46	-0.34034
	0.53	-0.20807	0.53	-0.35533
	0.60	-0.14002	0.60	-0.17157
	0.67	-0.08324	0.67	-0.07955
	0.74	-0.01751	0.74	-0.00246
	0.81	0.03722	0.81	0.05916
	0.88	0.09071	0.88	0.07697
	0.95	0.15743	0.95	0.18097

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
28	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.7785	0.63	-0.01	28.72	101.05	67.70	12.47	315.84
				599.9	2110.5	1414.0	3.80	108.84

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.52813	0.05	-0.33982
	0.06	-0.66178	0.10	-0.38991
	0.11	-0.73404	0.20	-0.41857
	0.17	-0.74732	0.35	-0.48562
	0.23	-0.78906	0.50	-0.47880
	0.29	-0.76005	0.65	-0.05687
	0.35	-0.57746	0.80	0.20435
	0.41	-0.59930	0.95	0.30774
	0.47	-0.64373		
	0.53	-0.68217		
	0.57	-0.65114		
	0.65	-0.51557		
	0.71	-0.40760		
	0.77	-0.29476		
	0.83	-0.18079		
	0.89	-0.05624		
	0.95	0.05170		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.15134	0.02	-0.67891
	0.06	0.03629	0.06	-0.52386
	0.11	-0.06633	0.11	-0.45985
	0.18	-0.17537	0.18	-0.50160
	0.25	-0.23274	0.25	-0.45258
	0.32	-0.29664	0.32	-0.42503
	0.39	-0.30987	0.39	-0.38572
	0.46	-0.28435	0.46	-0.31883
	0.53	-0.23906	0.53	-0.34052
	0.60	-0.16281	0.60	-0.16560
	0.67	-0.09621	0.67	-0.07492
	0.74	-0.02384	0.74	-0.00015
	0.81	0.04153	0.81	0.05886
	0.88	0.10122	0.88	0.07109
	0.95	0.17280	0.95	0.17537

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
28	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.7801	3.05	-0.01	28.80 601.4	101.05 2110.5	67.60 1411.9	12.44 3.79	316.62 110.25

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.88818	0.05	-0.03167
0.06	-1.09780	0.10	-0.12049
0.11	-1.17854	0.20	-0.22745
0.17	-1.14935	0.35	-0.34627
0.23	-1.15832	0.50	-0.40536
0.29	-1.17483	0.65	-0.03665
0.35	-1.12518	0.80	0.24235
0.41	-1.08625	0.95	0.33257
0.47	-1.00814		
0.53	-0.58938		
0.57	-0.48846		
0.65	-0.41025		
0.71	-0.34309		
0.77	-0.25101		
0.83	-0.15964		
0.89	-0.05427		
0.95	0.03508		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.02639	0.02	-0.29638
0.06	-0.09301	0.06	-0.29120
0.11	-0.18259	0.11	-0.32679
0.18	-0.27663	0.18	-0.39095
0.25	-0.30344	0.25	-0.38729
0.32	-0.37015	0.32	-0.39472
0.39	-0.36353	0.39	-0.35284
0.46	-0.31984	0.46	-0.28981
0.53	-0.26234	0.53	-0.31706
0.60	-0.17835	0.60	-0.15674
0.67	-0.10295	0.67	-0.06760
0.74	-0.02425	0.74	0.00455
0.81	0.04033	0.81	0.05997
0.88	0.10386	0.88	0.07238
0.95	0.17444	0.95	0.17351

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
28	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.7795	5.15	-0.01	28.77 600.9	101.05 2110.5	67.64 1412.6	12.44 3.79	316.62 110.25

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.06450	0.05	0.13515
	0.06	-1.30530	0.10	0.00151
	0.11	-1.34273	0.20	-0.12281
	0.17	-1.32732	0.35	-0.26989
	0.23	-1.31386	0.50	-0.39719
	0.29	-0.87757	0.65	-0.07098
	0.35	-0.75701	0.80	0.19964
	0.41	-0.69520	0.95	0.25567
	0.47	-0.65822		
	0.53	-0.60652		
	0.57	-0.56887		
	0.65	-0.47740		
	0.71	-0.43278		
	0.77	-0.38101		
	0.83	-0.32745		
	0.89	-0.27741		
	0.95	-0.24844		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.30299	0.02	-0.05714
	0.06	-0.27805	0.06	-0.13738
	0.11	-0.30053	0.11	-0.18656
	0.18	-0.37393	0.18	-0.27973
	0.25	-0.38934	0.25	-0.30790
	0.32	-0.43515	0.32	-0.31399
	0.39	-0.42161	0.39	-0.28532
	0.46	-0.36065	0.46	-0.25561
	0.53	-0.28706	0.53	-0.27499
	0.60	-0.19670	0.60	-0.13971
	0.67	-0.11633	0.67	-0.05988
	0.74	-0.03313	0.74	0.01038
	0.81	0.04106	0.81	0.05534
	0.88	0.10681	0.88	0.06641
	0.95	0.17908	0.95	0.16693

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
28	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.7785	7.43	-0.01	28.72 599.9	101.05 2110.5	67.70 1414.0	12.39 3.78	317.44 111.73

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.29912	0.05	0.28942
	0.06	-1.41726	0.10	0.12405
	0.11	-1.33939	0.20	-0.03415
	0.17	-1.16430	0.35	-0.20477
	0.23	-0.87826	0.50	-0.37116
	0.29	-0.80908	0.65	-0.08176
	0.35	-0.76750	0.80	0.19204
	0.41	-0.70005	0.95	0.23328
	0.47	-0.67036		
	0.53	-0.63825		
	0.57	-0.61915		
	0.65	-0.55808		
	0.71	-0.51365		
	0.77	-0.48602		
	0.83	-0.47596		
	0.89	-0.43787		
	0.95	-0.39541		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.61454	0.02	0.18510
	0.06	-0.49388	0.06	0.02481
	0.11	-0.43838	0.11	-0.07115
	0.18	-0.51737	0.18	-0.17404
	0.25	-0.52000	0.25	-0.21744
	0.32	-0.53859	0.32	-0.24166
	0.39	-0.48320	0.39	-0.23912
	0.46	-0.38802	0.46	-0.20796
	0.53	-0.30383	0.53	-0.21985
	0.60	-0.20309	0.60	-0.12173
	0.67	-0.11713	0.67	-0.04917
	0.74	-0.02870	0.74	0.01386
	0.81	0.04383	0.81	0.05880
	0.88	0.11299	0.88	0.07007
	0.95	0.18550	0.95	0.16145

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
28	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.7811	9.38	-0.03	28.84	101.05	67.54	12.39	317.99
				602.4	2110.5	1410.5	3.78	112.71

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.01518	0.05	0.39126
0.06	-0.79483	0.10	0.22166
0.11	-0.73248	0.20	0.03878
0.17	-0.72638	0.35	-0.15050
0.23	-0.77731	0.50	-0.33203
0.29	-0.69383	0.65	-0.08379
0.35	-0.69692	0.80	0.17625
0.41	-0.64105	0.95	0.20975
0.47	-0.63459		
0.53	-0.64913		
0.57	-0.61338		
0.65	-0.61284		
0.71	-0.60413		
0.77	-0.58525		
0.83	-0.56540		
0.89	-0.55635		
0.95	-0.55182		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.03003	0.02	0.37407
0.06	-0.76463	0.06	0.15164
0.11	-0.55985	0.11	0.03533
0.18	-0.66259	0.18	-0.08707
0.25	-0.61361	0.25	-0.12990
0.32	-0.60983	0.32	-0.16670
0.39	-0.49882	0.39	-0.19146
0.46	-0.39089	0.46	-0.16771
0.53	-0.30091	0.53	-0.18544
0.60	-0.19633	0.60	-0.10354
0.67	-0.10753	0.67	-0.03583
0.74	-0.02045	0.74	0.02368
0.81	0.05314	0.81	0.07135
0.88	0.11999	0.88	0.07485
0.95	0.18767	0.95	0.15552

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
28	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.7797	11.33	-0.08	28.77 600.9	101.02 2109.8	67.60 1411.9	12.36 3.77	318.08 112.88

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.60061	0.05	0.47672
0.06	-0.58228	0.10	0.31382
0.11	-0.54769	0.20	0.11623
0.17	-0.55823	0.35	-0.08400
0.23	-0.55728	0.50	-0.29257
0.29	-0.56976	0.65	-0.07953
0.35	-0.58035	0.80	0.17925
0.41	-0.57557	0.95	0.20020
0.47	-0.57696		
0.53	-0.58734		
0.57	-0.59038		
0.65	-0.58742		
0.71	-0.59269		
0.77	-0.58575		
0.83	-0.58045		
0.89	-0.56359		
0.95	-0.53367		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.33638	0.02	0.49094
0.06	-1.23085	0.06	0.28069
0.11	-0.80231	0.11	0.15704
0.18	-0.75126	0.18	0.03527
0.25	-0.73574	0.25	-0.03347
0.32	-0.67663	0.32	-0.08214
0.39	-0.50515	0.39	-0.12213
0.46	-0.39132	0.46	-0.11772
0.53	-0.29424	0.53	-0.13441
0.60	-0.18779	0.60	-0.06066
0.67	-0.10106	0.67	-0.00963
0.74	-0.01593	0.74	0.04619
0.81	0.05284	0.81	0.07556
0.88	0.11833	0.88	0.07815
0.95	0.18346	0.95	0.14885

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
28	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.7795	13.54	0.01	28.77	101.05	67.64	12.35	318.34
				600.9	2110.5	1412.6	3.77	113.35

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.48639	0.05	0.58168
0.06	-1.41786	0.10	0.41353
0.11	-1.30459	0.20	0.20636
0.17	-1.29563	0.35	-0.00573
0.23	-1.27653	0.50	-0.22002
0.29	-1.27298	0.65	-0.04256
0.35	-1.22250	0.80	0.19053
0.41	-1.07496	0.95	0.21409
0.47	-0.79029		
0.53	-0.58500		
0.57	-0.59351		
0.65	-0.58114		
0.71	-0.56893		
0.77	-0.59768		
0.83	-0.61367		
0.89	-0.61737		
0.95	-0.59861		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.42281	0.02	0.54102
0.06	-1.34464	0.06	0.32398
0.11	-1.18351	0.11	0.19615
0.18	-0.82986	0.18	0.05824
0.25	-0.82801	0.25	-0.02217
0.32	-0.73684	0.32	-0.06987
0.39	-0.50045	0.39	-0.11613
0.46	-0.38152	0.46	-0.11948
0.53	-0.28809	0.53	-0.12564
0.60	-0.18321	0.60	-0.06839
0.67	-0.10048	0.67	-0.00850
0.74	-0.01897	0.74	0.04520
0.81	0.05050	0.81	0.06574
0.88	0.11165	0.88	0.06582
0.95	0.17276	0.95	0.13205

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
28	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.7792	15.64	-0.03	28.75 600.4	101.02 2109.8	67.64 1412.6	12.32 3.76	318.91 114.36

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.49249	0.05	0.66396
	0.06	-1.48016	0.10	0.49344
	0.11	-1.45840	0.20	0.27938
	0.17	-1.54819	0.35	0.05672
	0.23	-0.86741	0.50	-0.15583
	0.29	-0.47323	0.65	-0.01803
	0.35	-0.46692	0.80	0.20555
	0.41	-0.49429	0.95	0.20972
	0.47	-0.49694		
	0.53	-0.52774		
	0.57	-0.52812		
	0.65	-0.53018		
	0.71	-0.53660		
	0.77	-0.55338		
	0.83	-0.56947		
	0.89	-0.57598		
	0.95	-0.60738		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.47548	0.02	0.57738
	0.06	-1.40925	0.06	0.35423
	0.11	-1.27081	0.11	0.22076
	0.18	-0.94627	0.18	0.08850
	0.25	-0.82384	0.25	0.01085
	0.32	-0.70941	0.32	-0.05713
	0.39	-0.51749	0.39	-0.08405
	0.46	-0.40367	0.46	-0.08617
	0.53	-0.31214	0.53	-0.10711
	0.60	-0.21385	0.60	-0.05446
	0.67	-0.12765	0.67	-0.00482
	0.74	-0.03969	0.74	0.04619
	0.81	0.02214	0.81	0.06810
	0.88	0.08547	0.88	0.06371
	0.95	0.13886	0.95	0.12411

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
28	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.7785	17.85	-0.04	28.72	101.05	67.70	12.30	319.18
				599.9	2110.5	1414.0	3.75	114.86

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.47612	0.05	0.73354
	0.06	-1.47197	0.10	0.56209
	0.11	-1.52764	0.20	0.36620
	0.17	-1.68344	0.35	0.14997
	0.23	-0.85296	0.50	-0.07758
	0.29	-0.50916	0.65	0.03684
	0.35	-0.50574	0.80	0.22631
	0.41	-0.51156	0.95	0.22067
	0.47	-0.52312		
	0.53	-0.51321		
	0.57	-0.53128		
	0.65	-0.52638		
	0.71	-0.55099		
	0.77	-0.56954		
	0.83	-0.57174		
	0.89	-0.59390		
	0.95	-0.61199		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.35135	0.02	0.50694
	0.06	-1.32771	0.06	0.29480
	0.11	-1.11401	0.11	0.16027
	0.18	-0.95303	0.18	0.02638
	0.25	-0.76947	0.25	-0.02916
	0.32	-0.63130	0.32	-0.07739
	0.39	-0.49525	0.39	-0.07758
	0.46	-0.39653	0.46	-0.07995
	0.53	-0.30677	0.53	-0.12787
	0.60	-0.20887	0.60	-0.02627
	0.67	-0.13213	0.67	0.02420
	0.74	-0.06599	0.74	0.04318
	0.81	-0.01927	0.81	0.05923
	0.88	0.02982	0.88	0.04129
	0.95	0.07948	0.95	0.09283

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
28	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.7799	19.04	-0.05	28.80	101.08	67.64	12.33	319.02
				601.4	2111.2	1412.6	3.76	114.56

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.45401	0.05	0.76137
	0.06	-1.45018	0.10	0.61148
	0.11	-1.52518	0.20	0.40327
	0.17	-1.58521	0.35	0.18616
	0.23	-0.97371	0.50	-0.03667
	0.29	-0.59247	0.65	0.05870
	0.35	-0.54052	0.80	0.23945
	0.41	-0.54442	0.95	0.23137
	0.47	-0.53605		
	0.53	-0.53564		
	0.57	-0.53332		
	0.65	-0.53187		
	0.71	-0.55564		
	0.77	-0.55089		
	0.83	-0.56020		
	0.89	-0.60914		
	0.95	-0.62583		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.20744	0.02	0.42610
	0.06	-1.12474	0.06	0.21021
	0.11	-0.96398	0.11	0.08542
	0.18	-0.77430	0.18	-0.00759
	0.25	-0.64295	0.25	-0.06517
	0.32	-0.55091	0.32	-0.08816
	0.39	-0.45957	0.39	-0.08156
	0.46	-0.35892	0.46	-0.07882
	0.53	-0.28645	0.53	-0.14667
	0.60	-0.20113	0.60	-0.01736
	0.67	-0.13456	0.67	0.04656
	0.74	-0.07423	0.74	-0.02802
	0.81	-0.01876	0.81	0.04412
	0.88	0.02345	0.88	0.02462
	0.95	0.06438	0.95	0.06625

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
28	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.7811	-1.79	-0.01	28.84 602.4	101.05 2110.5	67.54 1410.5	12.35 3.76	318.76 114.09

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.11701	0.05	-0.79345
0.06	-0.27969	0.10	-0.85951
0.11	-0.37638	0.20	-0.67544
0.17	-0.43446	0.35	-0.68257
0.23	-0.46567	0.50	-0.47304
0.29	-0.45200	0.65	-0.07038
0.35	-0.47513	0.80	0.12413
0.41	-0.49131	0.95	0.26438
0.47	-0.53040		
0.53	-0.56693		
0.57	-0.56778		
0.65	-0.50280		
0.71	-0.40867		
0.77	-0.29840		
0.83	-0.18524		
0.89	-0.05613		
0.95	0.06425		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.31675	0.02	-1.07587
0.06	0.13887	0.06	-0.83023
0.11	0.01228	0.11	-0.74010
0.18	-0.09308	0.18	-0.61433
0.25	-0.16464	0.25	-0.54768
0.32	-0.23047	0.32	-0.49561
0.39	-0.26319	0.39	-0.41750
0.46	-0.25151	0.46	-0.33652
0.53	-0.22629	0.53	-0.34831
0.60	-0.14374	0.60	-0.17255
0.67	-0.08493	0.67	-0.0750J
0.74	-0.01845	0.74	-0.01451
0.81	0.03849	0.81	0.05346
0.88	0.09480	0.88	0.07405
0.95	0.15986	0.95	0.17550

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
29	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8501	-6.31	-0.01	31.86 665.4	101.02 2109.8	62.98 1315.3	12.70 3.87	321.67 119.34

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.43552	0.05	-1.12646
0.06	0.15563	0.10	-1.14132
0.11	0.01191	0.20	-1.03673
0.17	-0.09329	0.35	-0.53226
0.23	-0.17267	0.50	-0.47768
0.29	-0.20402	0.65	-0.43490
0.35	-0.24974	0.80	-0.38775
0.41	-0.29689	0.95	-0.33427
0.47	-0.36719		
0.53	-0.45035		
0.57	-0.50223		
0.65	-0.57735		
0.71	-0.66756		
0.77	-0.73728		
0.83	-0.79507		
0.89	-0.83978		
0.95	-0.45414		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.48122	0.02	-1.30113
0.06	0.30654	0.06	-1.19482
0.11	0.16899	0.11	-1.14450
0.18	0.03309	0.18	-1.07529
0.25	-0.05369	0.25	-0.93426
0.32	-0.15179	0.32	-0.95132
0.39	-0.21042	0.39	-0.43352
0.46	-0.22537	0.46	-0.29145
0.53	-0.21975	0.53	-0.29525
0.60	-0.17194	0.60	-0.14670
0.67	-0.11851	0.67	-0.06519
0.74	-0.05279	0.74	-0.01651
0.81	0.00622	0.81	0.02992
0.88	0.05559	0.88	0.05833
0.95	0.11114	0.95	0.15421

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
29	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.8511	-4.00	-0.02	31.90 666.2	101.02 2109.8	62.91 1313.9	12.72 3.88	321.48 119.00

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.20926	0.05	-0.93321
0.06	-0.03605	0.10	-0.92218
0.11	-0.15494	0.20	-0.90784
0.17	-0.25638	0.35	-0.92213
0.23	-0.32443	0.50	-0.40438
0.29	-0.34188	0.65	-0.33964
0.35	-0.36916	0.80	-0.28375
0.41	-0.41194	0.95	-0.13898
0.47	-0.46399		
0.53	-0.53834		
0.57	-0.58009		
0.65	-0.65218		
0.71	-0.74147		
0.77	-0.79845		
0.83	-0.40753		
0.89	-0.23982		
0.95	-0.18045		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.38012	0.02	-1.15152
0.06	0.21221	0.06	-0.99140
0.11	0.08147	0.11	-0.91418
0.18	-0.04695	0.18	-0.77166
0.25	-0.12919	0.25	-0.84513
0.32	-0.22353	0.32	-0.85731
0.39	-0.27168	0.39	-0.39453
0.46	-0.27317	0.46	-0.26296
0.53	-0.25092	0.53	-0.29713
0.60	-0.17630	0.60	-0.13123
0.67	-0.10648	0.67	-0.04710
0.74	-0.02927	0.74	0.00570
0.81	0.03124	0.81	0.07216
0.88	0.08645	0.88	0.09212
0.95	0.15367	0.95	0.18735

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
29	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.8516	-1.85	-0.01	31.92 666.7	101.02 2109.8	62.88 1313.3	12.67 3.86	322.55 120.92

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.02568	0.05	-0.60911
	0.06	-0.23842	0.10	-0.74924
	0.11	-0.34358	0.20	-0.69763
	0.17	-0.41826	0.35	-0.57786
	0.23	-0.51612	0.50	-0.56462
	0.29	-0.53759	0.65	-0.23424
	0.35	-0.51142	0.80	-0.20285
	0.41	-0.53828	0.95	-0.09191
	0.47	-0.55332		
	0.53	-0.61046		
	0.57	-0.65915		
	0.65	-0.71650		
	0.71	-0.78477		
	0.77	-0.29990		
	0.83	-0.17139		
	0.89	-0.09381		
	0.95	-0 03266		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.28329	0.02	-0.94585
	0.06	0.13041	0.06	-0.71645
	0.11	0.00357	0.11	-0.64812
	0.18	-0.12577	0.18	-0.72274
	0.25	-0.20036	0.25	-0.74363
	0.32	-0.29073	0.32	-0.74355
	0.39	-0.32406	0.39	-0.36233
	0.46	-0.30784	0.46	-0.27982
	0.53	-0.25990	0.53	-0.30918
	0.60	-0.17518	0.60	-0.13628
	0.67	-0.10041	0.67	-0.04688
	0.74	-0.02058	0.74	0.00906
	0.81	0.04907	0.81	0.07954
	0.88	0.10847	0.88	0.09749
	0.95	0.18071	0.95	0.19676

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
29	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.8506	0.45	-0.01	31.88 665.8	101.02 2109.8	62.94 1314.6	12.68 3.86	322.25 120.38

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.31135	0.05	-0.32589
	0.06	-0.50296	0.10	-0.41417
	0.11	-0.68764	0.20	-0.47749
	0.17	-0.67249	0.35	-0.51891
	0.23	-0.68955	0.50	-0.83008
	0.29	-0.71904	0.65	-0.23914
	0.35	-0.70921	0.80	-0.18522
	0.41	-0.74381	0.95	-0.02471
	0.47	-0.77243		
	0.53	-0.81560		
	0.57	-0.85506		
	0.65	-0.46657		
	0.71	-0.27610		
	0.77	-0.21889		
	0.83	-0.16449		
	0.89	-0.10319		
	0.95	-0.04962		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.13540	0.02	-0.56358
	0.06	0.00996	0.06	-0.44744
	0.11	-0.08096	0.11	-0.49463
	0.18	-0.20853	0.18	-0.58058
	0.25	-0.26398	0.25	-0.62025
	0.32	-0.37488	0.32	-0.62316
	0.39	-0.40662	0.39	-0.34115
	0.46	-0.34937	0.46	-0.28464
	0.53	-0.27356	0.53	-0.31668
	0.60	-0.16740	0.60	-0.13823
	0.67	-0.08970	0.67	-0.04294
	0.74	-0.00644	0.74	0.01692
	0.81	0.06214	0.81	0.08367
	0.88	0.12603	0.88	0.10012
	0.95	0.19773	0.95	0.20426

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
29	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.8506	2.97	-0.01	31.88 665.8	101.02 2109.8	62.94 1314.6	12.65 3.86	322.76 121.29

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.59361	0.05	-0.08131
	0.06	-0.83569	0.10	-0.19470
	0.11	-0.91279	0.20	-0.28348
	0.17	-0.93781	0.35	-0.41319
	0.23	-0.96514	0.50	-0.75250
	0.29	-0.99205	0.65	-0.22636
	0.35	-0.99734	0.80	-0.10683
	0.41	-0.84799	0.95	0.08547
	0.47	-0.47739		
	0.53	-0.42759		
	0.57	-0.41668		
	0.65	-0.39709		
	0.71	-0.37560		
	0.77	-0.35143		
	0.83	-0.33352		
	0.89	-0.29804		
	0.95	-0.26555		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.05698	0.02	-0.24459
	0.06	-0.12630	0.06	-0.29223
	0.11	-0.19717	0.11	-0.31470
	0.18	-0.32047	0.18	-0.44205
	0.25	-0.37645	0.25	-0.47860
	0.32	-0.48158	0.32	-0.44791
	0.39	-0.56678	0.39	-0.35359
	0.46	-0.36707	0.46	-0.29369
	0.53	-0.27203	0.53	-0.31553
	0.60	-0.16724	0.60	-0.13831
	0.67	-0.08252	0.67	-0.04375
	0.74	0.00447	0.74	0.00847
	0.81	0.07240	0.81	0.08315
	0.88	0.13576	0.88	0.09830
	0.95	0.20740	0.95	0.20172

478

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
29	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.8501	5.06	-0.01	31.86 665.4	101.02 2109.8	62.98 1315.3	12.65 3.86	322.64 121.09

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.75171	0.05	0.10351
	0.06	-0.99526	0.10	-0.03337
	0.11	-1.05814	0.20	-0.16407
	0.17	-1.05730	0.35	-0.33391
	0.23	-0.98902	0.50	-0.68745
	0.29	-0.64039	0.65	-0.18925
	0.35	-0.56145	0.80	0.02492
	0.41	-0.53783	0.95	0.19113
	0.47	-0.52786		
	0.53	-0.50724		
	0.57	-0.49226		
	0.65	-0.47191		
	0.71	-0.45366		
	0.77	-0.43524		
	0.83	-0.41387		
	0.89	-0.41158		
	0.95	-0.38279		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.26695	0.02	0.01296
	0.06	-0.27791	0.06	-0.10892
	0.11	-0.31554	0.11	-0.19090
	0.18	-0.40719	0.18	-0.31216
	0.25	-0.44980	0.25	-0.33597
	0.32	-0.54059	0.32	-0.33287
	0.39	-0.66380	0.39	-0.31175
	0.46	-0.60339	0.46	-0.26126
	0.53	-0.24539	0.53	-0.29090
	0.60	-0.14179	0.60	-0.12651
	0.67	-0.06688	0.67	-0.03400
	0.74	0.01189	0.74	0.01735
	0.81	0.07972	0.81	0.09257
	0.88	0.14442	0.88	0.10661
	0.95	0.21490	0.95	0.20628

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
29	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.8511	7.44	-0.01	31.90 666.2	101.02 2109.8	62.91 1313.9	12.62 3.85	323.47 122.57

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.96528	0.05	0.25167
	0.06	-1.14140	0.10	0.10637
	0.11	-1.20169	0.20	-0.05587
	0.17	-1.11732	0.35	-0.24289
	0.23	-0.76914	0.50	-0.61905
	0.29	-0.66387	0.65	-0.12194
	0.35	-0.65219	0.80	0.15488
	0.41	-0.62511	0.95	0.21799
	0.47	-0.59823		
	0.53	-0.58676		
	0.57	-0.58196		
	0.65	-0.57085		
	0.71	-0.54188		
	0.77	-0.53861		
	0.83	-0.52591		
	0.89	-0.51420		
	0.95	-0.50797		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.60186	0.02	0.20828
	0.06	-0.50588	0.06	0.04146
	0.11	-0.42516	0.11	-0.04578
	0.18	-0.55027	0.18	-0.17321
	0.25	-0.55987	0.25	-0.21053
	0.32	-0.62645	0.32	-0.24728
	0.39	-0.72747	0.39	-0.25080
	0.46	-0.77039	0.46	-0.22658
	0.53	-0.20846	0.53	-0.25940
	0.60	-0.14092	0.60	-0.11533
	0.67	-0.05795	0.67	-0.02710
	0.74	0.02126	0.74	0.01748
	0.81	0.08885	0.81	0.08126
	0.88	0.15317	0.88	0.09153
	0.95	0.21758	0.95	0.18896

MICROCOPY RESOLUTION TEST CHART

NATIONAL BUREAU OF STANDARDS-1963-A

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
29	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.8486	9.41	-0.02	31.80 / 664.1	101.02 / 2109.8	63.08 / 1317.4	12.58 / 3.83	323.95 / 123.44

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.86341	0.05	0.37405
	0.06	-0.74258	0.10	0.22765
	0.11	-0.65847	0.20	0.04176
	0.17	-0.67941	0.35	-0.16798
	0.23	-0.64874	0.50	-0.50909
	0.29	-0.64065	0.65	-0.09051
	0.35	-0.61654	0.80	0.19357
	0.41	-0.61698	0.95	0.24479
	0.47	-0.60982		
	0.53	-0.56902		
	0.57	-0.58061		
	0.65	-0.59577		
	0.71	-0.61549		
	0.77	-0.61510		
	0.83	-0.59766		
	0.89	-0.58521		
	0.95	-0.57100		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.86256	0.02	0.32688
	0.06	-0.75847	0.06	0.12318
	0.11	-0.50979	0.11	0.03567
	0.18	-0.61864	0.18	-0.07907
	0.25	-0.68532	0.25	-0.14255
	0.32	-0.72935	0.32	-0.18811
	0.39	-0.80852	0.39	-0.21743
	0.46	-0.85273	0.46	-0.19710
	0.53	-0 31205	0.53	-0.22020
	0.60	-0.16024	0.60	-0.10494
	0.67	-0.05958	0.67	-0.02279
	0.74	0.02469	0.74	0.01899
	0.81	0.08315	0.81	0.08293
	0.88	0.14808	0.88	0.09302
	0.95	0.21172	0.95	0.18533

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
29	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.8491	11.48	0.00	31.82 664.5	101.02 2109.8	63.04 1316.7	12.59 3.84	323.92 123.38

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.61019	0.05	0.48330
	0.06	-0.56878	0.10	0.32479
	0.11	-0.55968	0.20	0.13808
	0.17	-0.59716	0.35	-0.08832
	0.23	-0.56335	0.50	-0.39245
	0.29	-0.58295	0.65	-0.07276
	0.35	-0.54462	0.80	0.21060
	0.41	-0.55060	0.95	0.25881
	0.47	-0.56848		
	0.53	-0.58371		
	0.57	-0.60304		
	0.65	-0.59029		
	0.71	-0.59212		
	0.77	-0.58319		
	0.83	-0.58190		
	0.89	-0.57236		
	0.95	-0.57254		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.03496	0.02	0.42799
	0.06	-1.02217	0.06	0.22855
	0.11	-0.86413	0.11	0.10887
	0.18	-0.65265	0.18	-0.01455
	0.25	-0.73091	0.25	-0.09804
	0.32	-0.77690	0.32	-0.15542
	0.39	-0.87334	0.39	-0.16756
	0.46	-0.70605	0.46	-0.15633
	0.53	-0.30890	0.53	-0.19064
	0.60	-0.21211	0.60	-0.08685
	0.67	-0.11496	0.67	-0.01238
	0.74	-0.01745	0.74	0.02085
	0.81	0.05706	0.81	0.07842
	0.88	0.13345	0.88	0.08431
	0.95	0.19921	0.95	0.16544

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
29	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.8526	13.88	-0.04	31.96 / 667.5	101.02 / 2109.8	62.81 / 1311.9	12.60 / 3.84	323.93 / 123.41

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.31017	0.05	0.60178
	0.06	-1.23409	0.10	0.43458
	0.11	-1.18573	0.20	0.23719
	0.17	-1.19692	0.35	0.01948
	0.23	-1.18386	0.50	-0.23101
	0.29	-1.16564	0.65	-0.01620
	0.35	-0.92493	0.80	0.24419
	0.41	-0.58710	0.95	0.28054
	0.47	-0.50998		
	0.53	-0.53299		
	0.57	-0.53020		
	0.65	-0.55726		
	0.71	-0.57283		
	0.77	-0.56793		
	0.83	-0.57525		
	0.89	-0.59989		
	0.95	-0.62504		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.10151	0.02	0.48817
	0.06	-1.10132	0.06	0.28285
	0.11	-1.01292	0.11	0.15700
	0.18	-0.85384	0.18	0.02438
	0.25	-0.80555	0.25	-0.06101
	0.32	-0.83300	0.32	-0.11541
	0.39	-0.88886	0.39	-0.15006
	0.46	-0.48434	0.46	-0.15105
	0.53	-0.32901	0.53	-0.17252
	0.60	-0.24485	0.60	-0.08379
	0.67	-0.16627	0.67	-0.01786
	0.74	-0.09009	0.74	0.01506
	0.81	-0.00031	0.81	0.07080
	0.88	0.07268	0.88	0.07415
	0.95	0.13847	0.95	0.15026

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
29	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.8488	15.88	-0.04	31.79 664.0	100.98 2109.1	63.04 1316.7	12.58 3.83	323.99 123.51

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.22142	0.05	0.68729
	0.06	-1.17558	0.10	0.52110
	0.11	-1.12168	0.20	0.31751
	0.17	-1.19221	0.35	0.09301
	0.23	-1.20420	0.50	-0.13430
	0.29	-0.81738	0.65	0.02759
	0.35	-0.53477	0.80	0.26389
	0.41	-0.53193	0.95	0.28876
	0.47	-0.53257		
	0.53	-0.55116		
	0.57	-0.52900		
	0.65	-0.52649		
	0.71	-0.59234		
	0.77	-0.60254		
	0.83	-0.58811		
	0.89	-0.60705		
	0.95	-0.61508		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.11510	0.02	0.49256
	0.06	-1.11353	0.06	0.28567
	0.11	-1.04121	0.11	0.14659
	0.18	-0.89700	0.18	0.01541
	0.25	-0.84195	0.25	-0.06021
	0.32	-0.84903	0.32	-0.10986
	0.39	-0.82893	0.39	-0.12190
	0.46	-0.44899	0.46	-0.11745
	0.53	-0.34144	0.53	-0.16561
	0.60	-0.24881	0.60	-0.05067
	0.67	-0.18263	0.67	0.00861
	0.74	-0.11174	0.74	0.03520
	0.81	-0.04395	0.81	0.08094
	0.88	0.03771	0.88	0.07461
	0.95	0.10841	0.95	0.13878

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
29	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.8503	18.06	-0.02	31.85	100.98	62.94	12.55	324.66
				665.3	2109.1	1314.6	3.83	124.72

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.24897	0.05	0.76046
	0.06	-1.23621	0.10	0.59532
	0.11	-1.20569	0.20	0.40230
	0.17	-1.32266	0.35	0.18688
	0.23	-1.21810	0.50	-0.05015
	0.29	-0.66907	0.65	0.08347
	0.35	-0.59084	0.80	0.29235
	0.41	-0.52431	0.95	0.30255
	0.47	-0.50856		
	0.53	-0.50460		
	0.57	-0.50849		
	0.65	-0.52213		
	0.71	-0.56405		
	0.77	-0.54096		
	0.83	-0.54968		
	0.89	-0.56154		
	0.95	-0.57925		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.97894	0.02	0.43903
	0.06	-0.99627	0.06	0.17526
	0.11	-0.93623	0.11	0.05703
	0.18	-0.88579	0.18	-0.03319
	0.25	-0.83479	0.25	-0.08731
	0.32	-0.78136	0.32	-0.12076
	0.39	-0.65071	0.39	-0.13827
	0.46	-0.42900	0.46	-0.11041
	0.53	-0.32468	0.53	-0.18066
	0.60	-0.24440	0.60	-0.04387
	0.67	-0.17908	0.67	0.00618
	0.74	-0.10865	0.74	0.03623
	0.81	-0.02942	0.81	0.05822
	0.88	0.03055	0.88	0.04735
	0.95	0.06039	0.95	0.10956

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
29	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.8513	19.13	-0.04	31.90 666.2	100.98 2109.1	62.88 1313.2	12.53 3.82	325.18 125.66

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.28220	0.05	0.79459
	0.06	-1.26775	0.10	0.63317
	0.11	-1.27912	0.20	0.43942
	0.17	-1.38806	0.35	0.22264
	0.23	-1.18713	0.50	-0.00209
	0.29	-0.65660	0.65	0.10828
	0.35	-0.55254	0.80	0.30513
	0.41	-0.54618	0.95	0.30963
	0.47	-0.53201		
	0.53	-0.51271		
	0.57	-0.50243		
	0.65	-0.50442		
	0.71	-0.50810		
	0.77	-0.56951		
	0.83	-0.56838		
	0.89	-0.53828		
	0.95	-0.55576		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.87534	0.02	0.35392
	0.06	-0.95237	0.06	0.15937
	0.11	-0.87693	0.11	0.04378
	0.18	-0.88037	0.18	-0.06686
	0.25	-0.79052	0.25	-0.11978
	0.32	-0.72809	0.32	-0.14465
	0.39	-0.59404	0.39	-0.15469
	0.46	-0.40703	0.46	-0.13144
	0.53	-0.31481	0.53	-0.19880
	0.60	-0.22239	0.60	-0.05072
	0.67	-0.14977	0.67	-0.00562
	0.74	-0.11518	0.74	0.02526
	0.81	-0.04695	0.81	0.04493
	0.88	-0.00625	0.88	0.03260
	0.95	0.03999	0.95	0.10312

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
29	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.8473	-1.84	-0.01	31.73 / 662.7	100.98 / 2109.1	63.14 / 1318.7	12.53 / 3.82	324.72 / 124.82

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.00361	0.05	-0.63517
	0.06	-0.22074	0.10	-0.74722
	0.11	-0.34089	0.20	-0.69485
	0.17	-0.41699	0.35	-0.56716
	0.23	-0.51136	0.50	-0.48350
	0.29	-0.51259	0.65	-0.20442
	0.35	-0.51886	0.80	-0.16248
	0.41	-0.51198	0.95	-0.04529
	0.47	-0.52896		
	0.53	-0.59505		
	0.57	-0.63459		
	0.65	-0.69792		
	0.71	-0.78742		
	0.77	-0.29501		
	0.83	-0.15366		
	0.89	-0.06423		
	0.95	0.00272		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.28753	0.02	-0.95559
	0.06	0.12919	0.06	-0.68857
	0.11	0.00439	0.11	-0.64041
	0.18	-0.11432	0.18	-0.70302
	0.25	-0.18119	0.25	-0.73356
	0.32	-0.26827	0.32	-0.71744
	0.39	-0.30543	0.39	-0.33406
	0.46	-0.28999	0.46	-0.27974
	0.53	-0.24686	0.53	-0.29534
	0.60	-0.15873	0.60	-0.13390
	0.67	-0.08808	0.67	-0.04184
	0.74	-0.01135	0.74	0.01516
	0.81	0.04800	0.81	0.08210
	0.88	0.11103	0.88	0.10131
	0.95	0.18651	0.95	0.20320

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
30	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.6001	-6.21	-0.01	19.99	101.19	79.33	10.99	307.87
				417.6	2113.3	1656.8	3.35	94.50

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.53229	0.05	-2.00889
	0.06	0.22896	0.10	-0.99578
	0.11	0.08066	0.20	-0.79723
	0.17	-0.01859	0.35	-0.63302
	0.23	-0.10415	0.50	-0.51637
	0.29	-0.13685	0.65	-0.13204
	0.35	-0.17494	0.80	0.09743
	0.41	-0.20639	0.95	0.19144
	0.47	-0.24615		
	0.53	-0.27850		
	0.57	-0.29269		
	0.65	-0.29180		
	0.71	-0.28184		
	0.77	-0.23626		
	0.83	-0.18284		
	0.89	-0.09409		
	0.95	0.00919		

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
30	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.6002	-5.14	-0.01	19.99 417.6	101.15 2112.6	79.29 1656.0	10.97 3.34	308.21 95.11

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.41969	0.05	-1.69048
	0.06	0.11161	0.10	-0.94410
	0.11	-0.02660	0.20	-0.73186
	0.17	-0.09380	0.35	-0.60243
	0.23	-0.15858	0.50	-0.50241
	0.29	-0.19678	0.65	-0.12208
	0.35	-0.21809	0.80	0.12282
	0.41	-0.24152	0.95	0.21396
	0.47	-0.27571		
	0.53	-0.31264		
	0.57	-0.32976		
	0.65	-0.31968		
	0.71	-0.29961		
	0.77	-0.24915		
	0.83	-0.18946		
	0.89	-0.09581		
	0.95	0.01517		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
30	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.5995	-3.93	-0.01	19.97 417.0	101.19 2113.3	79.36 1657.5	10.93 3.33	309.05 96.62

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.25992	0.05	-1.12654
	0.06	-0.01695	0.10	-0.79819
	0.11	-0.12459	0.20	-0.64721
	0.17	-0.18832	0.35	-0.54836
	0.23	-0.24813	0.50	-0.48672
	0.29	-0.26562	0.65	-0.12088
	0.35	-0.29125	0.80	0.15220
	0.41	-0.30543	0.95	0.26127
	0.47	-0.33146		
	0.53	-0.35764		
	0.57	-0.36739		
	0.65	-0.34082		
	0.71	-0.31942		
	0.77	-0.26046		
	0.83	-0.19611		
	0.89	-0.10015		
	0.95	0.01055		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
30	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.6006	-2.76	-0.01	20.02	101.19	79.29	10.93	309.29
				418.2	2113.3	1656.0	3.33	97.06

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.03872	0.05	-0.85764
	0.06	-0.17656	0.10	-0.69090
	0.11	-0.25369	0.20	-0.56682
	0.17	-0.29824	0.35	-0.49847
	0.23	-0.33790	0.50	-0.44357
	0.29	-0.34083	0.65	-0.10534
	0.35	-0.33957	0.80	0.16852
	0.41	-0.34983	0.95	0.26846
	0.47	-0.38705		
	0.53	-0.39591		
	0.57	-0.40879		
	0.65	-0.37874		
	0.71	-0.34324		
	0.77	-0.28125		
	0.83	-0.21046		
	0.89	-0.10858		
	0.95	0.00613		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
30	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.6005	-1.72	-0.01	20.02	101.22	79.33	10.92	309.56
				418.2	2114.0	1656.8	3.33	97.53

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.10741	0.05	-0.69849
	0.06	-0.27727	0.10	-0.56193
	0.11	-0.33434	0.20	-0.50098
	0.17	-0.36398	0.35	-0.46296
	0.23	-0.39245	0.50	-0.42762
	0.29	-0.39514	0.65	-0.09917
	0.35	-0.39144	0.80	0.17504
	0.41	-0.39312	0.95	0.27318
	0.47	-0.42120		
	0.53	-0.43532		
	0.57	-0.43373		
	0.65	-0.39782		
	0.71	-0.36598		
	0.77	-0.29957		
	0.83	-0.22443		
	0.89	-0.11678		
	0.95	-0.00254		

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
30	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.5990	-0.62	-0.01	19.94 416.4	101.19 2113.3	79.40 1658.2	10.88 3.32	309.97 98.27

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.34869	0.05	-0.49819
	0.06	-0.41596	0.10	-0.43714
	0.11	-0.44807	0.20	-0.40997
	0.17	-0.44953	0.35	-0.39727
	0.23	-0.45988	0.50	-0.39895
	0.29	-0.45074	0.65	-0.08219
	0.35	-0.45690	0.80	0.19352
	0.41	-0.45323	0.95	0.28497
	0.47	-0.45274		
	0.53	-0.46327		
	0.57	-0.45689		
	0.65	-0.41465		
	0.71	-0.37382		
	0.77	-0.30015		
	0.83	-0.22050		
	0.89	-0.11786		
	0.95	-0.00125		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
30	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
16	0.6001	0.41	-0.01	19.99	101.19	79.33	10.91	309.67
				417.6	2113.3	1656.8	3.32	97.73

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.63412	0.05	-0.31225
0.06	-0.62630	0.10	-0.31987
0.11	-0.60783	0.20	-0.33346
0.17	-0.59258	0.35	-0.36074
0.23	-0.56440	0.50	-0.37214
0.29	-0.53260	0.65	-0.07723
0.35	-0.51519	0.80	0.19636
0.41	-0.49985	0.95	0.29478
0.47	-0.49916		
0.53	-0.50279		
0.57	-0.49419		
0.65	-0.45001		
0.71	-0.39391		
0.77	-0.31649		
0.83	-0.23000		
0.89	-0.12489		
0.95	-0.00594		

494

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
30	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
17	0.6001	1.62	-0.01	19.99 417.6	101.19 2113.3	79.33 1656.8	10.90 3.32	309.86 98.07

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.89326	0.05	-0.14959
	0.06	-0.80526	0.10	-0.19568
	0.11	-0.72492	0.20	-0.25523
	0.17	-0.68378	0.35	-0.30526
	0.23	-0.64095	0.50	-0.32831
	0.29	-0.57092	0.65	-0.05340
	0.35	-0.55315	0.80	0.21354
	0.41	-0.53107	0.95	0.30438
	0.47	-0.52959		
	0.53	-0.53812		
	0.57	-0.52510		
	0.65	-0.46592		
	0.71	-0.41417		
	0.77	-0.33157		
	0.83	-0.24092		
	0.89	-0.12118		
	0.95	-0.00323		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
30	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
18	0.6006	2.60	-0.01	20.02 418.2	101.19 2113.3	79.29 1656.0	10.91 3.33	309.67 97.73

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.33359	0.05	-0.03485
	0.06	-1.04811	0.10	-0.09058
	0.11	-0.85181	0.20	-0.17331
	0.17	-0.78177	0.35	-0.24483
	0.23	-0.72160	0.50	-0.29664
	0.29	-0.65913	0.65	-0.03409
	0.35	-0.63373	0.80	0.22358
	0.41	-0.59464	0.95	0.30814
	0.47	-0.57860		
	0.53	-0.56605		
	0.57	-0.55419		
	0.65	-0.48809		
	0.71	-0.43034		
	0.77	-0.34337		
	0.83	-0.24550		
	0.89	-0.12426		
	0.95	-0.00722		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
30	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.6005	3.73	-0.01	20.02 418.2	101.22 2114.0	79.33 1656.8	10.90 3.32	309.98 98.30

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.76912	0.05	0.12545
	0.06	-1.42458	0.10	-0.02900
	0.11	-0.96224	0.20	-0.12626
	0.17	-0.89571	0.35	-0.20980
	0.23	-0.81597	0.50	-0.27127
	0.29	-0.72767	0.65	-0.02023
	0.35	-0.67083	0.80	0.23528
	0.41	-0.62684	0.95	0.31670
	0.47	-0.61155		
	0.53	-0.59152		
	0.57	-0.57499		
	0.65	-0.50410		
	0.71	-0.42621		
	0.77	-0.33467		
	0.83	-0.23749		
	0.89	-0.12604		
	0.95	-0.01292		

497

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
30	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
20	0.6005	4.83	-0.01	20.02 418.2	101.22 2114.0	79.33 1656.8	10.90 3.32	310.08 98.47

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-2.06049	0.05	0.21788
	0.06	-2.01197	0.10	0.09222
	0.11	-1.06134	0.20	-0.05497
	0.17	-0.97827	0.35	-0.16777
	0.23	-0.88907	0.50	-0.23847
	0.29	-0.77919	0.65	-0.01331
	0.35	-0.72296	0.80	0.23605
	0.41	-0.67455	0.95	0.31405
	0.47	-0.64414		
	0.53	-0.61507		
	0.57	-0.58994		
	0.65	-0.50875		
	0.71	-0.43012		
	0.77	-0.33745		
	0.83	-0.23998		
	0.89	-0.12221		
	0.95	-0.02033		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
30	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
21	0.6010	5.90	-0.01	20.05	101.22	79.29	10.89	310.38
				418.8	2114.0	1656.0	3.32	99.01

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-2.35965	0.05	0.30922
	0.06	-2.27118	0.10	0.16403
	0.11	-1.31423	0.20	0.00446
	0.17	-1.03541	0.35	-0.11892
	0.23	-0.92357	0.50	-0.21508
	0.29	-0.81278	0.65	0.00245
	0.35	-0.74398	0.80	0.24432
	0.41	-0.68589	0.95	0.31081
	0.47	-0.64330		
	0.53	-0.61209		
	0.57	-0.58129		
	0.65	-0.49842		
	0.71	-0.41292		
	0.77	-0.31978		
	0.83	-0.22028		
	0.89	-0.11084		
	0.95	-0.02450		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
30	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
22	0.6005	7.04	-0.01	20.02	101.22	79.33	10.89	310.27
				418.2	2114.0	1656.8	3.32	98.81

WING	UPPER SURFACE		LOWER SURFACE	
X/C	CP		X/C	CP
0.02	-2.55219		0.05	0.40109
0.06	-2.38723		0.10	0.22278
0.11	-1.85775		0.20	0.05128
0.17	-1.33212		0.35	-0.07748
0.23	-1.04449		0.50	-0.18012
0.29	-0.90472		0.65	0.01383
0.35	-0.77681		0.80	0.24600
0.41	-0.70317		0.95	0.31076
0.47	-0.64650			
0.53	-0.60494			
0.57	-0.56002			
0.65	-0.47080			
0.71	-0.39070			
0.77	-0.30817			
0.83	-0.22256			
0.89	-0.13540			
0.95	-0.04539			

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
30	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
23	0.5999	8.29	-0.02	19.99 417.6	101.22 2114.0	79.36 1657.5	10.88 3.32	310.36 98.98

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.92335	0.05	0.45502
	0.06	-1.75478	0.10	0.27073
	0.11	-1.63048	0.20	0.09150
	0.17	-1.52414	0.35	-0.06484
	0.23	-1.28563	0.50	-0.18249
	0.29	-1.10069	0.65	0.00077
	0.35	-0.91527	0.80	0.22050
	0.41	-0.78086	0.95	0.24546
	0.47	-0.68655		
	0.53	-0.57969		
	0.57	-0.52214		
	0.65	-0.43720		
	0.71	-0.36535		
	0.77	-0.29773		
	0.83	-0.24132		
	0.89	-0.20057		
	0.95	-0.17286		

TABLE 3.3 .(CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
30	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
24	0.6010	9.05	-0.02	20.05 418.8	101.22 2114.0	79.29 1656.0	10.87 3.31	310.72 99.62

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.57116	0.05	0.46956
	0.06	-1.37719	0.10	0.29376
	0.11	-1.33067	0.20	0.11113
	0.17	-1.14966	0.35	-0.04848
	0.23	-1.11188	0.50	-0.18696
	0.29	-1.02035	0.65	-0.02017
	0.35	-0.87989	0.80	0.18899
	0.41	-0.78595	0.95	0.19747
	0.47	-0.70172		
	0.53	-0.65281		
	0.57	-0.59252		
	0.65	-0.51612		
	0.71	-0.48541		
	0.77	-0.43486		
	0.83	-0.42166		
	0.89	-0.37003		
	0.95	-0.31098		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
30	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
25	0.6006	10.01	-0.01	20.02	101.19	79.29	10.87	310.68
				418.2	2113.3	1656.0	3.31	99.55

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.25191	0.05	0.47961
0.06	-1.13241	0.10	0.29032
0.11	-1.07078	0.20	0.11172
0.17	-0.94651	0.35	-0.06155
0.23	-0.89370	0.50	-0.20472
0.29	-0.88092	0.65	-0.04113
0.35	-0.85830	0.80	0.16913
0.41	-0.79476	0.95	0.18038
0.47	-0.74936		
0.53	-0.69390		
0.57	-0.68454		
0.65	-0.61846		
0.71	-0.57428		
0.77	-0.52983		
0.83	-0.50255		
0.89	-0.47805		
0.95	-0.41562		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
30	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
26	0.5999	11.16	-0.02	19.99 / 417.6	101.22 / 2114.0	79.36 / 1657.5	10.89 / 3.32	310.01 / 98.34

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.96406	0.05	0.49900
0.06	-0.91059	0.10	0.30771
0.11	-0.86194	0.20	0.12645
0.17	-0.81838	0.35	-0.05384
0.23	-0.79234	0.50	-0.21831
0.29	-0.77584	0.65	-0.07025
0.35	-0.74504	0.80	0.14096
0.41	-0.73536	0.95	0.13663
0.47	-0.71169		
0.53	-0.67170		
0.57	-0.67574		
0.65	-0.65052		
0.71	-0.62469		
0.77	-0.59823		
0.83	-0.56011		
0.89	-0.54368		
0.95	-0.48164		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
30	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
27	0.5999	13.06	-0.06	19.99 417.6	101.22 2114.0	79.36 1657.5	10.88 3.32	310.36 98.98

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.00674	0.05	0.55651
	0.06	-1.28683	0.10	0.37346
	0.11	-1.12104	0.20	0.17684
	0.17	-0.55317	0.35	-0.02169
	0.23	-0.53953	0.50	-0.18790
	0.29	-0.56501	0.65	-0.06467
	0.35	-0.57432	0.80	0.12551
	0.41	-0.57354	0.95	0.09579
	0.47	-0.58141		
	0.53	-0.58976		
	0.57	-0.59822		
	0.65	-0.58743		
	0.71	-0.59681		
	0.77	-0.58822		
	0.83	-0.57706		
	0.89	-0.58003		
	0.95	-0.55187		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
30	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (i/ft)	TEMP (K) (F)
28	0.5988	15.07	-0.09	19.94	101.22	79.43	10.86	310.47
				416.4	2114.0	1658.9	3.31	99.18

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.51102	0.05	0.65001
	0.06	-0.48509	0.10	0.46400
	0.11	-0.49297	0.20	0.25435
	0.17	-0.49623	0.35	0.03928
	0.23	-0.48475	0.50	-0.15830
	0.29	-0.50638	0.65	-0.04810
	0.35	-0.52178	0.80	0.12369
	0.41	-0.53587	0.95	0.08371
	0.47	-0.55032		
	0.53	-0.56214		
	0.57	-0.56661		
	0.65	-0.58553		
	0.71	-0.59072		
	0.77	-0.59300		
	0.83	-0.58553		
	0.89	-0.57155		
	0.95	-0.54756		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
30	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
29	0.5995	17.14	-0.15	19.97 417.0	101.19 2113.3	79.36 1657.5	10.87 3.31	310.27 98.81

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.51616	0.05	0.68977
	0.06	-0.50291	0.10	0.52596
	0.11	-0.50537	0.20	0.31548
	0.17	-0.50814	0.35	0.09844
	0.23	-0.52086	0.50	-0.10759
	0.29	-0.52138	0.65	-0.02125
	0.35	-0.53689	0.80	0.13603
	0.41	-0.55111	0.95	0.08323
	0.47	-0.55038		
	0.53	-0.57033		
	0.57	-0.58136		
	0.65	-0.60506		
	0.71	-0.59942		
	0.77	-0.60131		
	0.83	-0.59172		
	0.89	-0.59842		
	0.95	-0.58336		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
30	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
30	0.6005	19.20	-0.19	20.02 418.2	101.22 2114.0	79.33 1656.8	10.88 3.32	310.36 98.98

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.51846	0.05	0.75953
	0.06	-0.52517	0.10	0.58380
	0.11	-0.53284	0.20	0.37440
	0.17	-0.51947	0.35	0.15839
	0.23	-0.51089	0.50	-0.05470
	0.29	-0.51419	0.65	0.00650
	0.35	-0.54686	0.80	0.14900
	0.41	-0.56301	0.95	0.09195
	0.47	-0.55082		
	0.53	-0.56992		
	0.57	-0.56899		
	0.65	-0.59246		
	0.71	-0.60534		
	0.77	-0.60517		
	0.83	-0.59279		
	0.89	-0.59865		
	0.95	-0.60019		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
30	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
31	0.5999	-1.72	-0.01	19.99 417.6	101.22 2114.0	79.36 1657.5	10.88 3.32	310.23 98.74

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-0.16079	0.05	-0.66719
0.06	-0.28834	0.10	-0.54267
0.11	-0.34442	0.20	-0.48132
0.17	-0.37915	0.35	-0.45812
0.23	-0.40094	0.50	-0.43232
0.29	-0.39377	0.65	-0.10001
0.35	-0.40089	0.80	0.17531
0.41	-0.40027	0.95	0.27637
0.47	-0.41411		
0.53	-0.42429		
0.57	-0.42020		
0.65	-0.38943		
0.71	-0.36745		
0.77	-0.29930		
0.83	-0.22738		
0.89	-0.11932		
0.95	-0.00025		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
31	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.6998	-6.20	-0.01	25.00 522.1	101.15 2112.6	72.94 1523.3	11.89 3.62	313.13 103.96

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.51896	0.05	-1.81990
	0.06	0.22012	0.10	-1.77154
	0.11	0.06881	0.20	-0.91241
	0.17	-0.03277	0.35	-0.62469
	0.23	-0.10558	0.50	-0.53385
	0.29	-0.14681	0.65	-0.13888
	0.35	-0.20426	0.80	0.08388
	0.41	-0.23743	0.95	0.18895
	0.47	-0.28472		
	0.53	-0.33154		
	0.57	-0.35197		
	0.65	-0.34994		
	0.71	-0.32002		
	0.77	-0.27419		
	0.83	-0.20829		
	0.89	-0.10726		
	0.95	0.00935		

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
31	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.7010	-5.00	-0.01	25.05	101.12	72.84	11.88	313.44
				523.2	2111.9	1521.2	3.62	104.53

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.38089	0.05	-1.68900
	0.06	0.08742	0.10	-1.62763
	0.11	-0.03457	0.20	-0.75802
	0.17	-0.13763	0.35	-0.65037
	0.23	-0.20093	0.50	-0.51461
	0.29	-0.22329	0.65	-0.10095
	0.35	-0.25294	0.80	0.09640
	0.41	-0.27698	0.95	0.19486
	0.47	-0.32872		
	0.53	-0.36719		
	0.57	-0.38122		
	0.65	-0.37117		
	0.71	-0.34445		
	0.77	-0.28496		
	0.83	-0.20887		
	0.89	-0.10392		
	0.95	0.02032		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
31	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.7015	-3.90	-0.01	25.07	101.12	72.80	11.88	313.57
				523.7	2111.9	1520.5	3.62	104.76

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.25314	0.05	-1.51302
0.06	-0.00989	0.10	-1.14316
0.11	-0.10984	0.20	-0.75128
0.17	-0.19047	0.35	-0.63023
0.23	-0.25065	0.50	-0.51204
0.29	-0.28117	0.65	-0.10227
0.35	-0.30826	0.80	0.13490
0.41	-0.32471	0.95	0.24884
0.47	-0.36244		
0.53	-0.38491		
0.57	-0.40355		
0.65	-0.38722		
0.71	-0.34405		
0.77	-0.27719		
0.83	-0.19883		
0.89	-0.08871		
0.95	0.03373		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
31	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.7004	-2.81	-0.01	25.03 522.7	101.12 2111.9	72.87 1521.9	11.87 3.62	313.59 104.80

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.06713	0.05	-0.99562
	0.06	-0.14102	0.10	-0.78019
	0.11	-0.22117	0.20	-0.66577
	0.17	-0.30166	0.35	-0.59436
	0.23	-0.34773	0.50	-0.50246
	0.29	-0.35056	0.65	-0.09681
	0.35	-0.37002	0.80	0.15361
	0.41	-0.38768	0.95	0.26620
	0.47	-0.41151		
	0.53	-0.42632		
	0.57	-0.43403		
	0.65	-0.40670		
	0.71	-0.36708		
	0.77	-0.29046		
	0.83	-0.20593		
	0.89	-0.09229		
	0.95	0.03301		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
31	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.6992	-1.76	-0.01	24.97 521.6	101.15 2112.6	72.97 1524.1	11.84 3.61	314.01 105.54

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.07904	0.05	-0.79593
0.06	-0.27824	0.10	-0.64233
0.11	-0.36092	0.20	-0.57183
0.17	-0.39612	0.35	-0.53048
0.23	-0.41249	0.50	-0.48096
0.29	-0.41396	0.65	-0.08847
0.35	-0.43022	0.80	0.17896
0.41	-0.42877	0.95	0.28224
0.47	-0.45494		
0.53	-0.46647		
0.57	-0.47361		
0.65	-0.43485		
0.71	-0.37679		
0.77	-0.29826		
0.83	-0.21199		
0.89	-0.09327		
0.95	0.02847		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
31	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.7008	-0.46	-0.01	25.05 523.2	101.15 2112.6	72.87 1521.9	11.85 3.61	314.12 105.74

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.34801	0.05	-0.51945
	0.06	-0.47919	0.10	-0.46098
	0.11	-0.50510	0.20	-0.43151
	0.17	-0.52280	0.35	-0.44077
	0.23	-0.53322	0.50	-0.43434
	0.29	-0.49712	0.65	-0.07234
	0.35	-0.49722	0.80	0.20121
	0.41	-0.48713	0.95	0.30187
	0.47	-0.49154		
	0.53	-0.50654		
	0.57	-0.50196		
	0.65	-0.45884		
	0.71	-0.40236		
	0.77	-0.31735		
	0.83	-0.22199		
	0.89	-0.09674		
	0.95	0.02645		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
31	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.7003	0.65	-0.01	25.03 522.7	101.15 2112.6	72.90 1522.6	11.83 3.61	314.28 106.04

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.68306	0.05	-0.31414
	0.06	-0.70725	0.10	-0.34291
	0.11	-0.68303	0.20	-0.36395
	0.17	-0.65006	0.35	-0.40349
	0.23	-0.64248	0.50	-0.41695
	0.29	-0.59235	0.65	-0.06755
	0.35	-0.56824	0.80	0.20891
	0.41	-0.55746	0.95	0.31010
	0.47	-0.55730		
	0.53	-0.55269		
	0.57	-0.54280		
	0.65	-0.48053		
	0.71	-0.41480		
	0.77	-0.32343		
	0.83	-0.22319		
	0.89	-0.09772		
	0.95	0.02173		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
31	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.7012	1.75	-0.01	25.08 523.8	101.19 2113.3	72.87 1521.9	11.85 3.61	314.27 106.01

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.94909	0.05	-0.18108
	0.06	-0.88414	0.10	-0.23933
	0.11	-0.78784	0.20	-0.29550
	0.17	-0.76202	0.35	-0.34845
	0.23	-0.71968	0.50	-0.38225
	0.29	-0.66478	0.65	-0.05626
	0.35	-0.63248	0.80	0.22568
	0.41	-0.60791	0.95	0.31640
	0.47	-0.59697		
	0.53	-0.58270		
	0.57	-0.57385		
	0.65	-0.50301		
	0.71	-0.43015		
	0.77	-0.33222		
	0.83	-0.22539		
	0.89	-0.10658		
	0.95	0.00990		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
31	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.7004	2.93	-0.01	25.03 522.7	101.12 2111.9	72.87 1521.9	11.85 3.61	313.95 105.44

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.19086	0.05	-0.02111
	0.06	-1.38039	0.10	-0.12181
	0.11	-1.11084	0.20	-0.20489
	0.17	-0.81680	0.35	-0.27331
	0.23	-0.79569	0.50	-0.32873
	0.29	-0.71405	0.65	-0.03192
	0.35	-0.67770	0.80	0.24229
	0.41	-0.63758	0.95	0.32287
	0.47	-0.62190		
	0.53	-0.60934		
	0.57	-0.58585		
	0.65	-0.50553		
	0.71	-0.42619		
	0.77	-0.32693		
	0.83	-0.22031		
	0.89	-0.10126		
	0.95	0.00905		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
31	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.7003	3.98	-0.01	25.03	101.15	72.90	11.83	314.31
				522.7	2112.6	1522.6	3.61	106.08

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.33944	0.05	0.10723
	0.06	-1.58828	0.10	-0.01506
	0.11	-1.52869	0.20	-0.12760
	0.17	-1.46795	0.35	-0.24236
	0.23	-0.75744	0.50	-0.31216
	0.29	-0.69046	0.65	-0.02431
	0.35	-0.65949	0.80	0.24484
	0.41	-0.64883	0.95	0.32952
	0.47	-0.63649		
	0.53	-0.61220		
	0.57	-0.58936		
	0.65	-0.50671		
	0.71	-0.42090		
	0.77	-0.31798		
	0.83	-0.21198		
	0.89	-0.08907		
	0.95	0.01278		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
31	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.7008	5.17	-0.01	25.05	101.15	72.87	11.82	314.61
				523.2	2112.6	1521.9	3.60	106.62

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.52130	0.05	0.19509
	0.06	-1.69229	0.10	0.06694
	0.11	-1.72542	0.20	-0.07612
	0.17	-1.67182	0.35	-0.18331
	0.23	-1.63039	0.50	-0.26717
	0.29	-0.98863	0.65	-0.00650
	0.35	-0.74519	0.80	0.25549
	0.41	-0.62334	0.95	0.33621
	0.47	-0.55637		
	0.53	-0.57810		
	0.57	-0.56091		
	0.65	-0.47584		
	0.71	-0.40031		
	0.77	-0.30563		
	0.83	-0.20411		
	0.89	-0.10302		
	0.95	0.00020		

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
31	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.6998	6.37	-0.01	25.00	101.15	72.94	11.81	314.62
				522.1	2112.6	1523.3	3.60	106.65

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.68747	0.05	0.28267
0.06	-1.81062	0.10	0.14490
0.11	-1.83747	0.20	-0.01025
0.17	-1.81686	0.35	-0.14059
0.23	-1.76573	0.50	-0.24285
0.29	-1.05686	0.65	0.00124
0.35	-0.97826	0.80	0.25799
0.41	-0.87670	0.95	0.32000
0.47	-0.73145		
0.53	-0.57594		
0.57	-0.50430		
0.65	-0.39511		
0.71	-0.31957		
0.77	-0.25037		
0.83	-0.17630		
0.89	-0.09261		
0.95	-0.01769		

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
31	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.7010	7.52	0.00	25.05	101.12	72.84	11.82	314.69
				523.2	2111.9	1521.2	3.60	106.78

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.77581	0.05	0.35262
	0.06	-1.89842	0.10	0.19518
	0.11	-1.91349	0.20	0.03318
	0.17	-1.42039	0.35	-0.11730
	0.23	-1.15114	0.50	-0.24965
	0.29	-1.06308	0.65	-0.02345
	0.35	-0.94258	0.80	0.22068
	0.41	-0.82887	0.95	0.24600
	0.47	-0.72660		
	0.53	-0.62832		
	0.57	-0.55066		
	0.65	-0.45831		
	0.71	-0.37418		
	0.77	-0.43359		
	0.83	-0.27209		
	0.89	-0.21117		
	0.95	-0.14344		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
31	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.7019	8.36	-0.02	25.10 524.3	101.15 2112.6	72.80 1520.5	11.84 3.61	314.42 106.28

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.56751	0.05	0.38483
	0.06	-1.30715	0.10	0.21573
	0.11	-1.12064	0.20	0.04277
	0.17	-1.11204	0.35	-0.12003
	0.23	-1.02814	0.50	-0.26297
	0.29	-0.93893	0.65	-0.04379
	0.35	-0.83604	0.80	0.19897
	0.41	-0.76635	0.95	0.22887
	0.47	-0.73753		
	0.53	-0.65284		
	0.57	-0.63996		
	0.65	-0.57471		
	0.71	-0.51097		
	0.77	-0.50192		
	0.83	-0.43530		
	0.89	-0.41897		
	0.95	-0.32041		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
31	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.7003	9.18	-0.02	25.03	101.15	72.90	11.83	314.34
				522.7	2112.6	1522.6	3.61	106.14

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.27395	0.05	0.41826
	0.06	-1.17530	0.10	0.23758
	0.11	-0.94966	0.20	0.06068
	0.17	-0.92305	0.35	-0.11530
	0.23	-0.89882	0.50	-0.26655
	0.29	-0.85612	0.65	-0.06620
	0.35	-0.82279	0.80	0.16996
	0.41	-0.73581	0.95	0.19578
	0.47	-0.70967		
	0.53	-0.65498		
	0.57	-0.62288		
	0.65	-0.57444		
	0.71	-0.57215		
	0.77	-0.54937		
	0.83	-0.49961		
	0.89	-0.48556		
	0.95	-0.43377		

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
31	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
16	0.6998	11.26	-0.03	25.00 522.1	101.15 2112.6	72.94 1523.3	11.80 3.60	314.92 107.19

WING	UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP	
0.02	-0.68715	0.05	0.45412	
0.06	-0.66459	0.10	0.28546	
0.11	-0.65112	0.20	0.09668	
0.17	-0.64428	0.35	-0.08677	
0.23	-0.63210	0.50	-0.25467	
0.29	-0.62303	0.65	-0.08137	
0.35	-0.63731	0.80	0.14720	
C.41	-0.63103	0.95	0.14688	
0.47	-0.64202			
0.53	-0.64669			
0.57	-0.64062			
0.65	-0.62972			
0.71	-0.61132			
0.77	-0.60281			
0.83	-0.58479			
0.89	-0.56925			
0.95	-0.52345			

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
31	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
17	0.7003	13.33	0.04	25.03 / 522.7	101.15 / 2112.6	72.90 / 1522.6	11.80 / 3.60	315.02 / 107.36

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.54805	0.05	0.56837
	0.06	-0.51665	0.10	0.38304
	0.11	-0.50129	0.20	0.18757
	0.17	-0.52504	0.35	-0.02066
	0.23	-0.52942	0.50	-0.21521
	0.29	-0.53838	0.65	-0.06982
	0.35	-0.99540	0.80	0.14365
	0.41	-0.89434	0.95	0.13671
	0.47	-0.80018		
	0.53	-0.70002		
	0.57	-0.66294		
	0.65	-0.63286		
	0.71	-0.63019		
	0.77	-0.61772		
	0.83	-0.63766		
	0.89	-0.60450		
	0.95	-0.57304		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
31	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
18	0.6999	15.38	0.01	25.00 522.1	101.12 2111.9	72.90 1522.6	11.80 3.60	314.90 107.15

WING   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-1.37145	0.05	0.64955
0.06	-1.31394	0.10	0.47016
0.11	-1.33845	0.20	0.26130
0.17	-1.35508	0.35	0.05058
0.23	-1.28460	0.50	-0.15900
0.29	-1.18856	0.65	-0.03909
0.35	-1.07163	0.80	0.15863
0.41	-0.89441	0.95	0.14498
0.47	-0.74049		
0.53	-0.69987		
0.57	-0.66985		
0.65	-0.65965		
0.71	-0.67410		
0.77	-0.67865		
0.83	-0.67812		
0.89	-0.69074		
0.95	-0.66318		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
31	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.7012	17.45	-0.14	25.08	101.19	72.87	11.81	315.02
				523.8	2113.3	1521.9	3.60	107.36

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.50525	0.05	0.70832
	0.06	-0.50597	0.10	0.54320
	0.11	-0.51603	0.20	0.33306
	0.17	-0.52285	0.35	0.11468
	0.23	-0.53541	0.50	-0.10487
	0.29	-0.53307	0.65	-0.00563
	0.35	-0.54339	0.80	0.17284
	0.41	-0.54947	0.95	0.15323
	0.47	-0.55863		
	0.53	-0.59300		
	0.57	-0.59749		
	0.65	-0.60229		
	0.71	-0.61648		
	0.77	-0.60784		
	0.83	-0.61720		
	0.89	-0.62155		
	0.95	-0.61951		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
31	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
20	0.6982	19.66	-0.17	24.92 520.5	101.15 2112.6	73.04 1525.5	11.78 3.59	315.02 107.36

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.52447	0.05	0.77069
0.06	-0.50699	0.10	0.60334
0.11	-0.51992	0.20	0.39752
0.17	-0.54353	0.35	0.18012
0.23	-0.53580	0.50	-0.03503
0.29	-0.53116	0.65	0.03730
0.35	-0.55533	0.80	0.19629
0.41	-0.54754	0.95	0.16189
0.47	-0.55338		
0.53	-0.58566		
0.57	-0.58675		
0.65	-0.58764		
0.71	-0.62725		
0.77	-0.63130		
0.83	-0.64036		
0.89	-0.63020		
0.95	-0.62063		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
31	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
21	0.7008	-1.75	-0.01	25.05 523.2	101.15 2112.6	72.87 1521.9	11.81 3.60	314.98 107.29

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.08834	0.05	-0.76005
	0.06	-0.25705	0.10	-0.62867
	0.11	-0.33784	0.20	-0.55201
	0.17	-0.38239	0.35	-0.50901
	0.23	-0.42655	0.50	-0.47498
	0.29	-0.40865	0.65	-0.08888
	0.35	-0.40907	0.80	0.17631
	0.41	-0.42443	0.95	0.28082
	0.47	-0.44432		
	0.53	-0.45950		
	0.57	-0.46183		
	0.65	-0.42489		
	0.71	-0.37038		
	0.77	-0.29101		
	0.83	-0.19994		
	0.89	-0.09021		
	0.95	0.03586		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
32	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7794	-6.36	-0.01	28.77 / 600.9	101.08 / 2111.2	67.67 / 1413.3	12.43 / 3.79	316.79 / 110.55

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.46740	0.05	-1.42163
0.06	0.18338	0.10	-1.41331
0.11	0.03582	0.20	-1.30470
0.17	-0.06241	0.35	-0.69998
0.23	-0.14475	0.50	-0.48730
0.29	-0.19300	0.65	-0.31039
0.35	-0.23511	0.80	-0.13644
0.41	-0.28544	0.95	0.00994
0.47	-0.34461		
0.53	-0.41734		
0.57	-0.45362		
0.65	-0.48439		
0.71	-0.46917		
0.77	-0.40372		
0.83	-0.32351		
0.89	-0.22558		
0.95	-0.12604		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
32	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.7794	-5.37	-0.02	28.77 600.9	101.08 2111.2	67.67 1413.3	12.41 3.78	317.18 111.26

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.40186	0.05	-1.36542
	0.06	0.10734	0.10	-1.33179
	0.11	-0.02265	0.20	-1.21542
	0.17	-0.13724	0.35	-0.93447
	0.23	-0.20310	0.50	-0.43850
	0.29	-0.24323	0.65	-0.20218
	0.35	-0.28298	0.80	-0.02915
	0.41	-0.31882	0.95	0.13505
	0.47	-0.37581		
	0.53	-0.43338		
	0.57	-0.46324		
	0.65	-0.47148		
	0.71	-0.44269		
	0.77	-0.36002		
	0.83	-0.25948		
	0.89	-0.13166		
	0.95	-0.01008		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
32	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.7809	-4.21	-0.01	28.84 602.4	101.08 2111.2	67.57 1411.2	12.41 3.78	317.50 111.83

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.25060	0.05	-1.23816
	0.06	-0.00988	0.10	-1.19346
	0.11	-0.13530	0.20	-1.09045
	0.17	-0.22994	0.35	-0.93974
	0.23	-0.28407	0.50	-0.39992
	0.29	-0.30784	0.65	-0.08624
	0.35	-0.34543	0.80	0.04245
	0.41	-0.37038	0.95	0.16907
	0.47	-0.41932		
	0.53	-0.47583		
	0.57	-0.48931		
	0.65	-0.47110		
	0.71	-0.41762		
	0.77	-0.32410		
	0.83	-0.21681		
	0.89	-0.07626		
	0.95	0.05338		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
32	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.7828	-2.87	-0.01	28.94 604.4	101.12 2111.9	67.46 1409.0	12.42 3.79	317.61 112.03

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.10772	0.05	-1.08836
	0.06	-0.14285	0.10	-0.95512
	0.11	-0.24582	0.20	-0.84638
	0.17	-0.31901	0.35	-0.70223
	0.23	-0.36279	0.50	-0.44153
	0.29	-0.37123	0.65	-0.06549
	0.35	-0.41159	0.80	0.10009
	0.41	-0.43122	0.95	0.24444
	0.47	-0.47184		
	0.53	-0.51385		
	0.57	-0.52918		
	0.65	-0.48057		
	0.71	-0.40100		
	0.77	-0.29596		
	0.83	-0.18541		
	0.89	-0.05370		
	0.95	0.07065		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
32	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.7809	-1.86	-0.01	28.84 602.4	101.08 2111.2	67.57 1411.2	12.40 3.78	317.76 112.30

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.04074	0.05	-0.76786
	0.06	-0.26700	0.10	-0.90281
	0.11	-0.36846	0.20	-0.69019
	0.17	-0.43392	0.35	-0.68863
	0.23	-0.46556	0.50	-0.46736
	0.29	-0.46391	0.65	-0.06130
	0.35	-0.47921	0.80	0.13214
	0.41	-0.48495	0.95	0.26888
	0.47	-0.52160		
	0.53	-0.57187		
	0.57	-0.57083		
	0.65	-0.50167		
	0.71	-0.41766		
	0.77	-0.30510		
	0.83	-0.19008		
	0.89	-0.05444		
	0.95	0.06725		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
32	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.7799	-0.81	-0.01	28.80	101.08	67.64	12.37	318.08
				601.4	2111.2	1412.6	3.77	112.88

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.23700	0.05	-0.58632
	0.06	-0.42310	0.10	-0.56287
	0.11	-0.51027	0.20	-0.56030
	0.17	-0.53452	0.35	-0.58632
	0.23	-0.57485	0.50	-0.49593
	0.29	-0.54227	0.65	-0.06439
	0.35	-0.54800	0.80	0.16932
	0.41	-0.55868	0.95	0.28567
	0.47	-0.57380		
	0.53	-0.60494		
	0.57	-0.59748		
	0.65	-0.51189		
	0.71	-0.41644		
	0.77	-0.29883		
	0.83	-0.18056		
	0.89	-0.06198		
	0.95	0.05371		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
32	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.7808	0.56	-0.01	28.85	101.12	67.60	12.37	318.38
				602.5	2111.9	1411.9	3.77	113.41

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.49613	0.05	-0.35583
	0.06	-0.66471	0.10	-0.37160
	0.11	-0.65141	0.20	-0.41400
	0.17	-0.73197	0.35	-0.49645
	0.23	-0.77855	0.50	-0.48662
	0.29	-0.73051	0.65	-0.05889
	0.35	-0.58611	0.80	0.20129
	0.41	-0.60019	0.95	0.30907
	0.47	-0.63661		
	0.53	-0.69069		
	0.57	-0.66587		
	0.65	-0.51888		
	0.71	-0.40801		
	0.77	-0.29255		
	0.83	-0.17658		
	0.89	-0.05599		
	0.95	0.05037		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
32	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.7799	1.78	-0.01	28.80	101.08	67.64	12.38	318.02
				601.4	2111.2	1412.6	3.77	112.77

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.72988	0.05	-0.18315
	0.06	-0.96202	0.10	-0.24261
	0.11	-1.04598	0.20	-0.31471
	0.17	-0.98000	0.35	-0.41191
	0.23	-0.93600	0.50	-0.44549
	0.29	-0.89208	0.65	-0.04344
	0.35	-0.81858	0.80	0.22481
	0.41	-0.80382	0.95	0.32146
	0.47	-0.62311		
	0.53	-0.61455		
	0.57	-0.60670		
	0.65	-0.50203		
	0.71	-0.39986		
	0.77	-0.28754		
	0.83	-0.17529		
	0.89	-0.05664		
	0.95	0.04589		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
32	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.7804	2.85	-0.01	28.82	101.08	67.60	12.38	318.06
				601.9	2111.2	1411.9	3.77	112.84

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.84457	0.05	-0.05806
	0.06	-1.08100	0.10	-0.13551
	0.11	-1.15842	0.20	-0.24085
	0.17	-1.13671	0.35	-0.34793
	0.23	-1.15374	0.50	-0.39871
	0.29	-1.16696	0.65	-0.02794
	0.35	-1.14319	0.80	0.24544
	0.41	-1.03359	0.95	0.33766
	0.47	-0.97410		
	0.53	-0.65567		
	0.57	-0.50786		
	0.65	-0.41260		
	0.71	-0.34246		
	0.77	-0.25559		
	0.83	-0.15646		
	0.89	-0.05055		
	0.95	0.04196		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
32	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.7808	4.02	-0.01	28.85 602.5	101.12 2111.9	67.60 1411.9	12.36 3.77	318.55 113.72

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.95979	0.05	0.05554
	0.06	-1.20972	0.10	-0.05808
	0.11	-1.24352	0.20	-0.19065
	0.17	-1.23772	0.35	-0.30356
	0.23	-1.25717	0.50	-0.38955
	0.29	-1.26064	0.65	-0.03954
	0.35	-1.27412	0.80	0.23597
	0.41	-1.18092	0.95	0.30381
	0.47	-0.68543		
	0.53	-0.59957		
	0.57	-0.53917		
	0.65	-0.43148		
	0.71	-0.36127		
	0.77	-0.26712		
	0.83	-0.18470		
	0.89	-0.11093		
	0.95	-0.04921		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
32	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.7808	5.14	-0.01	28.85 / 602.5	101.12 / 2111.9	67.60 / 1411.9	12.35 / 3.76	318.87 / 114.29

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.06414	0.05	0.16222
	0.06	-1.29020	0.10	-0.00009
	0.11	-1.33416	0.20	-0.14191
	0.17	-1.32865	0.35	-0.27846
	0.23	-1.31460	0.50	-0.40056
	0.29	-0.89293	0.65	-0.06871
	0.35	-0.73571	0.80	0.20733
	0.41	-0.69902	0.95	0.26443
	0.47	-0.65916		
	0.53	-0.61527		
	0.57	-0.57609		
	0.65	-0.49145		
	0.71	-0.43183		
	0.77	-0.38179		
	0.83	-0.32004		
	0.89	-0.29101		
	0.95	-0.24873		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
32	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.7808	6.25	-0.01	28.85	101.12	67.60	12.36	318.64
				602.5	2111.9	1411.9	3.77	113.89

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.18384	0.05	0.20865
	0.06	-1.35227	0.10	0.07377
	0.11	-1.41347	0.20	-0.07672
	0.17	-1.31835	0.35	-0.23584
	0.23	-0.95915	0.50	-0.38232
	0.29	-0.77824	0.65	-0.07580
	0.35	-0.73840	0.80	0.19773
	0.41	-0.70069	0.95	0.24033
	0.47	-0.66833		
	0.53	-0.62171		
	0.57	-0.58307		
	0.65	-0.52378		
	0.71	-0.47493		
	0.77	-0.44498		
	0.83	-0.39932		
	0.89	-0.36982		
	0.95	-0.32737		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
32	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.7787	7.17	-0.01	28.75 600.5	101.12 2111.9	67.74 1414.8	12.32 3.76	318.99 114.52

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.29908	0.05	0.28226
	0.06	-1.42042	0.10	0.12537
	0.11	-1.40862	0.20	-0.04223
	0.17	-1.18040	0.35	-0.21501
	0.23	-0.88764	0.50	-0.37153
	0.29	-0.78907	0.65	-0.08571
	0.35	-0.75549	0.80	0.18836
	0.41	-0.71398	0.95	0.23565
	0.47	-0.66145		
	0.53	-0.64286		
	0.57	-0.60091		
	0.65	-0.54915		
	0.71	-0.50208		
	0.77	-0.45661		
	0.83	-0.44055		
	0.89	-0.40248		
	0.95	-0.36250		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
32	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.7797	8.33	-0.04	28.80 601.5	101.12 2111.9	67.67 1413.3	12.32 3.76	319.17 114.83

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.13380	0.05	0.35237
	0.06	-1.02039	0.10	0.19079
	0.11	-1.00859	0.20	0.01203
	0.17	-0.86064	0.35	-0.17279
	0.23	-0.86892	0.50	-0.35673
	0.29	-0.76485	0.65	-0.09303
	0.35	-0.67791	0.80	0.17344
	0.41	-0.67946	0.95	0.20814
	0.47	-0.63914		
	0.53	-0.63036		
	0.57	-0.61832		
	0.65	-0.57849		
	0.71	-0.62616		
	0.77	-0.58937		
	0.83	-0.54829		
	0.89	-0.52455		
	0.95	-0.50066		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
32	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.7783	9.39	-0.04	28.72 599.9	101.08 2111.2	67.74 1414.8	12.35 3.76	318.38 113.41

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.87227	0.05	0.38490
	0.06	-0.82279	0.10	0.22391
	0.11	-0.74061	0.20	0.04664
	0.17	-0.69367	0.35	-0.15144
	0.23	-0.70238	0.50	-0.36344
	0.29	-0.69923	0.65	-0.10150
	0.35	-0.63508	0.80	0.17143
	0.41	-0.59990	0.95	0.20646
	0.47	-0.63306		
	0.53	-0.64094		
	0.57	-0.65859		
	0.65	-0.64405		
	0.71	-0.63414		
	0.77	-0.61877		
	0.83	-0.60314		
	0.89	-0.57789		
	0.95	-0.57219		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
32	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
16	0.7808	11.29	-0.03	28.85	101.12	67.60	12.35	318.88
				602.5	2111.9	1411.9	3.76	114.32

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.65732	0.05	0.47219
	0.06	-0.59273	0.10	0.29553
	0.11	-0.68761	0.20	0.10225
	0.17	-0.69489	0.35	-0.10535
	0.23	-0.62339	0.50	-0.30576
	0.29	-0.75374	0.65	-0.08796
	0.35	-0.62300	0.80	0.17307
	0.41	-0.63998	0.95	0.18913
	0.47	-0.62147		
	0.53	-0.61279		
	0.57	-0.61855		
	0.65	-0.62032		
	0.71	-0.63366		
	0.77	-0.62270		
	0.83	-0.61615		
	0.89	-0.59216		
	0.95	-0.55170		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
32	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
17	0.7771	13.42	0.02	28.68	101.12	67.84	12.33	318.53
				599.0	2111.9	1416.9	3.76	113.68

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.48149	0.05	0.57268
	0.06	-1.40819	0.10	0.40193
	0.11	-1.30420	0.20	0.19568
	0.17	-1.28459	0.35	-0.01070
	0.23	-1.27982	0.50	-0.22327
	0.29	-1.27463	0.65	-0.04945
	0.35	-1.21639	0.80	0.18569
	0.41	-1.12173	0.95	0.19582
	0.47	-0.91767		
	0.53	-0.71095		
	0.57	-0.63585		
	0.65	-0.57537		
	0.71	-0.61753		
	0.77	-0.61008		
	0.83	-0.61892		
	0.89	-0.62196		
	0.95	-0.60080		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
32	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
18	0.7789	15.60	0.00	28.75 600.4	101.08 2111.2	67.70 1414.0	12.33 3.76	318.88 114.32

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.50561	0.05	0.66810
	0.06	-1.42307	0.10	0.48757
	0.11	-1.35864	0.20	0.28084
	0.17	-1.35906	0.35	0.06628
	0.23	-1.31065	0.50	-0.15321
	0.29	-1.20883	0.65	-0.01171
	0.35	-1.04389	0.80	0.20637
	0.41	-0.76240	0.95	0.20948
	0.47	-0.62487		
	0.53	-0.64326		
	0.57	-0.67261		
	0.65	-0.65428		
	0.71	-0.65859		
	0.77	-0.66822		
	0.83	-0.67674		
	0.89	-0.65603		
	0.95	-0.64721		

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
32	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.7797	17.75	0.01	28.80 601.5	101.12 2111.9	67.67 1413.3	12.32 3.76	319.22 114.93

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.46240	0.05	0.73265
	0.06	-1.43110	0.10	0.56991
	0.11	-1.38877	0.20	0.37005
	0.17	-1.32925	0.35	0.15223
	0.23	-1.31701	0.50	-0.07773
	0.29	-1.25505	0.65	0.03136
	0.35	-1.09897	0.80	0.22875
	0.41	-0.89252	0.95	0.22551
	0.47	-0.75934		
	0.53	-0.72533		
	0.57	-0.69783		
	0.65	-0.65458		
	0.71	-0.66933		
	0.77	-0.66434		
	0.83	-0.65064		
	0.89	-0.68792		
	0.95	-0.69275		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
32	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
20	0.7797	19.76	-0.22	28.80 601.5	101.12 2111.9	67.67 1413.3	12.31 3.75	319.43 115.30

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.49289	0.05	0.78631
	0.06	-0.47912	0.10	0.62818
	0.11	-0.49436	0.20	0.43171
	0.17	-0.50167	0.35	0.21621
	0.23	-0.50276	0.50	-0.01234
	0.29	-0.49851	0.65	0.06986
	0.35	-0.50698	0.80	0.24542
	0.41	-0.54063	0.95	0.23620
	0.47	-0.53167		
	0.53	-0.54601		
	0.57	-0.55257		
	0.65	-0.56714		
	0.71	-0.58411		
	0.77	-0.57850		
	0.83	-0.59317		
	0.89	-0.59219		
	0.95	-0.57896		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
32	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
21	0.7797	-1.79	-0.01	28.80 / 601.5	101.12 / 2111.9	67.67 / 1413.3	12.32 / 3.76	319.18 / 114.86

WING

	UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP	
0.02	-0.07043	0.05	-0.75692	
0.06	-0.27997	0.10	-0.88265	
0.11	-0.36188	0.20	-0.69232	
0.17	-0.44673	0.35	-0.69008	
0.23	-0.48649	0.50	-0.46969	
0.29	-0.47729	0.65	-0.06792	
0.35	-0.48083	0.80	0.12467	
0.41	-0.50862	0.95	0.25829	
0.47	-0.53882			
0.53	-0.56528			
0.57	-0.56348			
0.65	-0.50250			
0.71	-0.41100			
0.77	-0.29818			
0.83	-0.18309			
0.89	-0.05604			
0.95	0.06501			

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
33	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8023	-6.45	-0.01	29.81	101.08	66.17	12.47	319.62
				622.6	2111.2	1381.9	3.80	115.64

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.47327	0.05	-1.31696
	0.06	0.17892	0.10	-1.31856
	0.11	0.03943	0.20	-1.20748
	0.17	-0.07175	0.35	-0.63610
	0.23	-0.15203	0.50	-0.51001
	0.29	-0.19725	0.65	-0.38167
	0.35	-0.25073	0.80	-0.27554
	0.41	-0.29918	0.95	-0.10606
	0.47	-0.37664		
	0.53	-0.45259		
	0.57	-0.49359		
	0.65	-0.58130		
	0.71	-0.60510		
	0.77	-0.51767		
	0.83	-0.39587		
	0.89	-0.28101		
	0.95	-0.19907		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
33	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.8007	-5.21	-0.02	29.74 621.1	101.08 2111.2	66.27 1384.0	12.44 3.79	320.03 116.38

WING   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	0.33841	0.05	-1.27161
0.06	0.07261	0.10	-1.24572
0.11	-0.04787	0.20	-1.14047
0.17	-0.16831	0.35	-0.84658
0.23	-0.23753	0.50	-0.47582
0.29	-0.26320	0.65	-0.32729
0.35	-0.29971	0.80	-0.17851
0.41	-0.34187	0.95	0.05149
0.47	-0.40961		
0.53	-0.48982		
0.57	-0.52856		
0.65	-0.58845		
0.71	-0.54265		
0.77	-0.39685		
0.83	-0.29203		
0.89	-0.18344		
0.95	-0.05937		

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
33	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.7996	-4.07	-0.02	29.69 / 620.1	101.08 / 2111.2	66.34 / 1385.5	12.47 / 3.80	319.26 / 115.00

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.24056	0.05	-1.12636
	0.06	-0.02309	0.10	-1.13396
	0.11	-0.13799	0.20	-1.03039
	0.17	-0.23012	0.35	-1.02721
	0.23	-0.29879	0.50	-0.36565
	0.29	-0.32488	0.65	-0.14622
	0.35	-0.34097	0.80	-0.04041
	0.41	-0.37641	0.95	0.15499
	0.47	-0.44104		
	0.53	-0.50410		
	0.57	-0.52875		
	0.65	-0.54041		
	0.71	-0.43656		
	0.77	-0.32689		
	0.83	-0.22326		
	0.89	-0.09077		
	0.95	0.02779		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
33	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.7996	-3.05	-0.01	29.69 620.1	101.08 2111.2	66.34 1385.5	12.46 3.80	319.58 115.57

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.10982	0.05	-0.96291
	0.06	-0.12577	0.10	-0.91852
	0.11	-0.24881	0.20	-0.94149
	0.17	-0.32194	0.35	-0.70552
	0.23	-0.38546	0.50	-0.41279
	0.29	-0.39118	0.65	-0.10431
	0.35	-0.41369	0.80	0.00572
	0.41	-0.44513	0.95	0.16277
	0.47	-0.50171		
	0.53	-0.56548		
	0.57	-0.60313		
	0.65	-0.55530		
	0.71	-0.41526		
	0.77	-0.29785		
	0.83	-0.18693		
	0.89	-0.05277		
	0.95	0.07271		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
33	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.8002	-1.81	-0.01	29.71 620.6	101.08 2111.2	66.30 1384.8	12.46 3.80	319.62 115.64

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.02993	0.05	-0.74910
	0.06	-0.25460	0.10	-0.87480
	0.11	-0.35740	0.20	-0.70563
	0.17	-0.45395	0.35	-0.67008
	0.23	-0.50435	0.50	-0.55758
	0.29	-0.47761	0.65	-0.08968
	0.35	-0.49256	0.80	0.04340
	0.41	-0.52006	0.95	0.21412
	0.47	-0.54829		
	0.53	-0.61899		
	0.57	-0.64235		
	0.65	-0.52376		
	0.71	-0.40157		
	0.77	-0.28580		
	0.83	-0.16830		
	0.89	-0.03761		
	0.95	0.07666		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
33	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.7996	-0.58	-0.02	29.69 620.1	101.08 2111.2	66.34 1385.5	12.42 3.79	320.36 116.98

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.28119	0.05	-0.49598
	0.06	-0.42448	0.10	-0.52602
	0.11	-0.51661	0.20	-0.56257
	0.17	-0.57323	0.35	-0.61595
	0.23	-0.64949	0.50	-0.66046
	0.29	-0.62402	0.65	-0.05759
	0.35	-0.54513	0.80	0.13823
	0.41	-0.56324	0.95	0.27358
	0.47	-0.60586		
	0.53	-0.66496		
	0.57	-0.70914		
	0.65	-0.56437		
	0.71	-0.38056		
	0.77	-0.27098		
	0.83	-0.15758		
	0.89	-0.03230		
	0.95	0.07405		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
33	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.8012	0.50	-0.02	29.76	101.08	66.23	12.45	319.89
				621.6	2111.2	1383.3	3.80	116.14

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.44945	0.05	-0.38224
0.06	-0.59621	0.10	-0.38982
0.11	-0.69934	0.20	-0.44684
0.17	-0.69316	0.35	-0.53978
0.23	-0.77688	0.50	-0.53181
0.29	-0.76599	0.65	-0.04815
0.35	-0.74222	0.80	0.18926
0.41	-0.71204	0.95	0.29997
0.47	-0.72246		
0.53	-0.71567		
0.57	-0.67022		
0.65	-0.50410		
0.71	-0.37564		
0.77	-0.26527		
0.83	-0.15312		
0.89	-0.03606		
0.95	0.06314		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
33	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.8000	1.74	-0.02	29.71 620.6	101.12 2111.9	66.34 1385.5	12.44 3.79	320.12 116.54

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.64856	0.05	-0.18729
	0.06	-0.88934	0.10	-0.26504
	0.11	-0.91191	0.20	-0.33963
	0.17	-0.96411	0.35	-0.44536
	0.23	-0.94235	0.50	-0.46490
	0.29	-0.92447	0.65	-0.03951
	0.35	-0.86418	0.80	0.22464
	0.41	-0.83008	0.95	0.32146
	0.47	-0.85895		
	0.53	-0.88331		
	0.57	-0.84171		
	0.65	-0.41664		
	0.71	-0.33054		
	0.77	-0.24145		
	0.83	-0.14511		
	0.89	-0.03637		
	0.95	0.05585		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
33	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.8016	2.95	-0.02	29.79 622.1	101.12 2111.9	66.23 1383.3	12.43 3.79	320.44 117.12

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.76333	0.05	-0.05524
	0.06	-1.01590	0.10	-0.16071
	0.11	-1.06586	0.20	-0.26174
	0.17	-1.08537	0.35	-0.38958
	0.23	-1.09430	0.50	-0.46303
	0.29	-1.12620	0.65	-0.05104
	0.35	-1.11540	0.80	0.21864
	0.41	-1.03282	0.95	0.31882
	0.47	-1.01378		
	0.53	-0.87516		
	0.57	-0.51855		
	0.65	-0.39539		
	0.71	-0.33462		
	0.77	-0.26686		
	0.83	-0.17369		
	0.89	-0.11477		
	0.95	-0.03723		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
33	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.8021	4.06	-0.01	29.81 / 622.6	101.12 / 2111.9	66.20 / 1382.6	12.45 / 3.79	320.23 / 116.75

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.87629	0.05	0.04104
0.06	-1.12877	0.10	-0.08203
0.11	-1.17251	0.20	-0.19570
0.17	-1.18043	0.35	-0.34275
0.23	-1.19130	0.50	-0.46164
0.29	-1.20478	0.65	-0.07778
0.35	-1.16426	0.80	0.20011
0.41	-0.72633	0.95	0.26262
0.47	-0.60947		
0.53	-0.56519		
0.57	-0.54163		
0.65	-0.46872		
0.71	-0.41402		
0.77	-0.35225		
0.83	-0.30442		
0.89	-0.28779		
0.95	-0.25935		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
33	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.8005	5.13	-0.02	29.74	101.12	66.30	12.43	320.25
				621.1	2111.9	1384.7	3.79	116.78

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.98074	0.05	0.12791
	0.06	-1.22604	0.10	-0.00484
	0.11	-1.26695	0.20	-0.13843
	0.17	-1.25709	0.35	-0.30191
	0.23	-1.13772	0.50	-0.46369
	0.29	-0.75202	0.65	-0.08912
	0.35	-0.68499	0.80	0.19338
	0.41	-0.65489	0.95	0.24097
	0.47	-0.61946		
	0.53	-0.58077		
	0.57	-0.55065		
	0.65	-0.49388		
	0.71	-0.45309		
	0.77	-0.40899		
	0.83	-0.37956		
	0.89	-0.34390		
	0.95	-0.30050		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
33	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.8000	6.21	-0.01	29.71	101.12	66.34	12.42	320.44
				620.6	2111.9	1385.5	3.79	117.12

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.08748	0.05	0.18149
	0.06	-1.27853	0.10	0.06010
	0.11	-1.33023	0.20	-0.10105
	0.17	-1.29451	0.35	-0.26743
	0.23	-0.91102	0.50	-0.45583
	0.29	-0.73667	0.65	-0.09814
	0.35	-0.69031	0.80	0.18262
	0.41	-0.66541	0.95	0.22697
	0.47	-0.63972		
	0.53	-0.59692		
	0.57	-0.57437		
	0.65	-0.53021		
	0.71	-0.50128		
	0.77	-0.46074		
	0.83	-0.42676		
	0.89	-0.39462		
	0.95	-0.36410		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
33	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.8007	7.23	-0.01	29.74 621.1	101.08 2111.2	66.27 1384.0	12.42 3.79	320.44 117.12

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.17987	0.05	0.27672
	0.06	-1.29268	0.10	0.10889
	0.11	-1.34229	0.20	-0.05109
	0.17	-1.11351	0.35	-0.23504
	0.23	-0.84764	0.50	-0.42653
	0.29	-0.75144	0.65	-0.09564
	0.35	-0.72002	0.80	0.18760
	0.41	-0.67211	0.95	0.22846
	0.47	-0.64257		
	0.53	-0.62451		
	0.57	-0.59994		
	0.65	-0.55114		
	0.71	-0.52114		
	0.77	-0.49124		
	0.83	-0.48027		
	0.89	-0.44962		
	0.95	-0.43244		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
33	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.8007	8.25	-0.02	29.74 621.1	101.08 2111.2	66.27 1384.0	12.43 3.79	320.29 116.85

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.02370	0.05	0.32552
0.06	-0.81556	0.10	0.17094
0.11	-0.93888	0.20	-0.00904
0.17	-0.85755	0.35	-0.19556
0.23	-0.85130	0.50	-0.39915
0.29	-0.71718	0.65	-0.09860
0.35	-0.71862	0.80	0.17795
0.41	-0.68043	0.95	0.22206
0.47	-0.65711		
0.53	-0.61475		
0.57	-0.61030		
0.65	-0.60174		
0.71	-0.59452		
0.77	-0.57144		
0.83	-0.57215		
0.89	-0.53854		
0.95	-0.49796		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
33	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.8010	9.26	-0.04	29.76 621.6	101.12 2111.9	66.27 1384.0	12.44 3.79	320.25 116.78

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-0.80162	0.05	0.38704
0.06	-0.78807	0.10	0.21687
0.11	-0.64981	0.20	0.03552
0.17	-0.68124	0.35	-0.15171
0.23	-0.61869	0.50	-0.37199
0.29	-0.63480	0.65	-0.09158
0.35	-0.62374	0.80	0.18435
0.41	-0.61423	0.95	0.21168
0.47	-0.62114		
0.53	-0.60892		
0.57	-0.60530		
0.65	-0.61778		
0.71	-0.61521		
0.77	-0.60530		
0.83	-0.60121		
0.89	-0.59679		
0.95	-0.56513		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
33	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
16	0.8016	11.32	-0.04	29.79 622.1	101.12 2111.9	66.23 1383.3	12.41 3.78	320.87 117.89

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.59056	0.05	0.48044
	0.06	-0.60166	0.10	0.30305
	0.11	-0.56398	0.20	0.12245
	0.17	-0.56205	0.35	-0.08287
	0.23	-0.57868	0.50	-0.31359
	0.29	-0.57696	0.65	-0.08413
	0.35	-0.62221	0.80	0.18004
	0.41	-0.59853	0.95	0.20752
	0.47	-0.58592		
	0.53	-0.62512		
	0.57	-0.64515		
	0.65	-0.62599		
	0.71	-0.61794		
	0.77	-0.62039		
	0.83	-0.60674		
	0.89	-0.57911		
	0.95	-0.55303		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
33	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
17	0.7984	13.48	0.02	29.65	101.12	66.44	12.40	320.61
				619.2	2111.9	1387.6	3.78	117.42

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.41867	0.05	0.58670
	0.06	-1.35320	0.10	0.40113
	0.11	-1.27479	0.20	0.20904
	0.17	-1.23998	0.35	-0.00603
	0.23	-1.18217	0.50	-0.23994
	0.29	-1.21613	0.65	-0.04810
	0.35	-1.24809	0.80	0.20073
	0.41	-1.14322	0.95	0.21567
	0.47	-0.98463		
	0.53	-0.71923		
	0.57	-0.63372		
	0.65	-0.59422		
	0.71	-0.61130		
	0.77	-0.61290		
	0.83	-0.64232		
	0.89	-0.65569		
	0.95	-0.63595		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
33	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
18	0.7991	15.76	-0.01	29.67	101.08	66.37	12.39	320.81
				619.6	2111.2	1386.2	3.78	117.79

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.48574	0.05	0.66937
	0.06	-1.41788	0.10	0.50427
	0.11	-1.41593	0.20	0.30024
	0.17	-1.36440	0.35	0.08221
	0.23	-1.31142	0.50	-0.14882
	0.29	-1.27000	0.65	-0.00199
	0.35	-1.24352	0.80	0.22142
	0.41	-0.74906	0.95	0.23061
	0.47	-0.58147		
	0.53	-0.54191		
	0.57	-0.62242		
	0.65	-0.63634		
	0.71	-0.62558		
	0.77	-0.66097		
	0.83	-0.66872		
	0.89	-0.63505		
	0.95	-0.63609		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
33	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.7984	17.75	0.02	29.65	101.12	66.44	12.38	321.03
				619.2	2111.9	1387.6	3.77	118.19

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.45600	0.05	0.73951
	0.06	-1.41028	0.10	0.58080
	0.11	-1.42314	0.20	0.37180
	0.17	-1.36774	0.35	0.15566
	0.23	-1.31695	0.50	-0.07879
	0.29	-1.25637	0.65	0.03986
	0.35	-1.15803	0.80	0.24152
	0.41	-0.85413	0.95	0.24578
	0.47	-0.71260		
	0.53	-0.67767		
	0.57	-0.66770		
	0.65	-0.65948		
	0.71	-0.67248		
	0.77	-0.65222		
	0.83	-0.63000		
	0.89	-0.70476		
	0.95	-0.69753		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
33	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
20	0.7996	19.91	-0.29	29.69	101.08	66.34	12.40	320.77
				620.1	2111.2	1385.5	3.78	117.72

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.46863	0.05	0.79362
	0.06	-0.46084	0.10	0.64350
	0.11	-0.47826	0.20	0.44325
	0.17	-0.48964	0.35	0.22097
	0.23	-0.48239	0.50	-0.00536
	0.29	-0.48186	0.65	0.08028
	0.35	-0.50184	0.80	0.26089
	0.41	-0.50057	0.95	0.25236
	0.47	-0.54044		
	0.53	-0.52307		
	0.57	-0.53918		
	0.65	-0.56342		
	0.71	-0.55695		
	0.77	-0.54524		
	0.83	-0.53368		
	0.89	-0.57480		
	0.95	-0.55759		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
33	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
21	0.7979	-1.94	-0.01	29.62	101.12	66.47	12.40	320.59
				618.7	2111.9	1388.3	3.78	117.39

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.05493	0.05	-0.74199
	0.06	-0.25194	0.10	-0.85030
	0.11	-0.34699	0.20	-0.72927
	0.17	-0.43294	0.35	-0.66917
	0.23	-0.48027	0.50	-0.52360
	0.29	-0.45521	0.65	-0.07170
	0.35	-0.48042	0.80	0.06493
	0.41	-0.51263	0.95	0.21773
	0.47	-0.54381		
	0.53	-0.58985		
	0.57	-0.61331		
	0.65	-0.53412		
	0.71	-0.40016		
	0.77	-0.28565		
	0.83	-0.16932		
	0.89	-0.04137		
	0.95	0.07578		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
34	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8191	-6.33	-0.01	30.56	101.08	65.05	12.54	320.87
				638.2	2111.2	1358.6	3.82	117.89

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.43455	0.05	-1.25553
	0.06	0.16069	0.10	-1.25317
	0.11	0.03594	0.20	-1.04824
	0.17	-0.08864	0.35	-0.59471
	0.23	-0.16856	0.50	-0.49700
	0.29	-0.21231	0.65	-0.40059
	0.35	-0.26726	0.80	-0.32745
	0.41	-0.31685	0.95	-0.21174
	0.47	-0.38699		
	0.53	-0.45729		
	0.57	-0.50656		
	0.65	-0.57370		
	0.71	-0.67014		
	0.77	-0.72616		
	0.83	-0.59362		
	0.89	-0.35503		
	0.95	-0.24489		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
34	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.8211	-5.23	-0.02	30.65 640.1	101.12 2111.9	64.95 1356.5	12.54 3.82	321.24 118.56

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.33709	0.05	-1.15870
	0.06	0.07215	0.10	-1.17226
	0.11	-0.05368	0.20	-1.09189
	0.17	-0.15993	0.35	-0.54924
	0.23	-0.22816	0.50	-0.45749
	0.29	-0.26028	0.65	-0.35639
	0.35	-0.31231	0.80	-0.26811
	0.41	-0.35660	0.95	-0.13089
	0.47	-0.42681		
	0.53	-0.50880		
	0.57	-0.55881		
	0.65	-0.62296		
	0.71	-0.68891		
	0.77	-0.73064		
	0.83	-0.40635		
	0.89	-0.25883		
	0.95	-0.17978		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
34	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.8197	-4.08	-0.02	30.58	101.08	65.02	12.55	320.79
				638.6	2111.2	1357.9	3.82	117.76

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.23938	0.05	-1.06294
	0.06	-0.01904	0.10	-1.02842
	0.11	-0.15369	0.20	-0.98555
	0.17	-0.24455	0.35	-0.99630
	0.23	-0.31639	0.50	-0.40508
	0.29	-0.32596	0.65	-0.26213
	0.35	-0.37429	0.80	-0.13104
	0.41	-0.41471	0.95	0.10313
	0.47	-0.46578		
	0.53	-0.52958		
	0.57	-0.56860		
	0.65	-0.61845		
	0.71	-0.69928		
	0.77	-0.41059		
	0.83	-0.23340		
	0.89	-0.13186		
	0.95	-0.00927		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
34	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.8200	-2.92	-0.01	30.61 639.2	101.12 2111.9	65.02 1357.9	12.54 3.82	321.00 118.13

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.12030	0.05	-0.90153
	0.06	-0.14085	0.10	-0.85904
	0.11	-0.23400	0.20	-0.90292
	0.17	-0.34659	0.35	-0.77186
	0.23	-0.41528	0.50	-0.36734
	0.29	-0.41205	0.65	-0.17754
	0.35	-0.42981	0.80	-0.09997
	0.41	-0.45632	0.95	0.09150
	0.47	-0.49486		
	0.53	-0.57595		
	0.57	-0.62762		
	0.65	-0.68098		
	0.71	-0.50103		
	0.77	-0.27763		
	0.83	-0.17014		
	0.89	-0.04952		
	0.95	0.06362		

MICROCOPY RESOLUTION TEST CHART

NATIONAL BUREAU OF STANDARDS-1963-A

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
34	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.8205	-1.86	-0.01	30.62	101.12	64.98	12.57	320.62
				639.6	2111.9	1357.2	3.83	117.45

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.04951	0.05	-0.68947
	0.06	-0.26796	0.10	-0.79908
	0.11	-0.35307	0.20	-0.74370
	0.17	-0.45370	0.35	-0.64826
	0.23	-0.52169	0.50	-0.43577
	0.29	-0.50568	0.65	-0.15630
	0.35	-0.49261	0.80	-0.08012
	0.41	-0.50431	0.95	0.11448
	0.47	-0.55277		
	0.53	-0.61896		
	0.57	-0.65898		
	0.65	-0.72260		
	0.71	-0.50135		
	0.77	-0.25710		
	0.83	-0.15490		
	0.89	-0.03727		
	0.95	0.06347		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
34	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.8195	-0.80	-0.01	30.58 / 638.7	101.12 / 2111.9	65.05 / 1358.6	12.54 / 3.82	321.02 / 118.16

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.21307	0.05	-0.54997
	0.06	-0.39160	0.10	-0.59064
	0.11	-0.48269	0.20	-0.58642
	0.17	-0.56085	0.35	-0.60413
	0.23	-0.61842	0.50	-0.67736
	0.29	-0.63428	0.65	-0.14714
	0.35	-0.62874	0.80	-0.04060
	0.41	-0.61820	0.95	0.15209
	0.47	-0.63275		
	0.53	-0.65809		
	0.57	-0.67916		
	0.65	-0.70395		
	0.71	-0.37951		
	0.77	-0.23552		
	0.83	-0.13365		
	0.89	-0.02319		
	0.95	0.07539		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
34	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.8190	0.51	-0.02	30.56	101.12	65.09	12.56	320.42
				638.2	2111.9	1359.4	3.83	117.08

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.40217	0.05	-0.37483
	0.06	-0.56721	0.10	-0.39692
	0.11	-0.72630	0.20	-0.43781
	0.17	-0.64154	0.35	-0.53747
	0.23	-0.75076	0.50	-0.85312
	0.29	-0.75904	0.65	-0.06744
	0.35	-0.76276	0.80	0.12460
	0.41	-0.77969	0.95	0.28005
	0.47	-0.78917		
	0.53	-0.80521		
	0.57	-0.85189		
	0.65	-0.58331		
	0.71	-0.31289		
	0.77	-0.21228		
	0.83	-0.11614		
	0.89	-0.01926		
	0.95	0.05883		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
34	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.8205	1.90	-0.02	30.62	101.12	64.98	12.55	320.88
				639.6	2111.9	1357.2	3.83	117.92

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.58749	0.05	-0.17129
	0.06	-0.81314	0.10	-0.26608
	0.11	-0.87774	0.20	-0.34912
	0.17	-0.92092	0.35	-0.46616
	0.23	-0.96029	0.50	-0.76785
	0.29	-0.97008	0.65	-0.04809
	0.35	-0.89581	0.80	0.18424
	0.41	-0.83137	0.95	0.29385
	0.47	-0.87666		
	0.53	-0.94123		
	0.57	-0.99849		
	0.65	-0.41019		
	0.71	-0.29949		
	0.77	-0.22975		
	0.83	-0.16999		
	0.89	-0.08288		
	0.95	-0.01228		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
34	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.8205	2.82	-0.01	30.62 639.6	101.12 2111.9	64.98 1357.2	12.55 3.82	321.00 118.13

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.70165	0.05	-0.07121
	0.06	-0.92442	0.10	-0.19584
	0.11	-1.00340	0.20	-0.29236
	0.17	-1.00452	0.35	-0.43449
	0.23	-1.04609	0.50	-0.75697
	0.29	-1.07208	0.65	-0.07574
	0.35	-1.07515	0.80	0.16890
	0.41	-1.05261	0.95	0.26172
	0.47	-0.92337		
	0.53	-0.70974		
	0.57	-0.50855		
	0.65	-0.41050		
	0.71	-0.35919		
	0.77	-0.32561		
	0.83	-0.28294		
	0.89	-0.21049		
	0.95	-0.13006		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
34	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.8216	4.03	-0.01	30.67 640.6	101.12 2111.9	64.91 1355.7	12.56 3.83	320.98 118.09

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.77850	0.05	0.03111
	0.06	-1.02583	0.10	-0.10747
	0.11	-1.09820	0.20	-0.23718
	0.17	-1.09740	0.35	-0.38066
	0.23	-1.12558	0.50	-0.70217
	0.29	-1.11390	0.65	-0.08897
	0.35	-0.92614	0.80	0.18039
	0.41	-0.61206	0.95	0.24444
	0.47	-0.54096		
	0.53	-0.52326		
	0.57	-0.50905		
	0.65	-0.45372		
	0.71	-0.41980		
	0.77	-0.37714		
	0.83	-0.34642		
	0.89	-0.31372		
	0.95	-0.27934		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
34	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.8211	4.94	-0.02	30.65 640.1	101.12 2111.9	64.95 1356.5	12.54 3.82	321.18 118.46

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.86123	0.05	0.08419
	0.06	-1.11280	0.10	-0.05212
	0.11	-1.15036	0.20	-0.18263
	0.17	-1.15803	0.35	-0.33439
	0.23	-1.10954	0.50	-0.66824
	0.29	-0.76178	0.65	-0.09985
	0.35	-0.63589	0.80	0.17309
	0.41	-0.59481	0.95	0.23367
	0.47	-0.57447		
	0.53	-0.55219		
	0.57	-0.52376		
	0.65	-0.48463		
	0.71	-0.44750		
	0.77	-0.41555		
	0.83	-0.39785		
	0.89	-0.38105		
	0.95	-0.35037		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
34	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.8195	6.17	-0.01	30.58 638.7	101.12 2111.9	65.05 1358.6	12.54 3.82	321.07 118.26

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.96040	0.05	0.16841
	0.06	-1.19303	0.10	0.03199
	0.11	-1.24360	0.20	-0.11349
	0.17	-1.22328	0.35	-0.29230
	0.23	-0.96964	0.50	-0.62289
	0.29	-0.70016	0.65	-0.11414
	0.35	-0.65047	0.80	0.16995
	0.41	-0.62487	0.95	0.22712
	0.47	-0.61173		
	0.53	-0.57999		
	0.57	-0.56201		
	0.65	-0.52352		
	0.71	-0.48871		
	0.77	-0.45913		
	0.83	-0.43313		
	0.89	-0.41429		
	0.95	-0.39083		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
34	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.8223	7.33	-0.01	30.69	101.08	64.84	12.54	321.22
				641.0	2111.2	1354.3	3.82	118.53

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.09547	0.05	0.24669
	0.06	-1.24069	0.10	0.10666
	0.11	-1.27929	0.20	-0.05364
	0.17	-1.20521	0.35	-0.24688
	0.23	-0.83329	0.50	-0.56815
	0.29	-0.72467	0.65	-0.11221
	0.35	-0.70189	0.80	0.17701
	0.41	-0.67862	0.95	0.22564
	0.47	-0.64065		
	0.53	-0.61964		
	0.57	-0.58382		
	0.65	-0.55010		
	0.71	-0.53936		
	0.77	-0.52091		
	0.83	-0.50743		
	0.89	-0.47936		
	0.95	-0.45995		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
34	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.8223	8.31	-0.02	30.69	101.08	64.84	12.51	321.86
				641.0	2111.2	1354.3	3.81	119.67

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.04346	0.05	0.33041
	0.06	-1.00155	0.10	0.17402
	0.11	-0.98756	0.20	-0.00303
	0.17	-1.05566	0.35	-0.19847
	0.23	-0.89131	0.50	-0.46487
	0.29	-0.71888	0.65	-0.10095
	0.35	-0.70079	0.80	0.18249
	0.41	-0.63910	0.95	0.23342
	0.47	-0.60628		
	0.53	-0.61671		
	0.57	-0.60769		
	0.65	-0.61019		
	0.71	-0.58273		
	0.77	-0.56956		
	0.83	-0.56258		
	0.89	-0.54765		
	0.95	-0.51150		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
34	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.8219	9.26	-0.03	30.70 / 641.1	101.15 / 2112.6	64.91 / 1355.7	12.53 / 3.82	321.63 / 119.27

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.86367	0.05	0.37380
	0.06	-0.74667	0.10	0.21495
	0.11	-0.67372	0.20	0.02902
	0.17	-0.74431	0.35	-0.17043
	0.23	-0.63342	0.50	-0.42021
	0.29	-0.60722	0.65	-0.09966
	0.35	-0.59707	0.80	0.18086
	0.41	-0.60809	0.95	0.23073
	0.47	-0.61961		
	0.53	-0.62626		
	0.57	-0.63472		
	0.65	-0.60179		
	0.71	-0.61406		
	0.77	-0.61112		
	0.83	-0.60287		
	0.89	-0.60230		
	0.95	-0.57041		

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
34	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
16	0.8200	11.37	-0.06	30.61 639.2	101.12 2111.9	65.02 1357.9	12.53 3.82	321.17 118.43

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.58359	0.05	0.47103
	0.06	-0.57497	0.10	0.31249
	0.11	-0.54011	0.20	0.11356
	0.17	-0.53730	0.35	-0.10035
	0.23	-0.54632	0.50	-0.35236
	0.29	-0.56080	0.65	-0.08525
	0.35	-0.60259	0.80	0.18644
	0.41	-0.59234	0.95	0.22483
	0.47	-0.57823		
	0.53	-0.57792		
	0.57	-0.58713		
	0.65	-0.60589		
	0.71	-0.58512		
	0.77	-0.59082		
	0.83	-0.58955		
	0.89	-0.57792		
	0.95	-0.56803		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
34	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
17	0.8184	13.70	0.03	30.53 637.7	101.12 2111.9	65.12 1360.1	12.50 3.81	321.69 119.37

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.41006	0.05	0.59265
	0.06	-1.28213	0.10	0.41121
	0.11	-1.26374	0.20	0.21492
	0.17	-1.29583	0.35	-0.00419
	0.23	-1.27908	0.50	-0.23551
	0.29	-1.21825	0.65	-0.03993
	0.35	-0.78891	0.80	0.21199
	0.41	-0.54104	0.95	0.23472
	0.47	-0.53653		
	0.53	-0.56768		
	0.57	-0.58572		
	0.65	-0.59252		
	0.71	-0.59202		
	0.77	-0.59640		
	0.83	-0.61461		
	0.89	-0.64793		
	0.95	-0.65089		

589

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
34	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
18	0.8202	15.74	0.02	30.60 639.1	101.08 2111.2	64.98 1357.2	12.50 3.81	321.69 119.37

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.46795	0.05	0.67094
	0.06	-1.36673	0.10	0.49560
	0.11	-1.38230	0.20	0.30126
	0.17	-1.37477	0.35	0.07955
	0.23	-1.39354	0.50	-0.15168
	0.29	-1.43304	0.65	0.00381
	0.35	-1.40042	0.80	0.23499
	0.41	-1.10886	0.95	0.25446
	0.47	-0.58045		
	0.53	-0.51479		
	0.57	-0.52575		
	0.65	-0.57061		
	0.71	-0.58825		
	0.77	-0.62188		
	0.83	-0.63864		
	0.89	-0.61105		
	0.95	-0.64869		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
34	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.8213	17.92	0.02	30.65 / 640.1	101.08 / 2111.2	64.91 / 1355.7	12.52 / 3.82	321.59 / 119.20

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.41557	0.05	0.75501
	0.06	-1.36667	0.10	0.58989
	0.11	-1.35656	0.20	0.38561
	0.17	-1.37599	0.35	0.17206
	0.23	-1.33337	0.50	-0.05658
	0.29	-1.26565	0.65	0.06019
	0.35	-1.31467	0.80	0.26686
	0.41	-0.91667	0.95	0.27457
	0.47	-0.56634		
	0.53	-0.63876		
	0.57	-0.63123		
	0.65	-0.62253		
	0.71	-0.62571		
	0.77	-0.63339		
	0.83	-0.66376		
	0.89	-0.62745		
	0.95	-0.65199		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
34	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
20	0.8211	19.90	-0.26	30.65 / 640.1	101.12 / 2111.9	64.95 / 1356.5	12.53 / 3.82	321.44 / 118.93

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.49629	0.05	0.78996
	0.06	-0.48361	0.10	0.64526
	0.11	-0.48765	0.20	0.44730
	0.17	-0.49104	0.35	0.22739
	0.23	-0.49122	0.50	0.00585
	0.29	-0.48874	0.65	0.09886
	0.35	-0.49192	0.80	0.28097
	0.41	-0.51383	0.95	0.28089
	0.47	-0.51470		
	0.53	-0.51072		
	0.57	-0.52209		
	0.65	-0.54044		
	0.71	-0.54702		
	0.77	-0.54579		
	0.83	-0.56072		
	0.89	-0.56299		
	0.95	-0.55187		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
34	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
21	0.8184	-1.92	-0.01	30.53 637.7	101.12 2111.9	65.12 1360.1	12.54 3.82	320.92 117.99

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.04843	0.05	-0.71532
	0.06	-0.24070	0.10	-0.82730
	0.11	-0.35778	0.20	-0.76212
	0.17	-0.43425	0.35	-0.64188
	0.23	-0.50032	0.50	-0.44017
	0.29	-0.49196	0.65	-0.15553
	0.35	-0.47040	0.80	-0.07279
	0.41	-0.50990	0.95	0.10669
	0.47	-0.55884		
	0.53	-0.59813		
	0.57	-0.65627		
	0.65	-0.70592		
	0.71	-0.43929		
	0.77	-0.26378		
	0.83	-0.15912		
	0.89	-0.04449		
	0.95	0.05890		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
35	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8507	-6.25	-0.02	31.91 666.4	101.08 2111.2	62.98 1315.3	12.67 3.86	322.49 120.82

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.41845	0.05	-1.13941
	0.06	0.15904	0.10	-1.13183
	0.11	0.03075	0.20	-1.04912
	0.17	-0.08174	0.35	-0.53008
	0.23	-0.17403	0.50	-0.46971
	0.29	-0.21454	0.65	-0.44329
	0.35	-0.25089	0.80	-0.42511
	0.41	-0.29533	0.95	-0.34856
	0.47	-0.35966		
	0.53	-0.45378		
	0.57	-0.50498		
	0.65	-0.58654		
	0.71	-0.66464		
	0.77	-0.73339		
	0.83	-0.78602		
	0.89	-0.83714		
	0.95	-0.48122		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
35	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.8502	-5.16	-0.02	31.88 665.9	101.08 2111.2	63.01 1316.0	12.67 3.86	322.57 120.95

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.34821	0.05	-1.06154
	0.06	0.08148	0.10	-1.06326
	0.11	-0.04203	0.20	-0.99448
	0.17	-0.15367	0.35	-0.52077
	0.23	-0.23784	0.50	-0.42634
	0.29	-0.26820	0.65	-0.38282
	0.35	-0.30618	0.80	-0.33883
	0.41	-0.34584	0.95	-0.26711
	0.47	-0.40360		
	0.53	-0.48684		
	0.57	-0.54806		
	0.65	-0.61614		
	0.71	-0.70656		
	0.77	-0.76803		
	0.83	-0.82217		
	0.89	-0.61498		
	0.95	-0.31096		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
35	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.8497	-4.08	-0.02	31.86 665.5	101.08 2111.2	63.04 1316.7	12.64 3.85	323.02 121.76

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.23328	0.05	-0.98039
	0.06	-0.02269	0.10	-0.93335
	0.11	-0.13824	0.20	-0.92030
	0.17	-0.23563	0.35	-0.86847
	0.23	-0.31075	0.50	-0.39929
	0.29	-0.33442	0.65	-0.35754
	0.35	-0.36967	0.80	-0.29628
	0.41	-0.40726	0.95	-0.15768
	0.47	-0.45326		
	0.53	-0.52934		
	0.57	-0.58231		
	0.65	-0.65175		
	0.71	-0.73586		
	0.77	-0.79413		
	0.83	-0.47066		
	0.89	-0.25013		
	0.95	-0.19043		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
35	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.8520	-3.00	-0.01	31.97	101.12	62.91	12.71	321.97
				667.7	2111.9	1314.0	3.88	119.88

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.12397	0.05	-0.84377
	0.06	-0.12230	0.10	-0.76437
	0.11	-0.22926	0.20	-0.84019
	0.17	-0.31393	0.35	-0.89191
	0.23	-0.40783	0.50	-0.42974
	0.29	-0.41784	0.65	-0.32065
	0.35	-0.44988	0.80	-0.23575
	0.41	-0.46101	0.95	-0.03573
	0.47	-0.50449		
	0.53	-0.57114		
	0.57	-0.62182		
	0.65	-0.68533		
	0.71	-0.76416		
	0.77	-0.55800		
	0.83	-0.21440		
	0.89	-0.13287		
	0.95	-0.08038		

597

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
35	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.8507	-1.91	-0.01	31.91 666.4	101.08 2111.2	62.98 1315.3	12.65 3.86	323.02 121.76

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.01904	0.05	-0.67301
	0.06	-0.22994	0.10	-0.74119
	0.11	-0.32225	0.20	-0.69826
	0.17	-0.40182	0.35	-0.73600
	0.23	-0.50976	0.50	-0.59940
	0.29	-0.52798	0.65	-0.23453
	0.35	-0.53459	0.80	-0.19584
	0.41	-0.55355	0.95	-0.07693
	0.47	-0.58909		
	0.53	-0.62457		
	0.57	-0.66615		
	0.65	-0.71403		
	0.71	-0.77811		
	0.77	-0.30501		
	0.83	-0.16403		
	0.89	-0.09665		
	0.95	-0.04437		

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
35	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.8502	-0.80	-0.02	31.88 665.9	101.08 2111.2	63.01 1316.0	12.67 3.86	322.53 120.89

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.16039	0.05	-0.51918
	0.06	-0.35249	0.10	-0.64645
	0.11	-0.43681	0.20	-0.60214
	0.17	-0.51257	0.35	-0.56831
	0.23	-0.58713	0.50	-0.81091
	0.29	-0.61534	0.65	-0.23163
	0.35	-0.61397	0.80	-0.19306
	0.41	-0.63610	0.95	-0.05396
	0.47	-0.68746		
	0.53	-0.72187		
	0.57	-0.77301		
	0.65	-0.77882		
	0.71	-0.42060		
	0.77	-0.22913		
	0.83	-0.15293		
	0.89	-0.09712		
	0.95	-0.03533		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
35	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.8507	0.40	-0.02	31.91 666.4	101.08 2111.2	62.98 1315.3	12.67 3.86	322.53 120.89

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.33265	0.05	-0.36802
0.06	-0.49279	0.10	-0.41283
0.11	-0.64647	0.20	-0.47797
0.17	-0.58536	0.35	-0.51667
0.23	-0.67439	0.50	-0.84038
0.29	-0.69295	0.65	-0.24189
0.35	-0.70206	0.80	-0.18860
0.41	-0.71926	0.95	0.00343
0.47	-0.75366		
0.53	-0.80407		
0.57	-0.86099		
0.65	-0.48149		
0.71	-0.27996		
0.77	-0.21288		
0.83	-0.15406		
0.89	-0.09316		
0.95	-0.03567		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
35	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.8487	1.67	-0.02	31.82	101.08	63.11	12.67	322.36
				664.6	2111.2	1318.1	3.86	120.58

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.45158	0.05	-0.22422
0.06	-0.70693	0.10	-0.31704
0.11	-0.77850	0.20	-0.38734
0.17	-0.81609	0.35	-0.48993
0.23	-0.87477	0.50	-0.79297
0.29	-0.86134	0.65	-0.24062
0.35	-0.86276	0.80	-0.16236
0.41	-0.82189	0.95	0.02113
0.47	-0.79864		
0.53	-0.85267		
0.57	-0.73431		
0.65	-0.32803		
0.71	-0.27205		
0.77	-0.22390		
0.83	-0.18438		
0.89	-0.14823		
0.95	-0.11228		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN   CONFIG   DHORZ(deg)
35   6   OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.8525	2.69	-0.01	31.99	101.12	62.88	12.64	323.56
				668.2	2111.9	1313.3	3.85	122.74

WING   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-0.56691	0.05	-0.11349
0.06	-0.81355	0.10	-0.19428
0.11	-0.88000	0.20	-0.29816
0.17	-0.88901	0.35	-0.43733
0.23	-0.96039	0.50	-0.76151
0.29	-0.98921	0.65	-0.22641
0.35	-0.98505	0.80	-0.09298
0.41	-0.96289	0.95	0.09423
0.47	-0.55323		
0.53	-0.51365		
0.57	-0.41851		
0.65	-0.39507		
0.71	-0.37063		
0.77	-0.33841		
0.83	-0.31474		
0.89	-0.26031		
0.95	-0.23141		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
35	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.8522	4.04	-0.02	31.97	101.08	62.88	12.68	322.55
				667.7	2111.2	1313.3	3.87	120.92

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.65967	0.05	-0.00112
	0.06	-0.92178	0.10	-0.09586
	0.11	-0.98946	0.20	-0.22353
	0.17	-1.00362	0.35	-0.37533
	0.23	-1.03434	0.50	-0.72381
	0.29	-1.00619	0.65	-0.22644
	0.35	-0.62027	0.80	-0.06617
	0.41	-0.49866	0.95	0.13934
	0.47	-0.48452		
	0.53	-0.45741		
	0.57	-0.44947		
	0.65	-0.41466		
	0.71	-0.41235		
	0.77	-0.38777		
	0.83	-0.36571		
	0.89	-0.33396		
	0.95	-0.32712		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
35	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.8502	5.10	-0.02	31.88 665.9	101.08 2111.2	63.01 1316.0	12.66 3.86	322.74 121.26

WING   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-0.75056	0.05	0.09231
0.06	-1.00213	0.10	-0.04468
0.11	-1.05811	0.20	-0.17672
0.17	-1.05831	0.35	-0.33775
0.23	-1.02750	0.50	-0.69344
0.29	-0.70190	0.65	-0.20813
0.35	-0.56833	0.80	-0.00282
0.41	-0.55052	0.95	0.17966
0.47	-0.52890		
0.53	-0.50264		
0.57	-0.48375		
0.65	-0.45795		
0.71	-0.45996		
0.77	-0.44547		
0.83	-0.43228		
0.89	-0.40515		
0.95	-0.39638		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
35	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.8515	6.15	-0.01	31.95	101.12	62.95	12.67	322.66
				667.3	2111.9	1314.7	3.86	121.12

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.85137	0.05	0.17134
	0.06	-1.07317	0.10	0.03918
	0.11	-1.12502	0.20	-0.10988
	0.17	-1.11765	0.35	-0.28589
	0.23	-0.95994	0.50	-0.65041
	0.29	-0.64593	0.65	-0.14943
	0.35	-0.60979	0.80	0.10344
	0.41	-0.59610	0.95	0.20053
	0.47	-0.57284		
	0.53	-0.54176		
	0.57	-0.53574		
	0.65	-0.51395		
	0.71	-0.50094		
	0.77	-0.48287		
	0.83	-0.46696		
	0.89	-0.46116		
	0.95	-0.43667		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
35	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.8502	7.22	-0.01	31.88 665.9	101.08 2111.2	63.01 1316.0	12.66 3.86	322.68 121.15

WING   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-0.95598	0.05	0.25583
0.06	-1.13095	0.10	0.10555
0.11	-1.18766	0.20	-0.05572
0.17	-1.16996	0.35	-0.24847
0.23	-0.85709	0.50	-0.61143
0.29	-0.68252	0.65	-0.10782
0.35	-0.64559	0.80	0.16175
0.41	-0.62116	0.95	0.22955
0.47	-0.60056		
0.53	-0.58377		
0.57	-0.57864		
0.65	-0.56418		
0.71	-0.53766		
0.77	-0.52945		
0.83	-0.51547		
0.89	-0.51251		
0.95	-0.48694		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
35	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.8487	8.48	-0.01	31.82 664.6	101.08 2111.2	63.11 1318.1	12.63 3.85	323.02 121.76

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.04410	0.05	0.33428
	0.06	-1.15525	0.10	0.17288
	0.11	-1.18577	0.20	-0.00108
	0.17	-0.88446	0.35	-0.19934
	0.23	-0.83075	0.50	-0.55824
	0.29	-0.73262	0.65	-0.09058
	0.35	-0.68381	0.80	0.18539
	0.41	-0.64821	0.95	0.23637
	0.47	-0.61808		
	0.53	-0.61293		
	0.57	-0.60891		
	0.65	-0.59374		
	0.71	-0.59021		
	0.77	-0.57336		
	0.83	-0.58367		
	0.89	-0.57318		
	0.95	-0.54576		

607

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
35	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.8502	9.43	-0.03	31.88 665.9	101.08 2111.2	63.01 1316.0	12.61 3.84	323.77 123.11

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.79531	0.05	0.38714
	0.06	-0.77264	0.10	0.22151
	0.11	-0.75390	0.20	0.04929
	0.17	-0.64482	0.35	-0.15445
	0.23	-0.63844	0.50	-0.51383
	0.29	-0.59395	0.65	-0.09372
	0.35	-0.57943	0.80	0.19076
	0.41	-0.61052	0.95	0.24048
	0.47	-0.61047		
	0.53	-0.57482		
	0.57	-0.60010		
	0.65	-0.61653		
	0.71	-0.58069		
	0.77	-0.60072		
	0.83	-0.60524		
	0.89	-0.59285		
	0.95	-0.57801		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
35	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
16	0.8512	11.57	-0.10	31.93 / 666.8	101.08 / 2111.2	62.95 / 1314.7	12.62 / 3.85	323.58 / 122.77

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.58545	0.05	0.49378
0.06	-0.57524	0.10	0.32710
0.11	-0.56013	0.20	0.13579
0.17	-0.55131	0.35	-0.08361
0.23	-0.56608	0.50	-0.36803
0.29	-0.57037	0.65	-0.06958
0.35	-0.56324	0.80	0.21018
0.41	-0.58815	0.95	0.25502
0.47	-0.60674		
0.53	-0.61561		
0.57	-0.59586		
0.65	-0.60047		
0.71	-0.60660		
0.77	-0.61398		
0.83	-0.60820		
0.89	-0.62441		
0.95	-0.60398		

609

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
35	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
17	0.8492	13.70	0.01	31.84	101.08	63.08	12.60	323.69
				665.0	2111.2	1317.4	3.84	122.97

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.34413	0.05	0.59265
	0.06	-1.30403	0.10	0.41786
	0.11	-1.25934	0.20	0.22508
	0.17	-1.23267	0.35	0.00120
	0.23	-1.22082	0.50	-0.24466
	0.29	-1.20793	0.65	-0.02058
	0.35	-1.00028	0.80	0.24032
	0.41	-0.60575	0.95	0.27080
	0.47	-0.51189		
	0.53	-0.56495		
	0.57	-0.56728		
	0.65	-0.57673		
	0.71	-0.58830		
	0.77	-0.59864		
	0.83	-0.61890		
	0.89	-0.62384		
	0.95	-0.66492		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
35	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
18	0.8502	15.78	-0.14	31.88	101.08	63.01	12.60	323.84
				665.9	2111.2	1316.0	3.84	123.24

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.51741	0.05	0.66850
	0.06	-0.51478	0.10	0.51364
	0.11	-0.62901	0.20	0.31446
	0.17	-0.53333	0.35	0.08948
	0.23	-0.53789	0.50	-0.14902
	0.29	-0.54815	0.65	0.02447
	0.35	-0.56181	0.80	0.26405
	0.41	-0.56058	0.95	0.28732
	0.47	-0.57093		
	0.53	-0.58024		
	0.57	-0.57995		
	0.65	-0.59579		
	0.71	-0.62004		
	0.77	-0.62388		
	0.83	-0.62107		
	0.89	-0.61501		
	0.95	-0.61659		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
35	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.8512	17.94	-0.18	31.93	101.08	62.95	12.62	323.58
				666.8	2111.2	1314.7	3.85	122.77

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.50171	0.05	0.74678
	0.06	-0.48895	0.10	0.58332
	0.11	-0.48798	0.20	0.39059
	0.17	-0.50130	0.35	0.17533
	0.23	-0.50038	0.50	-0.05346
	0.29	-0.51884	0.65	0.07806
	0.35	-0.54309	0.80	0.28933
	0.41	-0.51930	0.95	0.30661
	0.47	-0.53198		
	0.53	-0.54936		
	0.57	-0.55941		
	0.65	-0.56410		
	0.71	-0.57402		
	0.77	-0.57458		
	0.83	-0.58454		
	0.89	-0.58656		
	0.95	-0.57250		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
35	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
20	0.8472	20.05	-0.36	31.76 663.3	101.08 2111.2	63.21 1320.1	12.60 3.84	323.43 122.50

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.47294	0.05	0.80626
	0.06	-0.46918	0.10	0.65208
	0.11	-0.47282	0.20	0.46296
	0.17	-0.46073	0.35	0.25091
	0.23	-0.46039	0.50	0.01747
	0.29	-0.45727	0.65	0.11629
	0.35	-0.47230	0.80	0.30273
	0.41	-0.48321	0.95	0.30745
	0.47	-0.50769		
	0.53	-0.49146		
	0.57	-0.50142		
	0.65	-0.50265		
	0.71	-0.54156		
	0.77	-0.55061		
	0.83	-0.53584		
	0.89	-0.52136		
	0.95	-0.52716		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
35	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
21	0.8500	-1.91	-0.01	31.89	101.12	63.04	12.64	323.06
				666.0	2111.9	1316.7	3.85	121.83

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.01668	0.05	-0.65814
	0.06	-0.22837	0.10	-0.74293
	0.11	-0.32095	0.20	-0.69890
	0.17	-0.41213	0.35	-0.75762
	0.23	-0.50234	0.50	-0.55822
	0.29	-0.51133	0.65	-0.22608
	0.35	-0.51792	0.80	-0.18608
	0.41	-0.54428	0.95	-0.07168
	0.47	-0.55657		
	0.53	-0.60733		
	0.57	-0.66510		
	0.65	-0.70841		
	0.71	-0.77252		
	0.77	-0.29473		
	0.83	-0.15299		
	0.89	-0.08532		
	0.95	-0.02535		

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
36	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8996	-6.37	-0.02	33.86 707.2	101.05 2110.5	59.77 1248.3	12.79 3.90	325.89 126.94

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.44832	0.05	-0.98013
0.06	0.18972	0.10	-0.99471
0.11	0.06308	0.20	-0.95672
0.17	-0.05259	0.35	-0.89339
0.23	-0.13599	0.50	-0.50923
0.29	-0.17312	0.65	-0.51198
0.35	-0.20988	0.80	-0.52044
0.41	-0.25386	0.95	-0.48374
0.47	-0.31485		
0.53	-0.38494		
0.57	-0.44814		
0.65	-0.52340		
0.71	-0.60664		
0.77	-0.67070		
0.83	-0.72308		
0.89	-0.77696		
0.95	-0.78857		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
36	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.9004	-5.26	-0.01	33.90	101.08	59.74	12.83	325.22
				708.1	2111.2	1247.7	3.91	125.73

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.36116	0.05	-0.88678
0.06	0.08616	0.10	-0.91018
0.11	-0.02254	0.20	-0.87825
0.17	-0.12708	0.35	-0.92809
0.23	-0.21457	0.50	-0.49379
0.29	-0.23359	0.65	-0.47604
0.35	-0.26627	0.80	-0.48003
0.41	-0.31139	0.95	-0.47742
0.47	-0.36242		
0.53	-0.42991		
0.57	-0.48368		
0.65	-0.55320		
0.71	-0.63140		
0.77	-0.70184		
0.83	-0.75304		
0.89	-0.80214		
0.95	-0.78593		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
36	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT· (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.9021	-4.06	-0.01	33.96	101.05	59.61	12.82	325.52
				709.2	2110.5	1244.9	3.91	126.27

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.25198	0.05	-0.79206
	0.06	0.00291	0.10	-0.77412
	0.11	-0.11305	0.20	-0.77552
	0.17	-0.20840	0.35	-0.81132
	0.23	-0.30157	0.50	-0.68551
	0.29	-0.31718	0.65	-0.49283
	0.35	-0.35431	0.80	-0.46336
	0.41	-0.38026	0.95	-0.40846
	0.47	-0.41739		
	0.53	-0.48880		
	0.57	-0.54549		
	0.65	-0.59146		
	0.71	-0.67566		
	0.77	-0.74674		
	0.83	-0.79422		
	0.89	-0.82098		
	0.95	-0.42803		

617

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
36	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.9016	-2.98	-0.01	33.94 / 708.8	101.05 / 2110.5	59.64 / 1245.6	12.78 / 3.90	326.31 / 127.68

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.12706	0.05	-0.67631
0.06	-0.11287	0.10	-0.65136
0.11	-0.18885	0.20	-0.74372
0.17	-0.29225	0.35	-0.78104
0.23	-0.39259	0.50	-0.93252
0.29	-0.41506	0.65	-0.48793
0.35	-0.42623	0.80	-0.44360
0.41	-0.44948	0.95	-0.34434
0.47	-0.49617		
0.53	-0.54323		
0.57	-0.59464		
0.65	-0.64953		
0.71	-0.72633		
0.77	-0.78590		
0.83	-0.81806		
0.89	-0.32994		
0.95	-0.30353		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
36	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.9001	-1.92	-0.01	33.88 707.6	101.05 2110.5	59.74 1247.6	12.78 3.90	326.14 127.38

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.03925	0.05	-0.55246
	0.06	-0.18938	0.10	-0.62135
	0.11	-0.29104	0.20	-0.59755
	0.17	-0.37414	0.35	-0.74183
	0.23	-0.45123	0.50	-0.81726
	0.29	-0.48907	0.65	-0.47359
	0.35	-0.50791	0.80	-0.40699
	0.41	-0.53184	0.95	-0.29404
	0.47	-0.57136		
	0.53	-0.61464		
	0.57	-0.66993		
	0.65	-0.71034		
	0.71	-0.76438		
	0.77	-0.37376		
	0.83	-0.27135		
	0.89	-0.25064		
	0.95	-0.24548		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
36	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.8996	-0.88	-0.01	33.86	101.05	59.77	12.77	326.31
				707.2	2110.5	1248.3	3.89	127.68 .

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.07976	0.05	-0.42825
	0.06	-0.28063	0.10	-0.55033
	0.11	-0.33907	0.20	-0.55274
	0.17	-0.45385	0.35	-0.53928
	0.23	-0.54352	0.50	-0.75060
	0.29	-0.55857	0.65	-0.91549
	0.35	-0.57934	0.80	-0.42195
	0.41	-0.59100	0.95	-0.27273
	0.47	-0.62374		
	0.53	-0.68746		
	0.57	-0.74088		
	0.65	-0.77670		
	0.71	-0.38184		
	0.77	-0.26807		
	0.83	-0.24989		
	0.89	-0.24274		
	0.95	-0.24021		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
36	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.9014	0.36	-0.01	33.94 708.9	101.08 2111.2	59.67 1246.3	12.78 3.89	326.49 128.02

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-0.21865	0.05	-0.30343
0.06	-0.45251	0.10	-0.37534
0.11	-0.56276	0.20	-0.36264
0.17	-0.59795	0.35	-0.46155
0.23	-0.63893	0.50	-0.74281
0.29	-0.66496	0.65	-0.89011
0.35	-0.67749	0.80	-0.43536
0.41	-0.64089	0.95	-0.23128
0.47	-0.68406		
0.53	-0.74182		
0.57	-0.79317		
0.65	-0.52259		
0.71	-0.28594		
0.77	-0.26786		
0.83	-0.26602		
0.89	-0.26167		
0.95	-0.25765		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
36	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.8996	1.50	-0.01	33.86	101.05	59.77	12.72	327.24
				707.2	2110.5	1248.3	3.88	129.37

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.30482	0.05	-0.17838
	0.06	-0.54920	0.10	-0.26912
	0.11	-0.63661	0.20	-0.35406
	0.17	-0.69187	0.35	-0.40631
	0.23	-0.75435	0.50	-0.71278
	0.29	-0.77045	0.65	-0.86594
	0.35	-0.74632	0.80	-0.41458
	0.41	-0.76788	0.95	-0.19041
	0.47	-0.82045		
	0.53	-0.81378		
	0.57	-0.83241		
	0.65	-0.35120		
	0.71	-0.33658		
	0.77	-0.32916		
	0.83	-0.33860		
	0.89	-0.30640		
	0.95	-0.29856		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
36	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.8996	2.60	-0.01	33.86	101.05	59.77	12.75	326.76
				707.2	2110.5	1248.3	3.89	128.49

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.44028	0.05	-0.07381
	0.06	-0.67173	0.10	-0.16194
	0.11	-0.75274	0.20	-0.27604
	0.17	-0.79177	0.35	-0.38369
	0.23	-0.82760	0.50	-0.68304
	0.29	-0.86399	0.65	-0.83861
	0.35	-0.87243	0.80	-0.37343
	0.41	-0.87340	0.95	-0.15383
	0.47	-0.83618		
	0.53	-0.77892		
	0.57	-0.47280		
	0.65	-0.38724		
	0.71	-0.38671		
	0.77	-0.38218		
	0.83	-0.37008		
	0.89	-0.37524		
	0.95	-0.37314		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
36	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.8971	3.76	0.00	33.77	101.05	59.93	12.74	326.59
				705.2	2110.5	1251.7	3.88	128.19

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.53308	0.05	-0.00280
	0.06	-0.76541	0.10	-0.09208
	0.11	-0.83944	0.20	-0.19594
	0.17	-0.88204	0.35	-0.33105
	0.23	-0.90270	0.50	-0.65489
	0.29	-0.92714	0.65	-0.81354
	0.35	-0.92251	0.80	-0.32670
	0.41	-0.90290	0.95	-0.10756
	0.47	-0.59099		
	0.53	-0.42616		
	0.57	-0.41114		
	0.65	-0.40252		
	0.71	-0.41544		
	0.77	-0.40779		
	0.83	-0.40470		
	0.89	-0.39858		
	0.95	-0.39358		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
36	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.8999	5.00	0.00	33.88 707.7	101.08 2111.2	59.77 1248.3	12.75 3.89	326.79 128.56

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.61233	0.05	0.12025
	0.06	-0.85305	0.10	-0.02603
	0.11	-0.92616	0.20	-0.15213
	0.17	-0.93726	0.35	-0.30669
	0.23	-0.96055	0.50	-0.62283
	0.29	-0.97673	0.65	-0.78689
	0.35	-0.82400	0.80	-0.28535
	0.41	-0.52444	0.95	-0.05929
	0.47	-0.50126		
	0.53	-0.47848		
	0.57	-0.47877		
	0.65	-0.47143		
	0.71	-0.47036		
	0.77	-0.46301		
	0.83	-0.45642		
	0.89	-0.43868		
	0.95	-0.41931		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
36	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.8996	6.30	0.00	33.86 707.2	101.05 2110.5	59.77 1248.3	12.73 3.88	327.04 129.00

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.72337	0.05	0.20503
	0.06	-0.94403	0.10	0.06734
	0.11	-0.99620	0.20	-0.07427
	0.17	-1.01167	0.35	-0.24128
	0.23	-1.01253	0.50	-0.58615
	0.29	-0.83873	0.65	-0.75390
	0.35	-0.63288	0.80	-0.21757
	0.41	-0.58621	0.95	-0.00379
	0.47	-0.57557		
	0.53	-0.56575		
	0.57	-0.55668		
	0.65	-0.54870		
	0.71	-0.53249		
	0.77	-0.52716		
	0.83	-0.51393		
	0.89	-0.51724		
	0.95	-0.51614		

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
36	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.8991	7.37	0.01	33.84 706.8	101.05 2110.5	59.80 1249.0	12.69 3.87	327.77 130.31

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.79618	0.05	0.27750
	0.06	-0.98545	0.10	0.13457
	0.11	-1.03630	0.20	-0.02159
	0.17	-1.05434	0.35	-0.20247
	0.23	-1.04310	0.50	-0.55242
	0.29	-0.78426	0.65	-0.71855
	0.35	-0.69442	0.80	-0.14246
	0.41	-0.64815	0.95	0.05361
	0.47	-0.62174		
	0.53	-0.59896		
	0.57	-0.59363		
	0.65	-0.59026		
	0.71	-0.59640		
	0.77	-0.60128		
	0.83	-0.59066		
	0.89	-0.58456		
	0.95	-0.58127		

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
36	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.9016	8.41	0.01	33.94 708.8	101.05 2110.5	59.64 1245.6	12.75 3.89	326.94 128.83

WING   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-0.87620	0.05	0.32920
0.06	-1.03446	0.10	0.18517
0.11	-1.08370	0.20	0.01899
0.17	-1.09948	0.35	-0.17066
0.23	-1.05603	0.50	-0.52432
0.29	-0.81372	0.65	-0.45411
0.35	-0.70894	0.80	-0.05141
0.41	-0.67691	0.95	0.14905
0.47	-0.64292		
0.53	-0.63359		
0.57	-0.62631		
0.65	-0.62324		
0.71	-0.62609		
0.77	-0.62612		
0.83	-0.63721		
0.89	-0.63694		
0.95	-0.62847		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
36	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.8999	9.65	0.00	33.88	101.08	59.77	12.73	327.21
				707.7	2111.2	1248.3	3.88	129.30

WING	UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP	
0.02	-0.96688	0.05	0.41413	
0.06	-1.10835	0.10	0.25713	
0.11	-1.14994	0.20	0.08126	
0.17	-1.08531	0.35	-0.11992	
0.23	-1.06916	0.50	-0.48039	
0.29	-0.85214	0.65	-0.15754	
0.35	-0.73004	0.80	0.15433	
0.41	-0.69377	0.95	0.25693	
0.47	-0.67366			
0.53	-0.63133			
0.57	-0.62912			
0.65	-0.63670			
0.71	-0.62620			
0.77	-0.63069			
0.83	-0.63651			
0.89	-0.64295			
0.95	-0.63186			

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
36	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
16	0.8991	11.81	-0.05	33.84 706.8	101.05 2110.5	59.80 1249.0	12.71 3.87	327.47 129.77

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.75847	0.05	0.52520
0.06	-0.65482	0.10	0.35223
0.11	-0.63039	0.20	0.16705
0.17	-0.82027	0.35	-0.04445
0.23	-0.73973	0.50	-0.39735
0.29	-0.65805	0.65	-0.01320
0.35	-0.66596	0.80	0.25367
0.41	-0.63158	0.95	0.30679
0.47	-0.64027		
0.53	-0.64833		
0.57	-0.66645		
0.65	-0.66062		
0.71	-0.67269		
0.77	-0.67787		
0.83	-0.69086		
0.89	-0.66437		
0.95	-0.64596		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
36	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
17	0.8996	13.88	-0.09	33.86 707.2	101.05 2110.5	59.77 1248.3	12.71 3.87	327.58 129.97

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.61880	0.05	0.61450
	0.06	-0.61503	0.10	0.44287
	0.11	-0.62847	0.20	0.25649
	0.17	-0.63184	0.35	0.03925
	0.23	-0.61876	0.50	-0.24522
	0.29	-0.61212	0.65	0.02098
	0.35	-0.63757	0.80	0.28542
	0.41	-0.62937	0.95	0.32718
	0.47	-0.64463		
	0.53	-0.65891		
	0.57	-0.65117		
	0.65	-0.65311		
	0.71	-0.66602		
	0.77	-0.67611		
	0.83	-0.68404		
	0.89	-0.68182		
	0.95	-0.66943		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
36	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
18	0.8981	15.96	-0.09	33.80 706.0	101.05 2110.5	59.86 1250.3	12.68 3.86	327.99 130.71

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.59973	0.05	0.70410
	0.06	-0.60924	0.10	0.53973
	0.11	-0.62328	0.20	0.35078
	0.17	-0.59518	0.35	0.12728
	0.23	-0.62616	0.50	-0.12636
	0.29	-0.62190	0.65	0.07000
	0.35	-0.63772	0.80	0.31028
	0.41	-0.62892	0.95	0.34778
	0.47	-0.62249		
	0.53	-0.63040		
	0.57	-0.63993		
	0.65	-0.64381		
	0.71	-0.66167		
	0.77	-0.65882		
	0.83	-0.65506		
	0.89	-0.67809		
	0.95	-0.64780		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
36	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.8981	18.13	-0.11	33.80 / 706.0	101.05 / 2110.5	59.86 / 1250.3	12.70 / 3.87	327.51 / 129.84

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.55874	0.05	0.77712
	0.06	-0.56701	0.10	0.62085
	0.11	-0.58001	0.20	0.43216
	0.17	-0.58068	0.35	0.21484
	0.23	-0.58647	0.50	-0.01317
	0.29	-0.58237	0.65	0.12705
	0.35	-0.58879	0.80	0.34087
	0.41	-0.56465	0.95	0.36687
	0.47	-0.59716		
	0.53	-0.61330		
	0.57	-0.61949		
	0.65	-0.63305		
	0.71	-0.64414		
	0.77	-0.64130		
	0.83	-0.65888		
	0.89	-0.64414		
	0.95	-0.63030		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
36	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
20	0.8991	20.37	-0.26	33.84	101.05	59.80	12.70	327.66
				706.8	2110.5	1249.0	3.87	130.11

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.48476	0.05	0.84519
	0.06	-0.51299	0.10	0.70128
	0.11	-0.46307	0.20	0.51281
	0.17	-0.45947	0.35	0.29571
	0.23	-0.49099	0.50	0.07616
	0.29	-0.47746	0.65	0.17743
	0.35	-0.47192	0.80	0.36615
	0.41	-0.49060	0.95	0.37808
	0.47	-0.47036		
	0.53	-0.48338		
	0.57	-0.50965		
	0.65	-0.61348		
	0.71	-0.54699		
	0.77	-0.58408		
	0.83	-0.57426		
	0.89	-0.51439		
	0.95	-0.54245		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
36	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
21	0.8991	-1.86	0.00	33.84 / 706.8	101.05 / 2110.5	59.80 / 1249.0	12.71 / 3.87	327.56 / 129.94

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.02589	0.05	-0.52573
0.06	-0.19633	0.10	-0.61978
0.11	-0.29816	0.20	-0.58328
0.17	-0.37768	0.35	-0.73989
0.23	-0.45711	0.50	-0.80932
0.29	-0.50384	0.65	-0.44886
0.35	-0.50634	0.80	-0.40012
0.41	-0.52472	0.95	-0.29250
0.47	-0.57168		
0.53	-0.61386		
0.57	-0.66935		
0.65	-0.69710		
0.71	-0.76841		
0.77	-0.41074		
0.83	-0.27726		
0.89	-0.24546		
0.95	-0.23603		

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
37	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7496	-6.28	-0.01	27.40 572.2	101.12 2111.9	69.65 1454.7	11.93 3.64	321.93 119.81

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.48564	0.05	-1.59436
	0.06	0.18630	0.10	-1.57180
	0.11	0.06033	0.20	-1.44122
	0.17	-0.04906	0.35	-0.~4112
	0.23	-0.12913	0.50	-0.46406
	0.29	-0.18235	0.65	-0.26346
	0.35	-0.23319	0.80	-0.07787
	0.41	-0.26709	0.95	0.07981
	0.47	-0.33446		
	0.53	-0.37738		
	0.57	-0.40554		
	0.65	-0.40687		
	0.71	-0.39759		
	0.77	-0.33874		
	0.83	-0.26254		
	0.89	-0.15793		
	0.95	-0.03619		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
37	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.7515	-5.11	-0.01	27.50 574.3	101.15 2112.6	69.55 1452.6	12.02 3.66	320.59 117.39

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.38573	0.05	-1.49857
	0.06	0.09967	0.10	-1.45733
	0.11	-0.02417	0.20	-1.29296
	0.17	-0.13825	0.35	-0.64819
	0.23	-0.20393	0.50	-0.46643
	0.29	-0.23567	0.65	-0.08573
	0.35	-0.27157	0.80	0.10496
	0.41	-0.29616	0.95	0.21276
	0.47	-0.34800		
	0.53	-0.38487		
	0.57	-0.40951		
	0.65	-0.39916		
	0.71	-0.36509		
	0.77	-0.29640		
	0.83	-0.20277		
	0.89	-0.08990		
	0.95	0.03157		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
37	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.7498	-4.08	-0.01	27.42	101.19	69.68	12.01	320.44
				572.7	2113.3	1455.4	3.66	117.12

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.28067	0.05	-1.34176
	0.06	0.02581	0.10	-1.25126
	0.11	-0.09478	0.20	-1.09489
	0.17	-0.19315	0.35	-0.68330
	0.23	-0.26091	0.50	-0.50138
	0.29	-0.28318	0.65	-0.08236
	0.35	-0.30612	0.80	0.12628
	0.41	-0.33543	0.95	0.25079
	0.47	-0.38588		
	0.53	-0.41519		
	0.57	-0.43342		
	0.65	-0.41162		
	0.71	-0.36601		
	0.77	-0.28946		
	0.83	-0.19966		
	0.89	-0.08018		
	0.95	0.04608		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
37	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.7520	-2.86	-0.01	27.52	101.15	69.52	12.07	319.69
				574.8	2112.6	1451.9	3.68	115.77

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.11129	0.05	-1.09530
	0.06	-0.13907	0.10	-1.02898
	0.11	-0.23524	0.23	-0.77339
	0.17	-0.29303	0.35	-0.66551
	0.23	-0.35790	0.50	-0.50649
	0.29	-0.37293	0.65	-0.07617
	0.35	-0.38084	0.80	0.14153
	0.41	-0.39936	0.95	0.26335
	0.47	-0.43706		
	0.53	-0.45798		
	0.57	-0.47166		
	0.65	-0.43706		
	0.71	-0.37308		
	0.77	-0.28705		
	0.83	-0.19071		
	0.89	-0.06720		
	0.95	0.05715		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
37	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.7525	-1.71	-0.01	27.55 575.3	101.15 2112.6	69.48 1451.2	12.05 3.67	320.06 116.44

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.05886	0.05	-0.79998
	0.06	-0.27995	0.10	-0.69112
	0.11	-0.36474	0.20	-0.62896
	0.17	-0.42233	0.35	-0.60265
	0.23	-0.45133	0.50	-0.50829
	0.29	-0.43406	0.65	-0.07657
	0.35	-0.44679	0.80	0.15633
	0.41	-0.44724	0.95	0.27971
	0.47	-0.48019		
	0.53	-0.50781		
	0.57	-0.51343		
	0.65	-0.46425		
	0.71	-0.39521		
	0.77	-0.29993		
	0.83	-0.19832		
	0.89	-0.07508		
	0.95	0.04833		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHCRZ(deg)
37	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.7522	-0.65	-0.01	27.52	101.12	69.48	12.07	319.59
				574.7	2111.9	1451.2	3.68	115.60

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.26228	0.05	-0.58497
0.06	-0.41321	0.10	-0.51750
0.11	-0.46890	0.20	-0.51078
0.17	-0.53059	0.35	-0.52549
0.23	-0.53367	0.50	-0.48502
0.29	-0.52597	0.65	-0.06942
0.35	-0.51678	0.80	0.19034
0.41	-0.51705	0.95	0.29630
0.47	-0.53468		
0.53	-0.55022		
0.57	-0.54692		
0.65	-0.48994		
0.71	-0.40868		
0.77	-0.31058		
0.83	-0.20146		
0.89	-0.07104		
0.95	0.04934		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
37	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.7541	0.58	-0.01	27.62 576.8	101.15 2112.6	69.38 1449.0	12.06 3.67	320.21 116.71

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.53829	0.05	-0.35424
	0.06	-0.63477	0.10	-0.37770
	0.11	-0.65598	0.20	-0.41948
	0.17	-0.68167	0.35	-0.45926
	0.23	-0.69648	0.50	-0.45678
	0.29	-0.61388	0.65	-0.06196
	0.35	-0.60768	0.80	0.20878
	0.41	-0.59306	0.95	0.30784
	0.47	-0.59888		
	0.53	-0.60113		
	0.57	-0.58993		
	0.65	-0.51152		
	0.71	-0.41603		
	0.77	-0.31027		
	0.83	-0.20132		
	0.89	-0.07325		
	0.95	0.04139		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
37	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.7536	1.90	-0.02	27.59 576.3	101.15 2112.6	69.41 1449.7	12.09 3.68	319.50 115.43

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.76265	0.05	-0.15378
	0.06	-1.03526	0.10	-0.23459
	0.11	-1.04012	0.20	-0.30613
	0.17	-0.82445	0.35	-0.37500
	0.23	-0.90510	0.50	-0.41853
	0.29	-0.80198	0.65	-0.05353
	0.35	-0.62936	0.80	0.22392
	0.41	-0.64888	0.95	0.32286
	0.47	-0.64676		
	0.53	-0.63469		
	0.57	-0.60767		
	0.65	-0.51620		
	0.71	-0.41950		
	0.77	-0.31144		
	0.83	-0.20141		
	0.89	-0.07246		
	0.95	0.03480		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
37	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.7536	3.01	-0.01	27.59	101.15	69.41	12.09	319.39
				576.3	2112.6	1449.7	3.69	115.23

WING   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-0.97956	0.05	-0.00655
0.06	-1.20856	0.10	-0.12216
0.11	-1.25040	0.20	-0.20853
0.17	-1.23169	0.35	-0.31023
0.23	-1.22234	0.50	-0.36918
0.29	-1.13801	0.65	-0.03629
0.35	-0.62886	0.80	0.24145
0.41	-0.57211	0.95	0.32866
0.47	-0.59959		
0.53	-0.60842		
0.57	-0.58445		
0.65	-0.50030		
0.71	-0.41104		
0.77	-0.30553		
0.83	-0.19711		
0.89	-0.07373		
0.95	0.03591		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
37	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.7499	4.10	-0.01	27.42	101.15	69.65	12.07	319.29
				572.7	2112.6	1454.7	3.68	115.06

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.08212	0.05	0.08738
	0.06	-1.36009	0.10	-0.03197
	0.11	-1.38149	0.20	-0.14378
	0.17	-1.33529	0.35	-0.25171
	0.23	-1.36081	0.50	-0.33771
	0.29	-1.37567	0.65	-0.01993
	0.35	-1.34064	0.80	0.25885
	0.41	-0.89950	0.95	0.34579
	0.47	-0.60744		
	0.53	-0.50933		
	0.57	-0.47277		
	0.65	-0.40992		
	0.71	-0.35670		
	0.77	-0.26667		
	0.83	-0.17018		
	0.89	-0.07116		
	0.95	0.03118		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
37	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.7515	5.19	-0.01	27.50 574.3	101.15 2112.6	69.55 1452.6	12.10 3.69	318.83 114.22

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.24562	0.05	0.17593
	0.06	-1.46155	0.10	0.02847
	0.11	-1.48394	0.20	-0.10561
	0.17	-1.47340	0.35	-0.23037
	0.23	-1.46446	0.50	-0.33329
	0.29	-1.46836	0.65	-0.03332
	0.35	-1.36916	0.80	0.23573
	0.41	-0.87613	0.95	0.31662
	0.47	-0.75941		
	0.53	-0.65189		
	0.57	-0.57845		
	0.65	-0.42027		
	0.71	-0.31865		
	0.77	-0.24172		
	0.83	-0.16951		
	0.89	-0.12627		
	0.95	-0.04205		

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
37	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.7515	6.38	-0.01	27.50	101.15	69.55	12.12	318.53
				574.3	2112.6	1452.6	3.69	113.68

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.35976	0.05	0.23991
	0.06	-1.51711	0.10	0.10125
	0.11	-1.56299	0.20	-0.04634
	0.17	-1.51720	0.35	-0.19252
	0.23	-1.13501	0.50	-0.32737
	0.29	-0.90764	0.65	-0.05384
	0.35	-0.84503	0.80	0.20836
	0.41	-0.79698	0.95	0.25918
	0.47	-0.73342		
	0.53	-0.63933		
	0.57	-0.59188		
	0.65	-0.49407		
	0.71	-0.43314		
	0.77	-0.37468		
	0.83	-0.32957		
	0.89	-0.26010		
	0.95	-0.21947		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
37	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.7508	7.28	-0.01	27.47 573.8	101.19 2113.3	69.62 1454.0	12.10 3.69	318.91 114.36

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.42795	0.05	0.29674
	0.06	-1.55789	0.10	0.15663
	0.11	-1.54456	0.20	-0.01143
	0.17	-1.35812	0.35	-0.17488
	0.23	-0.94318	0.50	-0.31512
	0.29	-0.87317	0.65	-0.06101
	0.35	-0.84015	0.80	0.20034
	0.41	-0.75020	0.95	0.24500
	0.47	-0.71848		
	0.53	-0.63967		
	0.57	-0.60462		
	0.65	-0.55797		
	0.71	-0.49297		
	0.77	-0.43051		
	0.83	-0.42268		
	0.89	-0.34869		
	0.95	-0.30742		

648

TABLE 3.3 (CONTINUED).

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
37	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.7505	8.26	-0.04	27.44 573.2	101.15 2112.6	69.62 1454.0	12.09 3.68	318.94 114.42

WING		UPPER SURFACE		LOWER SURFACE	
	X/C	CP		X/C	CP
	0.02	-1.47176		0.05	0.35329
	0.06	-1.24931		0.10	0.19038
	0.11	-1.13200		0.20	0.02144
	0.17	-1.42694		0.35	-0.15907
	0.23	-0.79474		0.50	-0.30307
	0.29	-0.65961		0.65	-0.06228
	0.35	-0.71180		0.80	0.18737
	0.41	-0.62578		0.95	0.22960
	0.47	-0.65888			
	0.53	-0.66259			
	0.57	-0.60448			
	0.65	-0.56761			
	0.71	-0.55201			
	0.77	-0.53283			
	0.83	-0.54916			
	0.89	-0.52546			
	0.95	-0.50258			

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
37	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.7505	9.26	-0.04	27.44	101.15	69.62	12.11	318.57
				573.2	2112.6	1454.0	3.69	113.75

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.83880	0.05	0.40456
	0.06	-0.80081	0.10	0.22646
	0.11	-0.75794	0.20	0.04629
	0.17	-0.76562	0.35	-0.13091
	0.23	-0.73700	0.50	-0.30809
	0.29	-0.71941	0.65	-0.07766
	0.35	-0.66473	0.80	0.17847
	0.41	-0.64975	0.95	0.22451
	0.47	-0.65787		
	0.53	-0.63580		
	0.57	-0.64081		
	0.65	-0.60627		
	0.71	-0.59982		
	0.77	-0.59199		
	0.83	-0.56290		
	0.89	-0.55387		
	0.95	-0.52649		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
37	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
16	0.7506	11.35	-0.01	27.44 573.2	101.12 2111.9	69.58 1453.3	12.09 3.68	318.91 114.36

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.81198	0.05	0.47303
	0.06	-0.69057	0.10	0.29779
	0.11	-0.98078	0.20	0.10779
	0.17	-0.66556	0.35	-0.08812
	0.23	-0.64415	0.50	-0.28368
	0.29	-0.84377	0.65	-0.08592
	0.35	-0.60378	0.80	0.16300
	0.41	-0.61708	0.95	0.17787
	0.47	-0.63206		
	0.53	-0.63467		
	0.57	-0.62167		
	0.65	-0.64782		
	0.71	-0.64610		
	0.77	-0.62626		
	0.83	-0.62939		
	0.89	-0.58821		
	0.95	-0.56486		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
37	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
17	0.7510	13.44	0.00	27.47 573.7	101.15 2112.6	69.58 1453.3	12.10 3.69	318.79 114.15 .

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.50245	0.05	0.57845
	0.06	-0.48865	0.10	0.38938
	0.11	-0.50202	0.20	0.19182
	0.17	-0.48690	0.35	-0.01482
	0.23	-0.49107	0.50	-0.22063
	0.29	-0.51341	0.65	-0.05680
	0.35	-1.15694	0.80	0.17264
	0.41	-0.77607	0.95	0.18209
	0.47	-0.50760		
	0.53	-0.57606		
	0.57	-0.58140		
	0.65	-0.59869		
	0.71	-0.60837		
	0.77	-0.61376		
	0.83	-0.66507		
	0.89	-0.60934		
	0.95	-0.63357		

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
37	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
18	0.7508	15.55	0.02	27.47 573.8	101.19 2113.3	69.62 1454.0	12.13 3.70	318.32 113.31

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.48019	0.05	0.65742
	0.06	-1.36267	0.10	0.47903
	0.11	-1.33547	0.20	0.27267
	0.17	-1.32147	0.35	0.05513
	0.23	-1.22393	0.50	-0.16173
	0.29	-1.15399	0.65	-0.02446
	0.35	-1.03384	0.80	0.18819
	0.41	-0.92430	0.95	0.18742
	0.47	-0.74657		
	0.53	-0.70743		
	0.57	-0.69934		
	0.65	-0.67384		
	0.71	-0.66527		
	0.77	-0.67333		
	0.83	-0.68447		
	0.89	-0.66115		
	0.95	-0.65695		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
37	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.7525	17.60	-0.18	27.55 575.3	101.15 2112.6	69.48 1451.2	12.11 3.69	318.79 114.15

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.51210	0.05	0.72259
	0.06	-0.49520	0.10	0.55958
	0.11	-0.50313	0.20	0.35043
	0.17	-0.50065	0.35	0.12764
	0.23	-0.50537	0.50	-0.09207
	0.29	-0.53763	0.65	0.00854
	0.35	-0.53961	0.80	0.20222
	0.41	-0.55307	0.95	0.19159
	0.47	-0.56143		
	0.53	-0.56883		
	0.57	-0.57583		
	0.65	-0.58816		
	0.71	-0.60852		
	0.77	-0.60634		
	0.83	-0.60565		
	0.89	-0.61193		
	0.95	-0.60222		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
37	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
20	0.7475	19.75	-0.26	27.30	101.12	69.79	12.06	318.88
				570.1	2111.9	1457.6	3.68	114.32

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.48598	0.05	0.78207
	0.06	-0.47866	0.10	0.61366
	0.11	-0.47709	0.20	0.41759
	0.17	-0.49555	0.35	0.20078
	0.23	-0.49647	0.50	-0.03425
	0.29	-0.49519	0.65	0.05279
	0.35	-0.50659	0.80	0.22072
	0.41	-0.52866	0.95	0.19888
	0.47	-0.52209		
	0.53	-0.54806		
	0.57	-0.54890		
	0.65	-0.55683		
	0.71	-0.56965		
	0.77	-0.58305		
	0.83	-0.58471		
	0.89	-0.57530		
	0.95	-0.56549		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
37	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
21	0.7505	-1.91	-0.01	27.44 573.2	101.15 2112.6	69.62 1454.0	12.15 3.70	317.59 112.00

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.05973	0.05	-0.84749
	0.06	-0.24319	0.10	-0.72039
	0.11	-0.32814	0.20	-0.63934
	0.17	-0.39177	0.35	-0.60833
	0.23	-0.43329	0.50	-0.51299
	0.29	-0.42914	0.65	-0.08211
	0.35	-0.43656	0.80	0.15293
	0.41	-0.44586	0.95	0.27377
	0.47	-0.47309		
	0.53	-0.50667		
	0.57	-0.51455		
	0.65	-0.47260		
	0.71	-0.40443		
	0.77	-0.30897		
	0.83	-0.20722		
	0.89	-0.07872		
	0.95	0.04605		

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
38	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.5995	-6.18	-0.01	19.90	100.88	79.12	10.82	310.75
				415.7	2107.0	1652.5	3.30	99.68

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.54377	0.05	-1.97297
	0.06	0.24609	0.10	-0.97305
	0.11	0.11070	0.20	-0.77573
	0.17	0.00975	0.35	-0.62008
	0.23	-0.07155	0.50	-0.49288
	0.29	-0.10426	0.65	-0.11086
	0.35	-0.15200	0.80	0.11777
	0.41	-0.18614	0.95	0.19775
	0.47	-0.22628		
	0.53	-0.25413		
	0.57	-0.27042		
	0.65	-0.26807		
	0.71	-0.25848		
	0.77	-0.21878		
	0.83	-0.16644		
	0.89	-0.07096		
	0.95	0.03294		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.48650	0.02	-1.24462
	0.06	0.27333	0.06	-0.58853
	0.11	0.16050	0.11	-0.56760
	0.18	0.03434	0.18	-0.53072
	0.25	-0.03658	0.25	-0.47194
	0.32	-0.10293	0.32	-0.43254
	0.39	-0.13191	0.39	-0.38104
	0.46	-0.13218	0.46	-0.31938
	0.53	-0.11697	0.53	-0.25369
	0.60	-0.07666	0.60	-0.18749
	0.67	-0.04457	0.67	-0.10586
	0.74	0.00238	0.74	-0.03105
	0.81	0.04883	0.81	0.02963
	0.88	0.08842	0.88	0.08606
	0.95	0.13695	0.95	0.15411

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
38	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.5999	-4.07	0.00	19.93 416.3	100.92 2107.7	79.12 1652.5	10.78 3.29	311.74 101.47

WING   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	0.27912	0.05	-1.27578
0.06	0.00971	0.10	-0.78679
0.11	-0.08993	0.20	-0.64800
0.17	-0.15727	0.35	-0.54938
0.23	-0.20188	0.50	-0.47640
0.29	-0.22676	0.65	-0.11032
0.35	-0.25167	0.80	0.15657
0.41	-0.28075	0.95	0.25917
0.47	-0.30993		
0.53	-0.32725		
0.57	-0.33488		
0.65	-0.31731		
0.71	-0.29466		
0.77	-0.24466		
0.83	-0.18048		
0.89	-0.08706		
0.95	0.02185		

HORIZ. TAIL   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	0.38626	0.02	-0.96651
0.06	0.17498	0.06	-0.50164
0.11	0.07082	0.11	-0.48835
0.18	-0.03365	0.18	-0.48245
0.25	-0.09428	0.25	-0.43614
0.32	-0.16069	0.32	-0.41088
0.39	-0.17272	0.39	-0.36722
0.46	-0.16780	0.46	-0.31216
0.53	-0.15164	0.53	-0.25560
0.60	-0.10050	0.60	-0.17709
0.67	-0.06020	0.67	-0.09662
0.74	-0.00710	0.74	-0.02454
0.81	0.03677	0.81	0.03001
0.88	0.08256	0.88	0.08324
0.95	0.13868	0.95	0.15016

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
38	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
16	0.5995	-1.73	-0.01	19.90	100.88	79.12	10.75	312.17
				415.7	2107.0	1652.5	3.28	102.24

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.11897	0.05	-0.67414
0.06	-0.27138	0.10	-0.55684
0.11	-0.31255	0.20	-0.48977
0.17	-0.35643	0.35	-0.45752
0.23	-0.37086	0.50	-0.41908
0.29	-0.36772	0.65	-0.08715
0.35	-0.36485	0.80	0.18885
0.41	-0.37086	0.95	0.29341
0.47	-0.38453		
0.53	-0.41133		
0.57	-0.41541		
0.65	-0.38521		
0.71	-0.33487		
0.77	-0.27640		
0.83	-0.20323		
0.89	-0.09674		
0.95	0.01615		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.29036	0.02	-0.69056
0.06	0.10743	0.06	-0.46733
0.11	0.01786	0.11	-0.40505
0.18	-0.08428	0.18	-0.42043
0.25	-0.14074	0.25	-0.39263
0.32	-0.19718	0.32	-0.38184
0.39	-0.20890	0.39	-0.35070
0.46	-0.19433	0.46	-0.29951
0.53	-0.17363	0.53	-0.24662
0.60	-0.12571	0.60	-0.17825
0.67	-0.08045	0.67	-0.09921
0.74	-0.01857	0.74	-0.02597
0.81	0.03312	0.81	0.03007
0.88	0.08173	0.88	0.08004
0.95	0.14212	0.95	0.14991

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
38	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
17	0.6011	0.40	-0.01	19.99 417.5	100.88 2107.0	79.02 1650.4	10.78 3.29	312.08 102.07

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.63481	0.05	-0.32020
0.06	-0.58467	0.10	-0.31106
0.11	-0.55944	0.20	-0.31838
0.17	-0.56272	0.35	-0.33619
0.23	-0.53154	0.50	-0.34510
0.29	-0.50880	0.65	-0.04844
0.35	-0.48261	0.80	0.22406
0.41	-0.46945	0.95	0.31164
0.47	-0.47547		
0.53	-0.47627		
0.57	-0.46646		
0.65	-0.41949		
0.71	-0.37247		
0.77	-0.30111		
0.83	-0.21490		
0.89	-0.10011		
0.95	0.01776		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.18100	0.02	-0.51532
0.06	0.03552	0.06	-0.36918
0.11	-0.03896	0.11	-0.33186
0.18	-0.13516	0.18	-0.36379
0.25	-0.18158	0.25	-0.35158
0.32	-0.23623	0.32	-0.34452
0.39	-0.23963	0.39	-0.32608
0.46	-0.21943	0.46	-0.28219
0.53	-0.19124	0.53	-0.23189
0.60	-0.13483	0.60	-0.16119
0.67	-0.08596	0.67	-0.08795
0.74	-0.02164	0.74	-0.02030
0.81	0.03088	0.81	0.03525
0.88	0.08210	0.88	0.08110
0.95	0.14624	0.95	0.15160

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
38	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
18	0.6006	2.70	-0.01	19.96 / 416.9	100.88 / 2107.0	79.06 / 1651.1	10.75 / 3.28	312.54 / 102.91

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.22323	0.05	0.02018
0.06	-1.05092	0.10	-0.08798
0.11	-0.84494	0.20	-0.16416
0.17	-0.77880	0.35	-0.22416
0.23	-0.72831	0.50	-0.27932
0.29	-0.64862	0.65	-0.02337
0.35	-0.61096	0.80	0.23736
0.41	-0.57785	0.95	0.32723
0.47	-0.56152		
0.53	-0.54349		
0.57	-0.53081		
0.65	-0.46805		
0.71	-0.40486		
0.77	-0.31929		
0.83	-0.22617		
0.89	-0.10611		
0.95	0.01140		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.03642	0.02	-0.29140
0.06	-0.06007	0.06	-0.24857
0.11	-0.11695	0.11	-0.26871
0.18	-0.21252	0.18	-0.30684
0.25	-0.24723	0.25	-0.31262
0.32	-0.28714	0.32	-0.31327
0.39	-0.28368	0.39	-0.29543
0.46	-0.25691	0.46	-0.25757
0.53	-0.21746	0.53	-0.21545
0.60	-0.14874	0.60	-0.15277
0.67	-0.09710	0.67	-0.08209
0.74	-0.03186	0.74	-0.01745
0.81	0.02494	0.81	0.03811
0.88	0.07706	0.88	0.08178
0.95	0.14294	0.95	0.14530

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
38	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.6010	4.86	-0.01	19.99 417.5	100.92 2107.7	79.06 1651.1	10.76 3.28	312.62 103.05

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-2.04837	0.05	0.22842
	0.06	-1.96162	0.10	0.10893
	0.11	-1.03806	0.20	-0.02737
	0.17	-C.95228	0.35	-0.13827
	0.23	-0.85724	0.50	-0.22099
	0.29	-0.75654	0.65	0.00165
	0.35	-0.69410	0.80	0.25167
	0.41	-0.64477	0.95	0.33092
	0.47	-0.61461		
	0.53	-0.58177		
	0.57	-0.56171		
	0.65	-0.48038		
	0.71	-0.40172		
	0.77	-0.30855		
	0.83	-0.20656		
	0.89	-0.09157		
	0.95	0.00804		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.12778	0.02	-0.13314
	0.06	-0.17346	0.06	-0.16412
	0.11	-0.19585	0.11	-0.19752
	0.18	-0.26994	0.18	-0.25821
	0.25	-0.29221	0.25	-0.27753
	0.32	-0.32640	0.32	-0.28322
	0.39	-0.31890	0.39	-0.26391
	0.46	-0.28420	0.46	-0.23250
	0.53	-0.23602	0.53	-0.19618
	0.60	-0.16902	0.60	-0.14421
	0.67	-0.11209	0.67	-0.08140
	0.74	-0.04187	0.74	-0.01910
	0.81	0.02121	0.81	0.03167
	0.88	0.07571	0.88	0.07571
	0.95	0.14384	0.95	0.13710

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
38	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
20	0.5994	7.07	-0.01	19.90 415.7	100.92 2107.7	79.16 1653.2	10.71 3.26	313.29 104.26

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-2.54480	0.05	0.40829
	0.06	-2.40612	0.10	0.24093
	0.11	-1.75683	0.20	0.06578
	0.17	-1.18483	0.35	-0.07429
	0.23	-1.02071	0.50	-0.15679
	0.29	-0.84638	0.65	0.03605
	0.35	-0.78094	0.80	0.26461
	0.41	-0.69812	0.95	0.32238
	0.47	-0.63413		
	0.53	-0.58388		
	0.57	-0.54251		
	0.65	-0.45210		
	0.71	-0.38143		
	0.77	-0.28852		
	0.83	-0.19889		
	0.89	-0.09995		
	0.95	-0.02081		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.27718	0.02	0.03138
	0.06	-0.26576	0.06	-0.06230
	0.11	-0.27109	0.11	-0.12903
	0.18	-0.33065	0.18	-0.19109
	0.25	-0.35110	0.25	-0.21825
	0.32	-0.37755	0.32	-0.23952
	0.39	-0.35621	0.39	-0.23817
	0.46	-0.31161	0.46	-0.21423
	0.53	-0.26236	0.53	-0.18109
	0.60	-0.18672	0.60	-0.13425
	0.67	-0.12488	0.67	-0.07167
	0.74	-0.05145	0.74	-0.01350
	0.81	0.01818	0.81	0.03578
	0.88	0.07658	0.88	0.07523
	0.95	0.14528	0.95	0.13209

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
38	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
21	0.5995	9.09	-0.01	19.90 / 415.7	100.88 / 2107.0	79.12 / 1652.5	10.70 / 3.26	313.44 / 104.53

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-1.43922	0.05	0.49029
0.06	-1.31444	0.10	0.30975
0.11	-1.26709	0.20	0.12468
0.17	-1.15615	0.35	-0.03588
0.23	-1.13239	0.50	-0.16424
0.29	-1.00878	0.65	-0.00536
0.35	-0.87477	0.80	0.20701
0.41	-0.77899	0.95	0.23880
0.47	-0.68884		
0.53	-0.61789		
0.57	-0.57623		
0.65	-0.50960		
0.71	-0.41239		
0.77	-0.40988		
0.83	-0.34276		
0.89	-0.31770		
0.95	-0.29330		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-0.28747	0.02	-0.02791
0.06	-0.24921	0.06	-0.06215
0.11	-0.25867	0.11	-0.07742
0.18	-0.29990	0.18	-0.08130
0.25	-0.30733	0.25	-0.10858
0.32	-0.31864	0.32	-0.11528
0.39	-0.29889	0.39	-0.12294
0.46	-0.25756	0.46	-0.11225
0.53	-0.22651	0.53	-0.09786
0.60	-0.16861	0.60	-0.06518
0.67	-0.11760	0.67	-0.02574
0.74	-0.05966	0.74	0.00466
0.81	-0.01549	0.81	0.03845
0.88	0.02489	0.88	0.06029
0.95	0.07380	0.95	0.09403

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
38	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
22	0.5995	11.06	-0.01	19.90 / 415.7	100.88 / 2107.0	79.12 / 1652.5	10.69 / 3.26	313.59 / 104.80

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.92381	0.05	0.51186
0.06	-0.83663	0.10	0.33204
0.11	-0.86944	0.20	0.13909
0.17	-0.77372	0.35	-0.03423
0.23	-0.79790	0.50	-0.10978
0.29	-0.73610	0.65	-0.04979
0.35	-0.70152	0.80	0.15506
0.41	-0.72446	0.95	0.16108
0.47	-0.69020		
0.53	-0.65988		
0.57	-0.66838		
0.65	-0.62688		
0.71	-0.61892		
0.77	-0.59894		
0.83	-0.55285		
0.89	-0.50945		
0.95	-0.48043		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.58366	0.02	0.22933
0.06	-0.38863	0.06	0.24387
0.11	-0.34011	0.11	0.19957
0.18	-0.28783	0.18	0.14385
0.25	-0.26911	0.25	0.14043
0.32	-0.25601	0.32	0.08188
0.39	-0.23209	0.39	0.01107
0.46	-0.19467	0.46	0.01509
0.53	-0.16757	0.53	0.01645
0.60	-0.12498	0.60	0.00972
0.67	-0.09052	0.67	0.02115
0.74	-0.05567	0.74	0.03803
0.81	-0.02928	0.81	0.04452
0.88	0.00330	0.88	0.04777
0.95	0.03938	0.95	0.05625

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
38	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
23	0.6005	13.17	-0.08	19.96	100.92	79.09	10.70	313.87
				416.9	2107.7	1651.8	3.26	105.30

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.70177	0.05	0.60968
	0.06	-0.54794	0.10	0.41887
	0.11	-0.54808	0.20	0.20924
	0.17	-0.53523	0.35	0.02087
	0.23	-0.57733	0.50	-0.14776
	0.29	-0.61411	0.65	-0.01970
	0.35	-0.58996	0.80	0.16799
	0.41	-0.54126	0.95	0.15941
	0.47	-0.55009		
	0.53	-0.58157		
	0.57	-0.56731		
	0.65	-0.58696		
	0.71	-0.60104		
	0.77	-0.57733		
	0.83	-0.57958		
	0.89	-0.56343		
	0.95	-0.53058		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.57049	0.02	0.56853
	0.06	-0.50320	0.06	0.43335
	0.11	-0.41936	0.11	0.29958
	0.18	-0.38145	0.18	0.22596
	0.25	-0.30486	0.25	0.12465
	0.32	-0.27053	0.32	0.06271
	0.39	-0.22834	0.39	0.03170
	0.46	-0.18265	0.46	0.00267
	0.53	-0.16427	0.53	-0.01812
	0.60	-0.14239	0.60	-0.01614
	0.67	-0.11821	0.67	-0.00468
	0.74	-0.11298	0.74	0.01412
	0.81	-0.09203	0.81	0.02089
	0.88	-0.07647	0.88	0.01849
	0.95	-0.06069	0.95	0.01648

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
38	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
24	0.5989	15.20	-0.11	19.88 415.1	100.88 2107.0	79.16 1653.2	10.67 3.25	314.04 105.61

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.51059	0.05	0.67741
	0.06	-0.50924	0.10	0.49272
	0.11	-0.53182	0.20	0.28132
	0.17	-0.51294	0.35	0.07439
	0.23	-0.53992	0.50	-0.11838
	0.29	-0.53550	0.65	-0.01569
	0.35	-0.53406	0.80	0.16097
	0.41	-0.56259	0.95	0.15003
	0.47	-0.55291		
	0.53	-0.57227		
	0.57	-0.57427		
	0.65	-0.58303		
	0.71	-0.60646		
	0.77	-0.60961		
	0.83	-0.59942		
	0.89	-0.59138		
	0.95	-0.57060		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.43114	0.02	0.58649
	0.06	-0.38352	0.06	0.49740
	0.11	-0.37453	0.11	0.40150
	0.18	-0.35102	0.18	0.26977
	0.25	-0.31582	0.25	0.18573
	0.32	-0.29387	0.32	0.10841
	0.39	-0.26286	0.39	0.06469
	0.46	-0.24312	0.46	0.03292
	0.53	-0.22359	0.53	0.00667
	0.60	-0.21693	0.60	-0.00306
	0.67	-0.19044	0.67	0.00566
	0.74	-0.17272	0.74	0.01408
	0.81	-0.15257	0.81	0.01207
	0.88	-0.14342	0.88	-0.00569
	0.95	-0.12520	0.95	-0.01744

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
38	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
25	0.5999	17.33	-0.15	19.93 416.3	100.92 2107.7	79.12 1652.5	10.68 3.26	314.06 105.64

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.53617	0.05	0.72576
0.06	-0.52618	0.10	0.55797
0.11	-0.53075	0.20	0.34849
0.17	-0.53685	0.35	0.12642
0.23	-0.54087	0.50	-0.06449
0.29	-0.55019	0.65	0.00972
0.35	-0.55699	0.80	0.16993
0.41	-0.55822	0.95	0.13539
0.47	-0.57498		
0.53	-0.59257		
0.57	-0.58624		
0.65	-0.59307		
0.71	-0.59560		
0.77	-0.59659		
0.83	-0.60078		
0.89	-0.60902		
0.95	-0.58958		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.29748	0.02	0.64276
0.06	-0.31398	0.06	0.56368
0.11	-0.29286	0.11	0.47955
0.18	-0.30319	0.18	0.34651
0.25	-0.28929	0.25	0.24511
0.32	-0.29454	0.32	0.17566
0.39	-0.27566	0.39	0.10769
0.46	-0.26660	0.46	0.06595
0.53	-0.25467	0.53	0.02996
0.60	-0.23907	0.60	0.01176
0.67	-0.23557	0.67	0.00668
0.74	-0.22317	0.74	0.01175
0.81	-0.20684	0.81	0.00399
0.88	-0.19220	0.88	-0.01970
0.95	-0.18431	0.95	-0.05900

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
38	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
26	0.5999	19.31	-0.02	19.93	100.92	79.12	10.66	314.19
				416.3	2107.7	1652.5	3.25	105.88

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-0.54762	0.05	0.72653
0.06	-0.54391	0.10	0.57253
0.11	-0.54301	0.20	0.35924
0.17	-0.55031	0.35	0.15092
0.23	-0.54558	0.50	-0.05657
0.29	-0.54972	0.65	0.01410
0.35	-0.57184	0.80	0.16241
0.41	-0.58202	0.95	0.11126
0.47	-0.58059		
0.53	-0.59403		
0.57	-0.59973		
0.65	-0.60610		
0.71	-0.60648		
0.77	-0.61310		
0.83	-0.62220		
0.89	-0.61690		
0.95	-0.60709		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-0.31622	0.02	0.60874
0.06	-0.28685	0.06	0.66423
0.11	-0.29502	0.11	0.59343
0.18	-0.28965	0.18	0.47608
0.25	-0.29889	0.25	0.36768
0.32	-0.31113	0.32	0.28401
0.39	-0.29200	0.39	0.19485
0.46	-0.29822	0.46	0.13927
0.53	-0.28898	0.53	0.08809
0.60	-0.27317	0.60	0.04832
0.67	-0.27248	0.67	0.02186
0.74	-0.26851	0.74	0.00837
0.81	-0.24155	0.81	-0.01082
0.88	-0.23805	0.88	-0.06389
0.95	-0.23328	0.95	-0.12757

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
38	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
27	0.6010	21.45	-0.01	19.99 417.5	100.92 2107.7	79.06 1651.1	10.68 3.25	314.49 106.41

WING   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-0.55919	0.05	0.77907
0.06	-0.55038	0.10	0.63674
0.11	-0.55119	0.20	0.42773
0.17	-0.55245	0.35	0.20902
0.23	-0.56511	0.50	0.0?0?1
0.29	-0.57371	0.65	0.053u0
0.35	-0.57838	0.80	0.18061
0.41	-0.59357	0.95	0.12866
0.47	-0.60664		
0.53	-0.61069		
0.57	-0.60394		
0.65	-0.61874		
0.71	-0.63695		
0.77	-0.63407		
0.83	-0.62681		
0.89	-0.61709		
0.95	-0.61198		

HORIZ. TAIL   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-0.29694	0.02	0.57442
0.06	-0.28256	0.06	0.65952
0.11	-0.28972	0.11	0.58996
0.18	-0.29021	0.18	0.48567
0.25	-0.30064	0.25	0.38684
0.32	-0.30484	0.32	0.29698
0.39	-0.30502	0.39	0.20724
0.46	-0.30733	0.46	0.14457
0.53	-0.30921	0.53	0.09603
0.60	-0.29896	0.60	0.04804
0.67	-0.28791	0.67	0.02428
0.74	-0.28737	0.74	0.00773
0.81	-0.28617	0.81	-0.01484
0.88	-0.27385	0.88	-0.07299
0.95	-0.26989	0.95	-0.15226

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
38	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
28	0.5999	-1.71	0.00	19.93 416.3	100.92 2107.7	79.12 1652.5	10.67 3.25	314.42 106.28

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.09757	0.05	-0.66100
0.06	-0.24347	0.10	-0.55170
0.11	-0.30381	0.20	-0.47570
0.17	-0.34485	0.35	-0.44021
0.23	-0.37935	0.50	-0.41168
0.29	-0.36584	0.65	-0.08102
0.35	-0.36022	0.80	0.19370
0.41	-0.37005	0.95	0.29956
0.47	-0.38718		
0.53	-0.40834		
0.57	-0.40992		
0.65	-0.37451		
0.71	-0.33316		
0.77	-0.27371		
0.83	-0.20042		
0.89	-0.08654		
0.95	0.02682		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.28981	0.02	-0.67969
0.06	0.10897	0.06	-0.45776
0.11	0.02348	0.11	-0.39586
0.18	-0.08554	0.18	-0.41135
0.25	-0.13218	0.25	-0.38899
0.32	-0.19141	0.32	-0.37251
0.39	-0.20383	0.39	-0.33549
0.46	-0.19131	0.46	-0.28567
0.53	-0.16707	0.53	-0.23644
0.60	-0.11996	0.60	-0.16774
0.67	-0.07570	0.67	-0.09264
0.74	-0.01732	0.74	-0.02099
0.81	0.03629	0.81	0.03091
0.88	0.08550	0.88	0.08214
0.95	0.14703	0.95	0.15139

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
39	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7846	-6.45	0.00	28.92 604.1	100.78 2104.8	67.12 1401.9	12.29 3.74	319.88 116.11

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.47401	0.05	-1.38940
	0.06	0.18083	0.10	-1.36697
	0.11	0.04704	0.20	-1.27060
	0.17	-0.05801	0.35	-0.66300
	0.23	-0.14237	0.50	-0.49410
	0.29	-0.18566	0.65	-0.31755
	0.35	-0.23161	0.80	-0.17018
	0.41	-0.27980	0.95	-0.02144
	0.47	-0.34392		
	0.53	-0.41725		
	0.57	-0.45476		
	0.65	-0.49410		
	0.71	-0.46979		
	0.77	-0.40204		
	0.83	-0.32636		
	0.89	-0.22166		
	0.95	-0.12487		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.46725	0.02	-1.31095
	0.06	0.26215	0.06	-1.10140
	0.11	0.14054	0.11	-0.57635
	0.18	0.01100	0.18	-0.59479
	0.25	-0.06134	0.25	-0.53418
	0.32	-0.15054	0.32	-0.48879
	0.39	-0.17189	0.39	-0.41817
	0.46	-0.18035	0.46	-0.33505
	0.53	-0.16440	0.53	-0.25774
	0.60	-0.11125	0.60	-0.16772
	0.67	-0.06594	0.67	-0.07699
	0.74	-0.00660	0.74	-0.00036
	0.81	0.04803	0.81	0.06759
	0.88	0.09626	0.88	0.12460
	0.95	0.15216	0.95	0.18752

MICROCOPY RESOLUTION TEST CHART

NATIONAL BUREAU OF STANDARDS-1963-A

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
39	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.7820	-4.22	-0.01	28.80 601.6	100.78 2104.8	67.30 1405.5	12.22 3.73	320.66 117.52

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.28035	0.05	-1.24304
	0.06	0.00218	0.10	-1.18243
	0.11	-0.10468	0.20	-1.06669
	0.17	-0.19729	0.35	-0.76564
	0.23	-0.26590	0.50	-0.37282
	0.29	-0.29193	0.65	-0.07610
	0.35	-0.30735	0.80	0.03478
	0.41	-0.34580	0.95	0.17546
	0.47	-0.39066		
	0.53	-0.45246		
	0.57	-0.47026		
	0.65	-0.45323		
	0.71	-0.37422		
	0.77	-0.28530		
	0.83	-0.18996		
	0.89	-0.06170		
	0.95	0.06598		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.34389	0.02	-0.91891
	0.06	0.15058	0.06	-0.47534
	0.11	0.04948	0.11	-0.50654
	0.18	-0.08190	0.18	-0.52165
	0.25	-0.15461	0.25	-0.48342
	0.32	-0.22867	0.32	-0.45578
	0.39	-0.24512	0.39	-0.39790
	0.46	-0.23127	0.46	-0.32617
	0.53	-0.20503	0.53	-0.25764
	0.60	-0.13600	0.60	-0.16874
	0.67	-0.07887	0.67	-0.07425
	0.74	-0.01175	0.74	0.00216
	0.81	0.04206	0.81	0.06729
	0.88	0.09675	0.88	0.12098
	0.95	0.16309	0.95	0.18875

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
39	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.7802	-1.81	-0.01	28.73 600.1	100.81 2105.5	67.43 1408.4	12.18 3.71	321.33 118.73

WING

	UPPER SURFACE		LOWER SURFACE	
X/C	CP		X/C	CP
0.02	-0.08319		0.05	-0.75085
0.06	-0.27456		0.10	-0.77726
0.11	-0.34343		0.20	-0.69400
0.17	-0.41019		0.35	-0.68085
0.23	-0.45601		0.50	-0.46542
0.29	-0.45598		0.65	-0.05093
0.35	-0.45750		0.80	0.15775
0.41	-0.46852		0.95	0.27832
0.47	-0.50272			
0.53	-0.52882			
0.57	-0.52669			
0.65	-0.46994			
0.71	-0.38758			
0.77	-0.28081			
0.83	-0.17019			
0.89	-0.04101			
0.95	0.08161			

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE	
X/C	CP		X/C	CP
0.02	0.26707		0.02	-0.67425
0.06	0.08886		0.06	-0.48497
0.11	-0.00788		0.11	-0.43226
0.18	-0.13237		0.18	-0.46962
0.25	-0.19901		0.25	-0.44766
0.32	-0.27158		0.32	-0.43831
0.39	-0.28433		0.39	-0.38292
0.46	-0.27340		0.46	-0.31488
0.53	-0.22763		0.53	-0.24763
0.60	-0.15265		0.60	-0.16896
0.67	-0.08824		0.67	-0.07758
0.74	-0.01369		0.74	0.00073
0.81	0.04546		0.81	0.06187
0.88	0.10289		0.88	0.11553
0.95	0.17203		0.95	0.18724

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
39	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.7809	0.50	-0.01	28.76	100.78	67.36	12.16	321.78
				600.6	2104.8	1406.9	3.71	119.54

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-0.48374	0.05	-0.34799
0.06	-0.66279	0.10	-0.36245
0.11	-0.64118	0.20	-0.41807
0.17	-0.68464	0.35	-0.47576
0.23	-0.73155	0.50	-0.46674
0.29	-0.69066	0.65	-0.04509
0.35	-0.55707	0.80	0.21607
0.41	-0.59959	0.95	0.32041
0.47	-0.62584		
0.53	-0.65205		
0.57	-0.62297		
0.65	-0.49830		
0.71	-0.39784		
0.77	-0.28402		
0.83	-0.16933		
0.89	-0.04003		
0.95	0.06635		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.17284	0.02	-0.49049
0.06	0.02616	0.06	-0.38450
0.11	-0.06200	0.11	-0.38330
0.18	-0.18320	0.18	-0.43927
0.25	-0.23865	0.25	-0.42757
0.32	-0.30803	0.32	-0.42256
0.39	-0.31729	0.39	-0.37688
0.46	-0.29467	0.46	-0.31412
0.53	-0.24577	0.53	-0.24855
0.60	-0.17388	0.60	-0.17714
0.67	-0.10483	0.67	-0.08538
0.74	-0.02483	0.74	-0.00694
0.81	0.04682	0.81	0.06298
0.88	0.10538	0.88	0.11729
0.95	0.17632	0.95	0.18918

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
39	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.7799	2.91	-0.01	28.71	100.78	67.43	12.12	322.53
				599.6	2104.8	1408.4	3.69	120.89

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-0.85084	0.05	-0.02365
0.06	-1.08543	0.10	-0.12609
0.11	-1.09569	0.20	-0.22581
0.17	-1.14408	0.35	-0.32843
0.23	-1.13750	0.50	-0.37949
0.29	-1.14911	0.65	-0.01430
0.35	-1.13087	0.80	0.26079
0.41	-0.99235	0.95	0.35478
0.47	-0.92272		
0.53	-0.53931		
0.57	-0.46750		
0.65	-0.38324		
0.71	-0.32992		
0.77	-0.24332		
0.83	-0.14112		
0.89	-0.03020		
0.95	0.06242		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.10355	0.02	-0.33803
0.06	-0.02559	0.06	-0.29516
0.11	-0.11222	0.11	-0.31086
0.18	-0.22152	0.18	-0.38180
0.25	-0.27396	0.25	-0.37695
0.32	-0.34323	0.32	-0.37792
0.39	-0.34428	0.39	-0.34799
0.46	-0.31659	0.46	-0.29194
0.53	-0.26230	0.53	-0.23570
0.60	-0.16778	0.60	-0.15388
0.67	-0.09817	0.67	-0.06614
0.74	-0.01833	0.74	0.00872
0.81	0.04948	0.81	0.06159
0.88	0.10893	0.88	0.11497
0.95	0.18118	0.95	0.18561

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
39	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.7792	5.15	-0.01	28.69	100.81	67.50	12.10	322.91
				599.2	2105.5	1409.8	3.69	121.56

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.05613	0.05	0.15770
0.06	-1.30306	0.10	0.01870
0.11	-1.33160	0.20	-0.11053
0.17	-1.32453	0.35	-0.25294
0.23	-1.30513	0.50	-0.37618
0.29	-1.13890	0.65	-0.05241
0.35	-0.73808	0.80	0.21778
0.41	-0.69423	0.95	0.27757
0.47	-0.65544		
0.53	-0.59053		
0.57	-0.54917		
0.65	-0.45141		
0.71	-0.40286		
0.77	-0.34023		
0.83	-0.29504		
0.89	-0.25184		
0.95	-0.21062		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.04274	0.02	-0.25787
0.06	-0.09300	0.06	-0.20439
0.11	-0.16226	0.11	-0.20621
0.18	-0.25810	0.18	-0.22353
0.25	-0.30448	0.25	-0.22838
0.32	-0.36883	0.32	-0.23489
0.39	-0.35368	0.39	-0.22214
0.46	-0.30955	0.46	-0.18733
0.53	-0.25386	0.53	-0.15139
0.60	-0.16995	0.60	-0.10081
0.67	-0.10223	0.67	-0.04019
0.74	-0.02855	0.74	0.01286
0.81	0.03341	0.81	0.05302
0.88	0.08944	0.88	0.08851
0.95	0.15118	0.95	0.14303

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
39	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.7818	7.33	0.00	28.80	100.81	67.33	12.12	322.94
				601.6	2105.5	1406.2	3.69	121.63

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.27041	0.05	0.30578
	0.06	-1.39330	0.10	0.15450
	0.11	-1.35173	0.20	-0.01080
	0.17	-1.29391	0.35	-0.18306
	0.23	-0.95159	0.50	-0.36272
	0.29	-0.78109	0.65	-0.07394
	0.35	-0.73082	0.80	0.19833
	0.41	-0.67453	0.95	0.24394
	0.47	-0.65438		
	0.53	-0.59354		
	0.57	-0.58203		
	0.65	-0.52257		
	0.71	-0.50373		
	0.77	-0.47148		
	0.83	-0.43322		
	0.89	-0.40693		
	0.95	-0.38268		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.23475	0.02	0.01871
	0.06	-0.23698	0.06	0.04995
	0.11	-0.24803	0.11	0.01448
	0.18	-0.28385	0.18	-0.01906
	0.25	-0.30174	0.25	-0.06446
	0.32	-0.30327	0.32	-0.06285
	0.39	-0.31619	0.39	-0.07932
	0.46	-0.24438	0.46	-0.07880
	0.53	-0.20325	0.53	-0.06401
	0.60	-0.15424	0.60	-0.04535
	0.67	-0.09868	0.67	-0.00595
	0.74	-0.03964	0.74	0.02593
	0.81	0.01145	0.81	0.05102
	0.88	0.05672	0.88	0.07516
	0.95	0.10886	0.95	0.10348

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
39	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.7804	9.34	-0.02	28.73 600.1	100.78 2104.8	67.40 1407.7	12.09 3.68	323.32 122.30

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.90525	0.05	0.40580
	0.06	-0.84760	0.10	0.24227
	0.11	-0.71783	0.20	0.05692
	0.17	-0.81182	0.35	-0.14144
	0.23	-0.68213	0.50	-0.33419
	0.29	-0.64152	0.65	-0.08173
	0.35	-0.62030	0.80	0.18095
	0.41	-0.60887	0.95	0.21467
	0.47	-0.61345		
	0.53	-0.59218		
	0.57	-0.59062		
	0.65	-0.59466		
	0.71	-0.57823		
	0.77	-0.57074		
	0.83	-0.56520		
	0.89	-0.56312		
	0.95	-0.53053		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.48457	0.02	0.21304
	0.06	-0.35605	0.06	0.23956
	0.11	-0.29707	0.11	0.17978
	0.18	-0.24982	0.18	0.13750
	0.25	-0.22617	0.25	0.05249
	0.32	-0.20916	0.32	0.03993
	0.39	-0.23308	0.39	0.03413
	0.46	-0.15083	0.46	0.01564
	0.53	-0.12358	0.53	-0.00296
	0.60	-0.07759	0.60	0.01285
	0.67	-0.05099	0.67	0.02893
	0.74	-0.02105	0.74	0.04016
	0.81	0.00958	0.81	0.05728
	0.88	0.04526	0.88	0.06345
	0.95	0.07355	0.95	0.08149

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
39	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.7788	11.35	0.03	28.66 598.6	100.78 2104.8	67.50 1409.8	12.09 3.68	323.00 121.73

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.65815	0.05	0.46431
0.06	-0.69489	0.10	0.29350
0.11	-0.62424	0.20	0.10798
0.17	-0.73103	0.35	-0.09021
0.23	-0.69860	0.50	-0.30095
0.29	-0.58090	0.65	-0.08573
0.35	-0.61259	0.80	0.17348
0.41	-0.63450	0.95	0.19807
0.47	-0.63379		
0.53	-0.60138		
0.57	-0.60687		
0.65	-0.57391		
0.71	-0.61750		
0.77	-0.60408		
0.83	-0.61072		
0.89	-0.56634		
0.95	-0.54951		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.43691	0.02	0.53091
0.06	-0.36720	0.06	0.53599
0.11	-0.32088	0.11	0.48542
0.18	-0.24792	0.18	0.36449
0.25	-0.21462	0.25	0.28519
0.32	-0.18574	0.32	0.20304
0.39	-0.17760	0.39	0.12520
0.46	-0.14030	0.46	0.07283
0.53	-0.12656	0.53	0.03815
0.60	-0.09444	0.60	0.01754
0.67	-0.06877	0.67	0.01962
0.74	-0.03989	0.74	0.02713
0.81	-0.04538	0.81	0.01707
0.88	-0.01211	0.88	-0.00166
0.95	0.01470	0.95	-0.02474

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
39	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.7794	13.53	0.02	28.69	100.78	67.47	12.05	323.92
				599.1	2104.8	1409.1	3.67	123.38

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.44595	0.05	0.60399
	0.06	-1.36169	0.10	0.39749
	0.11	-1.37827	0.20	0.19869
	0.17	-1.36077	0.35	-0.00929
	0.23	-1.11024	0.50	-0.21889
	0.29	-1.06054	0.65	-0.03129
	0.35	-0.54888	0.80	0.20866
	0.41	-0.50285	0.95	0.20964
	0.47	-0.51337		
	0.53	-0.55705		
	0.57	-0.56508		
	0.65	-0.58814		
	0.71	-0.58715		
	0.77	-0.61848		
	0.83	-0.61610		
	0.89	-0.60745		
	0.95	-0.62521		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.32158	0.02	0.65391
	0.06	-0.28948	0.06	0.58746
	0.11	-0.29045	0.11	0.56460
	0.18	-0.26393	0.18	0.35405
	0.25	-0.23886	0.25	0.19940
	0.32	-0.24712	0.32	0.11885
	0.39	-0.19556	0.39	0.03588
	0.46	-0.20473	0.46	-0.00761
	0.53	-0.17538	0.53	-0.00626
	0.60	-0.17619	0.60	0.02062
	0.67	-0.14970	0.67	0.03653
	0.74	-0.09851	0.74	0.02318
	0.81	-0.12018	0.81	0.00328
	0.88	-0.11905	0.88	-0.01039
	0.95	-0.10619	0.95	-0.02327

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
39	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.7794	15.67	-0.14	28.69 599.1	100.78 2104.8	67.47 1409.1	12.05 3.67	323.92 123.38

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.52087	0.05	0.67034
	0.06	-0.51819	0.10	0.50359
	0.11	-0.50919	0.20	0.29875
	0.17	-0.51970	0.35	0.07804
	0.23	-0.51866	0.50	-0.14616
	0.29	-0.52596	0.65	-0.00438
	0.35	-0.52414	0.80	0.21146
	0.41	-0.53329	0.95	0.21935
	0.47	-0.53621		
	0.53	-0.55589		
	0.57	-0.56974		
	0.65	-0.56976		
	0.71	-0.56406		
	0.77	-0.57438		
	0.83	-0.57791		
	0.89	-0.59184		
	0.95	-0.58576		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.28460	0.02	0.62645
	0.06	-0.26906	0.06	0.58980
	0.11	-0.27229	0.11	0.48862
	0.18	-0.25192	0.18	0.33798
	0.25	-0.24840	0.25	0.24743
	0.32	-0.24481	0.32	0.16386
	0.39	-0.22390	0.39	0.09320
	0.46	-0.22936	0.4	0.04379
	0.53	-0.21732	0.3	0.00513
	0.60	-0.21690	0.60	-0.01145
	0.67	-0.20359	0.67	-0.01064
	0.74	-0.19915	0.74	0.00234
	0.81	-0.19262	0.81	-0.01075
	0.88	-0.18014	0.88	-0.02968
	0.95	-0.16957	0.95	-0.06405

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
39	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.7804	17.74	-0.02	28.73 600.1	100.78 2104.8	67.40 1407.7	12.04 3.67	324.31 124.08

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.52389	0.05	0.72940
	0.06	-0.51996	0.10	0.55844
	0.11	-0.52628	0.20	0.36200
	0.17	-0.51924	0.35	0.14544
	0.23	-0.52042	0.50	-0.07995
	0.29	-0.52628	0.65	0.03614
	0.35	-0.53644	0.80	0.23254
	0.41	-0.53313	0.95	0.23758
	0.47	-0.54739		
	0.53	-0.55619		
	0.57	-0.56664		
	0.65	-0.57012		
	0.71	-0.56526		
	0.77	-0.57727		
	0.83	-0.57917		
	0.89	-0.58199		
	0.95	-0.56433		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.29681	0.02	0.58744
	0.06	-0.28007	0.06	0.64844
	0.11	-0.28065	0.11	0.58674
	0.18	-0.27821	0.18	0.47261
	0.25	-0.28677	0.25	0.36177
	0.32	-0.28761	0.32	0.26873
	0.39	-0.24265	0.39	0.18402
	0.46	-0.28007	0.46	0.11871
	0.53	-0.27485	0.53	0.05975
	0.60	-0.26124	0.60	0.02616
	0.67	-0.25164	0.67	0.01421
	0.74	-0.23797	0.74	0.00582
	0.81	-0.24358	0.81	-0.02649
	0.88	-0.22368	0.88	-0.07392
	0.95	-0.21941	0.95	-0.14519

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
39	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.7808	19.86	-0.03	28.76 600.6	100.81 2105.5	67.40 1407.6	12.01 3.66	324.96 125.26

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.52614	0.05	0.78709
	0.06	-0.52104	0.10	0.63764
	0.11	-0.53130	0.20	0.43495
	0.17	-0.52591	0.35	0.21650
	0.23	-0.52991	0.50	0.00192
	0.29	-0.53570	0.65	0.08646
	0.35	-0.54147	0.80	0.26222
	0.41	-0.55196	0.95	0.25282
	0.47	-0.56143		
	0.53	-0.56399		
	0.57	-0.56258		
	0.65	-0.56699		
	0.71	-0.57885		
	0.77	-0.57874		
	0.83	-0.57371		
	0.89	-0.55470		
	0.95	-0.55542		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.29903	0.02	0.61521
	0.06	-0.29947	0.06	0.66487
	0.11	-0.30814	0.11	0.59067
	0.18	-0.30902	0.18	0.46894
	0.25	-0.31493	0.25	0.36250
	0.32	-0.31625	0.32	0.27505
	0.39	-0.25677	0.39	0.19183
	0.46	-0.31262	0.46	0.13002
	0.53	-0.31068	0.53	0.07187
	0.60	-0.29671	0.60	0.02851
	0.67	-0.29416	0.67	0.00750
	0.74	-0.29261	0.74	-0.00317
	0.81	-0.28046	0.81	-0.02920
	0.88	-0.26185	0.88	-0.08667
	0.95	-0.25066	0.95	-0.15727

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
39	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.7825	22.00	-0.04	28.83	100.78	67.26	12.03	324.85
				602.1	2104.8	1404.8	3.67	125.06

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.54661	0.05	0.84509
	0.06	-0.53656	0.10	0.70394
	0.11	-0.54190	0.20	0.50889
	0.17	-0.54429	0.35	0.28972
	0.23	-0.53656	0.50	0.07146
	0.29	-0.54931	0.65	0.13342
	0.35	-0.55009	0.80	0.28482
	0.41	-0.55201	0.95	0.26571
	0.47	-0.55741		
	0.53	-0.56634		
	0.57	-0.57000		
	0.65	-0.58103		
	0.71	-0.56564		
	0.77	-0.58222		
	0.83	-0.58473		
	0.89	-0.56495		
	0.95	-0.54924		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.32455	0.02	0.58767
	0.06	-0.32392	0.06	0.64971
	0.11	-0.32566	0.11	0.58057
	0.18	-0.33708	0.18	0.46487
	0.25	-0.34168	0.25	0.36131
	0.32	-0.33839	0.32	0.27807
	0.39	-0.27095	0.39	0.18773
	0.46	-0.34214	0.46	0.13040
	0.53	-0.34696	0.53	0.07065
	0.60	-0.33244	0.60	0.02593
	0.67	-0.33245	0.67	0.00703
	0.74	-0.33469	0.74	-0.01080
	0.81	-0.31713	0.81	-0.04448
	0.88	-0.31285	0.88	-0.09952
	0.95	-0.30737	0.95	-0.19485

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
39	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.7804	-1.92	-0.01	28.73 600.1	100.78 2104.8	67.40 1407.7	12.02 3.66	324.68 124.76

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.03533	0.05	-0.77041
	0.06	-0.22330	0.10	-0.89692
	0.11	-0.29709	0.20	-0.69087
	0.17	-0.40285	0.35	-0.67570
	0.23	-0.43951	0.50	-0.45193
	0.29	-0.43590	0.65	-0.05103
	0.35	-0.43960	0.80	0.14838
	0.41	-0.46241	0.95	0.28014
	0.47	-0.50786		
	0.53	-0.52800		
	0.57	-0.52808		
	0.65	-0.46770		
	0.71	-0.38820		
	0.77	-0.28019		
	0.83	-0.16848		
	0.89	-0.04091		
	0.95	0.08286		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.27546	0.02	-0.67687
	0.06	0.09943	0.06	-0.48437
	0.11	-0.00135	0.11	-0.41896
	0.18	-0.12511	0.18	-0.46705
	0.25	-0.19255	0.25	-0.44622
	0.32	-0.26784	0.32	-0.43590
	0.39	-0.26747	0.39	-0.38587
	0. j	-0.27140	0.46	-0.32482
	0.53	-0.22837	0.53	-0.25948
	0.60	-0.15954	0.60	-0.17047
	0.67	-0.09543	0.67	-0.07623
	0.74	-0.01876	0.74	0.00330
	0.81	0.04773	0.81	0.06388
	0.88	0.10480	0.88	0.11693
	0.95	0.17198	0.95	0.18647

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
40	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8506	-6.34	-0.01	31.79	100.74	62.78	12.48	325.63
				664.0	2104.1	1311.1	3.80	126.47

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.45263	0.05	-1.13548
	0.06	0.17336	0.10	-1.13864
	0.11	0.04649	0.20	-1.04679
	0.17	-0.07448	0.35	-0.50108
	0.23	-0.15885	0.50	-0.44200
	0.29	-0.19229	0.65	-0.38791
	0.35	-0.23979	0.80	-0.35888
	0.41	-0.28040	0.95	-0.28196
	0.47	-0.34795		
	0.53	-0.44031		
	0.57	-0.49353		
	0.65	-0.56292		
	0.71	-0.64083		
	0.77	-0.71043		
	0.83	-0.77201		
	0.89	-0.81351		
	0.95	-0.41285		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.53473	0.02	-1.26705
	0.06	0.32883	0.06	-1.12705
	0.11	0.20847	0.11	-1.02463
	0.18	0.07542	0.18	-0.63408
	0.25	-0.01572	0.25	-0.62912
	0.32	-0.12414	0.32	-0.64117
	0.39	-0.08924	0.39	-0.38992
	0.46	-0.17855	0.46	-0.27202
	0.53	-0.16978	0.53	-0.20028
	0.60	-0.12256	0.60	-0.11729
	0.67	-0.06853	0.67	-0.02997
	0.74	-0.00361	0.74	0.03972
	0.81	0.05208	0.81	0.10151
	0.88	0.09954	0.88	0.15538
	0.95	0.15427	0.95	0.20890

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
40	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.8474	-4.08	-0.02	31.67 661.5	100.78 2104.8	63.01 1315.9	12.44 3.79	325.92 126.98

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.22386	0.05	-0.94782
0.06	-0.03436	0.10	-0.94484
0.11	-0.12394	0.20	-0.90523
0.17	-0.23965	0.35	-0.91920
0.23	-0.30277	0.50	-0.39701
0.29	-0.31797	0.65	-0.34303
0.35	-0.35588	0.80	-0.27988
0.41	-0.39546	0.95	-0.14704
0.47	-0.44339		
0.53	-0.51514		
0.57	-0.57286		
0.65	-0.64879		
0.71	-0.73284		
0.77	-0.79011		
0.83	-0.50337		
0.89	-0.23986		
0.95	-0.16458		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.36437	0.02	-0.89316
0.06	0.16907	0.06	-0.66282
0.11	0.06562	0.11	-0.48927
0.18	-0.07532	0.18	-0.55396
0.25	-0.16479	0.25	-0.56028
0.32	-0.26452	0.32	-0.52694
0.39	-0.08228	0.39	-0.41051
0.46	-0.28956	0.46	-0.31577
0.53	-0.24369	0.53	-0.23380
0.60	-0.15865	0.60	-0.14789
0.67	-0.08972	0.67	-0.05428
0.74	-0.00757	0.74	0.02347
0.81	0.06022	0.81	0.08802
0.88	0.11912	0.88	0.14346
0.95	0.18785	0.95	0.21094

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
40	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.8511	-1.93	-0.01	31.82 664.5	100.74 2104.1	62.74 1310.4	12.45 3.79	326.25 127.58

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.01724	0.05	-0.66322
	0.06	-0.23095	0.10	-0.72902
	0.11	-0.31021	0.20	-0.69522
	0.17	-0.41326	0.35	-0.62033
	0.23	-0.50059	0.50	-0.50074
	0.29	-0.50785	0.65	-0.20707
	0.35	-0.51612	0.80	-0.17923
	0.41	-0.51902	0.95	-0.03426
	0.47	-0.54338		
	0.53	-0.60676		
	0.57	-0.66987		
	0.65	-0.71221		
	0.71	-0.76949		
	0.77	-0.29087		
	0.83	-0.15484		
	0.89	-0.05513		
	0.95	0.00832		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.28829	0.02	-0.68939
	0.06	0.10348	0.06	-0.48341
	0.11	-0.00220	0.11	-0.44667
	0.18	-0.13923	0.18	-0.52645
	0.25	-0.22927	0.25	-0.53914
	0.32	-0.34322	0.32	-0.50554
	0.39	-0.09033	0.39	-0.41979
	0.46	-0.33319	0.46	-0.32313
	0.53	-0.26417	0.53	-0.24441
	0.60	-0.17043	0.60	-0.15104
	0.67	-0.09058	0.67	-0.05517
	0.74	-0.00767	0.74	0.02293
	0.81	0.05732	0.81	0.09041
	0.88	0.11913	0.88	0.14492
	0.95	0.19161	0.95	0.21510

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
40	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.8494	0.40	-0.01	31.75 663.2	100.78 2104.8	62.88 1313.2	12.46 3.80	325.84 126.84

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.29975	0.05	-0.35973
0.06	-0.51351	0.10	-0.39375
0.11	-0.64092	0.20	-0.46534
0.17	-0.57568	0.35	-0.50618
0.23	-0.67848	0.50	-0.82076
0.29	-0.71206	0.65	-0.20464
0.35	-0.70431	0.80	-0.13963
0.41	-0.69788	0.95	0.02073
0.47	-0.73968		
0.53	-0.77649		
0.57	-0.83177		
0.65	-0.49112		
0.71	-0.26764		
0.77	-0.19025		
0.83	-0.12624		
0.89	-0.06578		
0.95	-0.00985		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.16346	0.02	-0.37885
0.06	0.01775	0.06	-0.32832
0.11	-0.07937	0.11	-0.35555
0.18	-0.21497	0.18	-0.44097
0.25	-0.29641	0.25	-0.43823
0.32	-0.41747	0.32	-0.44865
0.39	-0.08949	0.39	-0.38935
0.46	-0.35147	0.46	-0.31205
0.53	-0.27416	0.53	-0.24257
0.60	-0.16839	0.60	-0.14951
0.67	-0.08722	0.67	-0.05114
0.74	-0.00280	0.74	0.02660
0.81	0.07162	0.81	0.08070
0.88	0.13353	0.88	0.13395
0.95	0.20331	0.95	0.20394

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
40	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.8499	2.73	-0.01	31.77 663.6	100.78 2104.8	62.84 1312.5	12.45 3.79	326.19 127.48

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.55670	0.05	-0.10121
0.06	-0.81586	0.10	-0.18578
0.11	-0.88584	0.20	-0.28023
0.17	-0.90235	0.35	-0.41854
0.23	-0.94291	0.50	-0.75575
0.29	-0.97740	0.65	-0.18582
0.35	-0.97776	0.80	-0.04870
0.41	-0.94250	0.95	0.13644
0.47	-0.58614		
0.53	-0.42569		
0.57	-0.40100		
0.65	-0.37801		
0.71	-0.35871		
0.77	-0.32920		
0.83	-0.30010		
0.89	-0.27446		
0.95	-0.23857		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.13453	0.02	-0.35281
0.06	-0.01272	0.06	-0.32209
0.11	-0.10919	0.11	-0.34756
0.18	-0.24876	0.18	-0.41137
0.25	-0.32460	0.25	-0.39284
0.32	-0.44102	0.32	-0.37906
0.39	-0.10258	0.39	-0.33154
0.46	-0.35558	0.46	-0.27039
0.53	-0.26460	0.53	-0.21462
0.60	-0.16661	0.60	-0.13333
0.67	-0.08745	0.67	-0.04789
0.74	-0.00460	0.74	0.02259
0.81	0.06141	0.81	0.06862
0.88	0.11955	0.88	0.11722
0.95	0.18791	0.95	0.19066

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
40	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.8496	5.04	-0.02	31.75 663.2	100.74 2104.1	62.84 1312.5	12.43 3.79	326.40 127.85

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.75196	0.05	0.10702
	0.06	-1.01512	0.10	-0.02978
	0.11	-1.06050	0.20	-0.16013
	0.17	-1.06871	0.35	-0.32302
	0.23	-1.05732	0.50	-0.68777
	0.29	-0.88592	0.65	-0.16118
	0.35	-0.59697	0.80	0.08307
	0.41	-0.55792	0.95	0.20733
	0.47	-0.52666		
	0.53	-0.51292		
	0.57	-0.49516		
	0.65	-0.45422		
	0.71	-0.45042		
	0.77	-0.44562		
	0.83	-0.42726		
	0.89	-0.39383		
	0.95	-0.36123		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.11298	0.02	-0.04203
	0.06	-0.14942	0.06	-0.04342
	0.11	-0.21247	0.11	-0.04947
	0.18	-0.30028	0.18	-0.09629
	0.25	-0.35179	0.25	-0.10828
	0.32	-0.42726	0.32	-0.12802
	0.39	-0.11467	0.39	-0.11762
	0.46	-0.31757	0.46	-0.10555
	0.53	-0.24953	0.53	-0.08633
	0.60	-0.16366	0.60	-0.06019
	0.67	-0.10051	0.67	-0.00878
	0.74	-0.03136	0.74	0.03474
	0.81	0.03161	0.81	0.06837
	0.88	0.07985	0.88	0.09998
	0.95	0.13712	0.95	0.13627

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
40	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.8496	7.33	0.00	31.75	100.74	62.84	12.45	325.93
				663.2	2104.1	1312.5	3.80	127.01

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.96273	0.05	0.27743
	0.06	-1.13188	0.10	0.11394
	0.11	-1.19505	0.20	-0.04547
	0.17	-1.17451	0.35	-0.23710
	0.23	-0.95633	0.50	-0.59548
	0.29	-0.68546	0.65	-0.08658
	0.35	-0.61911	0.80	0.18254
	0.41	-0.57861	0.95	0.24150
	0.47	-0.57290		
	0.53	-0.53304		
	0.57	-0.51590		
	0.65	-0.52324		
	0.71	-0.52692		
	0.77	-0.52701		
	0.83	-0.53334		
	0.89	-0.52439		
	0.95	-0.50457		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.35184	0.02	0.17464
	0.06	-0.28498	0.06	0.16128
	0.11	-0.28802	0.11	0.12388
	0.18	-0.28034	0.18	0.07276
	0.25	-0.27701	0.25	0.04295
	0.32	-0.28423	0.32	0.01162
	0.39	-0.12361	0.39	-0.01350
	0.46	-0.22898	0.46	-0.01716
	0.53	-0.17545	0.53	-0.01408
	0.60	-0.11791	0.60	-0.00379
	0.67	-0.06560	0.67	0.02369
	0.74	-0.01302	0.74	0.05250
	0.81	0.02713	0.81	0.06279
	0.88	0.06475	0.88	0.07873
	0.95	0.11053	0.95	0.10376

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
40	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.8509	9.39	-0.03	31.82 664.5	100.78 2104.8	62.78 1311.1	12.45 3.80	326.27 127.62

WING   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-0.83293	0.05	0.39090
0.06	-0.86659	0.10	0.23548
0.11	-0.85967	0.20	0.05523
0.17	-0.71585	0.35	-0.15544
0.23	-0.60941	0.50	-0.50800
0.29	-0.60603	0.65	-0.08395
0.35	-0.59792	0.80	0.20005
0.41	-0.59183	0.95	0.25752
0.47	-0.57243		
0.53	-0.55665		
0.57	-0.56672		
0.65	-0.57810		
0.71	-0.61224		
0.77	-0.61318		
0.83	-0.59889		
0.89	-0.56865		
0.95	-0.54224		

HORIZ. TAIL   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-0.37534	0.02	0.19056
0.06	-0.29238	0.06	0.22335
0.11	-0.24404	0.11	0.24232
0.18	-0.20329	0.18	0.16832
0.25	-0.19863	0.25	0.12915
0.32	-0.16509	0.32	0.08211
0.39	-0.12538	0.39	0.03907
0.46	-0.14882	0.46	0.02651
0.53	-0.12415	0.53	0.02208
0.60	-0.06263	0.60	0.02084
0.67	-0.04210	0.67	0.04235
0.74	-0.01938	0.74	0.04744
0.81	-0.00324	0.81	0.05559
0.88	0.01658	0.88	0.04932
0.95	0.03180	0.95	0.06076

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
40	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.8501	11.42	0.02	31.77 / 663.6	100.74 / 2104.1	62.81 / 1311.8	12.42 / 3.79	326.68 / 128.36

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.56576	0.05	0.48823
	0.06	-0.57774	0.10	0.31240
	0.11	-0.58358	0.20	0.12441
	0.17	-0.58405	0.35	-0.09099
	0.23	-0.61702	0.50	-0.38663
	0.29	-0.55695	0.65	-0.06118
	0.35	-0.56639	0.80	0.21824
	0.41	-0.58275	0.95	0.26649
	0.47	-0.56136		
	0.53	-0.56723		
	0.57	-0.57962		
	0.65	-0.57016		
	0.71	-0.56744		
	0.77	-0.55684		
	0.83	-0.57624		
	0.89	-0.60024		
	0.95	-0.57878		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.29749	0.02	0.43213
	0.06	-0.24381	0.06	0.47051
	0.11	-0.20884	0.11	0.41076
	0.18	-0.18985	0.18	0.34138
	0.25	-0.17068	0.25	0.27099
	0.32	-0.15642	0.32	0.20621
	0.39	-0.12530	0.39	0.14126
	0.46	-0.12178	0.46	0.09003
	0.53	-0.10945	0.53	0.05760
	0.60	-0.09251	0.60	0.03761
	0.67	-0.07999	0.67	0.03414
	0.74	-0.07652	0.74	0.03100
	0.81	-0.05529	0.81	0.02111
	0.88	-0.05407	0.88	-0.00225
	0.95	-0.05052	0.95	-0.03752

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
40	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.8496	13.68	0.17	31.75	100.74	62.84	12.42	326.70
				663.2	2104.1	1312.5	3.79	128.39 .

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.34017	0.05	0.59319
0.06	-1.28552	0.10	0.43846
0.11	-1.23552	0.20	0.22854
0.17	-1.22244	0.35	0.01610
0.23	-1.20402	0.50	-0.23311
0.29	-1.19082	0.65	-0.01443
0.35	-0.88618	0.80	0.24469
0.41	-0.52110	0.95	0.27811
0.47	-0.49925		
0.53	-0.53344		
0.57	-0.54211		
0.65	-0.54943		
0.71	-0.54274		
0.77	-0.55114		
0.83	-0.57178		
0.89	-0.59980		
0.95	-0.60345		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.27855	0.02	0.49311
0.06	-0.26167	0.06	0.56013
0.11	-0.24834	0.11	0.53164
0.18	-0.23586	0.18	0.43038
0.25	-0.23080	0.25	0.33836
0.32	-0.21166	0.32	0.25594
0.39	-0.13525	0.39	0.18050
0.46	-0.19571	0.46	0.12147
0.53	-0.18593	0.53	0.06747
0.60	-0.18344	0.60	0.04100
0.67	-0.16589	0.67	0.02903
0.74	-0.15557	0.74	0.02311
0.81	-0.15153	0.81	0.00212
0.88	-0.14257	0.88	-0.03922
0.95	-0.13407	0.95	-0.08852

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
40	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.8498	15.74	-0.03	31.75 663.1	100.71 2103.4	62.81 1311.8	12.39 3.78	327.15 129.20

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.50884	0.05	0.68094
0.06	-0.50335	0.10	0.51096
0.11	-0.50013	0.20	0.31039
0.17	-0.50526	0.35	0.08967
0.23	-0.49666	0.50	-0.14039
0.29	-0.50727	0.65	0.03022
0.35	-0.50842	0.80	0.26624
0.41	-0.51277	0.95	0.29488
0.47	-0.51904		
0.53	-0.53516		
0.57	-0.52471		
0.65	-0.53731		
0.71	-0.55011		
0.77	-0.54564		
0.83	-0.54173		
0.89	-0.55095		
0.95	-0.53643		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.28187	0.02	0.53553
0.06	-0.26576	0.06	0.60175
0.11	-0.27472	0.11	0.54052
0.18	-0.25977	0.18	0.44889
0.25	-0.25424	0.25	0.35032
0.32	-0.26379	0.32	0.26857
0.39	-0.13849	0.39	0.17327
0.46	-0.25131	0.46	0.10903
0.53	-0.24131	0.53	0.06936
0.60	-0.24271	0.60	0.01714
0.67	-0.22954	0.67	0.00052
0.74	-0.22367	0.74	-0.00266
0.81	-0.21408	0.81	-0.02354
0.88	-0.19877	0.88	-0.06563
0.95	-0.17955	0.95	-0.11968

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
40	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.8501	17.99	-0.03	31.77 663.6	100.74 2104.1	62.81 1311.8	12.40 3.78	327.15 129.20

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.52862	0.05	0.75946
	0.06	-0.53245	0.10	0.60168
	0.11	-0.52683	0.20	0.40083
	0.17	-0.53430	0.35	0.17738
	0.23	-0.54667	0.50	-0.04229
	0.29	-0.54361	0.65	0.08462
	0.35	-0.53409	0.80	0.29544
	0.41	-0.52158	0.95	0.31489
	0.47	-0.54005		
	0.53	-0.53409		
	0.57	-0.52785		
	0.65	-0.54802		
	0.71	-0.55029		
	0.77	-0.54667		
	0.83	-0.56040		
	0.89	-0.54987		
	0.95	-0.54626		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.31048	0.02	0.60189
	0.06	-0.29298	0.06	0.65942
	0.11	-0.29331	0.11	0.58184
	0.18	-0.29576	0.18	0.46199
	0.25	-0.29988	0.25	0.34933
	0.32	-0.30191	0.32	0.25531
	0.39	-0.14199	0.39	0.15636
	0.46	-0.30448	0.46	0.09200
	0.53	-0.30547	0.53	0.04178
	0.60	-0.29366	0.60	-0.00400
	0.67	-0.28608	0.67	-0.01544
	0.74	-0.27274	0.74	-0.02495
	0.81	-0.26442	0.81	-0.04775
	0.88	-0.25679	0.88	-0.09993
	0.95	-0.24631	0.95	-0.16972

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
40	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.8501	20.16	-0.02	31.77 663.6	100.74 2104.1	62.81 1311.8	12.36 3.77	327.88 130.51

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.55443	0.05	0.81969
0.06	-0.54798	0.10	0.68012
0.11	-0.53489	0.20	0.48356
0.17	-0.55443	0.35	0.26495
0.23	-0.55028	0.50	0.04136
0.29	-0.54431	0.65	0.13911
0.35	-0.54184	0.80	0.32561
0.41	-0.54361	0.95	0.33056
0.47	-0.55058		
0.53	-0.56513		
0.57	-0.57446		
0.65	-0.57088		
0.71	-0.56198		
0.77	-0.58009		
0.83	-0.58511		
0.89	-0.58401		
0.95	-0.55882		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.31065	0.02	0.60371
0.06	-0.30823	0.06	0.66642
0.11	-0.31166	0.11	0.59813
0.18	-0.31506	0.18	0.48085
0.25	-0.32011	0.25	0.36783
0.32	-0.32065	0.32	0.26938
0.39	-0.15079	0.39	0.18427
0.46	-0.30635	0.46	0.11954
0.53	-0.30203	0.53	0.05814
0.60	-0.30562	0.60	0.01519
0.67	-0.29760	0.67	-0.00135
0.74	-0.29555	0.74	-0.01645
0.81	-0.28967	0.81	-0.05261
0.88	-0.29467	0.88	-0.10726
0.95	-0.28258	0.95	-0.19136

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
40	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.8516	22.39	-0.06	31.84	100.74	62.71	12.40	327.37
				664.9	2104.1	1309.7	3.78	129.60

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.58412	0.05	0.86996
0.06	-0.57440	0.10	0.74272
0.11	-0.56890	0.20	0.55471
0.17	-0.57003	0.35	0.33778
0.23	-0.57314	0.50	0.11875
0.29	-0.57477	0.65	0.18801
0.35	-0.58770	0.80	0.34643
0.41	-0.58715	0.95	0.34057
0.47	-0.57687		
0.53	-0.58349		
0.57	-0.57001		
0.65	-0.56680		
0.71	-0.59611		
0.77	-0.59906		
0.83	-0.60224		
0.89	-0.57171		
0.95	-0.55935		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.35294	0.02	0.60112
0.06	-0.34570	0.06	0.65514
0.11	-0.34472	0.11	0.57970
0.18	-0.35715	0.18	0.46397
0.25	-0.35825	0.25	0.36102
0.32	-0.36443	0.32	0.26537
0.39	-0.16447	0.39	0.18606
0.46	-0.36034	0.46	0.11923
0.53	-0.36275	0.53	0.06208
0.60	-0.35463	0.60	0.01419
0.67	-0.35281	0.67	-0.00914
0.74	-0.34975	0.74	-0.02533
0.81	-0.34116	0.81	-0.05634
0.88	-0.34361	0.88	-0.11450
0.95	-0.34220	0.95	-0.21050

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
40	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.8501	-1.87	0.00	31.77	100.74	62.81	12.39	327.41
				663.6	2104.1	1311.8	3.78	129.67

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.00110	0.05	-0.62635
	0.06	-0.22116	0.10	-0.73080
	0.11	-0.32120	0.20	-0.68745
	0.17	-0.41213	0.35	-0.56945
	0.23	-0.49211	0.50	-0.43960
	0.29	-0.51361	0.65	-0.19554
	0.35	-0.51694	0.80	-0.14923
	0.41	-0.53664	0.95	-0.02836
	0.47	-0.54437		
	0.53	-0.60401		
	0.57	-0.64691		
	0.65	-0.68916		
	0.71	-0.76462		
	0.77	-0.27493		
	0.83	-0.14312		
	0.89	-0.06428		
	0.95	0.00274		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.28782	0.02	-0.68769
	0.06	0.10339	0.06	-0.47321
	0.11	-0.00318	0.11	-0.44069
	0.18	-0.13360	0.18	-0.51969
	0.25	-0.22326	0.25	-0.51606
	0.32	-0.33279	0.32	-0.47904
	0.39	-0.16699	0.39	-0.42079
	0.46	-0.33332	0.46	-0.32786
	0.53	-0.26935	0.53	-0.25060
	0.60	-0.16783	0.60	-0.15198
	0.67	-0.08905	0.67	-0.05397
	0.74	-0.00782	0.74	0.02454
	0.81	0.06221	0.81	0.08603
	0.88	0.12289	0.88	0.13858
	0.95	0.19510	0.95	0.20571

701

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
41	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.5977	-6.27	-0.01	19.82	100.92	79.26	10.94	307.52
				414.0	2107.7	1655.4	3.34	93.86

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.57411	0.05	-2.10607
0.06	0.26618	0.10	-1.04980
0.11	0.11711	0.20	-0.81230
0.17	0.01176	0.35	-0.64721
0.23	-0.06273	0.50	-0.49697
0.29	-0.09362	0.65	-0.11469
0.35	-0.14257	0.80	0.07612
0.41	-0.18408	0.95	0.17243
0.47	-0.22015		
0.53	-0.24802		
0.57	-0.26990		
0.65	-0.26390		
0.71	-0.24768		
0.77	-0.21023		
0.83	-0.15924		
0.89	-0.07284		
0.95	0.02257		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.75376	0.02	-0.81971
0.06	0.59404	0.06	-0.73587
0.11	0.46603	0.11	-0.71586
0.18	0.33649	0.18	-0.68866
0.25	0.22017	0.25	-0.68458
0.32	0.11135	0.32	-0.65899
0.39	-0.29181	0.39	-0.63476
0.46	0.00803	0.46	-0.60580
0.53	-0.02497	0.53	-0.57923
0.60	-0.03174	0.60	-0.54010
0.67	-0.03893	0.67	-0.50121
0.74	-0.03944	0.74	-0.47794
0.81	-0.04656	0.81	-0.42960
0.88	-0.08284	0.88	-0.38287
0.95	-0.15655	0.95	-0.33592

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
41	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.6016	-4.05	-0.01	20.02 418.1	100.92 2107.7	79.02 1650.4	10.97 3.34	307.97 94.67

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.27827	0.05	-1.14918
0.06	0.02452	0.10	-0.77216
0.11	-0.07881	0.20	-0.63323
0.17	-0.13608	0.35	-0.54651
0.23	-0.20194	0.50	-0.46783
0.29	-0.20876	0.65	-0.10377
0.35	-0.23307	0.80	0.16343
0.41	-0.25086	0.95	0.27255
0.47	-0.28092		
0.53	-0.31466		
0.57	-0.33872		
0.65	-0.31767		
0.71	-0.27821		
0.77	-0.22690		
0.83	-0.16567		
0.89	-0.07522		
0.95	0.03326		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.74768	0.02	-0.80159
0.06	0.57066	0.06	-0.76302
0.11	0.44054	0.11	-0.74128
0.18	0.30519	0.18	-0.75477
0.25	0.18810	0.25	-0.72109
0.32	0.08911	0.32	-0.68114
0.39	-0.25948	0.39	-0.62100
0.46	-0.01359	0.46	-0.58465
0.53	-0.03838	0.53	-0.54150
0.60	-0.03341	0.60	-0.48622
0.67	-0.03222	0.67	-0.44953
0.74	-0.02569	0.74	-0.40453
0.81	-0.02405	0.81	-0.36851
0.88	-0.05219	0.88	-0.30843
0.95	-0.10420	0.95	-0.24885

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
41	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.5999	-1.80	-0.01	19.93 416.3	100.92 2107.7	79.12 1652.5	10.93 3.33	308.43 95.51

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.03172	0.05	-0.72425
	0.06	-0.20883	0.10	-0.56423
	0.11	-0.28847	0.20	-0.48459
	0.17	-0.35497	0.35	-0.44208
	0.23	-0.36317	0.50	-0.40979
	0.29	-0.34524	0.65	-0.07776
	0.35	-0.35865	0.80	0.19866
	0.41	-0.35386	0.95	0.29934
	0.47	-0.37696		
	0.53	-0.39241		
	0.57	-0.39876		
	0.65	-0.36828		
	0.71	-0.32087		
	0.77	-0.25972		
	0.83	-0.18562		
	0.89	-0.08688		
	0.95	0.02686		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.73963	0.02	-0.88715
	0.06	0.54994	0.06	-0.88143
	0.11	0.42118	0.11	-0.88020
	0.18	0.28555	0.18	-0.83299
	0.25	0.17526	0.25	-0.76866
	0.32	0.08000	0.32	-0.70021
	0.39	-0.22092	0.39	-0.62607
	0.46	-0.01523	0.46	-0.56076
	0.53	-0.03502	0.53	-0.49885
	0.60	-0.01902	0.60	-0.45793
	0.67	-0.00891	0.67	-0.38745
	0.74	0.00706	0.74	-0.34891
	0.81	0.01378	0.81	-0.28377
	0.88	0.00240	0.88	-0.23444
	0.95	-0.00864	0.95	-0.17994

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
41	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.5999	0.37	-0.01	19.93 416.3	100.92 2107.7	79.12 1652.5	10.90 3.32	309.03 96.59

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.56744	0.05	-0.28258
0.06	-0.58511	0.10	-0.31498
0.11	-0.56851	0.20	-0.32149
0.17	-0.53467	0.35	-0.33435
0.23	-0.51887	0.50	-0.36380
0.29	-0.48133	0.65	-0.06354
0.35	-0.45676	0.80	0.21753
0.41	-0.45363	0.95	0.31355
0.47	-0.46630		
0.53	-0.46445		
0.57	-0.46595		
0.65	-0.41319		
0.71	-0.36347		
0.77	-0.29220		
0.83	-0.20542		
0.89	-0.09329		
0.95	0.02282		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.73310	0.02	-0.96101
0.06	0.52338	0.06	-0.95656
0.11	0.38599	0.11	-0.95065
0.18	0.25568	0.18	-0.91253
0.25	0.14141	0.25	-0.82908
0.32	0.05344	0.32	-0.72651
0.39	-0.19527	0.39	-0.62797
0.46	-0.03125	0.46	-0.54051
0.53	-0.04441	0.53	-0.47398
0.60	-0.03845	0.60	-0.39824
0.67	-0.02460	0.67	-0.32316
0.74	-0.00032	0.74	-0.26087
0.81	0.01948	0.81	-0.21567
0.88	0.02585	0.88	-0.14941
0.95	0.02519	0.95	-0.09285

705

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
41	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.5999	2.61	-0.01	19.93 416.3	100.92 2107.7	79.12 1652.5	10.91 3.33	308.92 96.39

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.29932	0.05	-0.00770
0.06	-0.93890	0.10	-0.09725
0.11	-0.77686	0.20	-0.17849
0.17	-0.73534	0.35	-0.23942
0.23	-0.67664	0.50	-0.29541
0.29	-0.60575	0.65	-0.02867
0.35	-0.59384	0.80	0.23793
0.41	-0.55619	0.95	0.32586
0.47	-0.53811		
0.53	-0.52879		
0.57	-0.52082		
0.65	-0.45640		
0.71	-0.38930		
0.77	-0.30628		
0.83	-0.21364		
0.89	-0.09758		
0.95	0.01849		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.72398	0.02	-1.05186
0.06	0.50275	0.06	-1.04233
0.11	0.35928	0.11	-1.01159
0.18	0.22735	0.18	-0.95496
0.25	0.11312	0.25	-0.85548
0.32	0.01648	0.32	-0.75141
0.39	-0.17135	0.39	-0.61664
0.46	-0.05437	0.46	-0.51081
0.53	-0.06597	0.53	-0.40551
0.60	-0.04930	0.60	-0.33833
0.67	-0.02834	0.67	-0.26424
0.74	0.00469	0.74	-0.19790
0.81	0.02897	0.81	-0.12642
0.88	0.04947	0.88	-0.06871
0.95	0.06569	0.95	-0.00435

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
41	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.6003	4.75	-0.01	19.96	100.95	79.12	10.90	309.35
				416.9	2108.4	1652.5	3.32	97.16

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.96896	0.05	0.23851
0.06	-1.74336	0.10	0.09418
0.11	-1.01532	0.20	-0.03941
0.17	-0.92843	0.35	-0.14883
0.23	-0.83492	0.50	-0.22020
0.29	-0.73811	0.65	0.01109
0.35	-0.67736	0.80	0.26010
0.41	-0.63379	0.95	0.33802
0.47	-0.60370		
0.53	-0.57398		
0.57	-0.55594		
0.65	-0.47867		
0.71	-0.39911		
0.77	-0.30603		
0.83	-0.21051		
0.89	-0.08728		
0.95	0.00872		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.70344	0.02	-1.39365
0.06	0.46970	0.06	-1.46939
0.11	0.32253	0.11	-1.26605
0.18	0.19516	0.18	-0.97609
0.25	0.08426	0.25	-0.74003
0.32	-0.01677	0.32	-0.63755
0.39	-0.14972	0.39	-0.46892
0.46	-0.07616	0.46	-0.36951
0.53	-0.08347	0.53	-0.29900
0.60	-0.05540	0.60	-0.20342
0.67	-0.03340	0.67	-0.13730
0.74	0.00335	0.74	-0.08246
0.81	0.04048	0.81	-0.00270
0.88	0.07077	0.88	0.04750
0.95	0.11299	0.95	0.11164

707

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
41	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.6003	6.99	-0.01	19.96	100.95	79.12	10.89	309.56
				416.9	2108.4	1652.5	3.32	97.53

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-2.49430	0.05	0.40396
0.06	-2.42288	0.10	0.24454
0.11	-2.03819	0.20	0.06751
0.17	-1.09385	0.35	-0.06506
0.23	-0.94335	0.50	-0.15241
0.29	-0.82159	0.65	0.03594
0.35	-0.74148	0.80	0.26650
0.41	-0.67547	0.95	0.33099
0.47	-0.62261		
0.53	-0.57800		
0.57	-0.54036		
0.65	-0.45101		
0.71	-0.37641		
0.77	-0.28346		
0.83	-0.18826		
0.89	-0.09157		
0.95	-0.01391		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.67949	0.02	-1.61304
0.06	0.43294	0.06	-1.43986
0.11	0.28801	0.11	-0.99487
0.18	0.15775	0.18	-0.64118
0.25	0.04736	0.25	-0.53104
0.32	-0.03534	0.32	-0.46503
0.39	-0.12701	0.39	-0.39011
0.46	-0.09843	0.46	-0.31840
0.53	-0.10579	0.53	-0.25002
0.60	-0.06950	0.60	-0.17682
0.67	-0.03920	0.67	-0.09877
0.74	0.00372	0.74	-0.02934
0.81	0.03766	0.81	0.03127
0.88	0.07019	0.88	0.08229
0.95	0.11493	0.95	0.13980

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN   CONFIG   DHORZ(deg)
41   7   -10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.6003	9.02	-0.01	19.96 416.9	100.95 2108.4	79.12 1652.5	10.88 3.32	309.76 97.90

WING		UPPER SURFACE			LOWER SURFACE	
	X/C	CP		X/C	CP	
	0.02	-1.80786		0.05	0.48932	
	0.06	-1.53184		0.10	0.30587	
	0.11	-1.36924		0.20	0.11636	
	0.17	-1.33247		0.35	-0.04298	
	0.23	-1.16076		0.50	-0.17709	
	0.29	-1.00052		0.65	-0.00737	
	0.35	-0.86884		0.80	0.21136	
	0.41	-0.76326		0.95	0.22271	
	0.47	-0.67038				
	0.53	-0.56580				
	0.57	-0.53492				
	0.65	-0.48384				
	0.71	-0.42134				
	0.77	-0.37512				
	0.83	-0.30669				
	0.89	-0.29569				
	0.95	-0.27549				

HORIZ. TAIL		UPPER SURFACE			LOWER SURFACE	
	X/C	CP		X/C	CP	
	0.02	0.51883		0.02	-1.34591	
	0.06	0.37111		0.06	-0.82744	
	0.11	0.26303		0.11	-0.59019	
	0.18	0.13313		0.18	-0.50398	
	0.25	0.03402		0.25	-0.37445	
	0.32	-0.04230		0.32	-0.30836	
	0.39	-0.11494		0.39	-0.27486	
	0.46	-0.09697		0.46	-0.23002	
	0.53	-0.09230		0.53	-0.19194	
	0.60	-0.06958		0.60	-0.12367	
	0.67	-0.04883		0.67	-0.06688	
	0.74	-0.01043		0.74	-0.01714	
	0.81	0.01920		0.81	0.01853	
	0.88	0.04246		0.88	0.04752	
	0.95	0.07762		0.95	0.08843	

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
41	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.5983	11.01	0.00	19.85 414.6	100.92 2107.7	79.22 1654.6	10.84 3.30	309.95 98.24

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-1.54942	0.05	0.52867
0.06	-1.45644	0.10	0.33898
0.11	-1.34546	0.20	0.13739
0.17	-1.11895	0.35	-0.03464
0.23	-0.80721	0.50	-0.19276
0.29	-0.66637	0.65	-0.04754
0.35	-0.57177	0.80	0.15476
0.41	-0.56023	0.95	0.16200
0.47	-0.64253		
0.53	-0.61516		
0.57	-0.64992		
0.65	-0.66570		
0.71	-0.63063		
0.77	-0.62716		
0.83	-0.62439		
0.89	-0.55193		
0.95	-0.55220		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.26622	0.02	-0.33838
0.06	0.16577	0.06	-0.35107
0.11	0.12974	0.11	-0.25798
0.18	0.07233	0.18	-0.23210
0.25	0.01715	0.25	-0.19613
0.32	-0.02960	0.32	-0.15319
0.39	-0.10565	0.39	-0.14096
0.46	-0.05825	0.46	-0.13087
0.53	-0.06352	0.53	-0.10819
0.60	-0.04142	0.60	-0.07841
0.67	-0.02512	0.67	-0.04754
0.74	-0.00273	0.74	-0.01448
0.81	0.01954	0.81	0.01480
0.88	0.03809	0.88	0.03269
0.95	0.06652	0.95	0.06584

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
41	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.5998	13.07	-0.03	19.93 416.3	100.95 2108.4	79.16 1653.2	10.84 3.31	310.38 99.01

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.52857	0.05	0.61937
	0.06	-0.48820	0.10	0.41226
	0.11	-0.47791	0.20	0.21332
	0.17	-0.51783	0.35	0.01278
	0.23	-0.51258	0.50	-0.14968
	0.29	-0.51142	0.65	-0.02067
	0.35	-0.53294	0.80	0.16965
	0.41	-0.54664	0.95	0.16710
	0.47	-0.56471		
	0.53	-0.58093		
	0.57	-0.59306		
	0.65	-0.61532		
	0.71	-0.60912		
	0.77	-0.61143		
	0.83	-0.59923		
	0.89	-0.57522		
	0.95	-0.52393		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.43393	0.02	0.15393
	0.06	-0.21403	0.06	0.04446
	0.11	-0.13304	0.11	-0.03853
	0.18	-0.10471	0.18	-0.10068
	0.25	-0.08111	0.25	-0.12787
	0.32	-0.08947	0.32	-0.16488
	0.39	-0.10236	0.39	-0.17149
	0.46	-0.05774	0.46	-0.15692
	0.53	-0.04490	0.53	-0.13673
	0.60	-0.03860	0.60	-0.10471
	0.67	-0.02267	0.67	-0.05774
	0.74	-0.00602	0.74	-0.01306
	0.81	0.01380	0.81	0.02494
	0.88	0.02963	0.88	0.05086
	0.95	0.04652	0.95	0.08801

711

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
41	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.6009	15.18	-0.03	19.99 417.5	100.95 2108.4	79.09 1651.8	10.85 3.31	310.51 99.25

WING   UPPER SURFACE   LOWER SURFACE

X/C	CP	X/C	CP
0.02	-0.50876	0.05	0.67640
0.06	-0.49128	0.10	0.49619
0.11	-0.48455	0.20	0.28385
0.17	-0.48674	0.35	0.07718
0.23	-0.49925	0.50	-0.11505
0.29	-0.50955	0.65	-0.00887
0.35	-0.52043	0.80	0.16374
0.41	-0.53444	0.95	0.14436
0.47	-0.54455		
0.53	-0.56781		
0.57	-0.59288		
0.65	-0.61420		
0.71	-0.61686		
0.77	-0.61745		
0.83	-0.62487		
0.89	-0.58917		
0.95	-0.56698		

HORIZ.   UPPER SURFACE   LOWER SURFACE
TAIL

X/C	CP	X/C	CP
0.02	-0.58183	0.02	0.25112
0.06	-0.39002	0.06	0.14076
0.11	-0.26558	0.11	0.03558
0.18	-0.20647	0.18	-0.05800
0.25	-0.14466	0.25	-0.09353
0.32	-0.11992	0.32	-0.12159
0.39	-0.09804	0.39	-0.14041
0.46	-0.08424	0.46	-0.13338
0.53	-0.07326	0.53	-0.12159
0.60	-0.06367	0.60	-0.09704
0.67	-0.06631	0.67	-0.06033
0.74	-0.04093	0.74	-0.02560
0.81	-0.03031	0.81	0.00439
0.88	-0.01651	0.88	0.02348
0.95	0.01746	0.95	0.05571

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
41	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.6010	17.29	0.00	19.99	100.92	79.06	10.85	310.47
				417.5	2107.7	1651.1	3.31	99.18

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.91336	0.05	0.73837
0.06	-1.70156	0.10	0.56471
0.11	-0.59220	0.20	0.34288
0.17	-0.50005	0.35	0.13213
0.23	-0.54198	0.50	-0.06616
0.29	-0.53608	0.65	0.01444
0.35	-0.54016	0.80	0.17214
0.41	-0.54364	0.95	0.13419
0.47	-0.55679		
0.53	-0.57459		
0.57	-0.56260		
0.65	-0.58385		
0.71	-0.59365		
0.77	-0.61351		
0.83	-0.63963		
0.89	-0.65883		
0.95	-0.66841		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.51275	0.02	0.41571
0.06	-0.34999	0.06	0.25019
0.11	-0.22243	0.11	0.13718
0.18	-0.34428	0.18	0.04304
0.25	-0.29508	0.25	-0.02257
0.32	-0.26385	0.32	-0.06678
0.39	-0.11263	0.39	-0.10527
0.46	-0.10742	0.46	-0.10709
0.53	-0.09717	0.53	-0.10552
0.60	-0.13402	0.60	-0.09959
0.67	-0.11607	0.67	-0.06916
0.74	-0.08982	0.74	-0.03471
0.81	-0.01234	0.81	-0.01401
0.88	0.01645	0.88	-0.00461
0.95	0.03630	0.95	0.01310

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
41	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.6003	19.31	0.15	19.96 416.9	100.95 2108.4	79.12 1652.5	10.82 3.30	311.11 100.32

WING — UPPER SURFACE · LOWER SURFACE

X/C	CP	X/C	CP
0.02	-0.50709	0.05	0.72623
0.06	-0.49727	0.10	0.57523
0.11	-0.50238	0.20	0.37079
0.17	-0.50341	0.35	0.15013
0.23	-0.51026	0.50	-0.05292
0.29	-0.52714	0.65	0.01578
0.35	-0.56035	0.80	0.16596
0.41	-0.58987	0.95	0.12802
0.47	-0.58935		
0.53	-0.56169		
0.57	-0.57321		
0.65	-0.59437		
0.71	-0.59786		
0.77	-0.62750		
0.83	-0.60473		
0.89	-0.58949		
0.95	-0.58587		

HORIZ. TAIL — UPPER SURFACE · LOWER SURFACE

X/C	CP	X/C	CP
0.02	-0.54059	0.02	0.51221
0.06	-0.44297	0.06	0.42357
0.11	-0.37796	0.11	0.29491
0.18	-0.37312	0.18	0.18666
0.25	-0.33938	0.25	0.09377
0.32	-0.28832	0.32	0.02623
0.39	-0.12962	0.39	-0.02378
0.46	-0.20382	0.46	-0.05060
0.53	-0.18329	0.53	-0.08596
0.60	-0.16579	0.60	-0.08976
0.67	-0.13520	0.67	-0.07991
0.74	-0.13412	0.74	-0.06555
0.81	-0.12895	0.81	-0.05694
0.88	-0.11522	0.88	-0.07258
0.95	-0.10067	0.95	-0.08261

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
41	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
16	0.5998	21.40	0.20	19.93 416.3	100.95 2108.4	79.16 1653.2	10.81 3.30	311.05 100.22

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.62638	0.05	0.79243
0.06	-2.11810	0.10	0.64369
0.11	-0.56920	0.20	0.43896
0.17	-0.60061	0.35	0.22720
0.23	-0.65673	0.50	0.00267
0.29	-0.59964	0.65	0.05442
0.35	-0.59023	0.80	0.18714
0.41	-0.60477	0.95	0.14581
0.47	-0.60098		
0.53	-0.61333		
0.57	-0.62609		
0.65	-0.63910		
0.71	-0.65250		
0.77	-0.66938		
0.83	-0.63877		
0.89	-0.69836		
0.95	-0.71767		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.58320	0.02	0.55273
0.06	-0.52884	0.06	0.45577
0.11	-0.53409	0.11	0.35075
0.18	-0.50586	0.18	0.22801
0.25	-0.46690	0.25	0.12467
0.32	-0.43844	0.32	0.04002
0.39	-0.14530	0.39	-0.01474
0.46	-0.29971	0.46	-0.05060
0.53	-0.25684	0.53	-0.08294
0.60	-0.23034	0.60	-0.09073
0.67	-0.19547	0.67	-0.08723
0.74	-0.16253	0.74	-0.07993
0.81	-0.14731	0.81	-0.08504
0.88	-0.12786	0.88	-0.10721
0.95	-0.10936	0.95	-0.14147

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
41	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
17	0.5999	-1.83	0.00	19.93 416.3	100.92 2107.7	79.12 1652.5	10.82 3.30	310.79 99.75

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-0.13053	0.05	-0.74359
0.06	-0.28191	0.10	-0.57065
0.11	-0.29282	0.20	-0.49686
0.17	-0.30758	0.35	-0.45445
0.23	-0.34323	0.50	-0.42138
0.29	-0.34603	0.65	-0.08562
0.35	-0.35176	0.80	0.18962
0.41	-0.36356	0.95	0.30103
0.47	-0.37983		
0.53	-0.38624		
0.57	-0.39388		
0.65	-0.36309		
0.71	-0.32432		
0.77	-0.26325		
0.83	-0.19108		
0.89	-0.08601		
0.95	0.02587		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.74254	0.02	-0.84946
0.06	0.55227	0.06	-0.85111
0.11	0.41499	0.11	-0.84365
0.18	0.28150	0.18	-0.81833
0.25	0.16512	0.25	-0.74647
0.32	0.06902	0.32	-0.68302
0.39	-0.11915	0.39	-0.63090
0.46	-0.02830	0.46	-0.56618
0.53	-0.05086	0.53	-0.51469
0.60	-0.04184	0.60	-0.45385
0.67	-0.03530	0.67	-0.39921
0.74	-0.02309	0.74	-0.36109
0.81	-0.01506	0.81	-0.30624
0.88	-0.02563	0.88	-0.24558
0.95	-0.05588	0.95	-0.19075

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
42	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7771	-6.50	-0.01	28.59	100.81	67.64	12.40	316.38
				597.2	2105.5	1412.6	3.78	109.81

WING

	UPPER SURFACE		LOWER SURFACE	
X/C	CP		X/C	CP
0.02	0.49434		0.05	-1.39220
0.06	0.20156		0.10	-1.42138
0.11	0.06239		0.20	-1.29305
0.17	-0.03649		0.35	-0.64829
0.23	-0.12977		0.50	-0.46291
0.29	-0.17125		0.65	-0.20024
0.35	-0.21407		0.80	-0.05928
0.41	-0.25070		0.95	0.02413
0.47	-0.31074			
0.53	-0.37833			
0.57	-0.41280			
0.65	-0.43065			
0.71	-0.39959			
0.77	-0.33722			
0.83	-0.26222			
0.89	-0.18509			
0.95	-0.07837			

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE	
X/C	CP		X/C	CP
0.02	0.75107		0.02	-0.71924
0.06	0.59214		0.06	-0.68978
0.11	0.46698		0.11	-0.61516
0.18	0.34317		0.18	-0.61736
0.25	0.22503		0.25	-0.58559
0.32	0.11780		0.32	-0.57294
0.39	0.32177		0.39	-0.54726
0.46	-0.01070		0.46	-0.53001
0.53	-0.04924		0.53	-0.52209
0.60	-0.05798		0.60	-0.50801
0.67	-0.06698		0.67	-0.48071
0.74	-0.06464		0.74	-0.46727
0.81	-0.06756		0.81	-0.44586
0.88	-0.10930		0.88	-0.40768
0.95	-0.19037		0.95	-0.37419

717

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
42	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.7799	-4.29	-0.01	28.71 599.6	100.78 2104.8	67.43 1408.4	12.28 3.74	319.28 115.03

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.27952	0.05	-1.24169
	0.06	0.01263	0.10	-1.22647
	0.11	-0.10565	0.20	-1.09054
	0.17	-0.18108	0.35	-0.93976
	0.23	-0.24208	0.50	-0.36732
	0.29	-0.26977	0.65	-0.05328
	0.35	-0.30415	0.80	0.06137
	0.41	-0.33277	0.95	0.18477
	0.47	-0.37337		
	0.53	-0.42466		
	0.57	-0.44318		
	0.65	-0.42109		
	0.71	-0.36266		
	0.77	-0.27641		
	0.83	-0.18131		
	0.89	-0.05382		
	0.95	0.07513		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.75139	0.02	-0.73676
	0.06	0.56838	0.06	-0.73752
	0.11	0.43842	0.11	-0.73699
	0.18	0.30227	0.18	-0.70715
	0.25	0.17907	0.25	-0.66283
	0.32	0.05668	0.32	-0.63480
	0.39	0.33370	0.39	-0.58315
	0.46	-0.05189	0.46	-0.55498
	0.53	-0.08726	0.53	-0.51560
	0.60	-0.08202	0.60	-0.47803
	0.67	-0.08018	0.67	-0.44434
	0.74	-0.06957	0.74	-0.40712
	0.81	-0.05405	0.81	-0.37081
	0.88	-0.07833	0.88	-0.32234
	0.95	-0.13918	0.95	-0.28514

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
42	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.7804	-1.96	-0.01	28.73	100.78	67.40	12.26	319.62
				600.1	2104.8	1407.7	3.74	115.64

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.00463	0.05	-0.77910
0.06	-0.23770	0.10	-0.87908
0.11	-0.31799	0.20	-0.69658
0.17	-0.39224	0.35	-0.67953
0.23	-0.41847	0.50	-0.46631
0.29	-0.41663	0.65	-0.04627
0.35	-0.43277	0.80	0.16462
0.41	-0.44281	0.95	0.28452
0.47	-0.47666		
0.53	-0.49333		
0.57	-0.49843		
0.65	-0.44688		
0.71	-0.36615		
0.77	-0.26783		
0.83	-0.16072		
0.89	-0.03351		
0.95	0.08724		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.73664	0.02	-0.74351
0.06	0.53916	0.06	-0.75707
0.11	0.40046	0.11	-0.75537
0.18	0.27116	0.18	-0.73187
0.25	0.14713	0.25	-0.67711
0.32	0.03699	0.32	-0.63184
0.39	0.33397	0.39	-0.57696
0.46	-0.08335	0.46	-0.52693
0.53	-0.10674	0.53	-0.48131
0.60	-0.10013	0.60	-0.44838
0.67	-0.09031	0.67	-0.40364
0.74	-0.07138	0.74	-0.36498
0.81	-0.04795	0.81	-0.32352
0.88	-0.06018	0.88	-0.27316
0.95	-0.10395	0.95	-0.22749

719

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
42	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.7797	0.41	-0.01	28.71	100.81	67.47	12.24	320.03
				599.7	2105.5	1409.1	3.73	116.38

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.48221	0.05	-0.36832
	0.06	-0.64332	0.10	-0.37189
	0.11	-0.62745	0.20	-0.41728
	0.17	-0.69238	0.35	-0.47569
	0.23	-0.72740	0.50	-0.46592
	0.29	-0.64488	0.65	-0.04161
	0.35	-0.54738	0.80	0.21685
	0.41	-0.58797	0.95	0.32385
	0.47	-0.61258		
	0.53	-0.62558		
	0.57	-0.59515		
	0.65	-0.48522		
	0.71	-0.38283		
	0.77	-0.27090		
	0.83	-0.15543		
	0.89	-0.03418		
	0.95	0.07596		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.73039	0.02	-0.76685
	0.06	0.52244	0.06	-0.77603
	0.11	0.37898	0.11	-0.77387
	0.18	0.24587	0.18	-0.73008
	0.25	0.11874	0.25	-0.67783
	0.32	0.00586	0.32	-0.63838
	0.39	0.33673	0.39	-0.58019
	0.46	-0.10044	0.46	-0.52544
	0.53	-0.12197	0.53	-0.47244
	0.60	-0.10843	0.60	-0.42193
	0.67	-0.09164	0.67	-0.37814
	0.74	-0.06759	0.74	-0.33764
	0.81	-0.04652	0.81	-0.30114
	0.88	-0.05064	0.88	-0.24751
	0.95	-0.08966	0.95	-0.20285

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
42	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.7813	2.85	-0.01	28.78	100.81	67.36	12.24	320.42
				601.1	2105.5	1406.9	3.73	117.08

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-0.84144	0.05	-0.05059
0.06	-1.07705	0.10	-0.13065
0.11	-1.12494	0.20	-0.23416
0.17	-1.10985	0.35	-0.32807
0.23	-1.12450	0.50	-0.39720
0.29	-1.14353	0.65	-0.02397
0.35	-1.08612	0.80	0.25218
0.41	-1.01801	0.95	0.35198
0.47	-0.80424		
0.53	-0.48837		
0.57	-0.44992		
0.65	-0.41219		
0.71	-0.32998		
0.77	-0.23879		
0.83	-0.13890		
0.89	-0.02924		
0.95	0.06263		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.72385	0.02	-0.81911
0.06	0.50260	0.06	-0.82819
0.11	0.36330	0.11	-0.81841
0.18	0.22420	0.18	-0.77259
0.25	0.09581	0.25	-0.70202
0.32	-0.01503	0.32	-0.64900
0.39	0.33068	0.39	-0.57815
0.46	-0.11981	0.46	-0.51798
0.53	-0.13774	0.53	-0.46053
0.60	-0.11577	0.60	-0.39813
0.67	-0.09527	0.67	-0.34528
0.74	-0.06244	0.74	-0.30715
0.81	-0.03762	0.81	-0.25951
0.88	-0.04086	0.88	-0.20314
0.95	-0.06639	0.95	-0.16609

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(dag)
42	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.7792	5.10	-0.01	28.69	100.81	67.50	12.22	320.29
				599.2	2105.5	1409.8	3.73	116.85

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.06704	0.05	0.17073
0.06	-1.29192	0.10	0.04285
0.11	-1.32289	0.20	-0.10730
0.17	-1.32858	0.35	-0.25474
0.23	-1.28127	0.50	-0.37688
0.29	-1.20232	0.65	-0.05126
0.35	-0.78455	0.80	0.22498
0.41	-0.69174	0.95	0.27581
0.47	-0.65082		
0.53	-0.59188		
0.57	-0.54910		
0.65	-0.45638		
0.71	-0.38921		
0.77	-0.32496		
0.83	-0.26798		
0.89	-0.21050		
0.95	-0.18255		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.69818	0.02	-1.10450
0.06	0.48614	0.06	-1.07380
0.11	0.34284	0.11	-1.00091
0.18	0.21306	0.18	-0.87670
0.25	0.08907	0.25	-0.71026
0.32	-0.02057	0.32	-0.61551
0.39	0.32919	0.39	-0.43668
0.46	-0.11031	0.46	-0.32750
0.53	-0.12023	0.53	-0.23058
0.60	-0.08601	0.60	-0.14186
0.67	-0.05821	0.67	-0.09827
0.74	-0.02429	0.74	-0.05356
0.81	0.01009	0.81	-0.00062
0.88	0.03835	0.88	0.04396
0.95	0.05755	0.95	0.07812

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
42	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.7792	7.30	0.00	28.69	100.81	67.50	12.19	320.96
				599.2	2105.5	1409.8	3.72	118.06

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.25314	0.05	0.29124
	0.06	-1.36149	0.10	0.14746
	0.11	-1.32743	0.20	-0.02061
	0.17	-1.29050	0.35	-0.19193
	0.23	-1.00908	0.50	-0.35553
	0.29	-0.81117	0.65	-0.06986
	0.35	-0.71878	0.80	0.20962
	0.41	-0.67549	0.95	0.25246
	0.47	-0.62945		
	0.53	-0.60555		
	0.57	-0.57327		
	0.65	-0.52345		
	0.71	-0.48253		
	0.77	-0.45410		
	0.83	-0.43911		
	0.89	-0.42043		
	0.95	-0.36326		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.46034	0.02	-0.90507
	0.06	0.32729	0.06	-0.65644
	0.11	0.23378	0.11	-0.55537
	0.18	0.15169	0.18	-0.44681
	0.25	0.06234	0.25	-0.33376
	0.32	-0.00509	0.32	-0.27767
	0.39	0.32082	0.39	-0.23087
	0.46	-0.07381	0.46	-0.18903
	0.53	-0.07591	0.53	-0.14138
	0.60	-0.05111	0.60	-0.09547
	0.67	-0.02967	0.67	-0.04895
	0.74	0.00143	0.74	-0.00742
	0.81	0.03518	0.81	0.02767
	0.88	0.05999	0.88	0.05882
	0.95	0.08275	0.95	0.09190

TABLE 3.3   (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
42	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.7808	9.19	-0.01	28.76 600.6	100.81 2105.5	67.40 1407.6	12.19 3.72	321.17 118.43

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.89416	0.05	0.39619
0.06	-0.82965	0.10	0.22570
0.11	-0.73094	0.20	0.04677
0.17	-0.74529	0.35	-0.14354
0.23	-0.72693	0.50	-0.33479
0.29	-0.62486	0.65	-0.07975
0.35	-0.65676	0.80	0.19082
0.41	-0.61215	0.95	0.22125
0.47	-0.62486		
0.53	-0.62647		
0.57	-0.60566		
0.65	-0.57950		
0.71	-0.58570		
0.77	-0.57574		
0.83	-0.56321		
0.89	-0.54773		
0.95	-0.52056		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.03512	0.02	-0.40212
0.06	0.07158	0.06	-0.34804
0.11	0.05359	0.11	-0.34895
0.18	0.03559	0.18	-0.23694
0.25	0.01424	0.25	-0.19592
0.32	-0.01977	0.32	-0.15982
0.39	0.30352	0.39	-0.16984
0.46	-0.03314	0.46	-0.13192
0.53	-0.03024	0.53	-0.10748
0.60	-0.00443	0.60	-0.06897
0.67	0.01050	0.67	-0.03244
0.74	0.02385	0.74	0.00629
0.81	0.05481	0.81	0.02668
0.88	0.06058	0.88	0.05169
0.95	0.07326	0.95	0.07701

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
42	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.7795	11.29	0.01	28.71 599.7	100.85 2106.2	67.50 1409.8	12.20 3.72	320.96 118.06

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.65865	0.05	0.46747
0.06	-0.68594	0.10	0.29157
0.11	-0.64478	0.20	0.09834
0.17	-0.63213	0.35	-0.09306
0.23	-0.88614	0.50	-0.30256
0.29	-0.68239	0.65	-0.08348
0.35	-0.58422	0.80	0.17787
0.41	-0.59289	0.95	0.20030
0.47	-0.63619		
0.53	-0.59306		
0.57	-0.60285		
0.65	-0.61854		
0.71	-0.60050		
0.77	-0.58595		
0.83	-0.58858		
0.89	-0.56259		
0.95	-0.54406		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.02951	0.02	0.15162
0.06	-0.02700	0.06	0.11866
0.11	-0.03176	0.11	0.05632
0.18	-0.01322	0.18	0.01636
0.25	-0.01288	0.25	-0.03418
0.32	-0.04059	0.32	-0.06752
0.39	0.28596	0.39	-0.10579
0.46	-0.01728	0.46	-0.09991
0.53	-0.01412	0.53	-0.08842
0.60	0.00934	0.60	-0.06439
0.67	0.01751	0.67	-0.03464
0.74	0.04230	0.74	-0.00274
0.81	0.05427	0.81	0.02081
0.88	0.07124	0.88	0.03153
0.95	0.08881	0.95	0.05094

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
42	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.7790	13.50	0.01	28.69	100.85	67.54	12.18	321.28
				599.2	2106.2	1410.5	3.71	118.63

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.46675	0.05	0.60576
0.06	-1.36028	0.10	0.42282
0.11	-1.36994	0.20	0.22977
0.17	-1.35569	0.35	0.01590
0.23	-1.34453	0.50	-0.19833
0.29	-0.97178	0.65	-0.02770
0.35	-0.47399	0.80	0.20706
0.41	-0.47768	0.95	0.22838
0.47	-0.51736		
0.53	-0.56246		
0.57	-0.56453		
0.65	-0.58755		
0.71	-0.56665		
0.77	-0.57518		
0.83	-0.60452		
0.89	-0.59157		
0.95	-0.61594		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.47469	0.02	0.43922
0.06	-0.32113	0.06	0.27091
0.11	-0.25145	0.11	0.12025
0.18	-0.18087	0.18	-0.02534
0.25	-0.12636	0.25	-0.10158
0.32	-0.12267	0.32	-0.15243
0.39	0.26352	0.39	-0.18110
0.46	-0.08699	0.46	-0.17847
0.53	-0.05132	0.53	-0.16893
0.60	-0.03908	0.60	-0.12383
0.67	-0.02145	0.67	-0.07054
0.74	-0.02668	0.74	-0.02668
0.81	0.00213	0.81	0.00632
0.88	0.06100	0.88	0.03249
0.95	0.11019	0.95	0.07065

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
42	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.7801	15.59	-0.15	28.74	100.85	67.47	12.18	321.54
				600.2	2106.2	1409.1	3.71	119.10

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.49954	0.05	0.68568
	0.06	-0.50759	0.10	0.50906
	0.11	-0.50847	0.20	0.30702
	0.17	-0.51139	0.35	0.08455
	0.23	-0.50112	0.50	-0.13539
	0.29	-0.50823	0.65	0.00086
	0.35	-0.59970	0.80	0.21831
	0.41	-0.54157	0.95	0.22823
	0.47	-0.52818		
	0.53	-0.54649		
	0.57	-0.56699		
	0.65	-0.56297		
	0.71	-0.56717		
	0.77	-0.57092		
	0.83	-0.56598		
	0.89	-0.56461		
	0.95	-0.56052		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.34547	0.02	0.38794
	0.06	-0.28156	0.06	0.23284
	0.11	-0.22113	0.11	0.13077
	0.18	-0.20511	0.18	0.01032
	0.25	-0.19074	0.25	-0.06663
	0.32	-0.17799	0.32	-0.11885
	0.39	0.24226	0.39	-0.14352
	0.46	-0.15237	0.46	-0.14844
	0.53	-0.12952	0.53	-0.14784
	0.60	-0.11447	0.60	-0.12842
	0.67	-0.11285	0.67	-0.08650
	0.74	-0.09543	0.74	-0.04557
	0.81	-0.06800	0.81	-0.02105
	0.88	-0.07125	0.88	-0.00816
	0.95	-0.06018	0.95	0.00708

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
42	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.7797	17.70	-0.21	28.71	100.81	67.47	12.15	321.86
				599.7	2105.5	1409.1	3.70	119.67

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-0.50009	0.05	0.75015
0.06	-0.49578	0.10	0.58616
0.11	-0.49591	0.20	0.38412
0.17	-0.49592	0.35	0.16064
0.23	-0.49855	0.50	-0.06256
0.29	-0.50263	0.65	0.04336
0.35	-0.49638	0.80	0.24082
0.41	-0.50778	0.95	0.23671
0.47	-0.51907		
0.53	-0.51633		
0.57	-0.53063		
0.65	-0.53991		
0.71	-0.55508		
0.77	-0.54283		
0.83	-0.52532		
0.89	-0.53420		
0.95	-0.54055		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-0.31543	0.02	0.44377
0.06	-0.29248	0.06	0.34475
0.11	-0.26898	0.11	0.22614
0.18	-0.23887	0.18	0.11043
0.25	-0.22579	0.25	0.02147
0.32	-0.23494	0.32	-0.04575
0.39	0.22131	0.39	-0.09852
0.46	-0.22071	0.46	-0.12933
0.53	-0.21201	0.53	-0.15134
0.60	-0.18575	0.60	-0.14770
0.67	-0.18886	0.67	-0.12494
0.74	-0.18307	0.74	-0.09994
0.81	-0.15767	0.81	-0.08924
0.88	-0.14594	0.88	-0.10602
0.95	-0.12819	0.95	-0.13328

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
42	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.7801	19.74	-0.02	28.74	100.85	67.47	12.16	321.93
				600.2	2106.2	1409.1	3.70	119.81

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.49365	0.05	0.78778
0.06	-0.50460	0.10	0.63396
0.11	-0.49669	0.20	0.42872
0.17	-0.51722	0.35	0.21021
0.23	-0.49578	0.50	-0.00771
0.29	-0.50484	0.65	0.07958
0.35	-0.53401	0.80	0.25897
0.41	-0.53986	0.95	0.24876
0.47	-0.55886		
0.53	-0.53541		
0.57	-0.53545		
0.65	-0.52649		
0.71	-0.55268		
0.77	-0.54961		
0.83	-0.55467		
0.89	-0.56107		
0.95	-0.55494		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.35998	0.02	0.48115
0.06	-0.31992	0.06	0.37111
0.11	-0.30691	0.11	0.26084
0.18	-0.28673	0.18	0.11496
0.25	-0.27676	0.25	0.01635
0.32	-0.25917	0.32	-0.05589
0.39	0.18820	0.39	-0.11409
0.46	-0.23709	0.46	-0.14498
0.53	-0.22937	0.53	-0.18303
0.60	-0.22444	0.60	-0.17172
0.67	-0.21737	0.67	-0.16656
0.74	-0.21330	0.74	-0.13040
0.81	-0.21674	0.81	-0.15095
0.88	-0.19533	0.88	-0.16679
0.95	-0.19514	0.95	-0.18722

729

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
42	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.7828	21.93	-0.03	28.85	100.81	67.26	12.19	321.73
				602.6	2105.5	1404.8	3.71	119.44

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.51348	0.05	0.83508
	0.06	-0.50394	0.10	0.69906
	0.11	-0.50613	0.20	0.50316
	0.17	-0.53014	0.35	0.28924
	0.23	-0.50946	0.50	0.06219
	0.29	-0.51122	0.65	0.12645
	0.35	-0.52458	0.80	0.28551
	0.41	-0.50164	0.95	0.26944
	0.47	-0.50775		
	0.53	-0.52505		
	0.57	-0.51430		
	0.65	-0.52994		
	0.71	-0.54148		
	0.77	-0.53894		
	0.83	-0.54935		
	0.89	-0.53454		
	0.95	-0.54078		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.45562	0.02	0.49810
	0.06	-0.43763	0.06	0.37558
	0.11	-0.44372	0.11	0.25527
	0.18	-0.41327	0.18	0.12017
	0.25	-0.41967	0.25	0.01769
	0.32	-0.37762	0.32	-0.04986
	0.39	0.15813	0.39	-0.11149
	0.46	-0.33010	0.46	-0.14843
	0.53	-0.30689	0.53	-0.18739
	0.60	-0.28691	0.60	-0.19966
	0.67	-0.26839	0.67	-0.18020
	0.74	-0.25904	0.74	-0.15503
	0.81	-0.26169	0.81	-0.16958
	0.88	-0.24398	0.88	-0.18964
	0.95	-0.22669	0.95	-0.22437

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
42	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.7811	-1.94	0.00	28.79	100.85	67.40	12.17	321.95
				601.2	2106.2	1407.6	3.71	119.84

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.03897	0.05	-0.78031
	0.06	-0.22191	0.10	-0.89823
	0.11	-0.30239	0.20	-0.68049
	0.17	-0.38625	0.35	-0.67717
	0.23	-0.43098	0.50	-0.45130
	0.29	-0.40947	0.65	-0.04957
	0.35	-0.44061	0.80	0.14933
	0.41	-0.44207	0.95	0.28539
	0.47	-0.47112		
	0.53	-0.51866		
	0.57	-0.51970		
	0.65	-0.45722		
	0.71	-0.37046		
	0.77	-0.26834		
	0.83	-0.16031		
	0.89	-0.03734		
	0.95	0.08489		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.73766	0.02	-0.73656
	0.06	0.54214	0.06	-0.75557
	0.11	0.40784	0.11	-0.75458
	0.18	0.27393	0.18	-0.72285
	0.25	0.15042	0.25	-0.68164
	0.32	0.03874	0.32	-0.63893
	0.39	0.17670	0.39	-0.57859
	0.46	-0.07867	0.46	-0.54026
	0.53	-0.10747	0.53	-0.49245
	0.60	-0.09588	0.60	-0.43922
	0.67	-0.09023	0.67	-0.39610
	0.74	-0.07062	0.74	-0.35941
	0.81	-0.04826	0.81	-0.32353
	0.88	-0.06343	0.88	-0.27597
	0.95	-0.11002	0.95	-0.23448

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
43	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8474	-6.42	-0.01	31.67 661.5	100.78 2104.8	63.01 1315.9	12.57 3.83	323.44 122.53

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.45328	0.05	-1.1442?
	0.06	0.17086	0.10	-1.14108
	0.11	0.05757	0.20	-1.02596
	0.17	-0.07879	0.35	-0.51347
	0.23	-0.16195	0.50	-0.43535
	0.29	-0.19778	0.65	-0.38985
	0.35	-0.24649	0.80	-0.33598
	0.41	-0.28980	0.95	-0.27020
	0.47	-0.35013		
	0.53	-0.44128		
	0.57	-0.49412		
	0.65	-0.56757		
	0.71	-0.64857		
	0.77	-0.71444		
	0.83	-0.76556		
	0.89	-0.77985		
	0.95	-0.39807		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.79970	0.02	-0.68605
	0.06	0.66896	0.06	-0.61965
	0.11	0.54233	0.11	-0.59039
	0.18	0.41003	0.18	-0.57722
	0.25	0.28651	0.25	-0.55731
	0.32	0.16435	0.32	-0.53967
	0.39	0.30990	0.39	-0.52767
	0.46	0.00719	0.46	-0.52044
	0.53	-0.04142	0.53	-0.51220
	0.60	-0.05126	0.60	-0.49591
	0.67	-0.06253	0.67	-0.47874
	0.74	-0.06213	0.74	-0.46762
	0.81	-0.07011	0.81	-0.44869
	0.88	-0.10760	0.88	-0.41492
	0.95	-0.19461	0.95	-0.38458

732

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
43	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
2	0.8517	-4.14	-0.02	31.86 665.5	100.81 2105.5	62.74 1310.4	12.57 3.83	324.03 123.58

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.24144	0.05	-0.94344
0.06	-0.03253	0.10	-0.96527
0.11	-0.12767	0.20	-0.89624
0.17	-0.22967	0.35	-0.90557
0.23	-0.30048	0.50	-0.37268
0.29	-0.31848	0.65	-0.29381
0.35	-0.35255	0.80	-0.21554
0.41	-0.38911	0.95	-0.07681
0.47	-0.43983		
0.53	-0.49724		
0.57	-0.56010		
0.65	-0.62981		
0.71	-0.71364		
0.77	-0.76779		
0.83	-0.43941		
0.89	-0.19424		
0.95	-0.13116		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.74971	0.02	-0.66436
0.06	0.57615	0.06	-0.66958
0.11	0.45060	0.11	-0.66643
0.18	0.32563	0.18	-0.64423
0.25	0.20426	0.25	-0.62120
0.32	0.08666	0.32	-0.59424
0.39	0.31065	0.39	-0.55679
0.46	-0.05317	0.46	-0.52548
0.53	-0.08896	0.53	-0.49737
0.60	-0.09023	0.60	-0.46851
0.67	-0.08904	0.67	-0.44082
0.74	-0.07536	0.74	-0.40426
0.81	-0.06213	0.81	-0.37771
0.88	-0.08591	0.88	-0.33322
0.95	-0.15277	0.95	-0.29819

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
43	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.8502	-1.92	-0.01	31.80	100.81	62.84	12.56	323.97
				664.1	2105.5	1312.5	3.83	123.48

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.01561	0.05	-0.64486
	0.06	-0.23209	0.10	-0.72091
	0.11	-0.30131	0.20	-0.68773
	0.17	-0.42071	0.35	-0.57384
	0.23	-0.50003	0.50	-0.42598
	0.29	-0.52888	0.65	-0.20360
	0.35	-0.53300	0.80	-0.16179
	0.41	-0.52370	0.95	-0.04784
	0.47	-0.54632		
	0.53	-0.60588		
	0.57	-0.66574		
	0.65	-0.70895		
	0.71	-0.74787		
	0.77	-0.26330		
	0.83	-0.14288		
	0.89	-0.04742		
	0.95	0.01686		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.75431	0.02	-0.65686
	0.06	0.55582	0.06	-0.65945
	0.11	0.42171	0.11	-0.65327
	0.18	0.28629	0.18	-0.63306
	0.25	0.15662	0.25	-0.60708
	0.32	0.03484	0.32	-0.58015
	0.39	0.31512	0.39	-0.54311
	0.46	-0.09843	0.46	-0.51113
	0.53	-0.13637	0.53	-0.47361
	0.60	-0.12410	0.60	-0.44915
	0.67	-0.11373	0.67	-0.41958
	0.74	-0.09161	0.74	-0.38536
	0.81	-0.07944	0.81	-0.35267
	0.88	-0.09697	0.88	-0.31463
	0.95	-0.15129	0.95	-0.26874

734

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
43	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
4	0.8492	0.30	-0.01	31.76 663.3	100.81 2105.5	62.91 1313.9	12.52 3.82	324.70 124.79

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.30861	0.05	-0.34613
	0.06	-0.51818	0.10	-0.38751
	0.11	-0.62515	0.20	-0.46214
	0.17	-0.59912	0.35	-0.51565
	0.23	-0.67730	0.50	-0.82296
	0.29	-0.70454	0.65	-0.17686
	0.35	-0.68604	0.80	-0.08880
	0.41	-0.71109	0.95	0.09276
	0.47	-0.76014		
	0.53	-0.81896		
	0.57	-0.87357		
	0.65	-0.46195		
	0.71	-0.25860		
	0.77	-0.18085		
	0.83	-0.11723		
	0.89	-0.06556		
	0.95	-0.00158		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	0.72451	0.02	-0.72191
	0.06	0.51400	0.06	-0.71550
	0.11	0.37754	0.11	-0.68306
	0.18	0.24263	0.18	-0.65777
	0.25	0.11209	0.25	-0.60803
	0.32	-0.01278	0.32	-0.56872
	0.39	0.30802	0.39	-0.53118
	0.46	-0.13992	0.46	-0.49635
	0.53	-0.17135	0.53	-0.45690
	0.60	-0.14805	0.60	-0.42401
	0.67	-0.12774	0.67	-0.38804
	0.74	-0.09891	0.74	-0.35961
	0.81	-0.06451	0.81	-0.32274
	0.88	-0.07778	0.88	-0.27972
	0.95	-0.12081	0.95	-0.23810

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
43	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
5	0.8492	2.75	-0.01	31.76 663.3	100.81 2105.5	62.91 1313.9	12.49 3.81	325.33 125.93

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.58458	0.05	-0.08347
0.06	-0.84484	0.10	-0.16494
0.11	-0.89604	0.20	-0.27778
0.17	-0.90236	0.35	-0.41744
0.23	-0.95448	0.50	-0.75252
0.29	-0.97329	0.65	-0.16583
0.35	-0.97770	0.80	-0.00517
0.41	-0.94716	0.95	0.15607
0.47	-0.60678		
0.53	-0.43116		
0.57	-0.40081		
0.65	-0.37798		
0.71	-0.35561		
0.77	-0.33072		
0.83	-0.28855		
0.89	-0.22976		
0.95	-0.18424		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.70113	0.02	-0.64645
0.06	0.48430	0.06	-0.64250
0.11	0.34382	0.11	-0.60888
0.18	0.21282	0.18	-0.57784
0.25	0.07860	0.25	-0.54729
0.32	-0.03792	0.32	-0.51946
0.39	0.30261	0.39	-0.49577
0.46	-0.16583	0.46	-0.44748
0.53	-0.18590	0.53	-0.40904
0.60	-0.15441	0.60	-0.37623
0.67	-0.12524	0.67	-0.34285
0.74	-0.08704	0.74	-0.27470
0.81	-0.05992	0.81	-0.24491
0.88	-0.05577	0.88	-0.20852
0.95	-0.06017	0.95	-0.14644

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
43	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
6	0.8502	4.92	-0.01	31.80	100.81	62.84	12.49	325.41
				664.1	2105.5	1312.5	3.81	126.07

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.74789	0.05	0.10306
0.06	-1.00513	0.10	-0.01681
0.11	-1.04611	0.20	-0.15867
0.17	-1.05497	0.35	-0.32125
0.23	-0.99927	0.50	-0.67744
0.29	-0.72712	0.65	-0.13232
0.35	-0.56849	0.80	0.09905
0.41	-0.52888	0.95	0.20925
0.47	-0.51034		
0.53	-0.49550		
0.57	-0.48579		
0.65	-0.44465		
0.71	-0.43241		
0.77	-0.43099		
0.83	-0.39407		
0.89	-0.36216		
0.95	-0.34126		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.56478	0.02	-1.06170
0.06	0.41944	0.06	-0.91477
0.11	0.31389	0.11	-0.80582
0.18	0.20142	0.18	-0.58363
0.25	0.08949	0.25	-0.47931
0.32	-0.01234	0.32	-0.38169
0.39	0.30046	0.39	-0.28034
0.46	-0.10303	0.46	-0.21242
0.53	-0.11538	0.53	-0.15567
0.60	-0.08768	0.60	-0.10220
0.67	-0.06099	0.67	-0.04531
0.74	-0.02094	0.74	-0.00394
0.81	0.01752	0.81	0.02831
0.88	0.04136	0.88	0.05846
0.95	0.07095	0.95	0.09884

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
43	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
7	0.8492	7.27	0.00	31.76 663.3	100.81 2105.5	62.91 1313.9	12.49 3.81	325.37 126.00

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.95532	0.05	0.25788
0.06	-1.13478	0.10	0.12286
0.11	-1.18735	0.20	-0.03922
0.17	-1.15759	0.35	-0.22936
0.23	-0.93924	0.50	-0.59854
0.29	-0.68978	0.65	-0.08758
0.35	-0.63264	0.80	0.18074
0.41	-0.59694	0.95	0.24210
0.47	-0.55856		
0.53	-0.53729		
0.57	-0.53455		
0.65	-0.52938		
0.71	-0.53055		
0.77	-0.52116		
0.83	-0.50985		
0.89	-0.49730		
0.95	-0.47259		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	0.32512	0.02	-0.51877
0.06	0.26312	0.06	-0.40601
0.11	0.19701	0.11	-0.33056
0.18	0.12773	0.18	-0.27902
0.25	0.06196	0.25	-0.23853
0.32	0.00305	0.32	-0.21488
0.39	0.29124	0.39	-0.17757
0.46	-0.04236	0.46	-0.14285
0.53	-0.04524	0.53	-0.10675
0.60	-0.03001	0.60	-0.06622
0.67	-0.01075	0.67	-0.02247
0.74	0.01991	0.74	0.01294
0.81	0.04577	0.81	0.04535
0.88	0.07105	0.88	0.07105
0.95	0.10085	0.95	0.09959

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
43	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
8	0.8502	9.45	-0.02	31.80 664.1	100.81 2105.5	62.84 1312.5	12.47 3.80	325.93 127.01

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-1.12359	0.05	0.39935
	0.06	-1.25855	0.10	0.22645
	0.11	-1.15386	0.20	0.04492
	0.17	-0.98283	0.35	-0.15928
	0.23	-0.50551	0.50	-0.50795
	0.29	-0.49689	0.65	-0.08097
	0.35	-0.51237	0.80	0.20630
	0.41	-0.51032	0.95	0.25418
	0.47	-0.51451		
	0.53	-0.53761		
	0.57	-0.54171		
	0.65	-0.56865		
	0.71	-0.56854		
	0.77	-0.57247		
	0.83	-0.57012		
	0.89	-0.58054		
	0.95	-0.55740		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.08735	0.02	-0.05684
	0.06	-0.00900	0.06	-0.08537
	0.11	-0.03632	0.11	-0.08458
	0.18	0.07190	0.18	-0.11891
	0.25	0.00189	0.25	-0.11550
	0.32	0.02740	0.32	-0.14648
	0.39	0.28361	0.39	-0.11008
	0.46	-0.00711	0.46	-0.09164
	0.53	-0.01135	0.53	-0.07828
	0.60	0.00522	0.60	-0.05222
	0.67	0.02000	0.67	-0.01841
	0.74	0.04007	0.74	0.01240
	0.81	0.04142	0.81	0.04353
	0.88	0.06055	0.88	0.06139
	0.95	0.07703	0.95	0.07936

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
43	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
9	0.8477	11.42	0.03	31.70	100.81	63.01	12.44	326.16
				662.0	2105.5	1315.9	3.79	127.41

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.52722	0.05	0.48897
	0.06	-0.54907	0.10	0.31895
	0.11	-0.54030	0.20	0.13236
	0.17	-0.49274	0.35	-0.08884
	0.23	-0.49019	0.50	-0.37618
	0.29	-0.50781	0.65	-0.05951
	0.35	-0.51939	0.80	0.21885
	0.41	-0.52888	0.95	0.26659
	0.47	-0.54220		
	0.53	-0.54097		
	0.57	-0.54571		
	0.65	-0.57237		
	0.71	-0.58497		
	0.77	-0.57578		
	0.83	-0.57785		
	0.89	-0.57376		
	0.95	-0.54613		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.20166	0.02	0.14420
	0.06	-0.12428	0.06	0.12981
	0.11	-0.08230	0.11	0.07317
	0.18	-0.04533	0.18	0.00693
	0.25	-0.05741	0.25	-0.02944
	0.32	-0.05003	0.32	-0.06100
	0.39	0.25914	0.39	-0.08615
	0.46	-0.04038	0.46	-0.09211
	0.53	-0.01754	0.53	-0.08505
	0.60	-0.00704	0.60	-0.06267
	0.67	0.00336	0.67	-0.03260
	0.74	0.02369	0.74	-0.00699
	0.81	0.03629	0.81	0.01266
	0.88	0.03982	0.88	0.02135
	0.95	0.04111	0.95	0.03898

740

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
43	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
10	0.8515	13.65	0.14	31.86 665.5	100.85 2106.2	62.78 1311.1	12.49 3.81	325.69 126.57

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-1.31575	0.05	0.59029
0.06	-1.26963	0.10	0.42186
0.11	-1.22959	0.20	0.22957
0.17	-1.19628	0.35	0.01461
0.23	-1.17376	0.50	-0.23799
0.29	-1.16979	0.65	-0.01671
0.35	-0.92401	0.80	0.24362
0.41	-0.52959	0.95	0.28351
0.47	-0.49878		
0.53	-0.51403		
0.57	-0.52042		
0.65	-0.54206		
0.71	-0.53331		
0.77	-0.54897		
0.83	-0.57322		
0.89	-0.59368		
0.95	-0.60670		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.44402	0.02	0.29596
0.06	-0.31764	0.06	0.23020
0.11	-0.25726	0.11	0.17058
0.18	-0.17951	0.18	0.07494
0.25	-0.17468	0.25	0.01713
0.32	-0.14790	0.32	-0.03792
0.39	0.23543	0.39	-0.07890
0.46	-0.11091	0.46	-0.09549
0.53	-0.10148	0.53	-0.10629
0.60	-0.08309	0.60	-0.09776
0.67	-0.07569	0.67	-0.06819
0.74	-0.05757	0.74	-0.05193
0.81	-0.01099	0.81	-0.02860
0.88	-0.00379	0.88	-0.03297
0.95	0.01019	0.95	-0.02370

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
43	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
11	0.8487	15.71	0.06	31.74	100.81	62.94	12.44	326.36
				662.8	2105.5	1314.5	3.79	127.78 .

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.46220	0.05	0.68150
0.06	-0.46389	0.10	0.51163
0.11	-0.45616	0.20	0.31792
0.17	-0.47314	0.35	0.09982
0.23	-0.48355	0.50	-0.13749
0.29	-0.47610	0.65	0.02924
0.35	-0.47251	0.80	0.26927
0.41	-0.46075	0.95	0.29820
0.47	-0.47001		
0.53	-0.48366		
0.57	-0.48230		
0.65	-0.47001		
0.71	-0.50744		
0.77	-0.49632		
0.83	-0.49415		
0.89	-0.49419		
0.95	-0.52435		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.31447	0.02	0.31768
0.06	-0.26742	0.06	0.24126
0.11	-0.23892	0.11	0.16997
0.18	-0.22230	0.18	0.05428
0.25	-0.22432	0.25	-0.01634
0.32	-0.21457	0.32	-0.07184
0.39	0.21012	0.39	-0.13581
0.46	-0.20298	0.46	-0.15527
0.53	-0.19946	0.53	-0.17511
0.60	-0.20210	0.60	-0.14865
0.67	-0.19084	0.67	-0.12263
0.74	-0.17784	0.74	-0.10479
0.81	-0.19095	0.81	-0.09183
0.88	-0.16531	0.88	-0.10840
0.95	-0.14089	0.95	-0.11340

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
43	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
12	0.8472	17.91	0.18	31.67	100.81	63.04	12.43	326.27
				661.5	2105.5	1316.6	3.79	127.62

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.47975	0.05	0.75387
	0.06	-0.48060	0.10	0.59791
	0.11	-0.48169	0.20	0.40153
	0.17	-0.48017	0.35	0.18154
	0.23	-0.47871	0.50	-0.04758
	0.29	-0.48233	0.65	0.08556
	0.35	-0.48758	0.80	0.29443
	0.41	-0.48523	0.95	0.30958
	0.47	-0.50218		
	0.53	-0.50578		
	0.57	-0.49764		
	0.65	-0.49880		
	0.71	-0.49880		
	0.77	-0.50711		
	0.83	-0.51781		
	0.89	-0.50769		
	0.95	-0.52605		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.31065	0.02	0.41201
	0.06	-0.28032	0.06	0.29536
	0.11	-0.26141	0.11	0.19174
	0.18	-0.25287	0.18	0.05489
	0.25	-0.23761	0.25	-0.02155
	0.32	-0.23268	0.32	-0.11335
	0.39	0.17734	0.39	-0.18134
	0.46	-0.23866	0.46	-0.19890
	0.53	-0.23648	0.53	-0.21283
	0.60	-0.23001	0.60	-0.23065
	0.67	-0.23067	0.67	-0.18859
	0.74	-0.22740	0.74	-0.16277
	0.81	-0.22028	0.81	-0.16483
	0.88	-0.21699	0.88	-0.18249
	0.95	-0.20353	0.95	-0.20206

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
43	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
13	0.8497	20.11	0.18	31.78 663.7	100.81 2105.5	62.88 1313.2	12.43 3.79	326.68 128.36

WING	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.52565	0.05	0.82510
	0.06	-0.53170	0.10	0.67154
	0.11	-0.52555	0.20	0.48548
	0.17	-0.49727	0.35	0.26772
	0.23	-0.51226	0.50	0.04547
	0.29	-0.53289	0.65	0.14052
	0.35	-0.50147	0.80	0.32493
	0.41	-0.49637	0.95	0.32941
	0.47	-0.51967		
	0.53	-0.52797		
	0.57	-0.51832		
	0.65	-0.51128		
	0.71	-0.51577		
	0.77	-0.52961		
	0.83	-0.53226		
	0.89	-0.50126		
	0.95	-0.51121		

HORIZ. TAIL	UPPER SURFACE		LOWER SURFACE	
	X/C	CP	X/C	CP
	0.02	-0.50715	0.02	0.39204
	0.06	-0.47296	0.06	0.29580
	0.11	-0.43347	0.11	0.19699
	0.18	-0.30571	0.18	0.06896
	0.25	-0.34398	0.25	-0.00743
	0.32	-0.31727	0.32	-0.09831
	0.39	0.16607	0.39	-0.15893
	0.46	-0.27521	0.46	-0.22462
	0.53	-0.27029	0.53	-0.23673
	0.60	-0.24998	0.60	-0.26176
	0.67	-0.25034	0.67	-0.24783
	0.74	-0.24366	0.74	-0.21975
	0.81	-0.24662	0.81	-0.19216
	0.88	-0.24156	0.88	-0.20874
	0.95	-0.22268	0.95	-0.22604

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
43	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
14	0.8497	22.26	-0.21	31.78 663.7	100.81 2105.5	62.88 1313.2	12.41 3.78	326.91 128.76

WING

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.47122	0.05	0.87332
0.06	-0.47893	0.10	0.74021
0.11	-0.47133	0.20	0.55252
0.17	-0.46074	0.35	0.33499
0.23	-0.46580	0.50	0.12004
0.29	-0.45878	0.65	0.19626
0.35	-0.54921	0.80	0.35436
0.41	-0.57062	0.95	0.34891
0.47	-0.59494		
0.53	-0.49030		
0.57	-0.49018		
0.65	-0.48911		
0.71	-0.56849		
0.77	-0.53498		
0.83	-0.55813		
0.89	-0.49784		
0.95	-0.48018		

HORIZ. TAIL

UPPER SURFACE		LOWER SURFACE	
X/C	CP	X/C	CP
0.02	-0.50350	0.02	0.44236
0.06	-0.49748	0.06	0.32097
0.11	-0.47928	0.11	0.19898
0.18	-0.37981	0.18	0.07321
0.25	-0.46060	0.25	-0.02530
0.32	-0.41570	0.32	-0.09926
0.39	0.13965	0.39	-0.15172
0.46	-0.39350	0.46	-0.21034
0.53	-0.35442	0.53	-0.26009
0.60	-0.32090	0.60	-0.29407
0.67	-0.30702	0.67	-0.26764
0.74	-0.29272	0.74	-0.23081
0.81	-0.28359	0.81	-0.17897
0.88	-0.27764	0.88	-0.20701
0.95	-0.26553	0.95	-0.26344

TABLE 3.3 (CONTINUED)

NASA/ARC TEST 441-14 STATIC PRESSURE DATA

RUN	CONFIG	DHORZ(deg)
43	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
15	0.8487	-1.92	0.00	31.74	100.81	62.94	12.45	326.10
				662.8	2105.5	1314.5	3.79	127.31

WING

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	-0.04198	0.05	-0.63869
0.06	-0.25292	0.10	-0.71723
0.11	-0.30621	0.20	-0.69161
0.17	-0.41026	0.35	-0.58493
0.23	-0.50264	0.50	-0.36480
0.29	-0.50671	0.65	-0.19575
0.35	-0.43821	0.80	-0.15884
0.41	-0.52933	0.95	-0.03246
0.47	-0.54930		
0.53	-0.60476		
0.57	-0.66092		
0.65	-0.70089		
0.71	-0.74979		
0.77	-0.27100		
0.83	-0.12616		
0.89	-0.05699		
0.95	0.01130		

HORIZ. TAIL

	UPPER SURFACE		LOWER SURFACE
X/C	CP	X/C	CP
0.02	0.75817	0.02	-0.66078
0.06	0.56142	0.06	-0.66071
0.11	0.42345	0.11	-0.65767
0.18	0.29103	0.18	-0.63562
0.25	0.16108	0.25	-0.60521
0.32	0.03443	0.32	-0.57734
0.39	0.14766	0.39	-0.53457
0.46	-0.09948	0.46	-0.50053
0.53	-0.13333	0.53	-0.47319
0.60	-0.12062	0.60	-0.44303
0.67	-0.11461	0.67	-0.41919
0.74	-0.09137	0.74	-0.39075
0.81	-0.08299	0.81	-0.35825
0.88	-0.10158	0.88	-0.31850
0.95	-0.15589	0.95	-0.27543

TABLE 3.4

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
44	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.6000	-6.46	0.00	19.90	100.74	78.99	11.16	303.07
				415.7	2104.1	1649.7	3.40	85.85
20	0.5998	-4.13	-0.01	19.90	100.78	79.02	11.14	303.64
				415.7	2104.8	1650.4	3.39	86.89
21	0.5994	-1.99	-0.01	19.88	100.74	79.02	11.11	304.06
				415.1	2104.1	1650.4	3.38	87.63
22	0.6004	0.11	-0.01	19.93	100.78	78.99	11.12	304.21
				416.3	2104.8	1649.7	3.39	87.90
23	0.6009	2.64	-0.01	19.96	100.78	78.95	11.11	304.56
				416.8	2104.8	1648.9	3.38	88.54
24	0.6009	4.69	-0.01	19.96	100.78	78.95	11.10	304.66
				416.8	2104.8	1648.9	3.38	88.71
25	0.5997	6.95	-0.01	19.90	100.81	79.06	11.08	304.94
				415.7	2105.5	1651.1	3.38	89.22
26	0.6000	8.84	-0.01	19.90	100.74	78.99	11.06	305.24
				415.7	2104.1	1649.7	3.37	89.76
27	0.5993	10.87	0.01	19.88	100.78	79.06	11.04	305.46
				415.1	2104.8	1651.1	3.37	90.16
28	0.5993	12.82	0.05	19.88	100.78	79.06	11.03	305.78
				415.1	2104.8	1651.1	3.36	90.73
29	0.6005	14.91	0.08	19.93	100.74	78.95	11.03	306.06
				416.3	2104.1	1649.0	3.36	91.24
30	0.6021	17.03	0.10	20.01	100.78	78.88	11.04	306.30
				418.0	2104.8	1647.5	3.37	91.67
31	0.5993	19.06	0.14	19.88	100.78	79.06	11.00	306.45
				415.1	2104.8	1651.1	3.35	91.94
32	0.6000	21.28	0.05	19.90	100.74	78.99	11.01	306.30
				415.7	2104.1	1649.7	3.36	91.67
33	0.6004	-1.97	-0.01	19.93	100.78	78.99	11.01	306.56
				416.3	2104.8	1649.7	3.36	92.14

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
44	7	-10.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
19	-0.56878	0.09375	0.21645	0.00682	-0.00200	-0.00030
20	-0.34804	0.06691	0.20421	0.00465	-0.00096	0.00020
21	-0.15434	0.05428	0.20272	0.00579	-0.00161	0.00004
22	0.04500	0.04860	0.20654	0.00432	-0.00050	-0.00003
23	0.27590	0.05074	0.20576	0.00372	-0.00061	0.00009
24	0.45950	0.05924	0.20545	0.00384	-0.00092	-0.00011
25	0.64900	0.08211	0.19999	0.00437	-0.00101	0.00004
26	0.72703	0.12604	0.14369	0.00687	0.00026	-0.00045
27	0.74227	0.17824	0.07702	0.00563	0.00595	0.00053
28	0.73140	0.21246	0.04150	0.00406	0.01079	-0.00109
29	0.74642	0.25001	0.02155	0.01139	0.01271	-0.00472
30	0.84283	0.30956	-0.03460	0.00979	0.01374	-0.00463
31	0.93131	0.37216	-0.07866	0.00660	0.01563	-0.00641
32	1.01895	0.45281	-0.15389	0.00618	0.00484	-0.00320
33	-0.14514	0.05442	0.20190	0.00529	-0.00135	0.00017

TABLE 3.4   (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
45	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7780	-6.79	-0.01	28.58 597.0	100.64 2102.0	67.47 1409.1	12.57 3.83	312.92 103.59
2	0.7809	-4.43	-0.02	28.73 600.0	100.68 2102.7	67.30 1405.5	12.57 3.83	313.37 104.39
3	0.7807	-1.98	-0.01	28.73 600.0	100.71 2103.4	67.33 1406.2	12.58 3.84	313.20 104.09
4	0.7788	0.24	-0.01	28.63 598.0	100.68 2102.7	67.43 1408.4	12.53 3.82	313.91 105.37
5	0.7806	2.66	-0.01	28.70 599.5	100.64 2102.0	67.30 1405.5	12.52 3.82	314.19 105.88
6	0.7809	4.90	-0.01	28.73 600.0	100.68 2102.7	67.30 1405.5	12.52 3.82	314.34 106.14
7	0.7809	7.23	-0.01	28.73 600.0	100.68 2102.7	67.30 1405.5	12.52 3.82	314.27 106.01
8	0.7814	9.20	-0.03	28.75 600.5	100.68 2102.7	67.26 1404.8	12.48 3.80	315.26 107.79
9	0.7795	11.18	-0.02	28.66 598.5	100.64 2102.0	67.37 1407.0	12.44 3.79	315.63 108.47
10	0.7785	13.34	0.02	28.61 597.5	100.64 2102.0	67.43 1408.4	12.45 3.80	315.26 107.79
11	0.7794	15.37	-0.08	28.66 598.5	100.68 2102.7	67.40 1407.7	12.43 3.79	315.87 108.90
12	0.7795	17.57	-0.09	28.66 598.5	100.64 2102.0	67.37 1407.0	12.41 3.78	316.10 109.31
13	0.7801	19.79	-0.09	28.68 599.0	100.64 2102.0	67.33 1406.2	12.39 3.78	316.66 110.32
14	0.7794	21.76	-0.05	28.66 598.5	100.68 2102.7	67.40 1407.7	12.39 3.78	316.62 110.25
15	0.7804	-2.24	-0.01	28.70 599.5	100.68 2102.7	67.33 1406.2	12.43 3.79	316.06 109.24

750

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
45	7	-10.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.54481	0.12656	0.18697	0.00104	0.00069	0.00057
2	-0.40608	0.08422	0.18404	0.00523	0.00049	0.00038
3	-0.16089	0.05900	0.18438	0.00463	-0.00151	0.00034
4	0.07112	0.05469	0.19321	0.00366	-0.00087	0.00053
5	0.33745	0.06357	0.20527	0.00343	-0.00101	0.00057
6	0.47367	0.08459	0.19774	0.00598	0.00018	-0.00041
7	0.61225	0.12138	0.12635	0.00876	0.00021	-0.00098
8	0.64467	0.15823	0.10322	0.00567	-0.00588	-0.00085
9	0.71873	0.19868	0.04435	0.00393	-0.00173	-0.00012
10	0.82319	0.25244	0.00489	0.00588	0.00378	-0.00075
11	0.86756	0.30390	-0.03731	0.00435	-0.00146	0.00632
12	0.97060	0.37494	-0.07038	0.00832	-0.00110	0.00589
13	1.05764	0.45053	-0.12900	0.01122	-0.00390	0.00249
14	1.03715	0.49189	-0.13061	0.01113	-0.00252	-0.00045
15	-0.18786	0.06017	0.18456	0.00232	-0.00113	0.00022

751

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
46	7	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8507	-6.65	-0.02	31.76 663.4	100.64 2102.0	62.71 1309.7	12.77 3.89	319.62 115.64
2	0.8502	-4.38	-0.02	31.74 663.0	100.64 2102.0	62.74 1310.4	12.77 3.89	319.54 115.50
3	0.8499	-1.91	-0.01	31.72 662.5	100.61 2101.3	62.74 1310.3	12.74 3.88	319.93 116.21
4	0.8502	0.08	-0.01	31.74 663.0	100.64 2102.0	62.74 1310.4	12.73 3.88	320.31 116.88
5	0.8502	2.49	-0.01	31.74 663.0	100.64 2102.0	62.74 1310.4	12.71 3.87	320.70 117.59
6	0.8522	4.83	-0.01	31.83 664.7	100.64 2102.0	62.61 1307.6	12.69 3.87	321.26 118.60
7	0.8510	7.11	0.00	31.79 663.9	100.68 2102.7	62.71 1309.7	12.69 3.87	321.11 118.33
8	0.8497	9.38	-0.02	31.72 662.5	100.64 2102.0	62.77 1311.0	12.65 3.86	321.73 119.44
9	0.8507	11.52	0.06	31.76 663.4	100.64 2102.0	62.71 1309.7	12.68 3.87	321.29 118.66
10	0.8517	13.52	0.15	31.81 664.3	100.64 2102.0	62.64 1308.3	12.65 3.86	321.99 119.91
11	0.8502	15.71	-0.03	31.74 663.0	100.64 2102.0	62.74 1310.4	12.62 3.85	322.46 120.75
12	0.8514	17.75	0.15	31.78 663.8	100.61 2101.3	62.64 1308.3	12.62 3.85	322.46 120.75
13	0.8494	19.99	0.21	31.70 662.0	100.61 2101.3	62.77 1311.0	12.58 3.83	323.03 121.79
14	0.8479	22.03	-0.03	31.63 660.7	100.61 2101.3	62.87 1313.1	12.58 3.83	322.87 121.49
15	0.8504	-2.21	0.00	31.74 662.9	100.61 2101.3	62.71 1309.7	12.60 3.84	322.62 121.05

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
46	7	-10.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.45110	0.14509	0.16949	-0.00290	0.00355	0.00158
2	-0.32932	0.10502	0.17761	0.00410	0.00276	0.00044
3	-0.17829	0.07810	0.20350	0.00367	0.00010	-0.00007
4	-0.02446	0.06898	0.21558	0.00367	-0.00036	0.00010
5	0.17739	0.07714	0.21132	0.00301	-0.00095	0.00020
6	0.32971	0.09316	0.17222	0.00211	0.00019	0.00049
7	0.53692	0.13052	0.10201	0.00453	0.00258	-0.00056
8	0.63142	0.17153	0.09470	0.00578	-0.00170	-0.00102
9	0.70329	0.21625	0.04107	0.01222	0.00156	-0.00927
10	0.81641	0.26926	-0.05233	0.01083	0.01631	-0.00646
11	0.97847	0.32512	-0.07197	0.00907	-0.00070	-0.00042
12	0.93406	0.38708	-0.07150	0.01289	0.01391	-0.00508
13	1.02350	0.46070	-0.08701	0.00431	0.01478	-0.00529
14	1.06751	0.52285	-0.11201	0.01503	-0.00103	-0.00186
15	-0.19812	0.08051	0.20036	0.00177	0.00015	-0.00015

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
47	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.6006	-6.37	-0.01	19.93	100.71	78.92	10.99	306.77
				416.2	2103.4	1648.2	3.35	92.51
4	0.5984	-4.14	-0.01	19.82	100.71	79.06	10.96	306.86
				413.9	2103.4	1651.1	3.34	92.68
5	0.6001	-1.89	-0.01	19.90	100.71	78.95	10.96	307.37
				415.7	2103.4	1649.0	3.34	93.59
6	0.6012	0.29	-0.01	19.96	100.71	78.88	10.95	307.76
				416.8	2103.4	1647.5	3.34	94.30
7	0.5994	2.38	-0.01	19.88	100.74	79.02	10.93	307.86
				415.1	2104.1	1650.4	3.33	94.47
8	0.6006	4.62	-0.01	19.93	100.71	78.92	10.92	308.32
				416.2	2103.4	1648.2	3.33	95.31
9	0.5995	6.89	-0.01	19.88	100.71	78.99	10.90	308.43
				415.1	2103.4	1649.7	3.32	95.51
10	0.6000	8.95	-0.01	19.90	100.74	78.99	10.90	308.62
				415.7	2104.1	1649.7	3.32	95.85
11	0.6000	10.96	0.00	19.90	100.74	78.99	10.90	308.71
				415.7	2104.1	1649.7	3.32	96.01
12	0.5994	13.05	-0.07	19.88	100.74	79.02	10.88	308.90
				415.1	2104.1	1650.4	3.32	96.35
13	0.5990	15.14	-0.10	19.85	100.71	79.02	10.86	309.16
				414.5	2103.4	1650.4	3.31	96.82
14	0.6006	17.28	-0.13	19.93	100.71	78.92	10.89	309.07
				416.2	2103.4	1648.2	3.32	96.65
15	0.6012	19.26	-0.04	19.96	100.71	78.88	10.87	309.74
				416.8	2103.4	1647.5	3.31	97.87
16	0.5994	21.29	-0.17	19.88	100.74	79.02	10.85	309.56
				415.1	2104.1	1650.4	3.31	97.53
17	0.5994	-2.09	-0.01	19.88	100.74	79.02	10.87	309.22
				415.1	2104.1	1650.4	3.31	96.92

TABLE 3.4   (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
47	7	0.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
3	-0.43725	0.05007	0.01612	0.00641	-0.00095	-0.00039
4	-0.21729	0.03126	-0.00570	0.00757	-0.00120	-0.00002
5	-0.00064	0.02663	-0.01043	0.00658	-0.00131	-0.00025
6	0.20213	0.03038	-0.01712	0.00645	-0.00173	0.00007
7	0.40503	0.04016	-0.02869	0.00816	-0.00093	-0.00006
8	0.61459	0.05728	-0.02806	0.00889	-0.00137	-0.00070
9	0.79417	0.08830	-0.02647	0.00737	-0.00103	-0.00028
10	0.84602	0.14065	-0.05897	0.01000	0.00009	-0.00087
11	0.85043	0.19262	-0.10101	0.00929	0.00291	-0.00050
12	0.93082	0.24864	-0.14087	0.00914	-0.01152	0.00059
13	1.00401	0.31663	-0.19827	0.00584	-0.01294	0.00405
14	1.09055	0.38888	-0.23538	0.00527	-0.01302	0.00592
15	1.14135	0.45488	-0.25377	0.00878	0.00047	0.00330
16	1.15562	0.52022	-0.29314	0.01167	-0.01547	0.00516
17	-0.02936	0.02674	-0.01285	0.00707	-0.00025	-0.00023

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
48	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7806	-6.70	-0.01	28.70	100.64	67.30	12.48	314.96
				599.5	2102.0	1405.5	3.80	107.26
2	0.7816	-4.15	-0.02	28.75	100.64	67.23	12.48	315.09
				600.5	2102.0	1404.1	3.81	107.49
3	0.7813	-2.09	-0.02	28.72	100.61	67.23	12.46	315.31
				599.9	2101.3	1404.1	3.80	107.89
4	0.7802	0.22	-0.02	28.68	100.61	67.30	12.45	315.44
				598.9	2101.3	1405.5	3.80	108.13
5	0.7807	2.90	-0.02	28.70	100.61	67.26	12.45	315.54
				599.4	2101.3	1404.8	3.80	108.30
6	0.7809	4.95	-0.02	28.70	100.58	67.23	12.41	316.27
				599.4	2100.6	1404.1	3.78	109.61
7	0.7792	7.14	-0.01	28.63	100.61	67.37	12.40	316.23
				597.9	2101.3	1407.0	3.78	109.54
8	0.7813	9.10	-0.03	28.72	100.61	67.23	12.39	316.77
				599.9	2101.3	1404.1	3.78	110.52
9	0.7787	11.29	-0.02	28.60	100.61	67.40	12.37	316.81
				597.4	2101.3	1407.7	3.77	110.59
10	0.7794	13.40	0.00	28.63	100.58	67.33	12.36	317.09
				597.9	2100.6	1406.2	3.77	111.09
11	0.7801	15.44	-0.07	28.68	100.64	67.33	12.35	317.44
				599.0	2102.0	1406.2	3.77	111.73
12	0.7799	17.52	0.04	28.65	100.58	67.30	12.33	317.78
				598.4	2100.6	1405.5	3.76	112.34
13	0.7802	19.75	0.13	28.68	100.61	67.30	12.33	317.78
				598.9	2101.3	1405.5	3.76	112.34
14	0.7801	21.84	-0.08	28.68	100.64	67.33	12.33	317.88
				599.0	2102.0	1406.2	3.76	112.51
15	0.7816	-2.16	-0.01	28.75	100.64	67.23	12.35	317.74
				600.5	2102.0	1404.1	3.76	112.27

756

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
48	7	0.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.44043	0.07970	0.00558	0.00359	0.00008	-0.00015
2	-0.25212	0.04206	-0.02611	0.00629	-0.00040	0.00051
3	-0.04796	0.02925	-0.02039	0.00812	-0.00069	0.00010
4	0.20785	0.03228	-0.01930	0.00702	-0.00082	0.00027
5	0.51073	0.05315	-0.01896	0.00859	-0.00116	-0.00031
6	0.62066	0.08498	-0.03407	0.00676	0.00027	0.00039
7	0.73633	0.12642	-0.07234	0.01198	0.00127	-0.00138
8	0.7?59	0.16758	-0.07464	0.01038	-0.00244	-0.00045
9	0.82444	0.22101	-0.12222	0.00778	-0.00139	-0.00076
10	0.92288	0.28225	-0.15871	0.00972	0.00257	-0.00069
11	0.96910	0.34106	-0.20054	0.00875	-0.00193	0.00377
12	1.02844	0.40794	-0.25569	0.00835	0.00420	-0.00294
13	1.10864	0.48718	-0.28433	0.00657	0.01140	-0.00336
14	1.15381	0.55696	-0.29413	0.01255	-0.00438	0.00045
15	-0.05709	0.02956	-0.02253	0.00469	-0.00111	-0.00010

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
49	7	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8500	-6.59	-0.02	31.72	100.58	62.70	12.73	319.99
				662.4	2100.6	1309.6	3.88	116.31
2	0.8519	-4.29	-0.03	31.80	100.61	62.61	12.70	321.03
				664.2	2101.3	1307.6	3.87	118.19
3	0.8500	-2.12	-0.02	31.72	100.58	62.70	12.68	321.07
				662.4	2100.6	1309.6	3.86	118.26
4	0.8495	0.31	-0.02	31.70	100.58	62.74	12.71	320.34
				662.0	2100.6	1310.3	3.87	116.95
5	0.8495	2.89	-0.02	31.70	100.58	62.74	12.68	321.03
				662.0	2100.6	1310.3	3.86	118.19
6	0.8495	4.90	-0.02	31.70	100.58	62.74	12.68	320.92
				662.0	2100.6	1310.3	3.87	117.99
7	0.8505	7.20	-0.01	31.74	100.58	62.68	12.67	321.33
				662.9	2100.6	1309.0	3.86	118.73
8	0.8490	9.25	-0.03	31.68	100.58	62.77	12.61	322.27
				661.6	2100.6	1311.0	3.84	120.41
9	0.8489	11.24	0.05	31.68	100.61	62.80	12.62	322.21
				661.6	2101.3	1311.7	3.85	120.31
10	0.8520	13.59	0.16	31.80	100.58	62.57	12.64	322.16
				664.2	2100.6	1306.9	3.85	120.21
11	0.8505	15.71	-0.04	31.74	100.58	62.68	12.60	322.74
				662.9	2100.6	1309.0	3.84	121.26
12	0.8500	17.92	0.17	31.72	100.58	62.70	12.58	323.02
				662.4	2100.6	1309.6	3.83	121.76
13	0.8526	20.07	0.17	31.82	100.58	62.54	12.58	323.47
				664.6	2100.6	1306.2	3.83	122.57
14	0.8490	22.12	-0.05	31.68	100.58	62.77	12.55	323.58
				661.6	2100.6	1311.0	3.82	122.77
15	0.8495	-2.10	-0.01	31.70	100.58	62.74	12.59	322.74
				662.0	2100.6	1310.3	3.84	121.26

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
49	7	0.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.36443	0.09785	0.00433	-0.00317	0.00280	0.00177
2	-0.20949	0.06637	-0.02646	0.00308	0.00276	0.00135
3	-0.07625	0.04851	-0.00429	0.00654	-0.00007	0.00033
4	0.12914	0.04635	-0.00030	0.00579	-0.00181	0.00060
5	0.33961	0.06686	-0.01247	0.00911	-0.00092	-0.00059
6	0.48023	0.09463	-0.05469	0.00626	-0.00003	0.00050
7	0.65928	0.13860	-0.08989	0.00991	0.00300	-0.00105
8	0.73363	0.17970	-0.07642	0.00721	-0.00188	-0.00017
9	0.78539	0.22533	-0.09874	0.00657	0.00290	-0.00577
10	0.89843	0.29690	-0.19539	0.01192	0.01622	-0.00716
11	0.99141	0.36329	-0.24122	0.00901	-0.00195	-0.00007
12	1.05526	0.43572	-0.25548	0.01036	0.01477	-0.00504
13	1.15687	0.52137	-0.27768	0.00821	0.01281	-0.00442
14	1.19795	0.59055	-0.29688	0.01304	-0.00220	-0.00102
15	-0.07435	0.04807	-0.00463	0.00318	-0.00022	0.00026

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
50	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
21	0.5997	-6.36	-0.01	19.84	100.51	78.82	11.08	304.24
				414.4	2099.2	1646.1	3.38	87.97
22	0.6008	-4.18	-0.01	19.90	100.51	78.75	11.05	305.07
				415.6	2099.2	1644.7	3.37	89.45
23	0.5991	-2.04	-0.01	19.81	100.51	78.85	11.03	304.97
				413.8	2099.2	1646.8	3.36	89.28
24	0.5997	0.18	-0.01	19.84	100.51	78.82	11.04	304.94
				414.4	2099.2	1646.1	3.37	89.22
25	0.5998	2.51	-0.01	19.84	100.48	78.78	11.01	305.59
				414.4	2098.5	1645.4	3.36	90.39
26	0.6003	4.73	-0.01	19.87	100.51	78.78	11.00	305.91
				415.0	2099.2	1645.4	3.35	90.97
27	0.5997	6.90	-0.01	19.84	100.51	78.82	10.98	306.23
				414.4	2099.2	1646.1	3.35	91.54
28	0.5991	8.87	-0.01	19.81	100.51	78.85	10.96	306.54
				413.8	2099.2	1646.8	3.34	92.11
29	0.6007	10.85	0.01	19.90	100.54	78.78	10.99	306.38
				415.6	2099.9	1645.4	3.35	91.81
30	0.5986	12.89	0.03	19.78	100.51	78.89	10.96	306.47
				413.2	2099.2	1647.6	3.34	91.98
31	0.6012	14.99	0.00	19.93	100.54	78.75	10.98	306.86
				416.2	2099.9	1644.7	3.35	92.68
32	0.5991	17.02	0.00	19.81	100.51	78.85	10.94	306.92
				413.8	2099.2	1646.8	3.34	92.78
33	0.5997	18.10	0.00	19.84	100.51	78.82	10.95	306.96
				414.4	2099.2	1646.1	3.34	92.85
34	0.6003	-1.88	-0.01	19.87	100.51	78.78	10.97	306.64
				415.0	2099.2	1645.4	3.34	92.28

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
50	5	0.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
21	-0.41483	0.04990	0.06725	0.00701	-0.00047	-0.00051
22	-0.21490	0.03244	0.04084	0.00793	-0.00071	-0.00053
23	-0.00249	0.02792	0.01453	0.00783	-0.00115	-0.00032
24	0.20624	0.03119	-0.01023	0.00833	-0.00072	-0.00038
25	0.43663	0.04163	-0.03310	0.00885	-0.00128	-0.00061
26	0.62197	0.05824	-0.04800	0.01042	-0.00058	-0.00149
27	0.80109	0.08741	-0.06007	0.01009	-0.00099	-0.00125
28	0.82397	0.13900	-0.09752	0.01039	0.00108	-0.00108
29	0.79249	0.18934	-0.15199	0.00853	0.00277	-0.00198
30	0.78410	0.22807	-0.18352	0.00908	0.00256	-0.00497
31	0.81288	0.27664	-0.21698	0.00845	0.00021	-0.00279
32	0.86531	0.32865	-0.21493	0.00707	-0.00009	-0.00192
33	0.88777	0.35585	-0.20189	0.00837	-0.00032	-0.00165
34	-0.00046	0.02813	0.01471	0.00871	-0.00036	-0.00070

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
51	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7806	-6.65	-0.01	28.61	100.34	67.09	12.36	316.70
				597.6	2095.6	1401.3	3.77	110.39
2	0.7821	-4.38	-0.01	28.69	100.34	66.99	12.34	317.37
				599.1	2095.6	1399.1	3.76	111.60
3	0.7785	-2.13	-0.01	28.52	100.34	67.23	12.29	317.74
				595.7	2095.6	1404.1	3.74	112.27
4	0.7793	0.28	-0.01	28.57	100.37	67.20	12.33	317.22
				596.7	2096.3	1403.4	3.76	111.33
5	0.7804	2.75	-0.02	28.62	100.37	67.13	12.31	317.69
				597.7	2096.3	1402.0	3.75	112.17
6	0.7814	4.93	-0.01	28.67	100.37	67.06	12.31	317.88
				598.7	2096.3	1400.6	3.75	112.51
7	0.7799	7.09	-0.01	28.59	100.37	67.16	12.28	318.12
				597.2	2096.3	1402.7	3.74	112.94
8	0.7800	9.17	-0.01	28.59	100.34	67.13	12.26	318.53
				597.2	2095.6	1402.0	3.74	113.68
9	0.7799	11.09	0.02	28.59	100.37	67.16	12.26	318.70
				597.2	2096.3	1402.7	3.74	113.99
10	0.7799	13.42	0.12	28.59	100.37	67.16	12.25	318.72
				597.2	2096.3	1402.7	3.73	114.02
11	0.7799	15.31	-0.02	28.59	100.37	67.16	12.24	319.09
				597.2	2096.3	1402.7	3.73	114.69
12	0.7799	17.58	-0.02	28.59	100.37	67.16	12.24	319.03
				597.2	2096.3	1402.7	3.73	114.59
13	0.7804	18.60	-0.03	28.62	100.37	67.13	12.25	318.87
				597.7	2096.3	1402.0	3.73	114.29
14	0.7814	-2.00	-0.01	28.67	100.37	67.06	12.28	318.53
				598.7	2096.3	1400.6	3.74	113.68

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
51	5	0.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.44296	0.08308	0.07825	0.00086	-0.00014	0.00170
2	-0.28534	0.04770	0.05018	0.00469	0.00058	0.00010
3	-0.05050	0.03097	0.02157	0.00402	-0.00018	-0.00009
4	0.21917	0.03377	-0.00565	0.00521	-0.00003	0.00014
5	0.50183	0.05155	-0.02976	0.00784	-0.00070	-0.00059
6	0.61508	0.08394	-0.05223	0.00926	-0.00008	-0.00131
7	0.71715	0.12404	-0.09264	0.00910	0.00073	-0.00140
8	0.73668	0.16762	-0.13595	0.00580	0.00038	-0.00073
9	0.73999	0.20705	-0.17694	0.00982	0.00149	-0.00458
10	0.84459	0.26581	-0.22393	0.00863	0.01265	-0.00687
11	0.86429	0.31225	-0.22726	0.00561	-0.00227	-0.00171
12	0.91993	0.37336	-0.20634	0.00542	-0.00272	-0.00129
13	0.93618	0.39959	-0.18803	0.00372	-0.00279	-0.00060
14	-0.03530	0.03161	0.02027	0.00412	0.00002	0.00003

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
52	5	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8509	-6.54	-0.01	31.68 661.6	100.34 2095.6	62.50 1305.4	12.62 3.85	321.71 119.40
2	0.8502	-4.25	-0.02	31.66 661.2	100.37 2096.3	62.57 1306.8	12.61 3.85	321.86 119.67
3	0.8452	-2.01	-0.01	31.45 656.8	100.37 2096.3	62.90 1313.7	12.57 3.83	322.10 120.11
4	0.8446	0.16	-0.01	31.43 656.4	100.37 2096.3	62.93 1314.3	12.60 3.84	321.52 119.07
5	0.8446	2.58	-0.01	31.43 656.4	100.37 2096.3	62.93 1314.3	12.59 3.84	321.73 119.44
6	0.8512	4.88	-0.01	31.70 662.1	100.37 2096.3	62.51 1305.5	12.59 3.84	322.46 120.75
7	0.8502	7.17	-0.01	31.66 661.2	100.37 2096.3	62.57 1306.8	12.58 3.84	322.46 120.75
8	0.8532	9.25	-0.01	31.78 663.8	100.37 2096.3	62.37 1302.7	12.58 3.84	322.91 121.56
9	0.8507	11.23	0.04	31.68 661.6	100.37 2096.3	62.54 1306.1	12.56 3.83	323.11 121.93
10	0.8504	13.51	0.15	31.65 661.1	100.34 2095.6	62.54 1306.1	12.54 3.82	323.28 122.23
11	0.8522	15.61	0.04	31.74 662.9	100.37 2096.3	62.44 1304.1	12.54 3.82	323.69 122.97
12	0.8512	17.82	0.10	31.70 662.1	100.37 2096.3	62.51 1305.5	12.53 3.82	323.59 122.80
13	0.8489	18.80	0.10	31.59 659.8	100.34 2095.6	62.64 1308.2	12.50 3.81	323.93 123.41
14	0.8502	-2.07	-0.01	31.66 661.2	100.37 2096.3	62.57 1306.8	12.52 3.82	323.65 122.90

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
52	5	0.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.36740	0.10531	0.06858	-0.00616	0.00039	0.00352
2	-0.22339	0.06976	0.04790	0.00127	0.00040	0.00173
3	-0.07578	0.04898	0.04351	0.00173	0.00015	0.00080
4	0.11785	0.04578	0.02392	0.00274	-0.00073	0.00035
5	0.34466	0.06342	-0.01353	0.00586	-0.00032	-0.00037
6	0.46468	0.09406	-0.05191	0.00862	0.00021	-0.00101
7	0.62050	0.13378	-0.09978	0.00794	0.00127	-0.00127
8	0.74751	0.18395	-0.14449	0.00954	0.00033	-0.00145
9	0.75246	0.22311	-0.20057	0.01011	0.00511	-0.00351
10	0.88858	0.28982	-0.23431	0.01322	0.01683	-0.00654
11	0.91800	0.34614	-0.22772	0.00749	0.00342	-0.00277
12	0.95637	0.40148	-0.20628	0.00351	0.00625	-0.00463
13	0.97681	0.42752	-0.18918	0.00106	0.00497	-0.00447
14	-0.08211	0.05129	0.04744	0.00165	0.00011	0.00054

TABLE 3.4   (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
53	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.6012	-6.51	-0.01	19.89	100.41	78.65	10.95	307.07
				415.5	2097.1	1642.6	3.34	93.05
20	0.6011	-5.36	-0.01	19.90	100.44	78.68	10.94	307.46
				415.6	2097.8	1643.3	3.33	93.76
21	0.6011	-4.21	-0.01	19.90	100.44	78.68	10.93	307.74
				415.6	2097.8	1643.3	3.33	94.26
22	0.5994	-3.11	-0.01	19.81	100.44	78.78	10.91	307.57
				413.8	2097.8	1645.4	3.33	93.96
23	0.6011	-2.10	-0.01	19.90	100.44	78.68	10.92	307.87
				415.6	2097.8	1643.3	3.33	94.50
24	0.6015	-0.92	-0.01	19.93	100.48	78.68	10.91	308.36
				416.2	2098.5	1643.3	3.32	95.38
25	0.6011	0.21	-0.01	19.90	100.44	78.68	10.91	308.02
				415.6	2097.8	1643.3	3.33	94.77
26	0.6015	1.36	-0.02	19.93	100.48	78.68	10.92	309.16
				416.2	2098.5	1643.3	3.33	95.01
27	0.6016	2.51	-0.01	19.92	100.44	78.65	10.91	308.21
				416.1	2097.8	1642.6	3.33	95.11
28	0.6016	4.76	-0.01	19.92	100.44	78.65	10.90	308.39
				416.1	2097.8	1642.6	3.32	95.44
29	0.6011	5.74	-0.01	19.90	100.44	78.68	10.90	308.39
				415.6	2097.8	1643.3	3.32	95.44
30	0.6005	6.95	-0.02	19.87	100.44	78.72	10.89	308.38
				415.0	2097.8	1644.0	3.32	95.41
31	0.5998	8.00	-0.01	19.84	100.48	78.78	10.89	308.24
				414.4	2098.5	1645.4	3.32	95.17
32	0.6005	9.02	-0.01	19.87	100.44	78.72	10.89	308.43
				415.0	2097.8	1644.0	3.32	95.51
33	0.6015	10.93	0.02	19.93	100.48	78.68	10.90	308.39
				416.2	2098.5	1643.3	3.32	95.44
34	0.6009	12.87	0.05	19.90	100.48	78.72	10.89	308.51
				415.6	2098.5	1644.0	3.32	95.64
35	0.6009	14.90	0.00	19.90	100.48	78.72	10.87	308.92
				415.6	2098.5	1644.0	3.31	96.39
36	0.6020	16.97	0.00	19.95	100.48	78.65	10.88	308.99
				416.7	2098.5	1642.6	3.32	96.52
37	0.5998	19.06	-0.01	19.84	100.48	78.78	10.87	308.75
				414.4	2098.5	1645.4	3.31	96.08
38	0.6015	3.55	-0.01	19.93	100.48	78.68	10.88	308.88
				416.2	2098.5	1643.3	3.32	96.32
39	0.6015	-1.97	-0.01	19.93	100.48	78.68	10.89	308.73
				416.2	2098.5	1643.3	3.32	96.05

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
53	6	OFF

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
19	-0.34204	0.04200	-0.13392	0.00691	-0.00179	-0.00004
20	-0.23809	0.03191	-0.12316	0.00760	-0.00156	-0.00005
21	-0.14398	0.02649	-0.11652	0.00775	-0.00116	-0.00014
22	-0.03912	0.02340	-0.10472	0.00934	-0.00136	0.00018
23	0.04367	0.02334	-0.09583	0.00817	-0.00138	-0.00015
24	0.14725	0.02479	-0.08462	0.00926	-0.00134	-0.00008
25	0.24082	0.02787	-0.07476	0.00901	-0.00165	-0.00002
26	0.34376	0.03235	-0.06186	0.00842	-0.00132	0.00019
27	0.43852	0.03843	-0.05081	0.00777	-0.00135	-0.00013
28	0.61702	0.05525	-0.01613	0.00869	-0.00170	-0.00071
29	0.70106	0.06604	0.00064	0.00916	-0.00103	-0.00096
30	0.77852	0.08369	0.01771	0.00986	-0.00184	-0.00071
31	0.80012	0.10720	0.02700	0.00777	0.00131	-0.00014
32	0.76937	0.13769	0.02163	0.00740	0.00056	-0.00065
33	0.69918	0.18073	0.02454	0.00802	0.00370	-0.00332
34	0.69250	0.21584	0.03626	0.00908	0.00532	-0.00667
35	0.71295	0.25709	0.03894	0.00568	-0.00003	-0.00168
36	0.76508	0.30479	0.04148	0.00493	-0.00025	-0.00143
37	0.82050	0.35763	0.04080	0.00400	-0.00081	-0.00081
38	0.52105	0.04564	-0.03464	0.00798	-0.00158	-0.00052
39	0.04767	0.02334	-0.09635	0.00763	-0.00154	-0.00005

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
54	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7014	-6.47	-0.01	24.90	100.41	72.29	11.85	312.36
				520.0	2097.1	1509.9	3.61	102.58
2	0.7013	-5.22	-0.01	24.90	100.44	72.33	11.85	312.43
				520.0	2097.8	1510.6	3.61	102.71
3	0.6993	-4.14	-0.01	24.80	100.41	72.43	11.82	312.51
				517.9	2097.1	1512.7	3.60	102.85
4	0.7013	-2.99	-0.01	24.90	100.44	72.33	11.86	312.25
				520.0	2097.8	1510.6	3.62	102.38
5	0.7002	-1.83	-0.01	24.85	100.44	72.39	11.82	312.84
				519.0	2097.8	1512.0	3.60	103.45
6	0.7004	-0.85	-0.01	24.85	100.41	72.36	11.83	312.60
				518.9	2097.1	1511.3	3.61	103.01
7	0.7004	0.34	-0.02	24.85	100.41	72.36	11.82	312.73
				518.9	2097.1	1511.3	3.60	103.25
8	0.7005	1.66	-0.02	24.85	100.37	72.33	11.82	312.68
				518.9	2096.3	1510.6	3.60	103.15
9	0.7004	2.79	-0.02	24.85	100.41	72.36	11.81	312.96
				518.9	2097.1	1511.3	3.60	103.65
10	0.7009	3.89	-0.02	24.87	100.41	72.33	11.83	312.68
				519.5	2097.1	1510.6	3.61	103.15
11	0.7004	5.11	-0.01	24.85	100.41	72.36	11.81	313.09
				518.9	2097.1	1511.3	3.60	103.89
12	0.7004	6.29	-0.01	24.85	100.41	72.36	11.80	313.22
				518.9	2097.1	1511.3	3.60	104.13
13	0.6988	7.26	0.00	24.77	100.41	72.46	11.81	312.75
				517.3	2097.1	1513.4	3.60	103.28
14	0.6995	8.12	-0.01	24.79	100.37	72.39	11.79	313.11
				517.8	2096.3	1512.0	3.59	103.92
15	0.6999	9.08	-0.01	24.82	100.41	72.39	11.79	313.22
				518.4	2097.1	1512.0	3.60	104.13
16	0.6993	11.25	0.01	24.80	100.41	72.43	11.81	312.69
				517.9	2097.1	1512.7	3.60	103.18
17	0.6993	13.23	0.08	24.80	100.41	72.43	11.80	313.07
				517.9	2097.1	1512.7	3.60	103.86
18	0.6999	15.24	-0.01	24.82	100.41	72.39	11.79	313.22
				518.4	2097.1	1512.0	3.60	104.13
19	0.7000	17.27	-0.01	24.82	100.37	72.36	11.79	313.24
				518.4	2096.3	1511.3	3.59	104.16
20	0.6977	19.45	0.00	24.72	100.41	72.53	11.77	313.35
				516.2	2097.1	1514.9	3.59	104.36
21	0.6999	-1.84	-0.01	24.82	100.41	72.39	11.84	312.36
				518.4	2097.1	1512.0	3.61	102.58

768

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
54	6	OFF

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.35163	0.05231	-0.13620	0.00510	-0.00027	0.00026
2	-0.25921	0.03655	-0.12484	0.00638	-0.00026	0.00013
3	-0.17060	0.02827	-0.11762	0.00588	-0.00041	0.00009
4	-0.06257	0.02442	-0.10772	0.00677	-0.00160	0.00019
5	0.04726	0.02396	-0.09597	0.00617	-0.00093	0.00005
6	0.14539	0.02546	-0.08565	0.00689	-0.00149	0.00018
7	0.25388	0.02912	-0.07465	0.00733	-0.00116	0.00024
8	0.38231	0.03572	-0.06035	0.00672	-0.00154	0.00033
9	0.47891	0.04310	-0.04551	0.00677	-0.00162	-0.00008
10	0.57756	0.05318	-0.02552	0.00824	-0.00073	-0.00046
11	0.69867	0.07010	-0.00776	0.00844	-0.00084	-0.00081
12	0.78873	0.09041	0.00661	0.00633	0.00054	0.00011
13	0.80108	0.10830	0.01444	0.00813	0.00320	-0.00045
14	0.75450	0.12978	0.01631	0.00739	-0.00094	-0.00061
15	0.72682	0.15188	0.01505	0.00577	-0.00033	0.00016
16	0.67504	0.19374	0.02358	0.00654	-0.00040	-0.00313
17	0.73042	0.23464	0.02856	0.00606	0.01072	-0.00414
18	0.73991	0.27581	0.03558	0.00448	-0.00080	-0.00062
19	0.79944	0.32673	0.03755	0.00498	-0.00064	-0.00072
20	0.85467	0.38409	0.03707	0.00313	-0.00040	-0.00055
21	0.04802	0.02372	-0.09518	0.00423	-0.00071	0.00009

END

FILMED

DTIC

MICROCOPY RESOLUTION TEST CHART

NATIONAL BUREAU OF STANDARDS-1963-A

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
55	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7506	-6.56	-0.01	27.24	100.37	69.08	12.24	314.01
				568.9	2096.3	1442.7	3.73	105.54
2	0.7507	-5.48	-0.01	27.24	100.34	69.04	12.22	314.23
				568.9	2095.6	1442.0	3.73	105.94
3	0.7516	-4.28	-0.02	27.29	100.37	69.01	12.23	314.34
				569.9	2096.3	1441.3	3.73	106.14
4	0.7516	-3.26	-0.02	27.29	100.37	69.01	12.22	314.61
				569.9	2096.3	1441.3	3.72	106.62
5	0.7511	-2.01	-0.02	27.26	100.37	69.04	12.21	314.62
				569.4	2096.3	1442.0	3.72	106.65
6	0.7506	-0.81	-0.02	27.24	100.37	69.08	12.23	314.13
				568.9	2096.3	1442.7	3.73	105.77
7	0.7495	0.33	-0.02	27.19	100.37	69.14	12.19	314.76
				567.9	2096.3	1444.1	3.72	106.89
8	0.7511	1.65	-0.02	27.26	100.37	69.04	12.22	314.43
				569.4	2096.3	1442.0	3.72	106.31
9	0.7506	2.79	-0.02	27.24	100.37	69.08	12.19	314.84
				568.9	2096.3	1442.7	3.72	107.05
10	0.7492	3.87	-0.02	27.16	100.34	69.14	12.19	314.69
				567.3	2095.6	1444.1	3.71	106.78
11	0.7495	5.15	-0.02	27.19	100.37	69.14	12.18	314.90
				567.9	2096.3	1444.1	3.71	107.15
12	0.7506	6.08	-0.02	27.24	100.37	69.08	12.19	315.02
				568.9	2096.3	1442.7	3.71	107.36
13	0.7509	7.11	-0.02	27.27	100.41	69.08	12.19	315.09
				569.5	2097.1	1442.7	3.72	107.49
14	0.7500	8.09	-0.03	27.22	100.37	69.11	12.17	315.31
				568.4	2096.3	1443.4	3.71	107.89
15	0.7506	9.10	-0.02	27.24	100.37	69.08	12.18	315.28
				568.9	2096.3	1442.7	3.71	107.83
16	0.7495	11.12	0.04	27.19	100.37	69.14	12.17	315.26
				567.9	2096.3	1444.1	3.71	107.79
17	0.7500	13.32	0.09	27.22	100.37	69.11	12.18	315.03
				568.4	2096.3	1443.4	3.71	107.39
18	0.7495	15.36	0.14	27.19	100.37	69.14	12.17	315.20
				567.9	2096.3	1444.1	3.71	107.69
19	0.7495	17.45	0.20	27.19	100.37	69.14	12.18	315.07
				567.9	2096.3	1444.1	3.71	107.46
20	0.7511	19.62	0.24	27.26	100.37	69.04	12.19	315.11
				569.4	2096.3	1442.0	3.71	107.52
21	0.7502	-2.03	-0.01	27.22	100.34	69.08	12.20	314.66
				568.4	2095.6	1442.7	3.72	106.72

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN 55	CONFIG 6	DHORZ(deg) OFF			
SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
---	---	---	---	---	---	---
1	-0.36165	0.06119	-0.13861	0.00418	0.00059	0.00037
2	-0.29694	0.04611	-0.12869	0.00647	-0.00043	0.00015
3	-0.20411	0.03353	-0.11854	0.00626	-0.00033	0.00029
4	-0.09642	0.02677	-0.11050	0.00833	-0.00083	0.00009
5	0.02677	0.02460	-0.09807	0.00748	-0.00072	0.00017
6	0.14329	0.02623	-0.08763	0.00735	-0.00048	0.00023
7	0.25193	0.02970	-0.07681	0.00787	-0.00086	0.00027
8	0.37855	0.03658	-0.06233	0.00746	-0.00070	0.00036
9	0.50048	0.04549	-0.04492	0.00788	-0.00123	-0.00016
10	0.60512	0.05917	-0.03139	0.00961	-0.00085	-0.00078
11	0.67937	0.08005	-0.01265	0.00843	-0.00040	-0.00025
12	0.69282	0.09512	-0.00407	0.00670	0.00041	0.00024
13	0.72410	0.11470	0.00065	0.01157	-0.00010	-0.00094
14	0.71826	0.13567	0.00618	0.01004	-0.00182	-0.00043
15	0.68749	0.15464	0.01089	0.00680	0.00049	0.00094
16	0.66691	0.19333	0.01849	0.00708	0.00435	-0.00374
17	0.74044	0.24178	0.02130	0.00844	0.01257	-0.00374
18	0.80923	0.29248	0.02857	0.01038	0.01338	-0.00769
19	0.87536	0.34961	0.03111	0.00892	0.01590	-0.00979
20	0.93623	0.41284	0.03154	0.00747	0.01511	-0.01191
21	0.01891	0.02502	-0.10022	0.00467	-0.00101	0.00028

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
56	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7809	-6.75	-0.01	28.64 598.2	100.37 2096.3	67.09 1401.3	12.39 3.78	316.25 109.58
2	0.7806	-5.52	-0.02	28.61 597.6	100.34 2095.6	67.09 1401.3	12.40 3.78	315.93 109.01
3	0.7818	-4.37	-0.02	28.66 598.6	100.30 2094.9	66.99 1399.1	12.37 3.77	316.55 110.12
4	0.7821	-3.18	-0.02	28.69 599.1	100.34 2095.6	66.99 1399.1	12.39 3.78	316.38 109.81
5	0.7811	-1.91	-0.02	28.64 598.1	100.34 2095.6	67.06 1400.6	12.39 3.78	316.08 109.27
6	0.7816	-0.85	-0.02	28.66 598.6	100.34 2095.6	67.03 1399.9	12.39 3.78	316.19 109.48
7	0.7811	0.30	-0.02	28.64 598.1	100.34 2095.6	67.06 1400.6	12.37 3.77	316.47 109.98
8	0.7806	1.62	-0.02	28.61 597.6	100.34 2095.6	67.09 1401.3	12.35 3.76	316.84 110.65
9	0.7806	2.90	-0.02	28.61 597.6	100.34 2095.6	67.09 1401.3	12.35 3.77	316.81 110.59
10	0.7816	3.84	-0.02	28.66 598.6	100.34 2095.6	67.03 1399.9	12.35 3.77	316.96 110.86
11	0.7813	5.16	-0.02	28.64 598.1	100.30 2094.9	67.03 1399.9	12.36 3.77	316.76 110.49
12	0.7806	6.02	-0.02	28.61 597.6	100.34 2095.6	67.09 1401.3	12.36 3.77	316.57 110.15
13	0.7811	7.12	-0.02	28.64 598.1	100.34 2095.6	67.06 1400.6	12.35 3.76	316.98 110.89
14	0.7797	8.14	-0.03	28.57 596.6	100.30 2094.9	67.13 1402.0	12.34 3.76	316.88 110.72
15	0.7797	9.07	-0.03	28.57 596.6	100.30 2094.9	67.13 1402.0	12.31 3.75	317.37 111.60
16	0.7797	11.18	0.02	28.57 596.6	100.30 2094.9	67.13 1402.0	12.33 3.76	317.11 111.13
17	0.7802	13.29	0.10	28.59 597.1	100.30 2094.9	67.09 1401.3	12.32 3.76	317.28 111.43
18	0.7797	15.31	0.01	28.57 596.6	100.30 2094.9	67.13 1402.0	12.31 3.75	317.41 111.66
19	0.7792	17.45	0.01	28.54 596.1	100.30 2094.9	67.16 1402.7	12.32 3.76	317.14 111.19
20	0.7802	19.57	0.00	28.59 597.1	100.30 2094.9	67.09 1401.3	12.31 3.75	317.59 112.00
21	0.7802	-2.06	-0.01	28.59 597.1	100.30 2094.9	67.09 1401.3	12.34 3.76	316.81 110.59

772

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
56	6	OFF

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.34928	0.07122	-0.14262	0.00370	-0.00028	0.00061
2	-0.29100	0.05368	-0.12518	0.00447	0.00088	0.00044
3	-0.22010	0.04031	-0.11516	0.00684	0.00004	0.00019
4	-0.10480	0.02932	-0.10786	0.00776	-0.00099	0.00018
5	0.02224	0.02591	-0.09686	0.00697	-0.00110	0.00022
6	0.12956	0.02672	-0.08686	0.00683	-0.00036	0.00024
7	0.25364	0.03038	-0.07639	0.00743	-0.00117	0.00029
8	0.39307	0.03792	-0.06248	0.00757	-0.00137	0.00042
9	0.52443	0.05088	-0.04747	0.00933	-0.00135	-0.00037
10	0.56996	0.06463	-0.03291	0.01071	-0.00110	-0.00104
11	0.60782	0.08523	-0.01408	0.00754	-0.00070	0.00008
12	0.63861	0.09931	-0.00690	0.00678	-0.00041	0.00006
13	0.68782	0.12078	-0.00058	0.01043	0.00038	-0.00092
14	0.70250	0.14177	0.00348	0.01101	-0.00073	-0.00018
15	0.68209	0.15822	0.00982	0.00809	0.00031	0.00107
16	0.67135	0.19865	0.01799	0.01069	0.00342	-0.00343
17	0.75307	0.24722	0.01780	0.00909	0.01301	-0.00409
18	0.77011	0.29054	0.02175	0.00723	0.00196	-0.00101
19	0.82721	0.34567	0.02596	0.00666	0.00217	-0.00118
20	0.87933	0.40399	0.02854	0.00689	0.00002	-0.00108
21	0.00609	0.02582	-0.09828	0.00352	-0.00080	0.00017

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
57	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8005	-6.64	-0.01	29.51	100.34	65.79	12.44	318.17
				616.3	2095.6	1374.1	3.79	113.04
2	0.8012	-5.53	-0.02	29.53	100.30	65.73	12.44	318.29
				616.8	2094.9	1372.7	3.79	113.25
3	0.8006	-4.29	-0.02	29.51	100.30	65.76	12.42	318.57
				616.3	2094.9	1373.4	3.79	113.75
4	0.8010	-3.18	-0.02	29.53	100.34	65.76	12.44	318.32
				616.8	2095.6	1373.4	3.79	113.31
5	0.8001	-2.06	-0.02	29.48	100.30	65.79	12.44	317.97
				615.8	2094.9	1374.1	3.79	112.67
6	0.7994	-0.91	-0.02	29.46	100.34	65.86	12.43	318.12
				615.3	2095.6	1375.6	3.79	112.94
7	0.8001	0.31	-0.02	29.48	100.30	65.79	12.42	318.42
				615.8	2094.9	1374.1	3.79	113.48
8	0.8001	1.55	-0.02	29.48	100.30	65.79	12.42	318.42
				615.8	2094.9	1374.1	3.79	113.48
9	0.8005	2.87	-0.02	29.51	100.34	65.79	12.43	318.29
				616.3	2095.6	1374.1	3.79	113.25
10	0.8005	3.81	-0.02	29.51	100.34	65.79	12.41	318.79
				616.3	2095.6	1374.1	3.78	114.15
11	0.7989	5.04	-0.02	29.44	100.34	65.90	12.42	318.34
				614.8	2095.6	1376.3	3.79	113.35
12	0.8028	5.90	-0.02	29.60	100.30	65.62	12.43	318.58
				618.3	2094.9	1370.5	3.79	113.78
13	0.8022	7.12	-0.02	29.58	100.30	65.65	12.42	318.79
				617.8	2094.9	1371.2	3.79	114.15
14	0.8001	8.15	-0.03	29.48	100.30	65.79	12.42	318.36
				615.8	2094.9	1374.1	3.79	113.38
15	0.8001	9.10	-0.03	29.48	100.30	65.79	12.40	318.79
				615.8	2094.9	1374.1	3.78	114.15
16	0.7997	11.17	-0.03	29.49	100.37	65.86	12.42	318.62
				615.9	2096.3	1375.6	3.79	113.85
17	0.8001	13.35	0.04	29.48	100.30	65.79	12.43	318.31
				615.8	2094.9	1374.1	3.79	113.28
18	0.8001	15.39	-0.08	29.48	100.30	65.79	12.40	318.85
				615.8	2094.9	1374.1	3.78	114.26
19	0.8006	17.51	-0.05	29.51	100.30	65.76	12.41	318.62
				616.3	2094.9	1373.4	3.78	113.85
20	0.8001	19.58	-0.01	29.48	100.30	65.79	12.39	319.09
				615.8	2094.9	1374.1	3.78	114.69
21	0.8006	-2.03	-0.01	29.51	100.30	65.76	12.43	318.25
				616.3	2094.9	1373.4	3.79	113.18

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
57	6	OFF

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.32493	0.07407	-0.14117	0.00105	0.00049	0.00082
2	-0.27228	0.05882	-0.12622	0.00354	0.00166	0.00084
3	-0.19985	0.04393	-0.10816	0.00533	0.00154	0.00061
4	-0.11265	0.03378	-0.09943	0.00759	-0.00066	0.00016
5	-0.00494	0.02854	-0.09299	0.00673	-0.00124	0.00023
6	0.12384	0.02763	-0.08581	0.00745	-0.00091	0.00030
7	0.25773	0.03144	-0.07534	0.00722	-0.00125	0.00035
8	0.38638	0.03933	-0.06647	0.00793	-0.00135	0.00036
9	0.49320	0.05438	-0.04710	0.00850	-0.00148	-0.00021
10	0.53461	0.06737	-0.03119	0.01005	-0.00110	-0.00120
11	0.57172	0.08550	-0.01708	0.00679	-0.00088	0.00003
12	0.59727	0.10073	-0.00842	0.00715	-0.00054	0.00037
13	0.65748	0.12319	-0.00062	0.01014	0.00010	-0.00068
14	0.69135	0.14472	0.00323	0.01136	-0.00208	-0.00027
15	0.67971	0.16242	0.00899	0.00646	-0.00090	0.00166
16	0.68788	0.20027	0.01402	0.01153	-0.00680	-0.00483
17	0.78712	0.25388	0.01089	0.01055	0.00409	-0.00489
18	0.81263	0.30166	0.01479	0.00505	-0.00894	-0.00010
19	0.85372	0.35670	0.02033	0.00788	-0.00293	0.00054
20	0.88353	0.40872	0.02681	0.00742	-0.00037	-0.00094
21	-0.00018	0.02841	-0.09183	0.00492	-0.00127	0.00024

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
58	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8203	-6.60	-0.01	30.37	100.30	64.48	12.54	319.17
				634.3	2094.9	1346.6	3.82	114.83
2	0.8205	-5.45	-0.02	30.37	100.27	64.44	12.52	319.35
				634.3	2094.2	1345.9	3.82	115.16
3	0.8224	-4.21	-0.02	30.46	100.30	64.34	12.54	319.43
				636.2	2094.9	1343.7	3.82	115.30
4	0.8214	-3.07	-0.02	30.42	100.30	64.40	12.53	319.44
				635.3	2094.9	1345.1	3.82	115.33
5	0.8201	-1.96	-0.02	30.37	100.34	64.51	12.50	319.89
				634.3	2095.6	1347.3	3.81	116.14
6	0.8198	-0.84	-0.02	30.35	100.30	64.51	12.54	318.92
				633.8	2094.9	1347.3	3.82	114.39
7	0.8198	0.53	-0.02	30.35	100.30	64.51	12.51	319.58
				633.8	2094.9	1347.3	3.81	115.57
8	0.8193	1.78	-0.02	30.32	100.30	64.54	12.52	319.28
				633.3	2094.9	1348.0	3.82	115.03
9	0.8230	2.67	-0.02	30.49	100.30	64.30	12.53	319.74
				636.7	2094.9	1343.0	3.82	115.87
10	0.8214	3.79	-0.02	30.42	100.30	64.40	12.49	320.23
				635.3	2094.9	1345.1	3.81	116.75
11	0.8198	4.98	-0.02	30.35	100.30	64.51	12.50	319.71
				633.8	2094.9	1347.3	3.81	115.80
12	0.8203	5.93	-0.02	30.37	100.30	64.48	12.51	319.62
				634.3	2094.9	1346.6	3.81	115.64
13	0.8193	7.02	-0.02	30.32	100.30	64.54	12.51	319.47
				633.3	2094.9	1348.0	3.81	115.37
14	0.8198	8.15	-0.02	30.35	100.30	64.51	12.49	320.03
				633.8	2094.9	1347.3	3.81	116.38
15	0.8203	9.19	-0.02	30.37	100.30	64.48	12.50	319.80
				634.3	2094.9	1346.6	3.81	115.97
16	0.8203	11.17	-0.04	30.37	100.30	64.48	12.50	319.88
				634.3	2094.9	1346.6	3.81	116.11
17	0.8198	13.46	0.04	30.35	100.30	64.51	12.51	319.69
				633.8	2094.9	1347.3	3.81	115.77
18	0.8216	15.47	-0.09	30.41	100.27	64.37	12.50	319.99
				635.2	2094.2	1344.4	3.81	116.31
19	0.8203	17.52	-0.02	30.37	100.30	64.48	12.47	320.42
				634.3	2094.9	1346.6	3.80	117.08
20	0.8214	19.74	0.00	30.42	100.30	64.40	12.48	320.51
				635.3	2094.9	1345.1	3.80	117.25
21	0.8205	-2.12	-0.01	30.37	100.27	64.44	12.52	319.35
				634.3	2094.2	1345.9	3.82	115.16

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
58	6	OFF

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.28917	0.07805	-0.14900	0.00021	0.00124	0.00115
2	-0.23566	0.06307	-0.13163	0.00265	0.00264	0.00105
3	-0.16700	0.04947	-0.11070	0.00552	0.00209	0.00053
4	-0.10159	0.03921	-0.09175	0.00700	0.00081	0.00035
5	-0.00464	0.03284	-0.08182	0.00645	-0.00107	0.00035
6	0.11600	0.03118	-0.07488	0.00728	-0.00174	0.00037
7	0.26363	0.03494	-0.06967	0.00713	-0.00163	0.00034
8	0.38036	0.04456	-0.06047	0.00661	-0.00101	0.00033
9	0.42518	0.05577	-0.04665	0.00852	-0.00165	-0.00019
10	0.48712	0.07030	-0.03064	0.00986	-0.00097	-0.00097
11	0.53289	0.08733	-0.01661	0.00821	-0.00090	0.00006
12	0.56784	0.10250	-0.00691	0.00749	-0.00071	0.00038
13	0.62222	0.12230	-0.00062	0.00870	0.00024	-0.00053
14	0.68474	0.14745	0.00355	0.01053	-0.00082	-0.00067
15	0.67655	0.16616	0.00965	0.00651	0.00023	0.00034
16	0.68390	0.20329	0.01285	0.01074	-0.00733	-0.00383
17	0.80518	0.26169	0.00756	0.01064	0.00419	-0.00462
18	0.82554	0.30942	0.01253	0.00445	-0.00962	-0.00027
19	0.84806	0.35813	0.02142	0.00827	-0.00062	-0.00036
20	0.90271	0.42123	0.02726	0.00639	-0.00001	-0.00117
21	-0.02387	0.03389	-0.08193	0.00259	-0.00086	0.00039

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
59	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8516	-6.48	-0.01	31.70	100.30	62.44	12.64	321.39
				662.0	2094.9	1304.1	3.85	118.83
2	0.8523	-5.44	-0.02	31.71	100.27	62.37	12.63	321.58
				662.3	2094.2	1302.7	3.85	119.17
3	0.8526	-4.35	-0.02	31.74	100.30	62.37	12.64	321.48
				662.8	2094.9	1302.7	3.85	119.00
4	0.8531	-3.24	-0.02	31.76	100.30	62.34	12.66	321.09
				663.3	2094.9	1302.0	3.86	118.29
5	0.8516	-2.06	-0.02	31.70	100.30	62.44	12.62	321.65
				662.0	2094.9	1304.1	3.85	119.30
6	0.8526	-0.99	-0.02	31.74	100.30	62.37	12.67	320.96
				662.8	2094.9	1302.7	3.86	118.06
7	0.8523	0.28	-0.02	31.71	100.27	62.37	12.62	321.78
				662.3	2094.2	1302.7	3.85	119.54
8	0.8526	1.40	-0.02	31.74	100.30	62.37	12.67	320.79
				662.8	2094.9	1302.7	3.86	117.76
9	0.8517	2.63	-0.02	31.69	100.27	62.41	12.64	321.33
				661.9	2094.2	1303.4	3.85	118.73
10	0.8533	3.68	-0.02	31.75	100.27	62.31	12.67	320.96
				663.2	2094.2	1301.3	3.86	118.06
11	0.8526	4.81	-0.02	31.74	100.30	62.37	12.63	321.58
				662.8	2094.9	1302.7	3.85	119.17
12	0.8511	5.99	-0.02	31.67	100.30	62.47	12.62	321.65
				661.5	2094.9	1304.7	3.85	119.30
13	0.8517	7.26	-0.02	31.69	100.27	62.41	12.62	321.58
				661.9	2094.2	1303.4	3.85	119.17
14	0.8521	8.32	-0.02	31.72	100.30	62.41	12.65	321.26
				662.4	2094.9	1303.4	3.86	118.60
15	0.8511	9.21	-0.04	31.67	100.30	62.47	12.63	321.48
				661.5	2094.9	1304.7	3.85	119.00
16	0.8528	11.32	-0.04	31.74	100.27	62.34	12.59	322.46
				662.8	2094.2	1302.0	3.84	120.75
17	0.8523	13.62	0.05	31.71	100.27	62.37	12.60	322.25
				662.3	2094.2	1302.7	3.84	120.38
18	0.8492	15.73	-0.10	31.59	100.27	62.57	12.58	322.16
				659.7	2094.2	1306.8	3.83	120.21
19	0.8536	17.73	-0.04	31.78	100.30	62.31	12.58	322.88
				663.7	2094.9	1301.3	3.83	121.52
20	0.8528	19.91	0.04	31.74	100.27	62.34	12.54	323.44
				662.8	2094.2	1302.0	3.82	122.53
21	0.8507	-2.10	-0.01	31.65	100.27	62.47	12.59	322.16
				661.0	2094.2	1304.7	3.84	120.21

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
59	6	OFF

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.27279	0.08825	-0.14884	-0.00107	0.00186	0.00115
2	-0.21500	0.07438	-0.13388	0.00174	0.00269	0.00079
3	-0.16246	0.06230	-0.11378	0.00488	0.00166	0.00041
4	-0.10748	0.05277	-0.09231	0.00567	0.00049	0.00042
5	-0.03703	0.04564	-0.06705	0.00465	-0.00002	0.00047
6	0.03613	0.04433	-0.04443	0.00528	-0.00121	0.00041
7	0.13018	0.04501	-0.02945	0.00547	-0.00169	0.00041
8	0.21580	0.05101	-0.02014	0.00536	-0.00135	0.00063
9	0.30403	0.06256	-0.01041	0.00613	-0.00148	-0.00007
10	0.36907	0.07536	-0.00296	0.00856	-0.00105	-0.00088
11	0.43764	0.08955	0.00142	0.00697	-0.00078	-0.00007
12	0.50847	0.10709	0.00412	0.00570	-0.00005	0.00030
13	0.58788	0.13119	0.00853	0.00773	0.00042	-0.00047
14	0.66607	0.15479	0.00824	0.01012	0.00016	-0.00088
15	0.67930	0.17214	0.01108	0.01028	-0.00267	-0.00029
16	0.70205	0.21504	0.00657	0.01018	-0.00490	-0.00173
17	0.83715	0.27703	-0.00193	0.01186	0.00506	-0.00512
18	0.84503	0.32422	0.00862	0.00366	-0.01074	0.00008
19	0.87249	0.37515	0.01782	0.00962	-0.00199	-0.00038
20	0.93601	0.44075	0.03258	0.00300	0.00068	-0.00369
21	-0.03878	0.04582	-0.06788	0.00106	0.00001	0.00047

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN   CONFIG   DHORZ(deg)
60   6   OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8998	-6.64	-0.02	33.61	100.27	59.29	12.77	324.44
				701.9	2094.2	1238.4	3.89	124.32
2	0.9024	-5.45	-0.01	33.70	100.27	59.13	12.72	325.56
				703.9	2094.2	1235.0	3.88	126.34
3	0.9013	-4.20	-0.02	33.66	100.27	59.20	12.76	324.85
				703.1	2094.2	1236.4	3.89	125.06
4	0.8993	-3.24	-0.02	33.59	100.27	59.33	12.71	325.45
				701.5	2094.2	1239.1	3.88	126.14
5	0.9000	-2.11	-0.01	33.61	100.24	59.26	12.71	325.59
				701.9	2093.5	1237.7	3.87	126.40
6	0.8993	-0.89	-0.01	33.59	100.27	59.33	12.70	325.71
				701.5	2094.2	1239.1	3.87	126.61
7	0.9000	0.10	-0.01	33.61	100.24	59.26	12.72	325.37
				701.9	2093.5	1237.7	3.88	126.00
8	0.9011	1.37	-0.01	33.65	100.24	59.20	12.73	325.22
				702.7	2093.5	1236.4	3.88	125.73
9	0.9003	2.54	-0.01	33.63	100.27	59.26	12.70	325.82
				702.3	2094.2	1237.7	3.87	126.81
10	0.8995	3.74	-0.01	33.59	100.24	59.29	12.73	325.07
				701.5	2093.5	1238.4	3.88	125.46
11	0.9003	4.71	-0.01	33.63	100.27	59.26	12.69	326.03
				702.3	2094.2	1237.7	3.87	127.18
12	0.8998	5.91	-0.01	33.61	100.27	59.29	12.75	324.85
				701.9	2094.2	1238.4	3.88	125.06
13	0.8990	7.02	-0.01	33.57	100.24	59.33	12.72	325.21
				701.1	2093.5	1239.1	3.88	125.70
14	0.9000	8.35	-0.01	33.61	100.24	59.26	12.72	325.28
				701.9	2093.5	1237.7	3.88	125.83
15	0.8995	9.44	0.00	33.59	100.24	59.29	12.68	326.10
				701.5	2093.5	1238.4	3.86	127.31
16	0.9000	11.48	-0.04	33.61	100.24	59.26	12.67	326.29
				701.9	2093.5	1237.7	3.86	127.65
17	0.9005	13.72	-0.05	33.63	100.24	59.23	12.65	326.68
				702.3	2093.5	1237.0	3.86	128.36
18	0.8993	15.87	-0.08	33.59	100.27	59.33	12.64	326.92
				701.5	2094.2	1239.1	3.85	128.79
19	0.8995	17.98	-0.10	33.59	100.24	59.29	12.66	326.51
				701.5	2093.5	1238.4	3.86	128.05
20	0.9016	-2.15	0.00	33.66	100.24	59.17	12.64	327.09
				703.1	2093.5	1235.7	3.85	129.10

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
60	6	OFF

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.35239	0.11644	-0.12272	-0.00050	0.00240	0.00105
2	-0.27536	0.10327	-0.10976	0.00167	0.00153	0.00047
3	-0.19191	0.08721	-0.09475	0.00329	0.00097	0.00059
4	-0.14714	0.07864	-0.07356	0.00358	0.00064	0.00048
5	-0.10302	0.07351	-0.03964	0.00388	-0.00001	0.00022
6	-0.04821	0.07247	-0.00243	0.00376	-0.00216	0.00018
7	0.01120	0.07545	0.01763	0.00261	-0.00040	0.00065
8	0.11434	0.08039	0.02507	0.00182	0.00083	0.00067
9	0.19701	0.08652	0.03579	0.00272	0.00054	0.00040
10	0.27651	0.09656	0.04322	0.00600	0.00114	-0.00079
11	0.33685	0.10644	0.05135	0.00538	0.00115	-0.00031
12	0.40882	0.12148	0.05313	0.00191	0.00145	0.00086
13	0.48451	0.13857	0.05016	0.00398	0.00107	0.00064
14	0.63501	0.17165	0.02543	0.00508	0.00113	-0.00005
15	0.75012	0.20154	0.00875	0.00721	0.00234	-0.00083
16	0.76323	0.24256	0.00576	0.00678	-0.00283	-0.00026
17	0.85499	0.30258	0.00699	0.01124	-0.00231	-0.00020
18	0.89637	0.35376	0.00735	-0.00626	-0.00915	0.00109
19	0.93835	0.41293	0.01711	0.01523	-0.00506	0.00061
20	-0.10572	0.07540	-0.03876	0.00064	-0.00043	0.00030

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
61	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.7809	1.79	-0.02	28.61	100.27	67.03	12.35	316.83
				597.6	2094.2	1399.9	3.76	110.62
4	0.7788	3.10	-0.02	28.52	100.27	67.16	12.30	317.37
				595.6	2094.2	1402.7	3.75	111.60
5	0.7799	4.06	-0.02	28.57	100.27	67.09	12.27	318.14
				596.6	2094.2	1401.3	3.74	112.98
6	0.7814	4.04	-0.02	28.64	100.27	66.99	12.29	317.99
				598.1	2094.2	1399.1	3.75	112.71
7	0.7766	5.14	-0.02	28.42	100.30	67.33	12.24	318.29
				593.6	2094.9	1406.3	3.73	113.25
8	0.7793	8.44	-0.02	28.54	100.27	67.13	12.28	317.86
				596.1	2094.2	1402.0	3.74	112.47

782

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN 61	CONFIG 6	DHORZ(deg) OFF			

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
3	0.40389	0.03925	-0.06216	0.00597	-0.00139	0.00016
4	0.54684	0.05365	-0.04518	0.00916	-0.00163	-0.00032
5	0.58712	0.06841	-0.03007	0.01054	-0.00086	-0.00098
6	0.58343	0.06798	-0.03000	0.01016	-0.00101	-0.00098
7	0.63349	0.08459	-0.01603	0.00584	-0.00035	0.00020
8	0.69673	0.14701	0.00731	0.00673	-0.00099	0.00000

783

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
62	6	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7809	1.89	-0.02	28.61	100.27	67.03	12.33	317.22
				597.6	2094.2	1399.9	3.76	111.33
2	0.7788	3.09	-0.02	28.52	100.27	67.16	12.30	317.33
				595.6	2094.2	1402.7	3.75	111.53
3	0.7788	6.03	-0.01	28.52	100.27	67.16	12.28	317.80
				595.6	2094.2	1402.7	3.74	112.37

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN 62	CONFIG 6	DHORZ(deg) OFF			
SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	0.41897	0.04010	-0.06043	0.00556	-0.00136	0.00047
2	0.54591	0.05395	-0.04516	0.00825	-0.00090	-0.00022
3	0.66627	0.10138	-0.00894	0.00594	0.00053	0.00020

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
63	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
17	0.6000	-6.46	-0.01	19.87 / 415.0	100.58 / 2100.6	78.85 / 1646.8	11.28 / 3.44	300.09 / 80.50
18	0.5996	-5.28	-0.01	19.84 / 414.4	100.54 / 2099.9	78.85 / 1646.8	11.25 / 3.43	300.58 / 81.38
19	0.6006	-4.23	-0.01	19.90 / 415.6	100.58 / 2100.6	78.82 / 1646.1	11.26 / 3.43	300.67 / 81.54
20	0.6007	-2.98	-0.01	19.90 / 415.6	100.54 / 2099.9	78.78 / 1645.4	11.24 / 3.43	301.03 / 82.18
21	0.6011	-2.01	-0.01	19.93 / 416.2	100.58 / 2100.6	78.78 / 1645.4	11.25 / 3.43	301.11 / 82.32
22	0.6000	-0.83	-0.01	19.87 / 415.0	100.58 / 2100.6	78.85 / 1646.8	11.23 / 3.42	301.29 / 82.65
23	0.5997	0.26	-0.01	19.84 / 414.4	100.51 / 2099.2	78.82 / 1646.1	11.19 / 3.41	301.70 / 83.39
24	0.6011	1.43	-0.01	19.93 / 416.2	100.58 / 2100.6	78.78 / 1645.4	11.21 / 3.42	301.87 / 83.70
25	0.6007	2.58	-0.01	19.90 / 415.6	100.54 / 2099.9	78.78 / 1645.4	11.20 / 3.41	302.02 / 83.97
26	0.6011	3.60	-0.01	19.93 / 416.2	100.58 / 2100.6	78.78 / 1645.4	11.19 / 3.41	302.23 / 84.34
27	0.6001	4.69	-0.01	19.87 / 415.0	100.54 / 2099.9	78.82 / 1646.1	11.16 / 3.40	302.56 / 84.94
28	0.6006	5.82	-0.01	19.90 / 415.6	100.58 / 2100.6	78.82 / 1646.1	11.19 / 3.41	302.24 / 84.37
29	0.6004	7.04	-0.01	19.90 / 415.6	100.61 / 2101.3	78.85 / 1646.8	11.17 / 3.41	302.56 / 84.94
30	0.5985	7.89	-0.01	19.78 / 413.2	100.54 / 2099.9	78.92 / 1648.3	11.14 / 3.39	302.64 / 85.08
31	0.6000	8.91	0.00	19.87 / 415.0	100.58 / 2100.6	78.85 / 1646.8	11.15 / 3.40	302.79 / 85.35
32	0.5995	10.90	0.00	19.84 / 414.4	100.58 / 2100.6	78.88 / 1647.5	11.13 / 3.39	303.11 / 85.92
33	0.6006	12.94	0.02	19.90 / 415.6	100.58 / 2100.6	78.82 / 1646.1	11.14 / 3.39	303.29 / 86.26
34	0.6007	15.03	0.00	19.90 / 415.6	100.54 / 2099.9	78.78 / 1645.4	11.13 / 3.39	303.53 / 86.69
35	0.5995	17.00	0.02	19.84 / 414.4	100.58 / 2100.6	78.88 / 1647.5	11.11 / 3.38	303.67 / 86.93
36	0.5989	19.15	0.02	19.81 / 413.8	100.58 / 2100.6	78.92 / 1648.3	11.08 / 3.38	304.00 / 87.53
37	0.6000	-1.99	-0.01	19.87 / 415.0	100.58 / 2100.6	78.85 / 1646.8	11.11 / 3.38	303.82 / 87.20

786

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN 63	CONFIG 2	DHORZ(deg) OFF			

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
17	-0.35752	0.03929	-0.11636	0.00288	0.00075	0.00059
18	-0.25305	0.03163	-0.10741	0.00363	0.00123	0.00070
19	-0.16395	0.02741	-0.10058	0.00362	0.00124	0.00059
20	-0.05359	0.02452	-0.09133	0.00424	0.00137	0.00049
21	0.03035	0.02445	-0.08389	0.00440	0.00128	0.00048
22	0.13434	0.02579	-0.07292	0.00599	0.00117	0.00028
23	0.23114	0.02876	-0.06291	0.00390	0.00197	0.00047
24	0.33940	0.03337	-0.04982	0.00505	0.00148	0.00052
25	0.43323	0.03964	-0.03878	0.00506	0.00152	0.00015
26	0.51612	0.04657	-0.02571	0.00441	0.00088	-0.00004
27	0.60573	0.05525	-0.00712	0.00609	0.00114	-0.00027
28	0.69353	0.06871	0.01104	0.00609	0.00112	-0.00054
29	0.76865	0.08874	0.02564	0.00684	0.00047	-0.00079
30	0.78503	0.11048	0.03005	0.00856	-0.00119	-0.00142
31	0.77826	0.13677	0.02738	0.00822	0.00120	-0.00116
32	0.74662	0.18423	0.02801	0.00554	0.00152	-0.00005
33	0.71071	0.22028	0.04406	0.00455	0.00393	-0.00113
34	0.70345	0.25876	0.04447	0.00519	0.00244	0.00145
35	0.75903	0.30907	0.03929	0.00514	0.00362	-0.00066
36	0.81763	0.36585	0.04022	0.00277	0.00262	-0.00138
37	0.03693	0.02464	-0.08327	0.00556	0.00008	0.00034

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
64	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7002	-6.36	-0.01	24.85	100.44	72.39	11.98	309.56
				519.0	2097.8	1512.0	3.65	97.53
2	0.6986	-5.32	-0.02	24.77	100.44	72.50	11.93	310.19
				517.3	2097.8	1514.1	3.64	98.67
3	0.7026	-4.15	-0.02	24.98	100.51	72.29	11.97	310.54
				521.7	2099.2	1509.8	3.65	99.31
4	0.7017	-3.02	-0.01	24.93	100.48	72.33	11.95	310.68
				520.6	2098.5	1510.6	3.64	99.55
5	0.7011	-1.94	-0.01	24.90	100.48	72.36	11.94	310.62
				520.1	2098.5	1511.3	3.64	99.45
6	0.7017	-0.83	-0.02	24.93	100.48	72.33	11.94	310.75
				520.6	2098.5	1510.6	3.64	99.68
7	0.7022	0.30	-0.01	24.95	100.48	72.29	11.96	310.57
				521.1	2098.5	1509.8	3.64	99.35
8	0.7008	1.61	-0.01	24.87	100.44	72.36	11.91	311.20
				519.5	2097.8	1511.3	3.63	100.49
9	0.7010	2.76	-0.01	24.90	100.51	72.39	11.93	310.94
				520.1	2099.2	1512.0	3.64	100.02
10	0.7026	3.85	-0.01	24.98	100.51	72.29	11.96	310.66
				521.7	2099.2	1509.8	3.64	99.51
11	0.7026	4.93	0.00	24.98	100.51	72.29	11.95	310.96
				521.7	2099.2	1509.8	3.64	100.05
12	0.7017	6.11	0.00	24.93	100.48	72.33	11.93	310.94
				520.6	2098.5	1510.6	3.64	100.02
13	0.7022	7.17	-0.01	24.95	100.48	72.29	11.93	311.05
				521.1	2098.5	1509.8	3.64	100.22
14	0.7022	8.13	-0.01	24.95	100.48	72.29	11.93	311.20
				521.1	2098.5	1509.8	3.63	100.49
15	0.7006	9.19	0.01	24.87	100.48	72.39	11.93	310.83
				519.5	2098.5	1512.0	3.63	99.82
16	0.7001	11.11	0.00	24.85	100.48	72.43	11.90	311.18
				519.0	2098.5	1512.7	3.63	100.46
17	0.7026	13.21	0.09	24.98	100.51	72.29	11.93	311.31
				521.7	2099.2	1509.8	3.63	100.69
18	0.7011	15.17	0.01	24.90	100.48	72.36	11.90	311.54
				520.1	2098.5	1511.3	3.63	101.10
19	0.7010	17.32	0.01	24.90	100.51	72.39	11.90	311.54
				520.1	2099.2	1512.0	3.63	101.10
20	0.7005	19.47	0.01	24.87	100.51	72.43	11.89	311.69
				519.5	2099.2	1512.7	3.62	101.37
21	0.7005	-1.90	-0.01	24.87	100.51	72.43	11.91	311.31
				519.5	2099.2	1512.7	3.63	100.69

788

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
64	2	OFF

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.39267	0.04429	-0.12078	0.00559	0.00016	0.00037
2	-0.29832	0.03469	-0.11099	0.00496	0.00048	0.00065
3	-0.18494	0.02878	-0.10127	0.00535	0.00123	0.00048
4	-0.08095	0.02549	-0.09203	0.00564	0.00066	0.00036
5	0.01147	0.02485	-0.08410	0.00571	0.00050	0.00034
6	0.12230	0.02689	-0.07467	0.00603	0.00117	0.00037
7	0.22920	0.03016	-0.06487	0.00464	0.00116	0.00037
8	0.35975	0.03630	-0.04930	0.00461	0.00085	0.00044
9	0.45690	0.04393	-0.03426	0.00481	0.00150	0.00035
10	0.55681	0.05509	-0.01772	0.00569	0.00165	-0.00008
11	0.65240	0.07015	-0.00234	0.00489	0.00269	-0.00022
12	0.71959	0.09016	0.01276	0.00373	0.00265	0.00030
13	0.73093	0.11311	0.01434	0.00875	0.00077	-0.00080
14	0.72777	0.13528	0.01020	0.00728	0.00126	-0.00068
15	0.73553	0.15825	0.01223	0.00527	0.00527	-0.00054
16	0.68950	0.19188	0.02449	-0.00011	0.00547	0.00338
17	0.70077	0.23214	0.03042	0.00260	0.01422	-0.00123
18	0.72076	0.27335	0.03587	0.00632	0.00285	-0.00001
19	0.78716	0.32953	0.03493	0.00722	0.00334	-0.00031
20	0.84056	0.38678	0.03575	0.00606	0.00172	-0.00066
21	0.01565	0.02487	-0.08466	0.00259	0.00137	0.00065

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
65	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7502	-6.65	-0.01	27.24	100.44	69.14	12.30	312.92
				569.0	2097.8	1444.1	3.75	103.59
2	0.7527	-5.47	-0.01	27.37	100.48	69.01	12.28	313.71
				571.6	2098.5	1441.2	3.74	105.00
3	0.7525	-4.38	-0.02	27.37	100.51	69.04	12.29	313.57
				571.6	2099.2	1442.0	3.75	104.76
4	0.7510	-3.12	-0.02	27.30	100.51	69.14	12.30	313.09
				570.1	2099.2	1444.1	3.75	103.89
5	0.7525	-2.06	-0.01	27.37	100.51	69.04	12.29	313.56
				571.6	2099.2	1442.0	3.75	104.73
6	0.7522	-0.65	-0.01	27.34	100.48	69.04	12.27	313.80
				571.1	2098.5	1442.0	3.74	105.17
7	0.7520	0.31	-0.01	27.34	100.51	69.08	12.27	313.93
				571.1	2099.2	1442.7	3.74	105.40
8	0.7516	1.52	-0.01	27.32	100.48	69.08	12.29	313.37
				570.5	2098.5	1442.7	3.75	104.39
9	0.7530	2.77	-0.01	27.39	100.51	69.01	12.28	313.86
				572.1	2099.2	1441.2	3.74	105.27
10	0.7530	4.09	0.00	27.39	100.51	69.01	12.24	314.72
				572.1	2099.2	1441.2	3.73	106.82
11	0.7515	5.04	0.00	27.32	100.51	69.11	12.25	314.27
				570.6	2099.2	1443.4	3.73	106.01
12	0.7511	5.99	0.00	27.29	100.48	69.11	12.27	313.63
				570.0	2098.5	1443.4	3.74	104.87
13	0.7510	7.23	-0.01	27.30	100.51	69.14	12.25	314.13
				570.1	2099.2	1444.1	3.73	105.77
14	0.7524	8.08	-0.01	27.37	100.54	69.08	12.27	314.13
				571.6	2099.9	1442.7	3.74	105.77
15	0.7515	9.08	0.00	27.32	100.51	69.11	12.24	314.36
				570.6	2099.2	1443.4	3.73	106.18
16	0.7504	11.09	0.03	27.27	100.51	69.18	12.27	313.67
				569.6	2099.2	1444.8	3.74	104.93
17	0.7516	13.18	0.07	27.32	100.48	69.08	12.25	314.17
				570.5	2098.5	1442.7	3.73	105.84
18	0.7511	14.27	0.04	27.29	100.48	69.11	12.24	314.36
				570.0	2098.5	1443.4	3.73	106.18
19	0.7511	15.25	0.02	27.29	100.48	69.11	12.23	314.47
				570.0	2098.5	1443.4	3.73	106.38
20	0.7490	17.34	0.00	27.20	100.48	69.24	12.20	314.72
				568.0	2098.5	1446.2	3.72	106.82
21	0.7527	19.57	0.01	27.37	100.48	69.01	12.25	314.43
				571.6	2098.5	1441.2	3.73	106.31
22	0.7527	-2.05	-0.01	27.37	100.48	69.01	12.23	314.73
				571.6	2098.5	1441.2	3.73	106.85

790

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN 65	CONFIG 2	DHORZ(deg) OFF			

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.40646	0.05803	-0.12114	0.00221	-0.00006	0.00094
2	-0.32790	0.04222	-0.10875	0.00350	0.00043	0.00065
3	-0.23056	0.03216	-0.10069	0.00443	0.00127	0.00068
4	-0.09632	0.02717	-0.09159	0.00538	0.00097	0.00049
5	-0.00424	0.02621	-0.08293	0.00400	0.00157	0.00053
6	0.14271	0.02792	-0.07085	0.00498	0.00188	0.00043
7	0.24245	0.03088	-0.06108	0.00453	0.00176	0.00052
8	0.36518	0.03731	-0.04811	0.00378	0.00097	0.00049
9	0.48493	0.04866	-0.03247	0.00315	0.00287	0.00030
10	0.60698	0.06763	-0.01507	0.00518	0.00297	-0.00035
11	0.62924	0.08221	-0.00275	0.00276	0.00336	0.00070
12	0.65801	0.09827	0.00188	0.00413	0.00286	0.00036
13	0.69122	0.12273	0.00460	0.00898	0.00139	-0.00077
14	0.69023	0.13949	0.00705	0.00706	0.00156	-0.00046
15	0.69388	0.15886	0.01205	0.00590	0.00327	-0.00049
16	0.66942	0.19467	0.02518	0.00006	0.00787	0.00215
17	0.70889	0.23844	0.02652	0.00389	0.01187	-0.00077
18	0.72644	0.26404	0.02949	0.00767	0.00581	-0.00169
19	0.75268	0.28713	0.03094	0.00868	0.00452	-0.00128
20	0.80152	0.33875	0.03200	0.00877	0.00214	-0.00012
21	0.86312	0.40186	0.03222	0.00765	0.00194	-0.00055
22	-0.00211	0.02566	-0.08193	0.00178	0.00089	0.00055

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
66	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7804	-6.62	-0.01	28.65	100.48	67.20	12.43	315.43
				598.3	2098.5	1403.4	3.79	108.10
2	0.7794	-5.54	-0.02	28.60	100.48	67.26	12.41	315.74
				597.3	2098.5	1404.8	3.78	108.67
3	0.7794	-5.54	-0.01	28.60	100.48	67.26	12.44	315.17
				597.3	2098.5	1404.8	3./9	107.63
4	0.7783	-4.44	-0.02	28.55	100.48	67.33	12.42	315.43
				596.3	2098.5	1406.3	3.79	108.10
5	0.7783	-3.09	-0.01	28.55	100.48	67.33	12.42	315.33
				596.3	2098.5	1406.3	3.79	107.93
6	0.7814	-2.06	-0.02	28.69	100.48	67.13	12.41	316.14
				599.3	2098.5	1402.0	3.78	109.38
7	0.7814	-0.85	-0.02	28.69	100.48	67.13	12.44	315.46
				599.3	2098.5	1402.0	3.79	108.16
8	0.7813	0.42	-0.02	28.69	100.51	67.16	12.44	315.63
				599.3	2099.2	1402.7	3.79	108.47
9	0.7797	1.64	-0.01	28.62	100.51	67.26	12.44	315.35
				597.8	2099.2	1404.8	3.79	107.96
10	0.7821	2.78	-0.01	28.71	100.44	67.06	12.42	315.91
				599.7	2097.8	1400.6	3.79	108.97
11	0.7835	3.88	-0.01	28.79	100.48	66.99	12.46	315.50
				601.3	2098.5	1399.1	3.80	108.23
12	0.7825	4.93	0.00	28.74	100.48	67.06	12.42	316.06
				600.3	2098.5	1400.5	3.79	109.24
13	0.7809	6.05	0.00	28.67	100.48	67.16	12.42	315.84
				598.8	2098.5	1402.7	3.79	108.84
14	0.7804	7.10	0.00	28.65	100.48	67.20	12.40	316.02
				598.3	2098.5	1403.4	3.78	109.17
15	0.7804	8.04	-0.01	28.65	100.48	67.20	12.39	316.43
				598.3	2098.5	1403.4	3.78	109.91
16	0.7802	9.13	0.00	28.65	100.51	67.23	12.43	315.61
				598.3	2099.2	1404.1	3.79	108.43
17	0.7788	11.08	0.04	28.57	100.48	67.30	12.38	316.21
				596.8	2098.5	1405.5	3.77	109.51
18	0.7797	13.34	0.05	28.62	100.51	67.26	12.41	315.95
				597.8	2099.2	1404.8	3.78	109.04
19	0.7795	15.33	0.06	28.60	100.44	67.23	12.38	316.36
				597.3	2097.8	1404.1	3.77	109.78
20	0.7785	17.49	0.00	28.55	100.44	67.30	12.34	317.03
				596.3	2097.8	1405.6	3.76	110.99
21	0.7788	19.60	0.01	28.57	100.48	67.30	12.37	316.53
				596.8	2098.5	1405.5	3.77	110.08
22	0.7816	-2.10	-0.01	28.69	100.44	67.09	12.40	316.17
				599.2	2097.8	1401.3	3.78	109.44

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN 66	CONFIG 2	DHORZ(deg) OFF			

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.37290	0.06307	-0.11995	0.00043	0.00074	0.00094
2	-0.31002	0.04907	-0.10592	0.00331	0.00112	0.00069
3	-0.31019	0.04892	-0.10552	0.00329	0.00069	0.00065
4	-0.24582	0.03734	-0.09559	0.00572	0.00017	0.00059
5	-0.10916	0.02876	-0.08604	0.00466	-0.00001	0.00051
6	-0.00858	0.02694	-0.07859	0.00417	0.00129	0.00067
7	0.12237	0.02780	-0.06881	0.00549	0.00136	0.00057
8	0.25164	0.03183	-0.05862	0.00525	0.00102	0.00048
9	0.37861	0.03987	-0.04784	0.00314	0.00225	0.00079
10	0.50499	0.05377	-0.03617	0.00511	0.00167	0.00032
11	0.54066	0.06951	-0.01992	0.00533	0.00303	-0.00034
12	0.56948	0.08482	-0.00737	0.00212	0.00311	0.00072
13	0.61403	0.10361	-0.00059	0.00425	0.00309	0.00032
14	0.66090	0.12457	0.00234	0.00756	0.00268	-0.00069
15	0.67082	0.14268	0.00733	0.00819	0.00048	-0.00054
16	0.68554	0.16325	0.01189	0.00762	0.00243	-0.00090
17	0.66064	0.19573	0.02321	0.00389	0.00809	0.00016
18	0.73056	0.24831	0.02227	0.00504	0.00854	-0.00032
19	0.79208	0.29982	0.02317	0.00646	0.00816	-0.00180
20	0.82326	0.35136	0.02907	0.00830	0.00205	-0.00036
21	0.87322	0.40881	0.02991	0.00720	0.00181	-0.00094
22	-0.01318	0.02649	-0.07861	0.00354	0.00064	0.00058

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
67	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8008	-6.60	-0.01	29.57 617.5	100.48 2098.5	65.86 1375.5	12.52 3.82	316.96 110.86
2	0.7982	-5.48	-0.02	29.45 615.0	100.48 2098.5	66.03 1379.1	12.48 3.80	317.41 111.66
3	0.8003	-4.21	-0.02	29.54 617.0	100.48 2098.5	65.90 1376.3	12.51 3.81	317.02 110.96
4	0.8013	-3.30	-0.02	29.59 617.9	100.48 2098.5	65.83 1374.8	12.53 3.82	316.87 110.69
5	0.8019	-2.08	-0.02	29.61 618.4	100.48 2098.5	65.79 1374.1	12.52 3.82	317.14 111.19
6	0.8019	-0.81	-0.01	29.61 618.4	100.48 2098.5	65.79 1374.1	12.49 3.81	317.65 112.10
7	0.8013	0.45	-0.02	29.59 617.9	100.48 2098.5	65.83 1374.8	12.53 3.82	316.92 110.79
8	0.8003	1.53	-0.01	29.54 617.0	100.48 2098.5	65.90 1376.3	12.52 3.82	316.98 110.89
9	0.8026	2.76	-0.01	29.63 618.9	100.44 2097.8	65.72 1372.6	12.55 3.82	316.66 110.32
10	0.8013	3.87	-0.01	29.59 617.9	100.48 2098.5	65.83 1374.8	12.51 3.81	317.29 111.46
11	0.8013	5.02	-0.01	29.59 617.9	100.48 2098.5	65.83 1374.8	12.50 3.81	317.37 111.60
12	0.8006	6.10	0.00	29.57 617.5	100.51 2099.2	65.89 1376.2	12.49 3.81	317.69 112.17
13	0.7999	7.12	0.00	29.51 616.4	100.44 2097.8	65.90 1376.3	12.47 3.80	317.69 112.17
14	0.8008	8.05	0.00	29.57 617.5	100.48 2098.5	65.86 1375.5	12.48 3.81	317.71 112.20
15	0.7997	9.12	-0.02	29.52 616.5	100.48 2098.5	65.93 1377.0	12.45 3.80	318.10 112.91
16	0.7999	11.09	0.02	29.51 616.4	100.44 2097.8	65.90 1376.3	12.48 3.80	317.63 112.07
17	0.8019	13.29	0.05	29.61 618.4	100.48 2098.5	65.79 1374.1	12.49 3.81	317.65 112.10
18	0.7989	15.35	0.05	29.47 615.4	100.44 2097.8	65.96 1377.7	12.45 3.80	317.93 112.61
19	0.7999	17.44	0.00	29.51 616.4	100.44 2097.8	65.90 1376.3	12.45 3.79	318.23 113.14
20	0.7994	19.72	0.00	29.49 615.9	100.44 2097.8	65.93 1377.0	12.44 3.79	318.23 113.14
21	0.8010	-2.14	-0.01	29.56 617.4	100.44 2097.8	65.83 1374.8	12.49 3.81	317.59 112.00

794

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
67	2	OFF

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.33498	0.06623	-0.12045	0.00101	0.00085	0.00086
2	-0.28850	0.05247	-0.10456	0.00457	0.00082	0.00046
3	-0.20824	0.04123	-0.08632	0.00546	0.00058	0.00049
4	-0.14338	0.03486	-0.07769	0.00563	0.00064	0.00052
5	-0.02330	0.02971	-0.07114	0.00462	0.00041	0.00061
6	0.11912	0.02885	-0.06456	0.00427	0.00116	0.00050
7	0.26526	0.03293	-0.05609	0.00555	0.00093	0.00060
8	0.37997	0.04152	-0.05102	0.00355	0.00209	0.00078
9	0.46349	0.05670	-0.03643	0.00447	0.00240	0.00035
10	0.50514	0.07243	-0.01910	0.00581	0.00265	-0.00029
11	0.54263	0.08901	-0.00666	0.00299	0.00264	0.00098
12	0.58652	0.10669	-0.00208	0.00351	0.00282	0.00033
13	0.64147	0.12728	0.00222	0.00513	0.00293	-0.00036
14	0.67009	0.14628	0.00609	0.00651	0.00251	-0.00070
15	0.68023	0.16373	0.01599	0.00752	-0.00282	-0.00130
16	0.66473	0.20053	0.02070	0.00325	0.00612	0.00037
17	0.73678	0.25164	0.02043	0.00368	0.00808	-0.00009
18	0.80336	0.30489	0.01965	0.00593	0.00693	-0.00099
19	0.83206	0.35571	0.02724	0.00763	0.00173	-0.00024
20	0.88642	0.41855	0.02918	0.00840	0.00135	-0.00088
21	-0.02878	0.02929	-0.07171	0.00087	0.00123	0.00091

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
68	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8222	-6.56	-0.01	30.49	100.44	64.44	12.58	318.81
				636.9	2097.8	1345.8	3.84	114.19
2	0.8206	-5.47	-0.02	30.42	100.44	64.54	12.58	318.73
				635.4	2097.8	1348.0	3.83	114.05
3	0.8206	-4.24	-0.02	30.42	100.44	64.54	12.56	319.03
				635.4	2097.8	1348.0	3.83	114.59
4	0.8217	-3.21	-0.02	30.47	100.44	64.47	12.58	318.79
				636.4	2097.8	1346.5	3.84	114.15
5	0.8204	-2.11	-0.02	30.43	100.48	64.58	12.58	318.79
				635.5	2098.5	1348.7	3.83	114.15
6	0.8206	-0.91	-0.02	30.42	100.44	64.54	12.59	318.43
				635.4	2097.8	1348.0	3.84	113.51
7	0.8212	0.41	-0.02	30.45	100.44	64.51	12.55	319.32
				635.9	2097.8	1347.3	3.83	115.10
8	0.8206	1.73	-0.01	30.42	100.44	64.54	12.58	318.73
				635.4	2097.8	1348.0	3.83	114.05
9	0.8222	2.85	-0.01	30.49	100.44	64.44	12.56	319.32
				636.9	2097.8	1345.8	3.83	115.10
10	0.8201	3.79	-0.01	30.40	100.44	64.58	12.57	318.87
				634.9	2097.8	1348.7	3.83	114.29
11	0.8212	4.89	-0.01	30.45	100.44	64.51	12.56	319.17
				635.9	2097.8	1347.3	3.83	114.83
12	0.8206	6.06	-0.01	30.42	100.44	64.54	12.55	319.28
				635.4	2097.8	1348.0	3.83	115.03
13	0.8196	7.14	-0.01	30.38	100.44	64.61	12.57	318.70
				634.5	2097.8	1349.4	3.83	113.99
14	0.8187	8.09	0.00	30.33	100.41	64.65	12.57	318.53
				633.5	2097.1	1350.2	3.83	113.68
15	0.8206	9.12	-0.02	30.42	100.44	64.54	12.56	319.09
				635.4	2097.8	1348.0	3.83	114.69
16	0.8192	11.21	0.02	30.35	100.41	64.61	12.56	318.85
				633.9	2097.1	1349.4	3.83	114.26
17	0.8203	13.39	0.05	30.40	100.41	64.54	12.56	318.98
				634.9	2097.1	1348.0	3.83	114.49
18	0.8190	15.42	0.05	30.36	100.44	64.65	12.57	318.72
				634.0	2097.8	1350.2	3.83	114.02
19	0.8224	17.62	0.00	30.49	100.41	64.40	12.54	319.54
				636.8	2097.1	1345.1	3.82	115.50
20	0.8203	19.75	0.01	30.40	100.41	64.54	12.52	319.80
				634.9	2097.1	1348.0	3.82	115.97
21	0.8203	-2.03	-0.01	30.40	100.41	64.54	12.54	319.37
				634.9	2097.1	1348.0	3.82	115.20

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN 68	CONFIG 2	DHORZ(deg) OFF			

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.29809	0.07034	-0.12895	0.00116	0.00022	0.00094
2	-0.24597	0.05721	-0.10849	0.00541	0.00053	0.00040
3	-0.18176	0.04620	-0.09207	0.00631	-0.00007	0.00031
4	-0.10539	0.03953	-0.07669	0.00613	-0.00004	0.00066
5	-0.02881	0.03411	-0.06290	0.00451	0.00092	0.00052
6	0.09756	0.03203	-0.05369	0.00342	0.00207	0.00073
7	0.24546	0.03614	-0.05245	0.00467	0.00136	0.00055
8	0.36952	0.04801	-0.04526	0.00320	0.00163	0.00057
9	0.41865	0.06162	-0.02877	0.00418	0.00235	0.00013
10	0.46243	0.07371	-0.01801	0.00700	0.00257	-0.00044
11	0.49968	0.08972	-0.00418	0.00297	0.00242	0.00096
12	0.54676	0.10771	0.00095	0.00466	0.00286	0.00031
13	0.60947	0.12793	0.00395	0.00807	0.00273	-0.00053
14	0.65041	0.14848	0.00701	0.00679	0.00355	-0.00071
15	0.66064	0.16694	0.01677	0.00772	-0.00323	-0.00153
16	0.67080	0.20614	0.01957	0.00459	0.00508	0.00028
17	0.74875	0.25821	0.01681	0.00603	0.00913	-0.00047
18	0.81348	0.31121	0.01626	0.00672	0.00669	-0.00090
19	0.84100	0.36562	0.02654	0.00706	0.00155	-0.00062
20	0.89865	0.42543	0.03085	0.00691	0.00182	-0.00089
21	-0.01930	0.03362	-0.06161	0.00269	0.00043	0.00070

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
69	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8505	-6.46	-0.02	31.68	100.41	62.57	12.67	320.81
				661.7	2097.1	1306.8	3.86	117.79
2	0.8500	-5.35	-0.02	31.66	100.41	62.60	12.70	320.12
				661.3	2097.1	1307.5	3.87	116.54
3	0.8510	-4.24	-0.02	31.70	100.41	62.54	12.70	320.32
				662.1	2097.1	1306.2	3.87	116.91
4	0.8505	-2.99	-0.02	31.68	100.41	62.57	12.67	320.88
				661.7	2097.1	1306.8	3.86	117.92
5	0.8505	-1.95	-0.02	31.68	100.41	62.57	12.68	320.61
				661.7	2097.1	1306.8	3.87	117.42
6	0.8500	-0.85	-0.02	31.66	100.41	62.60	12.66	321.06
				661.3	2097.1	1307.5	3.86	118.23
7	0.8495	0.38	-0.02	31.64	100.41	62.64	12.66	320.88
				660.8	2097.1	1308.2	3.86	117.92
8	0.8497	1.44	-0.01	31.64	100.37	62.60	12.66	320.81
				660.8	2096.3	1307.5	3.86	117.79
9	0.8495	2.51	-0.01	31.64	100.41	62.64	12.65	321.13
				660.8	2097.1	1308.2	3.86	118.36
10	0.8500	3.78	-0.01	31.66	100.41	62.60	12.67	320.81
				661.3	2097.1	1307.5	3.86	117.79
11	0.8510	4.84	-0.01	31.70	100.41	62.54	12.68	320.66
				662.1	2097.1	1306.2	3.87	117.52
12	0.8505	5.99	-0.01	31.68	100.41	62.57	12.67	320.77
				661.7	2097.1	1306.8	3.86	117.72
13	0.8510	7.17	0.00	31.70	100.41	62.54	12.65	321.26
				662.1	2097.1	1306.2	3.86	118.60
14	0.8510	8.12	0.00	31.70	100.41	62.54	12.65	321.37
				662.1	2097.1	1306.2	3.86	118.80
15	0.8490	9.24	0.00	31.62	100.41	62.67	12.64	321.33
				660.4	2097.1	1308.9	3.85	118.73
16	0.8500	11.26	0.01	31.66	100.41	62.60	12.63	321.59
				661.3	2097.1	1307.5	3.85	119.20
17	0.8510	13.41	0.06	31.70	100.41	62.54	12.64	321.44
				662.1	2097.1	1306.2	3.85	118.93
18	0.8485	15.62	0.06	31.60	100.41	62.70	12.65	321.03
				659.9	2097.1	1309.6	3.86	118.19
19	0.8493	17.69	-0.02	31.64	100.44	62.67	12.62	321.67
				660.9	2097.8	1308.9	3.85	119.34
20	0.8492	19.90	0.04	31.62	100.37	62.64	12.61	321.77
				660.3	2096.3	1308.2	3.84	119.51
21	0.8495	-1.98	-0.01	31.64	100.41	62.64	12.64	321.37
				660.8	2097.1	1308.2	3.85	118.80

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
69	2	OFF

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.24039	0.07664	-0.14599	0.00390	0.00066	0.00044
2	-0.17451	0.06419	-0.13298	0.00675	-0.00001	0.00011
3	-0.10648	0.05465	-0.11540	0.00733	-0.00010	0.00020
4	-0.02516	0.04728	-0.09247	0.00670	0.00011	0.00044
5	0.03903	0.04379	-0.06987	0.00619	0.00020	0.00047
6	0.10088	0.04280	-0.04466	0.00487	0.00073	0.00064
7	0.17222	0.04644	-0.02125	0.00376	0.00176	0.00079
8	0.22528	0.05425	-0.00633	0.00309	0.00249	0.00085
9	0.28572	0.06446	0.00452	0.00298	0.00263	0.00049
10	0.34527	0.07934	0.01744	0.00577	0.00250	-0.00032
11	0.40123	0.09287	0.02314	0.00308	0.00224	0.00101
12	0.46959	0.10976	0.02159	0.00433	0.00236	0.00038
13	0.55012	0.13154	0.01973	0.00585	0.00283	-0.00052
14	0.62189	0.15271	0.01595	0.00684	0.00356	-0.00082
15	0.63812	0.17214	0.01583	0.00724	0.00225	-0.00123
16	0.68577	0.21416	0.01469	0.00756	0.00372	-0.00035
17	0.76838	0.26839	0.01243	0.00526	0.00967	0.00013
18	0.84169	0.32742	0.01104	0.00820	0.00898	-0.00060
19	0.85767	0.37578	0.02481	0.00954	0.00045	-0.00005
20	0.93116	0.44513	0.03237	0.01060	0.00268	-0.00300
21	0.03062	0.04280	-0.07197	0.00356	0.00016	0.00045

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
70	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.9005	-6.55	-0.01	33.68 703.4	100.41 2097.1	59.33 1239.2	12.81 3.91	323.93 123.41
2	0.8992	-5.18	-0.02	33.62 702.1	100.37 2096.3	59.40 1240.5	12.80 3.90	324.03 123.58
3	0.9012	-4.17	-0.02	33.70 703.8	100.37 2096.3	59.27 1237.8	12.78 3.90	324.51 124.45
4	0.9007	-2.91	-0.02	33.68 703.4	100.37 2096.3	59.30 1238.5	12.78 3.89	324.62 124.65
5	0.9007	-1.84	-0.02	33.68 703.4	100.37 2096.3	59.30 1238.5	12.83 3.91	323.54 122.70
6	0.8992	-0.83	-0.02	33.62 702.1	100.37 2096.3	59.40 1240.5	12.79 3.90	324.23 123.95
7	0.8997	0.40	-0.01	33.64 702.5	100.37 2096.3	59.36 1239.8	12.80 3.90	324.10 123.71
8	0.9000	1.49	-0.01	33.66 703.0	100.41 2097.1	59.36 1239.8	12.79 3.90	324.29 124.05
9	0.9000	2.53	-0.01	33.66 703.0	100.41 2097.1	59.36 1239.8	12.80 3.90	324.14 123.78
10	0.9010	3.65	0.00	33.70 703.8	100.41 2097.1	59.30 1238.5	12.78 3.89	324.70 124.79
11	0.9020	4.77	0.00	33.74 704.6	100.41 2097.1	59.23 1237.1	12.79 3.90	324.66 124.72
12	0.9020	6.11	0.00	33.74 704.6	100.41 2097.1	59.23 1237.1	12.79 3.90	324.62 124.65
13	0.8995	7.03	0.00	33.64 702.6	100.41 2097.1	59.40 1240.5	12.80 3.90	324.14 123.78
14	0.8990	8.13	0.00	33.62 702.2	100.41 2097.1	59.43 1241.2	12.78 3.90	324.36 124.18
15	0.8997	9.33	-0.01	33.64 702.5	100.37 2096.3	59.36 1239.8	12.77 3.89	324.64 124.69
16	0.8997	11.58	-0.04	33.64 702.5	100.37 2096.3	59.36 1239.8	12.80 3.90	324.10 123.71
17	0.8992	13.73	0.06	33.62 702.1	100.37 2096.3	59.40 1240.5	12.79 3.90	324.29 124.05
18	0.8997	15.98	-0.04	33.64 702.5	100.37 2096.3	59.36 1239.8	12.74 3.88	325.26 125.80
19	0.8992	17.99	-0.05	33.62 702.1	100.37 2096.3	59.40 1240.5	12.75 3.89	324.96 125.26
20	0.9000	-1.89	-0.01	33.66 703.0	100.41 2097.1	59.36 1239.8	12.77 3.89	324.77 124.92

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
70	2	OFF

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.32243	0.10410	-0.11807	0.00385	-0.00039	0.00013
2	-0.20957	0.08841	-0.11223	0.00482	0.00028	0.00020
3	-0.13810	0.08096	-0.10312	0.00636	0.00022	0.00016
4	-0.05268	0.07338	-0.08093	0.00540	0.00042	0.00073
5	-0.00289	0.07157	-0.04953	0.00449	0.00066	0.00074
6	0.04163	0.07022	-0.01969	0.00439	0.00004	0.00057
7	0.07384	0.07767	0.01895	0.00305	-0.00125	0.00065
8	0.13417	0.08450	0.03442	0.00205	0.00269	0.00089
9	0.20726	0.09236	0.03858	0.00249	0.00282	0.00042
10	0.28379	0.10307	0.04563	0.00478	0.00327	-0.00042
11	0.35282	0.11543	0.05419	0.00130	0.00375	0.00058
12	0.42518	0.13172	0.05777	0.00392	0.00333	0.00042
13	0.47328	0.14375	0.05922	0.00265	0.00361	0.00054
14	0.56438	0.16536	0.04765	0.00553	0.00408	-0.00013
15	0.66022	0.19380	0.03224	0.00609	0.00246	0.00057
16	0.77523	0.24866	0.01293	0.01047	-0.00467	-0.00237
17	0.83747	0.30193	0.00925	0.01025	0.01046	-0.00043
18	0.88387	0.36067	0.02208	0.01503	-0.00021	0.00005
19	0.92662	0.41589	0.02625	0.01086	-0.00022	0.00130
20	-0.00389	0.06996	-0.05430	0.00193	0.00096	0.00068

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
71	2	OFF

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7793	1.89	-0.01	28.57	100.37	67.20	12.44	314.88
				596.7	2096.3	1403.4	3.79	107.12
2	0.7790	3.06	-0.01	28.57	100.44	67.26	12.41	315.67
				596.8	2097.8	1404.8	3.78	108.53
3	0.7823	6.02	0.00	28.71	100.41	67.02	12.40	316.17
				599.7	2097.1	1399.8	3.78	109.44

TABLE 3.4   (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN   CONFIG   DHORZ(deg)
71   2   OFF

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	0.41324	0.04133	-0.04484	0.00408	0.00174	0.00049
2	0.52622	0.05564	-0.03351	0.00649	0.00182	-0.00002
3	0.61920	0.10307	-0.00189	0.00418	0.00357	0.00000

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
72	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.6004	-6.48	-0.01	19.90	100.61	78.85	11.07	304.82
				415.6	2101.3	1646.8	3.37	89.01
20	0.5998	-5.33	-0.01	19.87	100.64	78.92	11.03	305.63
				415.0	2102.0	1648.3	3.36	90.46
21	0.5970	-4.13	-0.01	19.73	100.64	79.09	10.99	305.71
				412.1	2102.0	1651.8	3.35	90.60
22	0.5970	-3.19	-0.01	19.73	100.64	79.09	10.98	305.78
				412.1	2102.0	1651.8	3.35	90.73
23	0.5987	-1.90	-0.01	19.82	100.64	78.99	11.00	305.91
				413.9	2102.0	1649.7	3.35	90.97
24	0.6004	0.26	-0.01	19.90	100.61	78.85	11.00	306.30
				415.6	2101.3	1646.8	3.35	91.67
25	0.6009	2.60	-0.01	19.93	100.64	78.85	11.01	306.28
				416.2	2102.0	1646.8	3.36	91.64
26	0.6014	4.93	-0.01	19.96	100.64	78.82	11.03	306.12
				416.8	2102.0	1646.1	3.36	91.34
27	0.5981	6.96	-0.01	19.79	100.64	79.02	10.95	306.75
				413.3	2102.0	1650.4	3.34	92.48
28	0.5976	9.02	-0.01	19.76	100.64	79.06	10.94	306.84
				412.7	2102.0	1651.1	3.34	92.65
29	0.5980	10.88	-0.02	19.79	100.68	79.06	10.96	306.58
				413.3	2102.7	1651.1	3.34	92.18
30	0.5992	12.92	-0.01	19.85	100.64	78.95	10.97	306.62
				414.5	2102.0	1649.0	3.35	92.25
31	0.5976	15.05	0.00	19.76	100.64	79.06	10.94	306.92
				412.7	2102.0	1651.1	3.33	92.78
32	0.5976	17.13	0.00	19.76	100.64	79.06	10.95	306.73
				412.7	2102.0	1651.1	3.34	92.45
33	0.5998	19.24	0.00	19.87	100.64	78.92	10.96	307.12
				415.0	2102.0	1648.3	3.34	93.15
34	0.6002	21.39	0.00	19.90	100.68	78.92	10.97	307.14
				415.6	2102.7	1648.2	3.34	93.19
35	0.5997	-1.98	0.00	19.88	100.68	78.95	10.98	306.75
				415.1	2102.7	1649.0	3.35	92.48

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
72	1	0.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
19	-0.45880	0.04755	0.03099	0.00375	0.00001	0.00041
20	-0.33130	0.03774	0.01840	0.00312	-0.00057	0.00063
21	-0.22645	0.03150	0.00716	0.00321	0.00035	0.00078
22	-0.13223	0.02795	-0.00114	0.00384	0.00018	0.00085
23	-0.01153	0.02653	0.00093	0.00471	0.00065	0.00007
24	0.19092	0.03014	-0.00474	0.00355	0.00018	0.00041
25	0.42320	0.04106	-0.01559	0.00467	0.00068	0.00016
26	0.63079	0.05996	-0.01299	0.00527	0.00097	-0.00043
27	0.78900	0.09086	-0.01432	0.00585	-0.00039	-0.00064
28	0.80729	0.14726	-0.05234	0.00826	-0.00156	-0.00102
29	0.79457	0.19345	-0.09504	0.00765	-0.00261	0.00028
30	0.77028	0.23552	-0.13032	0.00614	0.00114	0.00071
31	0.83492	0.29578	-0.18622	0.00701	0.00209	-0.00060
32	0.93409	0.36530	-0.21752	0.00713	0.00210	-0.00045
33	1.01423	0.43569	-0.24668	0.00727	0.00037	-0.00075
34	1.08864	0.51181	-0.28086	0.00725	0.00082	-0.00134
35	-0.02260	0.02656	0.00041	0.00257	0.00035	0.00009

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
73	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7787	-6.90	-0.01	28.57 / 596.8	100.51 / 2099.2	67.33 / 1406.3	12.38 / 3.77	316.31 / 109.68
2	0.7828	-4.16	-0.01	28.77 / 600.8	100.51 / 2099.2	67.06 / 1400.5	12.40 / 3.78	316.57 / 110.15
3	0.7837	-1.93	-0.01	28.81 / 601.8	100.54 / 2099.9	67.02 / 1399.8	12.40 / 3.78	316.77 / 110.52
4	0.7806	0.27	-0.01	28.68 / 598.9	100.54 / 2099.9	67.23 / 1404.1	12.38 / 3.77	316.73 / 110.45
5	0.7801	2.90	-0.01	28.65 / 598.4	100.54 / 2099.9	67.26 / 1404.8	12.37 / 3.77	316.77 / 110.52
6	0.7827	5.15	0.00	28.77 / 600.8	100.54 / 2099.9	67.09 / 1401.3	12.39 / 3.78	316.87 / 110.69
7	0.7813	7.07	0.00	28.69 / 599.3	100.51 / 2099.2	67.16 / 1402.7	12.37 / 3.77	317.05 / 111.02
8	0.7813	9.23	-0.02	28.69 / 599.3	100.51 / 2099.2	67.16 / 1402.7	12.36 / 3.77	317.11 / 111.13
9	0.7799	11.13	0.00	28.65 / 598.4	100.58 / 2100.6	67.30 / 1405.5	12.36 / 3.77	317.11 / 111.13
10	0.7801	13.24	0.01	28.65 / 598.4	100.54 / 2099.9	67.26 / 1404.8	12.35 / 3.76	317.32 / 111.50
11	0.7821	15.42	-0.01	28.74 / 600.3	100.54 / 2099.9	67.13 / 1402.0	12.36 / 3.77	317.50 / 111.83
12	0.7806	17.65	-0.01	28.68 / 598.9	100.54 / 2099.9	67.23 / 1404.1	12.33 / 3.76	317.78 / 112.34
13	0.7794	19.73	-0.01	28.63 / 597.9	100.58 / 2100.6	67.33 / 1406.2	12.32 / 3.76	317.78 / 112.34
14	0.7795	21.87	0.01	28.63 / 597.9	100.54 / 2099.9	67.30 / 1405.5	12.33 / 3.76	317.61 / 112.03
15	0.7827	-2.09	-0.01	28.77 / 600.8	100.54 / 2099.9	67.09 / 1401.3	12.37 / 3.77	317.33 / 111.53

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
73	1	0.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.48178	0.07623	0.02524	0.00306	0.00063	0.00050
2	-0.27256	0.04019	-0.00896	0.00235	0.00049	0.00111
3	-0.03206	0.02918	-0.00576	0.00378	0.00022	0.00054
4	0.20327	0.03239	-0.00093	0.00131	0.00192	0.00071
5	0.49225	0.05463	-0.00383	0.00367	0.00126	0.00022
6	0.58643	0.09048	-0.02704	0.00066	0.00355	0.00094
7	0.69043	0.12753	-0.06176	0.00557	0.00289	-0.00084
8	0.70636	0.17028	-0.08559	0.00564	-0.00274	-0.00045
9	0.70353	0.20763	-0.11483	0.00356	0.00198	-0.00024
10	0.78542	0.26397	-0.15785	0.00635	0.00295	-0.00040
11	0.87814	0.32881	-0.19141	0.00620	0.00078	0.00009
12	0.97351	0.40320	-0.22521	0.00738	0.00075	-0.00046
13	1.06026	0.47855	-0.25851	0.00773	0.00006	-0.00061
14	1.14332	0.55966	-0.28599	0.00548	0.00066	-0.00149
15	-0.06381	0.02954	-0.00628	0.00235	0.00058	0.00049

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
74	1	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8494	-6.49	-0.01	31.67	100.51	62.70	12.53	323.77
				661.4	2099.2	1309.6	3.82	123.11
2	0.8496	-4.28	-0.02	31.67	100.48	62.67	12.52	323.97
				661.4	2098.5	1308.9	3.82	123.48
3	0.8494	-2.03	-0.02	31.67	100.51	62.70	12.52	324.01
				661.4	2099.2	1309.6	3.82	123.54
4	0.8519	0.23	-0.01	31.77	100.51	62.54	12.53	324.10
				663.6	2099.2	1306.2	3.82	123.71
5	0.8519	2.64	0.00	31.77	100.51	62.54	12.55	323.65
				663.6	2099.2	1306.2	3.83	122.90
6	0.8497	5.00	0.00	31.69	100.54	62.70	12.53	323.97
				661.9	2099.9	1309.6	3.82	123.48
7	0.8494	7.12	0.00	31.67	100.51	62.70	12.52	323.95
				661.4	2099.2	1309.6	3.82	123.44
8	0.8491	9.16	-0.03	31.64	100.48	62.70	12.52	323.93
				660.9	2098.5	1309.6	3.82	123.41
9	0.8489	11.27	-0.06	31.65	100.51	62.74	12.50	324.29
				661.0	2099.2	1310.3	3.81	124.05
10	0.8494	13.47	-0.12	31.67	100.51	62.70	12.51	324.23
				661.4	2099.2	1309.6	3.81	123.95
11	0.8499	15.62	-0.04	31.69	100.51	62.67	12.50	324.44
				661.9	2099.2	1308.9	3.81	124.32
12	0.8479	17.96	-0.04	31.61	100.51	62.80	12.49	324.29
				660.1	2099.2	1311.7	3.81	124.05
13	0.8514	20.02	0.00	31.75	100.51	62.57	12.51	324.44
				663.2	2099.2	1306.9	3.81	124.32
14	0.8484	22.22	0.00	31.63	100.51	62.77	12.43	325.63
				660.6	2099.2	1311.0	3.79	126.47
15	0.8499	-2.00	-0.01	31.69	100.51	62.67	12.53	323.78
				661.9	2099.2	1308.9	3.82	123.14

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
74	1	0.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.33266	0.08493	0.01126	0.00239	0.00040	0.00065
2	-0.17193	0.05929	-0.01795	0.00251	-0.00058	0.00131
3	-0.01019	0.04603	-0.00450	0.00390	0.00073	0.00066
4	0.13587	0.04900	0.01839	0.00133	0.00126	0.00092
5	0.27319	0.06814	0.00814	0.00166	0.00305	0.00020
6	0.44165	0.09754	-0.03205	0.00012	0.00283	0.00149
7	0.60131	0.13556	-0.06872	0.00730	0.00386	-0.00115
8	0.65763	0.17423	-0.08607	0.00691	-0.00241	-0.00017
9	0.73491	0.22353	-0.13193	0.00786	-0.00602	0.00009
10	0.83706	0.28503	-0.17160	0.01051	-0.00871	0.00272
11	0.90195	0.34742	-0.19127	0.01172	-0.00062	0.00014
12	1.00206	0.42665	-0.22789	0.01174	-0.00145	-0.00022
13	1.11728	0.51461	-0.25617	0.00675	0.00103	-0.00087
14	1.19332	0.59651	-0.29247	0.01009	0.00093	-0.00169
15	-0.00449	0.04604	-0.00258	0.00105	0.00049	0.00086

809

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
75	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.6001	-6.71	-0.01	19.96 / 416.9	101.02 / 2109.8	79.19 / 1653.9	11.26 / 3.43	301.64 / 83.29
4	0.5998	-4.35	-0.01	19.93 / 416.3	100.95 / 2108.4	79.16 / 1653.2	11.19 / 3.41	302.75 / 85.28
5	0.6013	-2.10	-0.01	20.02 / 418.1	100.98 / 2109.1	79.09 / 1651.8	11.20 / 3.41	303.18 / 8b.05
6	0.6019	0.10	-0.01	20.05 / 418.7	100.98 / 2109.1	79.06 / 1651.1	11.18 / 3.41	303.76 / 87.10
7	0.6002	2.42	0.00	19.96 / 416.9	100.98 / 2109.1	79.16 / 1653.2	11.15 / 3.40	303.91 / 87.37
8	0.6003	4.57	0.00	19.96 / 416.9	100.95 / 2108.4	79.12 / 1652.5	11.13 / 3.39	304.28 / 88.04
9	0.6002	6.86	0.00	19.96 / 416.9	100.98 / 2109.1	79.16 / 1653.2	11.12 / 3.39	304.58 / 88.58
10	0.6003	8.84	0.00	19.96 / 416.9	100.95 / 2108.4	79.12 / 1652.5	11.10 / 3.38	304.86 / 89.08
11	0.5986	10.85	0.01	19.88 / 415.2	100.98 / 2109.1	79.26 / 1655.4	11.08 / 3.38	305.01 / 89.35
12	0.6001	12.90	0.04	19.96 / 416.9	101.02 / 2109.8	79.19 / 1653.9	11.09 / 3.38	305.22 / 89.72
13	0.6002	15.07	-0.02	19.96 / 416.9	100.98 / 2109.1	79.16 / 1653.2	11.08 / 3.38	305.44 / 90.13
14	0.6002	17.19	-0.02	19.96 / 416.9	100.98 / 2109.1	79.16 / 1653.2	11.08 / 3.38	305.52 / 90.26
15	0.6002	19.32	-0.16	19.96 / 416.9	100.98 / 2109.1	79.16 / 1653.2	11.06 / 3.37	305.74 / 90.66
16	0.6023	-2.07	-0.01	20.08 / 419.3	101.02 / 2109.8	79.06 / 1651.1	11.08 / 3.38	306.15 / 91.40

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
75	1	-10.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
3	-0.60767	0.09389	0.22970	0.00282	0.00005	0.00068
4	-0.37747	0.06984	0.21477	0.00366	0.00051	0.00074
5	-0.15994	0.05571	0.21209	0.00289	0.00116	0.00052
6	0.04036	0.05006	0.21525	0.00207	0.00121	0.00052
7	0.24728	0.05142	0.21448	0.00231	0.00089	0.00030
8	0.44150	0.05856	0.21495	0.00213	0.00120	0.00002
9	0.64181	0.08359	0.21094	0.00385	0.00021	-0.00027
10	0.71039	0.13297	0.14124	0.00582	0.00299	-0.00030
11	0.72847	0.18078	0.06879	0.00389	0.00653	0.00130
12	0.73743	0.21946	0.02959	0.00096	0.01319	0.00277
13	0.84950	0.28097	-0.04825	0.00374	0.00052	0.00309
14	0.93135	0.34156	-0.09443	0.00814	0.00007	0.00105
15	0.97451	0.40160	-0.11580	0.01273	-0.01517	0.00455
16	-0.17262	0.05586	0.21216	0.00181	0.00074	0.00052

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
76	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7813	-6.83	-0.01	28.81 601.7	100.92 2107.7	67.43 1408.4	12.63 3.85	312.84 103.45
2	0.7814	-4.45	-0.02	28.81 601.7	100.88 2107.0	67.40 1407.6	12.57 3.83	313.89 105.34
3	0.7783	-2.23	-0.01	28.67 598.7	100.88 2107.0	67.60 1411.9	12.54 3.82	313.97 105.47
4	0.7794	0.25	-0.01	28.71 599.7	100.88 2107.0	67.54 1410.5	12.55 3.83	314.01 105.54
5	0.7804	2.64	0.00	28.76 600.7	100.88 2107.0	67.47 1409.1	12.57 3.83	313.78 105.14
6	0.7809	4.97	0.00	28.79 601.2	100.88 2107.0	67.43 1408.4	12.53 3.82	314.69 106.78
7	0.7797	7.07	-0.01	28.74 600.3	100.92 2107.7	67.54 1410.5	12.53 3.82	314.49 106.41
8	0.7792	9.05	-0.04	28.72 599.8	100.92 2107.7	67.57 1411.2	12.51 3.81	314.90 107.15
9	0.7804	11.13	-0.04	28.76 600.7	100.88 2107.0	67.47 1409.1	12.46 3.80	315.91 108.97
10	0.7820	13.29	-0.07	28.83 602.2	100.88 2107.0	67.36 1406.9	12.48 3.80	315.86 108.87
11	0.7794	15.49	-0.06	28.71 599.7	100.88 2107.0	67.54 1410.5	12.47 3.80	315.54 108.30
12	0.7834	17.55	0.08	29.00 605.6	101.22 2114.0	67.50 1409.7	12.52 3.82	316.04 109.21
13	0.7788	19.67	-0.02	28.69 599.2	100.88 2107.0	67.57 1411.2	12.42 3.79	316.47 109.98
14	0.7799	21.83	-0.04	28.74 600.2	100.88 2107.0	67.50 1409.8	12.41 3.78	316.77 110.52
15	0.7814	-2.26	-0.01	28.81 601.7	100.88 2107.0	67.40 1407.6	12.42 3.79	316.96 110.86

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
76	1	-10.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.57324	0.12255	0.20718	0.00064	0.00119	0.00123
2	-0.41886	0.08132	0.20253	0.00433	0.00038	0.00073
3	-0.19878	0.06101	0.20101	0.00308	0.00096	0.00050
4	0.06943	0.05563	0.20952	0.00256	0.00151	0.00065
5	0.32846	0.06741	0.21398	0.00160	0.00275	0.00041
6	0.44162	0.08932	0.20762	0.00054	0.00244	0.00073
7	0.57382	0.12307	0.13744	0.00706	0.00169	-0.00050
8	0.63148	0.15897	0.07728	0.00307	-0.00467	0.00132
9	0.65861	0.19345	0.01867	0.00593	-0.00403	0.00042
10	0.76435	0.24738	-0.02946	0.00653	-0.00388	0.00294
11	0.86354	0.30920	-0.06623	0.00708	-0.00234	0.00270
12	0.88649	0.36139	-0.07476	0.00879	0.00865	-0.00253
13	0.95600	0.42881	-0.09305	0.01300	0.00036	-0.00065
14	1.03805	0.50102	-0.13002	0.01501	-0.00136	-0.00135
15	-0.20417	0.06074	0.20194	0.00021	0.00108	0.00065

813

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
77	1	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8508	-6.59	-0.01	31.85	100.88	62.84	12.82	319.11
				665.1	2107.0	1312.5	3.91	114.73
2	0.8510	-4.32	-0.02	31.85	100.85	62.81	12.79	319.67
				665.1	2106.2	1311.8	3.90	115.74
3	0.8495	-2.07	-0.01	31.78	100.85	62.91	12.77	319.84
				663.8	2106.2	1313.9	3.89	116.04
4	0.8500	0.23	-0.01	31.80	100.85	62.88	12.78	319.76
				664.2	2106.2	1313.2	3.89	115.90
5	0.8493	2.40	0.00	31.78	100.88	62.94	12.77	319.99
				663.8	2107.0	1314.6	3.89	116.31
6	0.8490	4.76	0.00	31.76	100.85	62.94	12.74	320.36
				663.3	2106.2	1314.6	3.88	1'6.98
7	0.8505	7.00	0.01	31.82	100.85	62.84	12.76	320.31
				664.6	2106.2	1312.5	3.89	116.88
8	0.8493	9.14	-0.05	31.78	100.88	62.94	12.74	320.44
				663.8	2107.0	1314.6	3.88	117.12
9	0.8505	11.33	-0.07	31.82	100.85	62.84	12.76	320.29
				664.6	2106.2	1312.5	3.89	116.85
10	0.8488	13.41	-0.02	31.76	100.88	62.98	12.73	320.59
				663.4	2107.0	1315.3	3.88	117.39
11	0.8515	15.75	-0.22	31.86	100.85	62.78	12.74	320.73
				665.5	2106.2	1311.1	3.88	117.65
12	0.8525	17.81	-0.04	31.91	100.85	62.71	12.72	321.32
				666.4	2106.2	1309.8	3.88	118.70
13	0.8470	19.94	-0.07	31.68	100.85	63.07	12.68	321.32
				661.6	2106.2	1317.3	3.87	118.70
14	0.8505	22.16	0.18	31.82	100.85	62.84	12.71	321.21
				664.6	2106.2	1312.5	3.87	118.50
15	0.8498	-2.11	-0.01	31.81	100.88	62.91	12.74	320.55
				664.3	2107.0	1313.9	3.88	117.32

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
77	1	-10.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.42356	0.13346	0.17904	0.00095	0.00101	0.00097
2	-0.28654	0.09938	0.18646	0.00424	0.00005	0.00070
3	-0.13744	0.07879	0.21220	0.00290	0.00063	0.00039
4	0.02659	0.07171	0.22209	0.00131	0.00212	0.00031
5	0.14029	0.07797	0.24493	0.00074	0.00249	0.00066
6	0.29862	0.09551	0.19220	-0.00041	0.00249	0.00115
7	0.47979	0.12878	0.11630	0.00352	0.00374	-0.00022
8	0.59503	0.16703	0.06771	0.00536	-0.00310	0.00220
9	0.68832	0.21101	-0.00355	0.00665	-0.00724	0.00088
10	0.72960	0.25694	-0.01555	0.00845	0.00141	0.00058
11	0.87721	0.33284	-0.05928	0.00898	-0.01668	0.00505
12	0.91201	0.38777	-0.05731	0.01974	-0.00003	-0.00128
13	0.98317	0.45404	-0.07195	0.01966	-0.00270	-0.00052
14	1.07454	0.53486	-0.10794	-0.01576	0.00964	-0.00248
15	-0.13927	0.07882	0.20918	0.00136	0.00034	0.00038

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
78	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.6024	-6.40	-0.01	20.08	100.98	79.02	11.11	305.44
				419.3	2109.1	1650.4	3.38	90.13
4	0.6024	-4.06	-0.01	20.08	100.98	79.02	11.11	305.50
				419.3	2109.1	1650.4	3.38	90.23
5	0.6008	-1.96	-0.01	19.99	100.98	79.12	11.05	306.15
				417.5	2109.1	1652.5	3.37	91.40
6	0.6008	0.28	-0.01	19.99	100.98	79.12	11.04	306.38
				417.5	2109.1	1652.5	3.37	91.81
7	0.6002	2.57	-0.01	19.96	100.98	79.16	11.02	306.71
				416.9	2109.1	1653.2	3.36	92.41
8	0.6007	4.80	-0.01	19.99	101.02	79.16	11.04	306.38
				417.5	2109.8	1653.2	3.37	91.81
9	0.5997	6.92	-0.02	19.93	100.98	79.19	11.01	306.71
				416.3	2109.1	1653.9	3.36	92.41
10	0.5997	9.00	-0.01	19.93	100.98	79.19	11.01	306.75
				416.3	2109.1	1653.9	3.36	92.48
11	0.5997	10.96	0.00	19.93	100.98	79.19	11.00	307.01
				416.3	2109.1	1653.9	3.35	92.95
12	0.6007	-1.89	-0.01	19.99	101.02	79.16	11.01	307.03
				417.5	2109.8	1653.2	3.36	92.99

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
78	1	10.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
3	-0.30486	0.04154	-0.19679	0.00720	-0.00033	-0.00009
4	-0.07736	0.03178	-0.21878	0.00848	0.00029	-0.00014
5	0.13583	0.03259	-0.23425	0.00823	0.00016	-0.00005
6	0.35432	0.04175	-0.24636	0.00834	0.00047	0.00017
7	0.56825	0.05931	-0.25215	0.00750	0.00083	0.00027
8	0.76796	0.08488	-0.25002	0.00903	0.00058	0.00009
9	0.93068	0.12363	-0.23974	0.00932	-0.00042	0.00017
10	0.93944	0.18184	-0.26311	0.01194	0.00092	-0.00079
11	0.91182	0.23702	-0.29689	0.00798	0.00480	0.00045
12	0.14199	0.03305	-0.23581	0.00661	0.00030	0.00001

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
79	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7809	-6.55	-0.02	28.79	100.88	67.43	12.59	313.44
				601.2	2107.0	1408.4	3.84	104.53
2	0.7809	-4.35	-0.02	28.79	100.88	67.43	12.53	314.57
				601.2	2107.0	1408.4	3.82	106.55
3	0.7794	-1.96	-0.02	28.71	100.88	67.54	12.52	314.61
				599.7	2107.0	1410.5	3.82	106.62
4	0.7808	0.43	-0.02	28.79	100.92	67.47	12.52	314.81
				601.3	2107.7	1409.1	3.82	106.99
5	0.7808	3.04	-0.01	28.79	100.92	67.47	12.50	315.20
				601.3	2107.7	1409.1	3.81	107.69
6	0.7801	5.03	-0.01	28.74	100.85	67.47	12.50	315.11
				600.2	2106.2	1409.1	3.81	107.52
7	0.7788	7.17	-0.02	28.69	100.88	67.57	12.49	315.09
				599.2	2107.0	1411.2	3.81	107.49
8	0.7799	9.28	-0.01	28.74	100.88	67.50	12.46	315.84
				600.2	2107.0	1409.8	3.80	108.84
9	0.7813	11.20	0.03	28.81	100.92	67.43	12.48	315.80
				601.7	2107.7	1408.4	3.80	108.77
10	0.7788	-2.00	-0.01	28.69	100.88	67.57	12.43	316.28
				599.2	2107.0	1411.2	3.79	109.64

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN   CONFIG   DHORZ(deg)
79   1   10.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.30352	0.06517	-0.21744	0.00615	0.00046	0.00056
2	-0.14746	0.04181	-0.24288	0.00913	-0.00031	-0.00005
3	0.11014	0.03653	-0.26158	0.00783	0.00046	0.00009
4	0.37830	0.04769	-0.26430	0.00676	0.00087	0.00043
5	0.65987	0.08091	-0.25780	0.00653	0.00215	-0.00009
6	0.72561	0.11552	-0.25176	0.00497	0.00325	0.00091
7	0.81053	0.16045	-0.26674	0.01423	0.00163	-0.00182
8	0.81430	0.20676	-0.27389	0.00863	0.00174	-0.00055
9	0.81205	0.25402	-0.30331	0.00626	0.00761	-0.00054
10	0.11609	0.03648	-0.27011	0.00504	0.00070	0.00024

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
80	1	10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8493	-6.44	-0.02	31.78 663.8	100.88 2107.0	62.94 1314.6	12.80 3.90	319.47 115.37
2	0.8498	-4.11	-0.02	31.81 664.3	100.88 2107.0	62.91 1313.9	12.81 3.90	319.24 114.96
3	0.8500	-1.82	-0.02	31.80 664.2	100.85 2106.2	62.88 1313.2	12.79 3.90	319.54 115.50
4	0.8508	0.43	-0.02	31.85 665.1	100.88 2107.0	62.84 1312.5	12.79 3.90	319.69 115.77
5	0.8513	2.80	-0.01	31.87 665.6	100.88 2107.0	62.81 1311.8	12.78 3.90	319.97 116.27
6	0.8513	4.97	-0.02	31.87 665.6	100.88 2107.0	62.81 1311.8	12.77 3.89	320.14 116.58
7	0.8493	7.22	0.00	31.78 663.8	100.88 2107.0	62.94 1314.6	12.76 3.89	320.21 116.71
8	0.8513	9.29	-0.03	31.87 665.6	100.88 2107.0	62.81 1311.8	12.75 3.89	320.59 117.39
9	0.8490	11.36	0.03	31.76 663.3	100.85 2106.2	62.94 1314.6	12.72 3.88	320.77 117.72
10	0.8518	-1.83	-0.02	31.89 666.0	100.88 2107.0	62.78 1311.2	12.75 3.88	320.70 117.59

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
80	1	10.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.18778	0.07988	-0.23308	0.00732	0.00027	-0.00016
2	-0.00433	0.06135	-0.27103	0.01000	-0.00005	-0.00068
3	0.16247	0.05753	-0.27670	0.00928	0.00043	0.00000
4	0.31226	0.06856	-0.25895	0.00661	0.00241	0.00007
5	0.44784	0.09502	-0.25747	0.00770	0.00291	-0.00054
6	0.56281	0.12589	-0.24272	0.00540	0.00192	0.00145
7	0.70968	0.16703	-0.25301	0.01108	0.00370	-0.00165
8	0.74389	0.21154	-0.26490	0.00929	-0.00150	0.00024
9	0.81759	0.26618	-0.30143	0.00692	0.00623	-0.00077
10	0.16129	0.05788	-0.27532	0.00648	0.00051	-0.00023

TABLE 3.4   (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
81	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
21	0.6001	-6.59	-0.01	19.96 / 416.9	101.02 / 2109.8	79.19 / 1653.9	11.18 / 3.41	303.20 / 86.09
22	0.5996	-4.15	-0.01	19.93 / 416.3	101.02 / 2109.8	79.22 / 1654.6	11.18 / 3.41	303.18 / 86.05
23	0.6018	-2.05	-0.01	20.05 / 418.7	101.02 / 2109.8	79.09 / 1651.8	11.17 / 3.40	303.94 / 87.43
24	0.5985	0.20	-0.01	19.88 / 415.2	101.02 / 2109.8	79.29 / 1656.1	11.12 / 3.39	304.12 / 87.74
25	0.5994	2.54	-0.01	19.94 / 416.4	101.05 / 2110.5	79.26 / 1655.3	11.11 / 3.39	304.64 / 88.68
26	0.5989	4.65	-0.01	19.91 / 415.8	101.05 / 2110.5	79.29 / 1656.1	11.10 / 3.38	304.84 / 89.05
27	0.5983	7.02	-0.01	19.88 / 415.2	101.05 / 2110.5	79.33 / 1656.8	11.09 / 3.38	304.84 / 89.05
28	0.5990	8.95	-0.01	19.91 / 415.8	101.02 / 2109.8	79.26 / 1655.3	11.08 / 3.38	305.18 / 89.65
29	0.6001	10.89	0.00	19.96 / 416.9	101.02 / 2109.8	79.19 / 1653.9	11.08 / 3.38	305.37 / 89.99
30	0.6011	12.87	0.05	20.02 / 418.1	101.05 / 2110.5	79.16 / 1653.2	11.09 / 3.38	305.65 / 90.50
31	0.5989	14.97	0.09	19.91 / 415.8	101.05 / 2110.5	79.29 / 1656.1	11.04 / 3.37	306.06 / 91.24
32	0.5994	17.02	0.01	19.94 / 416.4	101.05 / 2110.5	79.26 / 1655.3	11.04 / 3.36	306.28 / 91.64
33	0.6011	18.06	0.01	20.02 / 418.1	101.05 / 2110.5	79.16 / 1653.2	11.05 / 3.37	306.49 / 92.01
34	0.5989	-2.17	-0.01	19.91 / 415.8	101.05 / 2110.5	79.29 / 1656.1	11.02 / 3.36	306.45 / 91.94

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN 81	CONFIG 4	DHORZ(deg) 0.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
21	-0.46706	0.04941	0.08147	0.00428	0.00036	0.00027
22	-0.21627	0.03256	0.05097	0.00681	0.00103	-0.00006
23	-0.02135	0.02810	0.02738	0.00554	0.00182	-0.00016
24	0.20007	0.03097	0.00236	0.00631	0.00094	-0.00026
25	0.42758	0.04096	-0.02190	0.00632	0.00150	-0.00047
26	0.61547	0.05651	-0.03666	0.00895	0.00101	-0.00116
27	0.80137	0.09117	-0.05161	0.01097	0.00066	-0.00156
28	0.82381	0.14262	-0.09619	0.01248	0.00073	-0.00205
29	0.81775	0.19192	-0.15643	0.00683	0.00490	0.00101
30	0.80350	0.22972	-0.18881	0.00240	0.01290	0.00079
31	0.83898	0.28194	-0.22177	0.00526	0.01474	-0.00338
32	0.86530	0.33346	-0.21068	0.00719	0.00260	-0.00016
33	0.88286	0.36018	-0.19703	0.00781	0.00253	-0.00086
34	-0.03491	0.02786	0.02990	0.00336	0.00062	0.00003

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
82	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7801	-6.73	-0.01	28.77	100.95	67.54	12.68	311.74
				600.8	2108.4	1410.5	3.87	101.47
2	0.7795	-4.37	-0.02	28.74	100.95	67.57	12.65	312.27
				600.3	2108.4	1411.2	3.86	102.41
3	0.7827	-2.04	-0.01	28.89	100.95	67.36	12.64	312.92
				603.3	2108.4	1406.9	3.85	103.59
4	0.7814	0.53	-0.01	28.84	100.98	67.47	12.63	313.07
				602.3	2109.1	1409.1	3.85	103.86
5	0.7809	2.80	-0.01	28.81	100.98	67.50	12.60	313.65
				601.8	2109.1	1409.8	3.84	104.90
6	0.7801	5.07	0.00	28.77	100.95	67.54	12.59	313.46
				600.8	2108.4	1410.5	3.84	104.56
7	0.7783	7.14	0.00	28.69	100.98	67.67	12.56	313.84
				599.3	2109.1	1413.3	3.83	105.24
8	0.7790	9.09	0.00	28.72	100.95	67.60	12.54	314.23
				599.8	2108.4	1411.9	3.82	105.94
9	0.7801	11.09	0.04	28.77	100.95	67.54	12.57	313.99
				600.8	2108.4	1410.5	3.83	105.51
10	0.7811	13.22	0.05	28.81	100.95	67.47	12.54	314.61
				601.8	2108.4	1409.1	3.82	106.62
11	0.7814	15.52	0.08	28.84	100.98	67.47	12.54	314.72
				602.3	2109.1	1409.1	3.82	106.82
12	0.7790	17.57	0.11	28.72	100.95	67.60	12.51	314.90
				599.8	2108.4	1411.9	3.81	107.15
13	0.7795	18.50	0.00	28.74	100.95	67.57	12.50	315.14
				600.3	2108.4	1411.2	3.81	107.59
14	0.7794	-2.07	-0.01	28.74	100.98	67.60	12.48	315.52
				600.3	2109.1	1411.9	3.81	108.26

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
82	4	0.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.46960	0.07700	0.09397	-0.00065	0.00038	0.00154
2	-0.30770	0.04400	0.06846	0.00671	0.00063	-0.00012
3	-0.05564	0.03086	0.03712	0.00464	0.00134	-0.00005
4	0.24276	0.03453	0.00878	0.00479	0.00164	0.00001
5	0.49747	0.05505	-0.01846	0.00500	0.00201	-0.00028
6	0.59830	0.08897	-0.04522	0.00470	0.00418	0.00007
7	0.70073	0.12841	-0.08806	0.01110	0.00297	-0.00174
8	0.74748	0.16910	-0.13044	0.00788	0.00241	-0.00134
9	0.73756	0.20773	-0.19077	0.00482	0.00691	-0.00098
10	0.81837	0.26162	-0.22225	0.00633	0.00819	-0.00057
11	0.89782	0.32551	-0.23165	0.00696	0.00959	-0.00206
12	0.93608	0.38012	-0.20863	0.00690	0.01072	-0.00330
13	0.92678	0.39953	-0.18293	0.00852	0.00160	-0.00007
14	-0.06389	0.03069	0.03897	0.00310	0.00155	-0.00013

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
83	4	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8518	-6.57	-0.01	31.89	100.88	62.78	12.67	322.14
				666.0	2107.0	1311.2	3.86	120.18
2	0.8503	-4.21	-0.02	31.83	100.88	62.88	12.63	322.79
				664.7	2107.0	1313.2	3.85	121.36
3	0.8502	-1.96	-0.02	31.83	100.92	62.91	12.64	322.61
				664.8	2107.7	1313.9	3.85	121.02
4	0.8503	0.32	-0.01	31.83	100.88	62.88	12.62	323.03
				664.7	2107.0	1313.2	3.85	121.79
5	0.8512	2.70	0.00	31.87	100.92	62.84	12.63	322.96
				665.6	2107.7	1312.5	3.85	121.66
6	0.8507	4.85	0.00	31.85	100.92	62.88	12.62	323.09
				665.2	2107.7	1313.2	3.85	121.89
7	0.8502	7.28	0.01	31.83	100.92	62.91	12.61	323.18
				664.8	2107.7	1313.9	3.85	122.06
8	0.8503	9.16	-0.02	31.83	100.88	62.88	12.59	323.63
				664.7	2107.0	1313.2	3.84	122.87
9	0.8512	11.28	0.01	31.87	100.92	62.84	12.58	323.95
				665.6	2107.7	1312.5	3.84	123.44
10	0.8497	13.38	0.03	31.81	100.92	62.94	12.59	323.59
				664.3	2107.7	1314.6	3.84	122.80
11	0.8508	15.59	0.07	31.85	100.88	62.84	12.58	323.89
				665.1	2107.0	1312.5	3.83	123.34
12	0.8513	17.72	0.09	31.87	100.88	62.81	12.55	324.51
				665.6	2107.0	1311.8	3.83	124.45
13	0.8497	18.78	-0.02	31.81	100.92	62.94	12.56	324.33
				664.3	2107.7	1314.6	3.83	124.12
14	0.8532	-1.94	-0.01	31.96	100.92	62.71	12.61	323.56
				667.4	2107.7	1309.8	3.85	122.74

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
83	4	0.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.34170	0.09509	0.07211	-0.00185	-0.00103	0.00258
2	-0.17380	0.06275	0.04900	0.00377	-0.00130	0.00129
3	-0.01456	0.04921	0.04208	0.00524	0.00112	0.00021
4	0.14417	0.05000	0.03841	0.00313	0.00211	0.00008
5	0.28109	0.06919	0.01328	0.00309	0.00343	-0.00004
6	0.43178	0.09606	-0.03481	0.00545	0.00286	-0.00032
7	0.61596	0.13938	-0.09454	0.00784	0.00451	-0.00131
8	0.67764	0.17692	-0.15662	0.00845	-0.00064	-0.00019
9	0.76533	0.22711	-0.20361	0.00802	0.00338	-0.00126
10	0.83761	0.28321	-0.22377	0.01001	0.00535	-0.00162
11	0.93024	0.34934	-0.22916	0.00957	0.00985	-0.00109
12	0.96962	0.40661	-0.20575	0.01000	0.00944	-0.00237
13	0.96009	0.42790	-0.17827	0.01165	0.00019	-0.00089
14	-0.01095	0.05124	0.04337	0.00259	0.00113	0.00023

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
84	4	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.5965	-6.49	-0.01	19.83 414.1	101.25 2114.7	79.60 1662.4	11.32 3.45	299.93 80.20
4	0.5994	-4.25	-0.01	19.97 417.0	101.22 2114.0	79.40 1658.2	11.31 3.45	300.88 81.91
5	0.6004	-2.10	-0.01	20.02 418.2	101.25 2114.7	79.36 1657.5	11.30 3.44	301.48 82.99
6	0.6009	0.18	-0.01	20.05 418.8	101.25 2114.7	79.32 1656.7	11.28 3.44	302.06 84.03
7	0.5999	2.48	0.00	19.99 417.6	101.22 2114.0	79.36 1657.5	11.23 3.42	302.75 85.28
8	0.5998	4.64	0.00	19.99 417.6	101.25 2114.7	79.40 1658.2	11.23 3.42	302.77 85.31
9	0.5994	6.86	0.00	19.97 417.0	101.22 2114.0	79.40 1658.2	11.20 3.41	303.12 85.95
10	0.5998	8.90	0.01	19.99 417.6	101.25 2114.7	79.40 1658.2	11.19 3.41	303.48 86.59
11	0.6008	10.87	0.02	20.05 418.8	101.29 2115.4	79.36 1657.5	11.21 3.42	303.53 86.69
12	0.5994	12.87	0.07	19.97 417.0	101.22 2114.0	79.40 1658.2	11.16 3.40	303.94 87.43
13	0.6004	14.92	0.09	20.02 418.2	101.25 2114.7	79.36 1657.5	11.18 3.41	303.91 87.37
14	0.6008	17.04	0.07	20.05 418.8	101.29 2115.4	79.36 1657.5	11.18 3.41	304.06 87.63
15	0.6009	19.07	0.01	20.05 418.8	101.25 2114.7	79.32 1656.7	11.17 3.40	304.27 88.01
16	0.5999	21.46	0.03	19.99 417.6	101.22 2114.0	79.36 1657.5	11.14 3.39	304.66 88.71
17	0.6009	-2.06	-0.01	20.05 418.8	101.25 2114.7	79.32 1656.7	11.14 3.39	305.07 89.45

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
84	4	-10.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
3	-0.52350	0.09432	0.26094	0.00944	0.00093	-0.00114
4	-0.30702	0.07663	0.28715	0.00315	-0.00081	0.00092
5	-0.13720	0.06562	0.29464	0.00135	0.00065	0.00085
6	0.08009	0.05940	0.29884	0.00419	0.00066	0.00015
7	0.28594	0.05996	0.29449	0.00311	0.00138	0.00010
8	0.48635	0.06505	0.28039	0.00501	0.00147	-0.00061
9	0.66209	0.09003	0.26526	0.00580	0.00040	-0.00092
10	0.69755	0.13825	0.21908	0.00720	0.00325	-0.00147
11	0.69741	0.18445	0.15929	0.00331	0.00676	-0.00018
12	0.68984	0.21883	0.12366	0.00245	0.01481	-0.00122
13	0.72035	0.26379	0.07759	0.00397	0.01364	-0.00272
14	0.77145	0.31476	0.05769	0.00458	0.00841	-0.00363
15	0.80883	0.36326	0.05792	0.00263	0.00134	-0.00041
16	0.86316	0.42618	0.06596	0.00253	0.00191	-0.00189
17	-0.13702	0.06485	0.29508	0.00162	0.00022	0.00080

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
85	4	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7789	-6.69	-0.01	28.75	101.08	67.70	12.63	312.81
				600.4	2111.2	1414.0	3.85	103.39
2	0.7797	-4.48	-0.01	28.80	101.12	67.67	12.62	313.18
				601.5	2111.9	1413.3	3.85	104.06
3	0.7794	-2.12	-0.01	28.77	101.08	67.67	12.61	313.37
				600.9	2111.2	1413.3	3.84	104.39
4	0.7808	0.29	-0.01	28.85	101.12	67.60	12.59	313.97
				602.5	2111.9	1411.9	3.84	105.47
5	0.7823	2.77	0.00	28.92	101.12	67.50	12.59	314.25
				604.0	2111.9	1409.8	3.84	105.98
6	0.7802	4.88	0.00	28.82	101.12	67.64	12.58	314.12
				602.0	2111.9	1412.6	3.84	105.74
7	0.7802	7.04	0.00	28.82	101.12	67.64	12.54	314.87
				602.0	2111.9	1412.6	3.82	107.09
8	0.7808	9.14	0.00	28.85	101.12	67.60	12.56	314.72
				602.5	2111.9	1411.9	3.83	106.82
9	0.7804	11.08	0.03	28.82	101.08	67.60	12.52	315.17
				601.9	2111.2	1411.9	3.82	107.63
10	0.7813	13.28	0.06	28.87	101.12	67.57	12.53	315.24
				603.0	2111.9	1411.2	3.82	107.76
11	0.7797	15.39	0.11	28.80	101.12	67.67	12.49	315.76
				601.5	2111.9	1413.3	3.81	108.70
12	0.7808	17.47	0.13	28.85	101.12	67.60	12.50	315.84
				602.5	2111.9	1411.9	3.81	108.84
13	0.7802	19.69	0.01	28.82	101.12	67.64	12.48	316.02
				602.0	2111.9	1412.6	3.81	109.17
14	0.7804	21.71	0.02	28.82	101.09	67.60	12.47	316.19
				601.9	2111.2	1411.9	3.80	109.48
15	0.7808	-2.04	-0.01	28.85	101.12	67.60	12.47	316.38
				602.5	2111.9	1411.9	3.80	109.81

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN 85	CONFIG 4	DHORZ(deg) -10.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.51566	0.12060	0.23640	0.00134	0.00072	0.00071
2	-0.37977	0.08612	0.24514	0.00400	0.00054	0.00049
3	-0.14819	0.06855	0.24762	0.00342	0.00153	0.00006
4	0.11393	0.06428	0.26796	0.00219	0.00176	0.00040
5	0.38274	0.07768	0.27107	0.00256	0.00296	0.00000
6	0.45674	0.09861	0.28333	0.00199	0.00363	0.00065
7	0.55217	0.12864	0.25471	0.00654	0.00270	-0.00094
8	0.59694	0.16481	0.19391	0.00438	0.00110	-0.00070
9	0.60712	0.19817	0.14087	0.00468	0.00571	-0.00133
10	0.69262	0.24684	0.09978	0.00281	0.00883	-0.00031
11	0.76989	0.29914	0.07386	0.00637	0.01233	-0.00275
12	0.83741	0.35657	0.06045	0.00437	0.01191	-0.00370
13	0.86260	0.40837	0.06761	0.00628	0.00159	-0.00071
14	0.90728	0.46292	0.08260	0.00360	0.00120	-0.00107
15	-0.13560	0.06753	0.24934	0.00310	0.00146	-0.00010

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
86	4	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8497	-6.60	-0.01	31.86	101.08	63.04	12.85	318.83
				665.5	2111.2	1316.7	3.92	114.22
2	0.8497	-4.26	-0.01	31.86	101.08	63.04	12.82	319.48
				665.5	2111.2	1316.7	3.91	115.40
3	0.8502	-2.02	-0.01	31.88	101.08	63.01	12.83	319.28
				665.9	2111.2	1316.0	3.91	115.03
4	0.8520	0.23	0.00	31.97	101.12	62.91	12.83	319.65
				667.7	2111.9	1314.0	3.91	115.70
5	0.8507	2.58	0.00	31.91	101.08	62.98	12.83	319.47
				666.4	2111.2	1315.3	3.91	115.37
6	0.8497	4.80	-0.01	31.86	101.08	63.04	12.79	320.10
				665.5	2111.2	1316.7	3.90	116.51
7	0.8492	7.07	0.01	31.84	101.08	63.08	12.78	320.29
				665.0	2111.2	1317.4	3.89	116.85
8	0.8512	9.17	-0.01	31.93	101.08	62.95	12.81	319.84
				666.8	2111.2	1314.7	3.90	116.04
9	0.8517	11.30	0.03	31.95	101.08	62.91	12.81	319.89
				667.2	2111.2	1314.0	3.90	116.14
10	0.8499	13.42	0.03	31.86	101.05	63.01	12.74	321.00
				665.4	2110.5	1316.0	3.88	118.13
11	0.8504	15.61	0.09	31.88	101.05	62.98	12.77	320.49
				665.9	2110.5	1315.3	3.89	117.22
12	0.8517	17.82	0.11	31.95	101.08	62.91	12.76	320.88
				667.2	2111.2	1314.0	3.89	117.92
13	0.8499	19.88	0.01	31.86	101.05	63.01	12.72	321.50
				665.4	2110.5	1316.0	3.88	119.03
14	0.8507	22.15	0.25	31.91	101.08	62.98	12.72	321.59
				666.4	2111.2	1315.3	3.88	119.20
15	0.8507	-2.03	-0.01	31.91	101.08	62.98	12.72	321.50
				666.4	2111.2	1315.3	3.88	119.03

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
86	4	-10.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.39445	0.13639	0.22684	0.00111	0.00062	0.00120
2	-0.24419	0.10351	0.23545	0.00214	-0.00061	0.00102
3	-0.09049	0.08600	0.25185	0.00220	0.00058	0.00025
4	0.04481	0.08062	0.27582	0.00261	0.00240	-0.00027
5	0.16928	0.09111	0.29133	0.00041	0.00259	0.00065
6	0.30233	0.10980	0.29483	0.00232	0.00181	0.00073
7	0.45807	0.13919	0.27008	0.00347	0.00438	-0.00055
8	0.54321	0.17337	0.19617	0.00461	0.00088	-0.00021
9	0.63828	0.21812	0.14023	0.00546	0.00472	-0.00118
10	0.71632	0.26769	0.10939	0.00748	0.00510	-0.00135
11	0.80691	0.32462	0.08331	0.01064	0.01183	-0.00186
12	0.86953	0.38422	0.06915	0.00790	0.01016	-0.00312
13	0.90709	0.43851	0.08108	0.01159	0.00107	-0.00242
14	0.96006	0.50455	0.09366	-0.01628	0.01238	-0.00523
15	-0.09134	0.08560	0.25047	0.00164	0.00077	0.00027

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
87	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
19	0.5988	-6.56	-0.01	19.94	101.22	79.43	11.17	303.63
				416.4	2114.0	1658.9	3.40	86.86
20	0.6001	-4.28	-0.01	19.99	101.19	79.33	11.11	305.16
				417.6	2113.3	1656.8	3.39	89.62
21	0.6016	-2.05	-0.01	20.08	101.22	79.26	11.12	305.59
				419.4	2114.0	1655.3	3.39	90.39
22	0.6016	0.26	-0.01	20.08	101.22	79.26	11.12	305.42
				419.4	2114.0	1655.3	3.39	90.09
23	0.6010	2.64	-0.01	20.05	101.22	79.29	11.10	305.78
				418.8	2114.0	1656.0	3.38	90.73
24	0.5999	4.65	-0.01	19.99	101.22	79.36	11.07	306.09
				417.6	2114.0	1657.5	3.37	91.30
25	0.5998	6.95	-0.01	19.99	101.25	79.40	11.07	306.19
				417.6	2114.7	1658.2	3.37	91.47
26	0.5993	8.90	-0.01	19.97	101.25	79.43	11.05	306.43
				417.0	2114.7	1658.9	3.37	91.91
27	0.5988	10.85	-0.01	19.94	101.22	79.43	11.03	306.64
				416.4	2114.0	1658.9	3.36	92.28
28	0.6004	12.98	0.02	20.02	101.25	79.36	11.07	306.36
				418.2	2114.7	1657.5	3.37	91.77
29	0.5994	14.91	0.08	19.97	101.22	79.40	11.04	306.49
				417.0	2114.0	1658.2	3.37	92.01
30	0.5998	17.10	0.13	19.99	101.25	79.40	11.04	306.77
				417.6	2114.7	1658.2	3.37	92.51
31	0.5993	19.21	0.18	19.97	101.25	79.43	11.02	306.98
				417.0	2114.7	1658.9	3.36	92.89
32	0.5999	21.36	0.23	19.99	101.22	79.36	11.04	306.73
				417.6	2114.0	1657.5	3.37	92.45
33	0.6015	-1.99	-0.01	20.08	101.25	79.29	11.08	306.43
				419.4	2114.7	1656.0	3.38	91.91

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
87	3	0.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
19	-0.46523	0.05120	0.03784	0.00392	0.00018	0.00093
20	-0.24310	0.03536	0.03052	0.00547	-0.00011	0.00081
21	-0.03121	0.02972	0.02268	0.00483	0.00058	0.00069
22	0.18109	0.03182	0.01866	0.00362	0.00148	0.00065
23	0.40787	0.04169	0.01682	0.00523	0.00138	0.00017
24	0.58526	0.05616	0.01966	0.00633	0.00088	-0.00080
25	0.75842	0.08761	0.02456	0.00607	0.00005	-0.00036
26	0.78488	0.13825	0.00476	0.00961	-0.00143	-0.00116
27	0.76308	0.18656	-0.03020	0.00782	-0.00001	-0.00013
28	0.73630	0.22545	-0.02659	0.00661	0.00370	-0.00261
29	0.79105	0.27086	-0.02878	0.00756	0.01547	-0.00202
30	0.82988	0.32206	0.00071	0.00325	0.01751	-0.00479
31	0.88065	0.37600	0.02485	0.00258	0.02015	-0.00672
32	0.91955	0.43314	0.04464	0.00092	0.02122	-0.00963
33	-0.03260	0.02963	0.02274	0.00355	0.00064	0.00072

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
88	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7785	-6.77	-0.02	28.75	101.15	67.77	12.70	311.54
				600.5	2112.6	1415.5	3.87	101.10
2	0.7792	-4.42	-0.02	28.78	101.12	67.70	12.65	312.51
				601.0	2111.9	1414.0	3.86	102.85
3	0.7801	-2.14	-0.02	28.82	101.15	67.67	12.64	313.02
				602.0	2112.6	1413.3	3.85	103.76
4	0.7785	0.24	-0.01	28.75	101.15	67.77	12.60	313.44
				600.5	2112.6	1415.5	3.84	104.53
5	0.7827	2.82	-0.01	28.94	101.15	67.50	12.63	313.67
				604.5	2112.6	1409.8	3.85	104.93
6	0.7811	5.07	0.00	28.87	101.15	67.60	12.58	314.34
				603.0	2112.6	1411.9	3.84	106.14
7	0.7787	7.16	-0.01	28.75	101.12	67.74	12.56	314.34
				600.5	2111.9	1414.8	3.83	106.14
8	0.7797	9.11	-0.03	28.80	101.12	67.67	12.54	314.79
				601.5	2111.9	1413.3	3.82	106.95
9	0.7806	11.16	0.01	28.85	101.15	67.64	12.55	314.87
				602.5	2112.6	1412.6	3.83	107.09
10	0.7785	13.33	0.09	28.75	101.15	67.77	12.51	315.28
				600.5	2112.6	1415.5	3.81	107.83
11	0.7799	15.52	0.09	28.82	101.19	67.70	12.54	315.03
				602.0	2113.3	1414.0	3.82	107.39
12	0.7787	17.55	0.09	28.75	101.12	67.74	12.51	315.29
				600.5	2111.9	1414.8	3.81	107.86
13	0.7792	19.74	0.06	28.78	101.12	67.70	12.50	315.46
				601.0	2111.9	1414.0	3.81	108.16
14	0.7789	21.83	0.26	28.78	101.19	67.77	12.52	315.24
				601.1	2113.3	1415.5	3.82	107.76
15	0.7785	-2.12	-0.01	28.75	101.15	67.77	12.49	315.67
				600.5	2112.6	1415.5	3.81	108.53

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
88	3	0.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.46852	0.08128	0.02013	0.00604	0.00153	-0.00008
2	-0.30681	0.04869	0.02751	0.00860	0.00084	-0.00030
3	-0.08187	0.03497	0.02593	0.00643	0.00173	-0.00026
4	0.17784	0.03595	0.02704	0.00524	0.00163	-0.00008
5	0.47171	0.05696	0.02665	0.00547	0.00202	-0.00032
6	0.56818	0.08857	0.01678	0.00358	0.00339	0.00042
7	0.67555	0.12768	-0.00545	0.01121	0.00210	-0.00147
8	0.69697	0.16633	-0.03630	0.00789	-0.00330	-0.00054
9	0.69375	0.20393	-0.05504	0.00553	0.00226	-0.00083
10	0.76927	0.25341	-0.05871	0.00636	0.01257	-0.00217
11	0.82790	0.30818	-0.02105	0.00580	0.01034	-0.00218
12	0.85367	0.35543	0.01971	0.00553	0.00867	-0.00281
13	0.88066	0.40830	0.04627	0.00469	0.00469	-0.00211
14	0.93010	0.46731	0.06272	-0.00342	0.01341	-0.00974
15	-0.08556	0.03451	0.02961	0.00434	0.00156	-0.00013

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
89	3	0.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8508	-6.50	-0.02	31.93	101.15	63.02	12.90	318.19
				666.9	2112.6	1316.1	3.93	113.08
2	0.8515	-4.21	-0.02	31.95	101.12	62.95	12.90	318.25
				667.3	2111.9	1314.7	3.93	113.18
3	0.8505	-1.98	-0.02	31.91	101.12	63.01	12.86	318.91
				666.4	2111.9	1316.0	3.92	114.36
4	0.8505	0.34	-0.01	31.91	101.12	63.01	12.88	318.47
				666.4	2111.9	1316.0	3.93	113.58
5	0.8510	2.75	0.00	31.93	101.12	62.98	12.92	317.89
				666.9	2111.9	1315.4	3.94	112.54
6	0.8507	5.02	-0.01	31.91	101.08	62.98	12.85	318.99
				666.4	2111.2	1315.3	3.92	114.52
7	0.8490	7.16	0.00	31.85	101.12	63.11	12.85	318.83
				665.1	2111.9	1318.1	3.92	114.22
8	0.8515	9.25	-0.01	31.95	101.12	62.95	12.83	319.65
				667.3	2111.9	1314.7	3.91	115.70
9	0.8508	11.29	0.03	31.93	101.15	63.02	12.83	319.59
				666.9	2112.6	1316.1	3.91	115.60
10	0.8502	13.49	-0.01	31.88	101.08	63.01	12.79	320.21
				665.9	2111.2	1316.0	3.90	116.71
11	0.8515	15.61	0.07	31.95	101.12	62.95	12.82	319.86
				667.3	2111.9	1314.7	3.91	116.07
12	0.8512	17.72	0.02	31.93	101.08	62.95	12.77	320.76
				666.8	2111.2	1314.7	3.89	117.69
13	0.8502	19.82	0.01	31.88	101.08	63.01	12.77	320.64
				665.9	2111.2	1316.0	3.89	117.49
14	0.8500	-2.03	-0.01	31.89	101.12	63.04	12.80	320.04
				666.0	2111.9	1316.7	3.90	116.41

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
89	3	0.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.31375	0.09816	-0.02488	0.00880	0.00147	-0.00125
2	-0.16371	0.06984	-0.01972	0.00989	0.00047	-0.00149
3	-0.01183	0.05540	0.01053	0.00861	0.00113	-0.00098
4	0.12930	0.05488	0.04536	0.00549	0.00190	-0.00028
5	0.25349	0.07246	0.06091	0.00517	0.00348	-0.00086
6	0.41051	0.09978	0.03564	0.00284	0.00227	0.00070
7	0.57515	0.13542	0.00179	0.00782	0.00302	-0.00103
8	0.65737	0.17773	-0.03985	0.00896	-0.00020	-0.00126
9	0.71383	0.21958	-0.06911	0.00565	0.00482	-0.00122
10	0.78294	0.27230	-0.06069	0.00890	0.00088	-0.00040
11	0.85697	0.32877	-0.02131	0.00658	0.00926	-0.00072
12	0.86507	0.37496	0.02532	0.00723	0.00296	-0.00051
13	0.91660	0.43454	0.04863	0.00541	0.00139	-0.00112
14	-0.02250	0.05429	0.01160	0.00589	0.00095	-0.00091

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
90	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
3	0.5999	-6.57	0.00	19.99	101.22	79.36	11.02	307.11
				417.6	2114.0	1657.5	3.36	93.12
4	0.6012	-4.24	-0.01	20.05	101.19	79.26	11.03	307.27
				418.7	2113.3	1655.3	3.36	93.42
5	0.5988	-2.02	0.00	19.94	101.22	79.43	10.98	307.63
				416.4	2114.0	1658.9	3.35	94.06
6	0.5994	0.21	0.00	19.97	101.22	79.40	11.00	307.50
				417.0	2114.0	1658.2	3.35	93.83
7	0.6005	2.47	-0.01	20.02	101.22	79.33	11.00	307.80
				418.2	2114.0	1656.8	3.35	94.37
8	0.6010	4.68	0.00	20.05	101.22	79.29	11.01	307.67
				418.8	2114.0	1656.0	3.36	94.13
9	0.6005	6.82	-0.01	20.02	101.22	79.33	10.98	308.12
				418.2	2114.0	1656.8	3.35	94.94
10	0.6009	8.87	0.00	20.05	101.25	79.32	10.99	308.08
				418.8	2114.7	1656.7	3.35	94.87
11	0.5999	10.84	0.02	19.99	101.22	79.36	10.99	307.83
				417.6	2114.0	1657.5	3.35	94.43
12	0.5994	12.85	0.06	19.97	101.22	79.40	10.98	307.91
				417.0	2114.0	1658.2	3.35	94.57
13	0.5994	14.86	0.09	19.97	101.22	79.40	10.99	307.76
				417.0	2114.0	1658.2	3.35	94.30
14	0.5988	16.89	0.01	19.94	101.22	79.43	10.96	308.17
				416.4	2114.0	1658.9	3.34	95.04
15	0.5999	19.07	0.02	19.99	101.22	79.36	10.98	307.95
				417.6	2114.0	1657.5	3.35	94.64
16	0.6010	21.18	0.03	20.05	101.22	79.29	10.97	308.49
				418.8	2114.0	1656.0	3.35	95.61
17	0.5999	-2.05	0.00	19.99	101.22	79.36	10.98	308.12
				417.6	2114.0	1657.5	3.35	94.94

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
90	3	-10.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
3	-0.51268	0.09808	0.12621	-0.00325	-0.00080	0.00230
4	-0.29672	0.07986	0.13902	-0.00376	-0.00059	0.00258
5	-0.10213	0.07013	0.15030	-0.00412	-0.00096	0.00262
6	0.09324	0.06681	0.16464	-0.00412	-0.00020	0.00226
7	0.29332	0.06864	0.18772	-0.00087	-0.00012	0.00163
8	0.47552	0.07735	0.21671	0.00161	0.00099	0.00036
9	0.63407	0.09710	0.23834	0.00302	0.00017	0.00032
10	0.66675	0.14144	0.22203	0.00470	0.00101	-0.00013
11	0.66730	0.18343	0.17228	0.00324	0.00745	0.00071
12	0.65254	0.21521	0.14692	0.00089	0.01340	0.00102
13	0.68970	0.25795	0.12269	0.00197	0.01409	-0.00222
14	0.71831	0.30110	0.12652	0.00342	0.00284	-0.00004
15	0.77646	0.35558	0.11722	0.00268	0.00282	0.00000
16	0.82798	0.41174	0.11062	-0.00201	0.00385	-0.00023
17	-0.11667	0.06992	0.14962	-0.00488	-0.00098	0.00238

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
91	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.7783	-6.82	0.00	28.72	101.08	67.74	12.62	312.87
				599.9	2111.2	1414.8	3.85	103.49
2	0.7789	-4.55	0.00	28.75	101.08	67.70	12.58	313.91
				600.4	2111.2	1414.0	3.83	105.37
3	0.7797	-2.19	-0.01	28.80	101.12	67.67	12.59	313.97
				601.5	2111.9	1413.3	3.84	105.47
4	0.7789	0.27	-0.01	28.75	101.08	67.70	12.55	314.51
				600.4	2111.2	1414.0	3.82	106.45
5	0.7782	2.62	0.00	28.73	101.12	67.77	12.51	315.07
				600.0	2111.9	1415.5	3.81	107.46
6	0.7787	5.03	0.00	28.75	101.12	67.74	12.54	314.62
				600.5	2111.9	1414.8	3.82	106.65
7	0.7782	7.08	0.00	28.73	101.12	67.77	12.51	315.24
				600.0	2111.9	1415.5	3.81	107.76
8	0.7794	9.06	-0.02	28.77	101.08	67.67	12.48	315.84
				600.9	2111.2	1413.3	3.80	108.84
9	0.7785	11.02	0.01	28.72	101.05	67.70	12.50	315.17
				599.9	2110.5	1414.0	3.81	107.63
10	0..7787	13.14	0.03	28.75	101.12	67.74	12.48	315.76
				600.5	2111.9	1414.8	3.81	108.70
11	0.7776	15.39	0.09	28.70	101.12	67.81	12.46	316.02
				599.5	2111.9	1416.2	3.80	109.17
12	0.7773	17.47	-0.01	28.68	101.08	67.81	12.45	316.08
				598.9	2111.2	1416.2	3.80	109.27
13	0.7778	19.47	0.01	28.70	101.08	67.77	12.44	316.43
				599.4	2111.2	1415.5	3.79	109.91
14	0.7773	21.87	0.02	28.68	101.08	67.81	12.42	316.72
				598.9	2111.2	1416.2	3.79	110.42
15	0.7787	-2.14	-0.01	28.75	101.12	67.74	12.44	316.61
				600.5	2111.9	1414.8	3.79	110.22
16	0.7797	-6.80	0.00	28.80	101.12	67.67	12.48	316.02
				601.5	2111.9	1413.3	3.80	109.17

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
91	3	-10.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.52227	0.12976	0.12099	-0.00749	-0.00085	0.00346
2	-0.38308	0.09315	0.12965	-0.00639	-0.00176	0.00343
3	-0.15653	0.07489	0.13690	-0.00308	-0.00008	0.00230
4	0.12387	0.07111	0.13860	-0.00072	0.00184	0.00128
5	0.37691	0.08191	0.14607	-0.00083	0.00172	0.00083
6	0.49786	0.11115	0.16435	0.00114	0.00312	0.00030
7	0.57323	0.14111	0.17131	0.00106	0.00186	0.00041
8	0.56880	0.16750	0.19490	-0.00541	-0.00227	0.00316
9	0.58168	0.19680	0.14856	0.00199	0.00240	0.00006
10	0.65404	0.24199	0.13052	0.00270	0.00506	-0.00038
11	0.74029	0.29509	0.11855	0.00563	0.01107	-0.00191
12	0.77186	0.34290	0.11456	0.00617	0.00088	0.00022
13	0.83140	0.39750	0.09866	0.00450	0.00201	0.00012
14	0.99376	0.46377	0.09052	0.00045	0.00187	0.00013
15	-0.14361	0.07457	0.13698	-0.00433	-0.00021	0.00243
16	-0.52241	0.13026	0.11968	-0.01005	-0.00095	0.00377

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
92	3	-10.0

SEQ	MACH	ALPHA (deg)	BETA (deg)	Q (kPa) (PSF)	PT (kPa) (PSF)	P (kPa) (PSF)	REPX (1/m) (1/ft)	TEMP (K) (F)
1	0.8497	-6.65	-0.01	31.86 665.5	101.08 2111.2	63.04 1316.7	12.84 3.91	319.02 114.56
2	0.8504	-4.36	-0.01	31.88 665.9	101.05 2110.5	62.98 1315.3	12.78 3.89	320.29 116.85
3	0.8517	-1.86	-0.01	31.95 667.2	101.08 2111.2	62.91 1314.0	12.80 3.90	320.14 116.58
4	0.8502	0.21	-0.01	31.88 665.9	101.08 2111.2	63.01 1316.0	12.82 3.91	319.50 115.43
5	0.8499	2.54	-0.01	31.86 665.4	101.05 2110.5	63.01 1316.0	12.80 3.90	319.91 116.17
6	0.8502	5.01	0.00	31.88 665.9	101.08 2111.2	63.01 1316.0	12.81 3.90	319.76 115.90
7	0.8514	7.01	0.01	31.92 666.7	101.05 2110.5	62.91 1314.0	12.80 3.90	320.03 116.38
8	0.8517	9.18	-0.02	31.95 667.2	101.08 2111.2	62.91 1314.0	12.80 3.90	320.23 116.75
9	0.8494	11.27	0.03	31.84 665.0	101.05 2110.5	63.04 1316.7	12.74 3.88	320.96 118.06
10	0.8509	13.37	0.02	31.90 666.3	101.05 2110.5	62.94 1314.6	12.76 3.89	320.85 117.86
11	0.8496	15.66	0.09	31.84 664.9	101.02 2109.8	63.01 1316.0	12.73 3.88	321.11 118.33
12	0.8506	17.70	-0.03	31.88 665.8	101.02 2109.8	62.94 1314.6	12.72 3.88	321.35 118.76
13	0.8504	20.03	-0.02	31.88 665.9	101.05 2110.5	62.98 1315.3	12.73 3.88	321.29 118.66
14	0.8514	22.09	0.20	31.92 666.7	101.05 2110.5	62.91 1314.0	12.68 3.86	322.46 120.75
15	0.8514	-2.05	0.00	31.92 666.7	101.05 2110.5	62.91 1314.0	12.73 3.88	321.41 118.87

TABLE 3.4 (CONTINUED)

NASA/ARC TEST 441-14 FORCE DATA (STABILITY AXIS)

RUN	CONFIG	DHORZ(deg)
92	3	-10.0

SEQ	C_L	C_D	C_m	C_Y	C_l	C_n
1	-0.39958	0.14448	0.11591	-0.00684	-0.00063	0.00334
2	-0.25005	0.11238	0.12125	-0.00545	-0.00173	0.00318
3	-0.06985	0.09111	0.14128	-0.00480	-0.00051	0.00265
4	0.07205	0.08564	0.15588	-0.00075	0.00111	0.00116
5	0.20561	0.09753	0.15784	0.00087	0.00244	0.00106
6	0.35468	0.12085	0.14973	-0.00010	0.00218	0.00132
7	0.47782	0.14872	0.15798	-0.00257	0.00320	0.00122
8	0.53590	0.17897	0.18164	0.00054	-0.00077	0.00149
9	0.61164	0.21619	0.14327	0.00205	0.00523	-0.00040
10	0.69083	0.26535	0.12744	0.00422	0.00360	0.00001
11	0.78709	0.32365	0.10187	0.01082	0.01070	-0.00225
12	0.82217	0.37236	0.09489	0.00680	-0.00004	0.00100
13	0.93218	0.44957	0.08452	0.00619	0.00082	0.00075
14	0.97390	0.50827	0.07797	-0.00091	0.00869	-0.00747
15	-0.08653	0.09290	0.14126	-0.00728	-0.00096	0.00285

LIST OF ABBREVIATIONS

SYMBOLS

CONFIG	Model configuration
C_l	Rolling moment coefficient (stability axis)
C_L	Lift coefficient
C_D	Drag coefficient
C_m	Pitching moment coefficient
C_n	Yawing moment coefficient (stability axis)
C_Y	Side force coefficient (stability axis)
P	Freestream static pressure
PT	Total pressure
Q	Freestream dynamic pressure
REPX	Reynolds number per unit length / 10^6
SEQ	Run sequence number
TEMP	Freestream total temperature
α, ALPHA	Angle of attack (referenced to the body)
β, BETA	Angle of sideslip
δ_H, DHORZ	Horizontal tail deflection angle

NOMENCLATURE

ARC	Ames Research Center
BL	Buttock line
B_{3M}	Model 603E body with two-place canopy
FS	Fuselage station
H_7	Horizontal T-Tail
H_{7a}	Horizontal mid-tail
H_{7b}	Horizontal low-tail
N_6	Flow-through engine nacelle
PSF	lbf/ft2

846

NOMENCLATURE

R_2	Vertical tail rudder
SS	Span station
V_3	Vertical tail
WL	Waterline
W_9	Baseline steel wing
W_{10}	Modified aluminum wing

DISTRIBUTION LIST

Office of Naval Research
800 North Quincy Street
Arlington, Virginia 22217
     R.E. Whitehead, Scientific Officer   1
     M. Thomas, Administrative Contracting Officer 1

Director
Naval Research Laboratory
Washington, D.C. 20375
     Code 2627   6

Office of Naval Research
Detachment, Chicago
536 South Clark Street
Chicago, Illinois 60605   1

Defense Technical Information Center
Bldg. 5, Cameron Station
Alexandria, Virginia 22314   12

NASA/Ames Research Center
Aerodynamics Research Branch
Moffett Field, California 94035
     R. M. Hicks, M.S. 227-8   1

Naval Air Systems Command
Washington, D.C. 20361
     D. G. Kirkpatrick   1